

SQL JOINS Cheatsheet






The tables show here (one and two) will be used for each of the following examples. The numbers show the row data each holds. The highlighted values are rows with data that is common between the two tables. The unhighlighted area are rows that are unique to each table.

Common Named Joins


INNER JOIN (DEFAULT)



SELECT * FROM one INNER JOIN two ON one.key = two.key

RES	SULT
ONE	TWO
990	990
991	991
992	992
993	993
994	994
995	995

LEFT JOIN (LEFT OUTER JOIN)




FROM one I FFT JOIN two ON one.key = two.key

SELECT *

RES	SULT
ONE	TWO
100	(null)
101	(null)
102	(null)
103	(null)
104	(null)
105	(null)
990	990
991	991
992	992
993	993
994	994
995	995

RIGHT JOIN (RIGHT OUTER JOIN)




SELECT * FROM one RIGHT JOIN two ON one.key = two.key

ONE	TWO
(null)	200
(null)	201
(null)	202
(null)	203
(null)	204
(null)	205
990	990
991	991
992	992
993	993
994	994
995	995

SELECT *

FULL OUTER JOIN



FROM one FULL OUTER JOIN two ON one.key = two.key

ONE	TWO
100	(null)
101	(null)
102	(null)
103	(null)
104	(null)
105	(null)
990	990
991	991
992	992
993	993
994	994
995	995
(null)	202
(null)	204
(null)	205
(null)	203
(null)	200
(null)	201

RESULT


Only values from the Left Table SELECT *

FROM one

ONE

SELECT * FROM one

Other Common Unnamed Joins




WHERE two.key IS NULL **RESULT**

TWO

LEFT JOIN two ON one.key = two.key

Only values from the Right Table



WHERE one.key IS NULL **RESULT**

RIGHT JOIN two ON one.key = two.key

ONE	TWO
(null)	200
(null)	201
(null)	202
(null)	203
(null)	204
(null)	205


105

(null)

(null) (null)

(null) (null)

(null)



SELECT *
FROM one
FULL OUTER JOIN two ON one.key = two.key
WHERE one.key IS NULL OR two.key IS NUL

, IO NOLL OIL
BULT
TWO
(null)

(null)

202 204

205 203

200

201