

How To Dev - Workshop



Core Idea



Core Idea

Software is messy, especially when distributed.



Greatest compliment



Greatest compliment

It just works!



What brakes programs?



What brakes programs?





What brakes programs?

Code

Environment





Code



Code - Version control system



Code - Version control system - Git



Code - Version control system - Git
Environment



- Code Version control system Git
- Environment Containerized environment



Code - Version control system - Git

Environment - Containerized environment - Docker



Git

Docker




Linux

Git

Docker







Most computations runs on servers



- Most computations runs on servers
 - Most servers runs Linux



- Most computations runs on servers
 - Most servers runs Linux
 - Most effective in resources



- Most computations runs on servers
 - Most servers runs Linux
 - Most effective in resources
 - Linux philosophy



Linux Linux Philosophy



Linux Philosophy

Do only one thing



Linux Philosophy

- Do only one thing
 - And do it well



Linux Linux Philosophy In practice



Linux Philosophy

In practice

Built out of tiny independent programs



Linux Philosophy

In practice

- Built out of tiny independent programs
 - Productive terminal environment



Fill at ~ in the \$



Fill at ~ in the \$

Fill at home in the terminal (shell)



This is the / of the problem



- This is the / of the problem
- This is the root of the problem



What is going on .?



- What is going on .?
- What is going on here?



My ~ is at /home/user/



Where have you bin/?



```
Where have you bin/?
```

Directory structure:

/bin /home /opt /tmp /usr /var /etc



Don't Bash your head against the keyboard



Hands-on keyboard!



Hands-on keyboard!

Go to cmd



Hands-on keyboard!

Go to cmd

ssh -i how-to-dev_key.pem

howtodev@172.160.226.208



Utilities



Utilities

ls

List all files in a directory



Utilities

cd

Change directory



Utilities

cat
less

Show content of file



Utilities

```
touch
cp
mv
```

Make, copy, move or rename files




Utilities

mkdir

Make a directory









mkdir <dir_name>



```
mkdir <dir_name>
git init .
```



```
mkdir <dir_name>
git init .
git status
```



```
nano <file_name>
echo <content> > <file_name>
```

Enter some content to a file.



```
nano <file_name>
echo <content> > <file_name>
git status
```



```
nano <file_name>
echo <content> > <file_name>
git status
git add <file_name>
```




```
nano <file_name>
echo <content> > <file_name>
git status
git add <file_name>
git status
```



```
nano <file_name>
echo <content> > <file_name>
git status
git add <file_name>
git status
git commit -m "some commit message"
```







```
I had id a make a from manyon.
A find a social plan factor title media; and one redu-
e torois and in our sign
# 196 same directory as this Designation
                                                                                                                        Image
FRE she to 12 day.
NUMBER Annied the brops.
distributed in the problem of the
BAB a clock "Rade Service" to Justice to a property of
's fearth's processing a read or not determined in July to July appeal
to mand size of Just
BANK a prima into a prisonal
Bill appropriate appropriate to
All appropriate and any property of the last-
n man vial liked-are or lune-
                                                               build
                                                                                                                                                                               run
BAN maps here all to relie at most a contract of
whatserange of high year need
A 1886 Year mental /media (ned promodil a manuer
$38 just Just average in an experi-
BIR 1rd / red by the tile on male from the
NEED ADDRESS OF CONTRACTOR OF
EXPOSE E 11 TO
ENTRY NEW Y Front in a still have free by-
 CAD [ Tree art, " (replay date?)
```

Dockerfile

Docker Image

Docker Container



docker build --tag "how-to-dev" .

Building a new docker image based on the 'Dockerfile' in the current directory.



docker image list

REPOSITORY how-to-dev latest

TAG

IMAGE ID

CREATED d211d6bfa5ab About a minute ago

SIZE 202MB



docker run --interactive --tty --name <my_name> how-to-dev bash



docker run -it --name <my_name> how-to-dev bash



```
docker container list
docker container list --all
```



```
docker run \
   -tty \
   --detach \
   --name <my_name> \
   how-to-dev \
   bash
```



```
docker container list
docker container list --all
```



docker exec -t <my_name> bash -c "ls"