

VERSION 2

AUGUST 21, 2025

The unofficial
isosigns
package

Link ↗

Contents

1	Installation	4
2	Loading the package & Dependencies	4
3	ISO Colors	4
4	ISO Signs (standard 7010)	5
5	ISO Signs (standard 7001)	15
6	Known Issue	16

The isosigns package

Manual for version 2

<https://www.ctan.org/pkg/isosafety>

<https://github.com/BenSt099/isosigns>

Abstract

This is the official documentation of the package **isosigns**. It provides ISO colors and signs according to the ISO standards 3864 and 7010. It can be used to create instructions for chemical or physical experiments.



ATTENTION! This is NOT an official package from the ISO (International Organization for Standardization). All signs are taken from Wikipedia.



ATTENTION! If you experience problems (e.g. on Windows) with this package, it may be due to *isosigns* not finding the pdfs properly. Please use the workaround in section 6.

1 Installation

The package is included in T_EXLive and MikT_EX. If you would like to install it manually, please download the package from GitHub (<https://github.com/BenSt099/isosigns/releases>). After that, please unzip the package and put it into the directory, where your distribution puts its packages, e.g. for T_EXLive 2024 (Windows) you would put the package into this folder:

```
C:\texlive\2024\texmf-dist\tex\latex\
```

After this step, there should be a folder with path:

```
C:\texlive\2023\texmf-dist\tex\latex\isosigns\
```

in which a file

```
isosigns.sty
```

and several folders should reside. You can verify your installation by trying it out.

2 Loading the package & Dependencies

You can load the package with the following command in the preamble:

```
\usepackage{isosigns}
```

This package has the following dependencies: `graphicx`, `xcolor`, `ifthen`, `xkeyval`

3 ISO Colors

Seven colors are defined which are also used to create the signs:

Name	Colors	Hex
Caution		#F9A800
Warning		#D05D29
Prohibition		#9B2423
Mandatory		#005387
Rescue		#237F52
Backgrounds		#ECECE7
Smybol		#2B2B2C

How to use:

```
{\color{Mandatory} \textbf{Text with Mandatory color.}}
```

Text with Mandatory color.

4 ISO Signs (standard 7010)

This section deals with the construction of signs. To begin with, each sign is placed in a category, has a letter and a number:

Category	Letter(s)	Numbers
Safe condition	E	(001 - 004, 007 - 070)
Crescent variant	CV	(003, 004, 009, 010, 011, 012, 013, 027, 028, 029, 064, 067)
Fire Protection	F	(001 - 019)
Mandatory	M	(001 - 060)
Prohibition	P	(001 - 074)
Warning	W	(001 - 080)

The command to access a sign is:

```
\Isosign7010{<Letter><Number>}
```

This command constructs a path to a sign in your T_EXLive / MikT_EX/ ... installation. To display a sign, use the following code:

```
%%% Example file
\documentclass{article}

\usepackage{isosigns}


\begin{document}

\includegraphics{\Isosign7010{F001}}

\includegraphics[scale=2]{\Isosign7010{P074}}

\end{document}
```





E037



E038




E039



E040



E041



E042



E043



E044



E045



E046



E047



E048



E049



E050



E051



E052



E053



E054



E055



E056




E057



E058



E059



E060



E061



E062



E063



E064




E065



E067




E068



E069



E070







M049



M050



M051



M052



M053



M054



M055



M056



M057



M058




M059



M060









W055



W056



W057



W058



W059



W060



W061



W062



W063



W064



W065



W066



W067



W068



W069



W070



W071



W072



W073



W074



W075



W076



W077



W078



W079



W080

5 ISO Signs (standard 7001)

This section deals with the construction of signs. To begin with, each sign is placed in a category, has a letter and a number:

Category	Letter(s)	Numbers
Accessibility	AC	(001 - 023)
Public facilities	PF	(001 - 005, 007 - 021, 023 - 030, 032 - 034, 036, 037, 043, 044, 050, 054, 062 - 070, 074 - 082)
Transportation facilities	TF	(001 - 040, 042 - 044)
Behaviour of the public	BP	(001 - 019)
Commercial facilities	CF	(001 - 022)
Tourism, culture and heritage	TC	(001 - 018)
Sporting activities	SA	(001 - 004)

The command to access a sign is:

```
\Isosign7001{<Letter><Number>}
```

This command constructs a path to a sign in your T_EXLive / MikT_EX / ... installation. To display a sign, use the following code:

```
%%% Example file
\documentclass{article}

\usepackage{isosigns}

\begin{document}

\includegraphics{\Isosign7001{AC001}}

\includegraphics[scale=2]{\Isosign7001{PF024}}

\end{document}
```

6 Known Issue

On some systems (mostly Windows), T_EX is not able to find the pdfs properly. Since this is an issue that seems to exist only on certain systems and not all, please use the following workaround by providing the fullpath that leads to the installation directory of isosafety. This can be done by supplying it through the **fullpath**-option:

```
%%% Example file
\documentclass{article}

% example path
\usepackage[ fullpath = /texlive/2024/texmf-dist/tex/latex/isosafety ]{isosafety}

\begin{document}

\includegraphics{\Isosign{F001}}

\includegraphics[scale=2]{\Isosign{P074}}

\end{document}
```

If you are unsure about the path, simply execute

```
kpsewhich isosafety.sty
```

in a terminal and a path will be returned. The path that is given in the example is the typical path on most systems.

NOTE: On Windows, the path should also be given with foreslashes (just like in the example).

NOTE: The last directory in the path *does not* end with a foreslash (just like in the example).

NOTE: For more information about the signs and standards, take a look at https://en.wikipedia.org/wiki/ISO_7010.