



STORMCROW MANSION



Assembly Guide

General guidelines:

- Please dry fit the models before glueing them together (I also recommend painting the interior parts prior to glueing)
- There are pilot holes on the joining areas that fit a length of 1.75 mm filament for easier alignment
- The door frames and side towers have been pre-supported, please remove the supports with side cutters
- The doors can be fit into doorframes with a length of 1.75 mm filament serving as a pivot
- Simulate glass by wedging a piece of clear plastic sheet (template provided) between two printed frames. There's a lip in the window frame that holds everything in place
- If you use Cura slicer, I highly recommend enabling the 'ironing' feature; this will smooth out the top surfaces of the stone tiles and plank floors

STORMCROW MANSION

Level 1



Stl Files / Stormcrow Mansion - Core Set / Mansion_LVL1

STORMCROW MANSION

Level 2



Stl Files / Stormcrow Mansion - Core Set / Mansion_LVL2

STORMCROW MANSION

Level 3



Stl Files / Stormcrow Mansion - Core Set / Mansion_LVL3

STORMCROW MANSION


Level 3 Roof



Stl Files / Stormcrow Mansion - Core Set / Mansion_LVL3

STORMCROW MANSION


Level 4



Stl Files / Stormcrow Mansion - Core Set / Mansion_LVL4

STORMCROW MANSION


Level 5



Stl Files / Stormcrow Mansion - Core Set / Mansion_LVL5

STORMCROW MANSION

Conservatory



Stl Files / Stormcrow Mansion - Core Set / Conservatory