

Amrvis User's Guide

February 2, 2018

1 Amrvis

1.1 Overview

Amrvis is a visualization and data analysis tool for examining plot files or profiling data generated by **AMReX**-based codes. The user can view color planar images of the data, AMR grid regions, data values in a chosen format, subregions, animations, volumetric renderings, and output in postscript. *Amrvis* works for 1D, 2D, and 3D data, requires no specialized graphics hardware, and can run in parallel on both SMP and distributed memory parallel machines.

It also has batch capabilities for extracting arbitrary subregions (including rectangular regions, planes, lines, and points) from data files and preprocessing volume renderings. Batch capabilities also work in parallel.

A separate tool, *AmrMovie*, can be used to view, animate, and output volume renderings. This tool can animate volume data (which has been preprocessed with *Amrvis*) at arbitrary orientations and through time.

Other separate tools in *AmrPostProcessing* can be used to create additional plot files from existing plot files. The new plot files can consist of data from the original plot file and quantities derived from data in the original plot file. This creates a new plot file which can be viewed with *Amrvis*.

1.2 Installing Amrvis

For 2D *Amrvis*, in the *Amrvis* directory, simply type **make**. For both 2D and 3D, make sure the **AMReX** github repo is at the same level as *Amrvis*. For 3D, type **make DIM=3**, but beforehand you'll have to download and build VolPack (place it at the same level as *Amrvis*). VolPack is an external volume rendering package which is necessary for the 3D version of *Amrvis*. You can download VolPack using git by typing the following command.

```
git clone https://ccse.lbl.gov/pub/Downloads/volpack.git
```

Then, run **make** in the VolPack directory. Note that the VolPack software was developed elsewhere and is governed by the license found at

<http://graphics.stanford.edu/software/bsd-license.html>

We release it here for use with the 3D Amrvis software as a convenience. You can find more information about VolPack at

<http://graphics.stanford.edu/software/volpack>

1.3 Using Amrvis

1.3.1 Command Line Interface and Utility Files

From the command line, the user can start *amrvis* with or without data (or plot) files and can perform batch operations to extract data. The simplest usage is to type *amrvis* at the command line with no arguments. This will start the main window from which the user can open data files or quit the application. Using the **-help** argument will cause *amrvis* to print a usage message and exit. The usage is currently

```
amrvis3d [-help]
        [<file type flag>] [-v]
        [-maxpixmapsize <max picture size in # of pixels>]
        [-xslice n] [-yslice n] [-zslice n] [-sliceallvars]
        [-boxslice xlo ylo zlo xhi yhi zhi]
        [-setvelnames xname yname zname]
        [-setmomnames xname yname zname]
        [-fabiosize nbits]
        [-maxlev n]
        [-palette palname] [-initialderived dername]
        [-lightingfile name] [-maxmenuitems n]
        [-initialscale n] [-showboxes tf] [-numberformat fmt]
        [-lowblack] [-showbody tf]
        [-useperstreams tf]
        [-cliptoppalette]
        [-fixdenormals]
        [-ppm] [-rgb]
        [-boxcolor n]
        [-makeswf_light]
        [-makeswf_value]
        [-valuemodel]
        [-initplanes xp yp zp]
        [-initplanesreal xp yp zp]
        [-useminmax min max]
        [<filename(s)>]
```

```
file type flags:  -fab [-fb], -multifab [-mf], -newplt (-newplt is the default)
-v               verbose.
-maxpixmapsize n  specify maximum allowed picture size in pixels.
```

```

-subdomain _box_    specify subdomain box (on finest level).
                    _box_ format:  lox loy loz hix hiy hiz.
-skippltlines n    skip n lines at head of the plt file.
-boxcolor n        set volumetric box color value [0,255].
-xslice n          write a fab slice at x = n (n at the finest level).
-yslice n          write a fab slice at y = n (n at the finest level).
-zslice n          write a fab slice at z = n (n at the finest level).
-sliceallvars      write all fab variables instead of just initialderived.
-boxslice _box_    write a fab on the box (box at the finest level).
                    _box_ format:  lox loy loz hix hiy hiz.
                    example:  -boxslice 0 0 0 120 42 200.
                    Note:  slices are written in batch mode.
-setvelnames xname yname (zname)  specify velocity names for
                                   drawing vector plots.
-setmomnames xname yname (zname)  specify momentum names for
                                   drawing vector plots.
-fabiosize nbits   write fabs with nbits (valid values are 1 (ascii), 8 or 32.
                   the default is native (usually 64).
-maxlev n          specify the maximum drawn level.
-palette palname   set the initial palette.
-lightingfile name set the initial lighting parameter file.
-maxmenuitems n    set the max menu items per column to n.
-initialderived dername  set the initial derived to dername.
-initialscale n    set the initial scale to n.
-showboxes tf      show boxes (the value of tf is true or false).
-showbody tf       show cartGrid body as body cells (def is true).
-numberformat fmt  set the initial format to fmt (ex:  %4.2f).
-lowblack          sets the lowest color in the palette to black.
-useperstreams tf  use vismf persistent streams.
-cliptoppalette    do not use the top palette index (for exceed).
-fixdenormals      always fix denormals when reading fabs.
-ppm              output rasters using PPM file format.
-rgb              output rasters using RGB file format.
-makeswf_light     make volume rendering data using the
                   current transfer function and write data
                   to a file, using the lighting model.
                   note:  works in batch mode.
-makeswf_value     same as above, with value model rendering.
-valuemodel        start with the value model for rendering.
-initplanes xp yp zp      set initial planes in finest level grid cells
-initplanesreal xp yp zp  set initial planes in real units
-useminmax min max       use min and max as the global min max values
<filename(s)>          must be included if box is specified.

```

File type flags are as defined as follows. Once a file type is specified, it cannot be changed for that *amrvis* process. For MultiFabs, the name can be

specified with or without the "_H" in the name.

<code>-newplt</code>	The new directory based plotfile format (the default).
<code>-fab</code>	An FArrayBox.
<code>-mf</code>	A MultiFab written with VisMF (multiple files).

If the `useminmax` option is specified, the `USERMINMAX` range type is set and the min and max values are set to the user specified values for the initial derived name (if set), or the first quantity in the plot file if no initial derived value is used or if the initial derived name is invalid.

Amrvis looks for a default definition file named **amrvis.defaults** and if it exists, uses its options as defaults. If the file does not exist, *amrvis* uses standard defaults. See the section **Files and Directories** for a complete description of the default options. The search path for **amrvis.defaults** is (in this order):

```
./amrvis.defaults
~/amrvis.defaults
~/.amrvis.defaults
```

1.3.2 Interface Windows and Regions

Main Window This is the small window used to open data files or quit the main application. It also prints messages on which file is being read and values for clicked data points. There is only one of these windows per *amrvis* application.

Data View Window This is the window used to view and interact with a data file or subregion of a data file. It contains the color image, the palette, and data manipulation controls.

Control Area This is the area at the top of the Data View Window which contains controls for selecting current scale, current quantity, datasets, subregions, and output.

Data Image Area This area shows the color image of the dataset. In 3D, this area is split into four sections—the three orthogonal planes and an isometric view.

Palette Area This area shows the palette which maps data values to colors and shows the high and low data values that are currently mapped.

Dataset Window This window shows data values and is invoked with the Dataset button on the currently selected subregion. Indices are displayed for each available level. If the user clicks on a data point in the Dataset window, a box will be drawn around the corresponding data point in the Data Image Area (the color data image).

Animation Control Area This area contains controls for animating through data files and through planes in 3D. It is in the lower right part of the Data View Window below the Palette Area. It also shows plane axes. The animation controls will only be visible in 3D or if the Data View Window is used for 1D or 2D animation.

Number Format Window This window is used to set the format of displayed numbers and affects the palette, dataset, point values, and the range window.

Lights Window This window allows the user to set the following lighting parameters.

ambient Sets the ambient lighting value.

diffuse Sets the diffuse lighting value.

specular Sets the specular lighting value.

shiny Sets the material shininess.

minRayOpacity Sets the minimum ray opacity cutoff. The minimum value for this parameter is 0.0. A good value is 0.05.

maxRayOpacity Sets the maximum ray opacity cutoff. The maximum value for this parameter is 1.0. A good value is 0.95.

1.3.3 Interface Controls

Scale Menu This menu controls the current image scale. At scale 1, a data-point at the finest displayed level is mapped to a pixel. The *maxpixelsize* variable largely determines the maximum scale available in this menu.

Level Menu This menu allows viewing data on coarser levels. The values shown are in the form *CurrentLevel/FinestPlotFileLevel*. Note that the range of values for *CurrentLevel* may be greater than zero on the low end and less than *FinestPlotFileLevel* on the high end indicating that the maximum picture size is limiting the image sizes and level range. See the section on **Subregions** for more details.

Quantity Menu This menu allows the user to select the current quantity and is built from information contained in the plot file.

Dataset... item This item creates a Dataset Window for the currently selected region. *A region must be selected before pressing this button. If a region has not been selected, the dataset will not appear.*

Subregion... item This item creates a new Data View Window for the data contained in the currently selected region. *A region must be selected before pressing this button. If a region has not been selected, the subregion will not appear.*

Palette... item This item allows the user to select a new palette. A dialog box will appear for the palette file selection.

Boxes item This item toggles showing **AMR** boxes.

Output Menu This menu allows output of the current image(s) or data to one of several formats.

Contours ... item This item controls how data is displayed. Current options are *raster*, *raster & contours*, *color contours*, *b/w contours*, and *velocity vectors*.

Number of Contour Lines This edit box allows the user to set the number of contour lines or velocity vectors.

Information... item This item displays a window with information about the plot file.

Close item This item closes the Data View Window.

Quit item This item closes all windows and exits *amrvis*.

Set Range... item This item allows the user to set the color mapping range of the data.

Isometric View Buttons These control the view point and scaling of the isometric image in 3D (boxes or volumetric rendering).

0 Reset the viewing angle to the original view.

XYZ Draw axis labels.

Draw Draw the volume rendered image. This may entail creating internal data structures and could take several seconds to minutes for the first frame to draw.

Autodraw Automatically render the image while rotating. As with **Draw**, the first image takes longer.

Trans Reread the transfer functions.

Lights Allows the user to set the rendering lighting parameters.

Light/Value This menu shows the volume rendering model currently in effect.

PC/OT This menu affect how the volume rendering stores data internally (PreClassified/OctTree). PreClassified provides the fastest volume rendering.

Detach Detach the isometric view into its own window.

Attach Attach the isometric view.

1.3.4 Mouse Controls

Left Button Selecting from menus, clicking buttons and animation controls, drawing subregions in a view for datasets and subvolumes, spinning the image in the isometric view, translating the image in the isometric view (with the shift button pressed), and clicking a point for its data value.

Middle Button Placing horizontal planar cutting lines in the orthogonal image views and rotating around the eye point in the isometric view.

Right Button Placing vertical planar cutting lines in the orthogonal image views and zooming the isometric view (pull or push the mouse).

1.3.5 Batch Functions

Slices The user can specify multiple slices and ranges on the command line. For example: `amrvis -newplt -xslice 7 -xslice 42 -yslice 19 -zslice 9 plt1010.fab`. This will create four fab files of the form `pltnnnn.derived.slicename.slicenum.fab` where derived is *initialderived* from **amrvis.defaults**. In this example, the first file will be (assuming pressure) **plt1010.pressure.xslice.7.fab**. The user can also specify ranges with the syntax “start-end” For example: `-yslice 7-42` will create a fab file for each slice in the range [7,42]. Slices are specified on the finest level problem domain. The option `-sliceallvars` can be specified to write all fab variables instead of just the *initialderived*. The user can specify multiple plot files as usual: `plt05*` If a **zslice** is specified in 2D, *amrvis* will use `zslice = 0` (regardless of the slice number specified), which is the entire dataset for the current derived quantity. An **xslice** or **yslice** in 2D creates a strip one cell wide. Slices are supported for any type of data *amrvis* can read including fabs, which includes fabs created by slicing. This allows extraction of planes, lines, and points from a dataset. Fab slices have the same **BL_SPACEDIM** as the original dataset. A slice from a 3D dataset is a 3D fab one cell thick. Note: if a slice of a dataset is created then viewed with *amrvis -fab*, the picture may not look the same as the original because the dynamic range of the fab might be smaller than that of the entire data set. The **Set Range** button can be used to set the same values in both images to get the same picture. This feature operates in batch mode. *amrvis* will write out all requested slices for all files then exit.

Making Volumetric Data Files Use the **-makeswf_light** and **-makeswf_value** options to write a data file for fast volume rendering. This option uses the transfer function from the palette and either the value model or lighting model. The files are postprocessed with *AmrMovie*.

1.4 Detailed Usage Notes

Subregions Subregions work functionally like the full region, and the main region can be closed while retaining the subregion. For deep files, the

maximum level displayed is based on *maxpixmapsize* and a smaller sub-region must be selected to view finer levels. A region must be selected before the **Subregion** button is pressed. *Amrvis* reference counts plot file data, so subregions do not significantly increase maximum memory usage. See the section on demand driven I/O for more detail.

Datasets The dataset will update its values when the derived quantity changes. The user can also select another region and click on dataset (with a dataset window already showing) and it will update that window. A region must be selected before the **Dataset** button is pressed. Clicking with the left mouse button on a value in the dataset window will draw a box around the corresponding point in the color image view.

File Type Once a file type is specified (-fab, -mf, -newplt), it cannot be changed for that *amrvis* process.

Animations During animations, pressing the **O** button in the center of the animation controls will stop frame creation. *amrvis* will automatically calculate the data range over the file set or the range can be specified with the **Set Range** button. In **Set Range** for animations, the *File* option sets the minimum and maximum to the values for the current data file instead of the values over the entire set of data files. The arrows move single frames for single clicks and animate for double clicks. Animation works with all supported formats and with subregions. Animation across files within *amrvis* is supported in 2D only. For 2D animations, the **rgb** button will write an rgb file for the current image and advance to the next frame (for single clicks) or animate through the frames and write an rgb file for each frame automatically (for double clicks) until the **O** button is pressed. File names are generated automatically and are of the form *quantity.nnnn.rgb* where *quantity* is the current derived quantity and *nnnn* is the plot file number (0123 for plt0123). For animations across files in 3D, use *AmrMovie*.

Palettes Palettes are in Non-interleaved Binary format and can be created with tools such as *icol* from **AHPCRC** or *ximage* from **NCSA**. The transfer function (which specifies transparency in the volumetric rendering) is included in the palette (they were formerly set in **vpramps.dat**). The **CCSE** version of *icol* must be used to create palettes with transfer functions. If the palette does not contain the transfer function values, a default will be used.

Number Format The format for numbers (which is set in the **Number Format** window) affects numbers in the dataset, the set range dialog box, and the palette. The format value can be any valid **printf** string. Hit the **return** key after editing the string to apply.

Partial colormap support The *reservesystemcolors* keyword in **amrvis.defaults** lets the user decide how many colors to reserve from the palette. Experiment with the terminal to determine a satisfying number, try 20 to start.

This works by chopping off the lower parts of the palette and remapping the image to the new colormap.

Visual support *amrvis* uses an eight bit Pseudocolor visual, regardless of the current default visual.

1.5 Files and Directories

Amrvis looks for the file **amrvis.defaults** to set default values. If this file does not exist, *amrvis* will use standard default values. The **amrvis.defaults** file has the following structure and options (in general: *keyword value*).

palette	Palette
initialderived	density
initialscale	4
numberformat	%7.5f
maxpixmapsize	1000000
reservesystemcolors	20
showboxes	TRUE
windowheight	650
windowwidth	900
filetype	fab
filetype	newplt
cliptoppalette	

Invalid values are ignored. The *initialderived* specifies the quantity that is displayed first and must be spelled exactly as it appears in the data file or the value will default to the first derived quantity. *numberformat* affects the dataset and palette values and can be any valid **printf** string. *windowheight* and *windowwidth* define the size of the **Data View Window** with arguments in number of pixels. *showboxes* affects initial drawing of **AMR** grid boxes. Valid values are **TRUE** or **FALSE**. *filetype* specifies the type of file (same values as the command line). *cliptoppalette* forces *amrvis* to not use the top palette entry (this option is for exceed users). For duplicate keywords, the last one in the file is used (for example, **newplt** will be the *filetype* in the above file). Command line settings override settings in **amrvis.defaults**.

The search path for **amrvis.defaults** is (in this order):

```
./amrvis.defaults
~/amrvis.defaults
~/.amrvis.defaults
```

Amrvis also looks for the file **amrvis.lighting** in the current directory to set default lighting values for volume rendering. If this file does not exist, *amrvis* will use standard default values. The name of this file can be specified on the command line. An example file might look like the following.

```
ambient 0.42
diffuse 0.41
specular 0.40
shiny 12.0
minRayOpacity 0.04
maxRayOpacity 0.96
```

Note: For volume rendering, the *VolPack* library from Stanford University must be linked with *amrvis*. It currently can be obtained from

<http://www-graphics.stanford.edu/software/volpack>

Amrvis has been tested with **VolPack** version 1.0beta3 (the latest release).

1.6 Examples

Typical usage is as follows. Be sure to use the correct file type flag.

<code>amrvis <return></code>	opens the main window with default file type (-newplt).
<code>amrvis -newplt <return></code>	opens the main window with file type set to -newplt.
<code>amrvis -newplt plt1560</code>	opens plt1560 (which is a new plot file).
<code>amrvis -fab *.fab</code>	opens multiple fab files in separate windows.
<code>amrvis -a plt*</code>	opens an animation for plt* (2D only).
<code>amrvis -mf MyMultiFab_H</code>	opens a multifab.

1.7 Technical Details

1.7.1 Parallel Implementation

amrvis runs in parallel on both shared memory and distributed memory multiprocessor architectures using parallel BoxLib and the SPMD programming model. The interface runs on processor zero (the I/O processor) and parallel DataServices runs on all processors and handles data requests from the *amrvis* interface.

1.7.2 Demand Driven I/O

Data from a plot file is read from disk only when required to create an image in *amrvis*. The granularity for I/O is a single quantity of an FArrayBox within a MultiFab. Within *amrvis*, data on a grid for the current quantity is read from disk only if it intersects the current image plane within the current subvolume, is less than or equal to the maximum available level, and has not already been read (FABs are cached).

1.8 Efficiency Notes

- For best performance of *amrvis* (and in general when accessing files), copy data files to local disk instead of relying on a slow network connection.

- In 3D, select a subregion to volume render so *amrvis* can render fewer points.

1.9 FAQ

- For data sets and subregions, a region must be selected (with the left mouse button) before clicking on **Dataset** or **Subregion**. For 3D subregions, a region box must be selected in at least two planes.
- If *amrvis* hangs trying to read a plot file, make sure the file type flag is set correctly for your plot files.
- Once you pick a file type (-fab, -mf, -newplt), you cannot change it for that *amrvis* process.
- Plot files have a new directory based format. The old single file format is not supported.
- Names in the quantiy list (density, xmom, etc.) must be unique.
- If you change the user defined min or max values in the range window, you must also select the **User** radio button before you press the **Apply** button or the user range will not be set.
- *amrvis* takes background and lettering colors from the **.Xdefaults** file. To modify these, add the following lines to **.Xdefaults**

```
#ifdef COLOR
amrvis*Background:    black
amrvis*Foreground:    white
#endif
```

then type

```
xrdb ~/.Xdefaults
```

to update the X database. This will turn the *amrvis* background to black and the lettering white (or whatever colors are chosen).

1.10 Known Problems

- The numbers in the Palette can go off the right edge of the window for long formats.
- There is a resource allocation issue to be aware of– **amrvis.defaults** defines *initialscale* and *maxpixmapsize*. *maxpixmapsize* defines the maximum number of bytes allowed to allocate on the xterm for a pixmap (where the color picture lives) and *amrvis* uses this to decide the finest level it can

display. It finds displayLevel by: $(probDomain(displayLevel).numPts() * scale^2) \leq maxpixmapsize$ The problem is this: if the pixmap size is below but close to the available server memory, the pixmap may be allocated properly but other **X** allocations, such as server memory for a button or menu, may fail. This causes *amrvis* to die unpredictably with a core dump or an **X** message about unavailable resources. So if this behavior happens, adjust *maxpixmapsize* and *initialscale* values to about half of the xterm's available memory.

- Animations for plot files with different finest levels of refinement do not work properly.
- If you specify the wrong plot file type, the behavior is undefined. Usually, *amrvis* will do one of three things: open the file with bad numbers (Reals interpreted with the wrong byte ordering), crash, or hang by trying to read the file forever.
- When the file range for animations is set and the user derives a different quantity, the global range value contains the value for the current file and not the set of files in the animation.
- A fatal error with a single plot file will cause the whole application to exit.
- There are several places where redundant exposure events cause poor performance.
- The selection box does not persist during animations.
- The colormap does not always install properly when using twm.
- On some workstations, *amrvis* images will be completely black even though the Palette is properly set.

If *amrvis* images are black, it is probably the 8 bit visual problem. To fix this add the *Dac8Bit* line to the local machine's */etc/X11/xorg.conf* similar to below. Then restart the X server or reboot.

```
Section "Device"
    Identifier      "Device0"
    Driver          "nvidia"
    VendorName      "NVIDIA Corporation"
    Option          "Dac8Bit"  "True"
EndSection
```