

■ BRAND & DESIGN SYSTEM • V3.0

THE ROUTE AND THE GRID

Every DUS asset is a corridor drawn across land: survey-grid precision, one green right-of-way line, squared structure, teal depth. This book is the source of truth for how that looks.

The wordmark is artwork.

A custom condensed logotype, delivered as files. It is placed, never re-typed, never restyled. Black and green on light grounds; white and green on dark.



DUDLEY
UTILITY SERVICES

PRIMARY • LIGHT GROUNDS

DUS-LOGO.PNG



DUDLEY
UTILITY SERVICES

REVERSED • DARK GROUNDS

DUS-LOGO-WHITE.PNG

CLEAR SPACE

DUDLEY
UTILITY SERVICES

- Clear space on all sides equals half the wordmark height. Nothing enters it.
- Minimum width: 120px on screen, 1.1" in print.
- Scale proportionally, from the corner, every time.
- On photography, place only over calm, dark, low-detail areas.

DUDLEY
UTILITY SERVICES

× DON'T STRETCH

DUDLEY
UTILITY SERVICES

× DON'T RECOLOR

DUDLEY
UTILITY SERVICES

× DON'T LOSE CONTRAST

DUDLEY

× DON'T RE-TYPE IT

Teal leads. Green earns its place.

DUS Teal is what separates Utility Services from Dudley Land Company. Green is inherited from the parent brand and spent like a scarce resource: markers, rules, the route.



DUS Teal

#015270

--teal-500

The primary. Fields, headlines on white, table headers, links.



Dudley Green

#41BE48

--green-500

The accent. Checks, rules, markers, the route line. Never a fill.




Ink

#2B2B2B

--ink-800

Primary text. Deep grounds use the field gradients, not flat black.



White

#FFFFFF

--white

The default ground. Whitespace is a brand asset.

TEAL RAMP



950

800

700

500

400

300

100

050

GREEN RAMP



700

600

500

400

100

NEUTRALS



950

800

600

500

400


300

200

100

FFF

PROPORTIONS ON A TYPICAL ASSET



- Green stays under ~8% of any composition. If it reads green, cut some.
- Green is never body text below 20px, except on ink grounds.
- Dark fields are always the teal or ink gradients, never flat #000.

Lato. Three weights. No exceptions.

Black carries the brand, Bold labels it, Regular explains it. Display headlines run uppercase; everything else is sentence case.

DELIVERING ENERGY

Display

Covers, title slides, banners. Short and declarative, four words or fewer.

900 • UPPERCASE • -0.02EM • LH 0.98

Know your costs upfront

Headline / H1

Social headlines and page titles. Sentence case.

900 • -0.022EM • LH 1.06

Right-of-way, done right the first time

H2

Slide titles and document section heads.

900 • -0.018EM • LH 1.12

Siting, routing, and easement acquisition

H3 / Label

Subheads, card titles, list items.

700 • -0.008EM • LH 1.22

We know the counties, the courthouses, and the people who make deals happen. Every claim is backed by real project data: real timelines, actual budgets, measurable outcomes.

Body

Plain, confident, short sentences.

400 • 16–17PX • LH 1.6

■ TRANSMISSION & RIGHT-OF-WAY

Eyebrow

Section markers, always with the green survey square.

700 • 13PX • 0.16EM • UPPERCASE

DUDLEY UTILITY SERVICES • 01 / 04

Micro label

Plat-sheet metadata: counters, footers, annotations.

700 • 11PX • 0.22EM • UPPERCASE

- The DUDLEY wordmark is not set in Lato and is never reproduced with type. See the logo rules above.

SPACING

Every gap is a decision.

A 4px-base scale with 11 steps. Use the tokens for all margin, padding, and gap values. No magic numbers, no ad-hoc tweaking.

--sp-1	4 px	 Micro: icon nudge, inline offset
--sp-2	8 px	 Tight: stat value-to-label, tight list gap
--sp-3	12 px	 Compact: list item gap, small card inner
--sp-4	16 px	 Small: eyebrow-to-heading, heading-to-body, card content gaps
--sp-5	20 px	 Standard: paragraph spacing, form field gap
--sp-6	24 px	 Medium: card padding, component gaps, grid gap
--sp-8	32 px	 Large: between content groups, body-to-CTA
--sp-10	40 px	 Generous: subsection breaks
--sp-12	48 px	 Container: horizontal wrap padding
--sp-16	64 px	 Section-head to content block
--sp-20	80 px	 Section: vertical section padding (top/bottom)

■ TRANSMISSION & RIGHT-OF-WAY

| `--sp-4` · 16px

Know your costs before the first boot hits the ground.

| `--sp-4` · 16px

We price by the parcel, not by the hour. You see the full scope, the full cost, and the full timeline before you commit.

| `--sp-8` · 32px

Get a scope estimate

Eyebrow → Heading: `--text-eyebrow-to-heading` (16px) · Heading → Body: `--text-heading-to-body` (16px) · Body → CTA: `--text-body-to-cta` (32px)

RULES

Always use the token

Never write a raw pixel value for spacing. Use `var(--sp-6)`, not `24px`. This keeps the system adjustable and consistent.

Text flow is locked

Eyebrow-to-heading and heading-to-body are always `--sp-4` (16px). Body-to-CTA is always `--sp-8` (32px). No exceptions.

Stay on the scale

If you need a value between steps, pick the nearer step. No 18px, 22px, 26px, 30px, 36px, 44px, or 58px. Those are the old chaos.

Section rhythm

`--sp-20` (80px) between sections. `--sp-16` (64px) from section heading to content. `--sp-12` (48px) for container horizontal padding.

Outlined, gradient-stroked, surveyor-precise.

Every icon is a Remix Icon outline with the DUS teal-to-green gradient as its stroke. Three sizes on the 4px grid. Squared containers only.

RULES

Source and style

Remix Icon (remixicon.com), always the `-line` suffix variant. Outlined only, never filled or solid.

Stroke

`stroke-width="1.2"` with `stroke-linecap="round"` and `stroke-linejoin="round"`. Simple geometric paths, no fills.

Color

DUS gradient teal-to-green via SVG `<linearGradient>`, horizontal left to right. Never flat single-color icons.

Containers

Squared with `--r-md` (6px). Never circles, never `border-radius: 50%`. Coverage badges use solid teal or green backgrounds with white stroke.

SIZE SCALE



CANONICAL GRADIENT DEFINITION

Place this `<defs>` block once per page. All icons reference these gradients via `url(#dus-grad)` .

```
<svg width="0" height="0" aria-hidden="true" style="position:absolute">
  <defs>
    <linearGradient id="dus-grad"
      x1="0" y1="12" x2="24" y2="12"
      gradientUnits="userSpaceOnUse">
      <stop stop-color="#015270"/>
      <stop offset="1" stop-color="#41BE48"/>
    </linearGradient>
    <linearGradient id="dus-grad-40"
      x1="0" y1="20" x2="40" y2="20"
      gradientUnits="userSpaceOnUse">
      <stop stop-color="#015270"/>
      <stop offset="1" stop-color="#41BE48"/>
    </linearGradient>
  </defs>
</svg>
```

APPROVED ICONS

INDUSTRY



Lightning • electric



Water drop • water



Broadcast • fiber



Flame • gas

KUDU FEATURES



Monitor • visibility



Book • record



Map • progress



Archive • documents

PEOPLE



Users • team



Pin • location



Shield • trust

LANDOWNERS



Document •
easement



Phone • notice



User • agent



Balance •
compensation

COVERAGE (WHITE ON BADGE)



Globe • reach



Pin • local



Team • scalable

HERITAGE



Flag • founding



Monitor • digital



Chart • growth



Trophy • award

USAGE PATTERN

Two steps: define the gradient once per page, then use the `.dus-icon` class with SVGs that reference `url(#dus-grad)` .

```


<!-- Step 1: gradient defs (once per page) -->
<svg width="0" height="0" aria-hidden="true" style="position:absolute">
  <defs>
    <linearGradient id="dus-grad" x1="0" y1="12" x2="24" y2="12"
      gradientUnits="userSpaceOnUse">
      <stop stop-color="#015270"/>
      <stop offset="1" stop-color="#41BE48"/>
    </linearGradient>
  </defs>
</svg>

```

```
<!-- Step 2: use in a card -->
<div class="dus-icon dus-icon--md">
  <svg viewBox="0 0 24 24" fill="none">
    <path d="..." stroke="url(#dus-grad)"
      stroke-width="1.2" stroke-linecap="round"
      stroke-linejoin="round"/>
  </svg>
</div>
```


Four moves make it DUS.

The survey grid, the route line, the horizon rule, and the corner ticks. Each is drawn from the work itself: plat maps, corridors, section lines.



SURVEY GRID • DARK

Every dark field carries the plat grid: fine 44px cells, a heavier section line every fourth. The green horizon anchors the bottom edge.




SURVEY GRID • LIGHT

On white it is a whisper, not a pattern. If you notice it before the content, it is too strong.



ROUTE LINE

Drawn like an alignment sheet: dash-dot centerline, easement corridor, PI monuments, station ticks, parcel lines. One per composition, behind content, never through body text.



CORNER TICKS


Plat-sheet corners frame the body of print documents. Quiet, structural, surveyor-precise.

COMPONENTS

24 reusable parts, staged where they live.

Dark-surface components stay on dark. Light-surface components stay on light. Each file is self-contained HTML with an AI-readable comment header.

PANELS	COMPOSITIONS (9)	INSPIRATION (5)
--------	------------------	-----------------



EYEBROW • ON LIGHT

■ WHAT WE HANDLE


CHECKLIST

- ✓ Transmission right-of-way
- ✓ Siting & routing support
- ✓ Easement acquisition

BUTTONS



CARD WITH CORNER TICKS



COMPOSITIONS (9)

QUOTE

“They didn't just clear the route. They cleared every title issue we'd been fighting for two years.”

Sarah Mitchell

VP of Transmission, [Client Name]

CONTACT BLOCK

Mike Dudley

President

555-123-4567

mike@dudley-utility.com

SERVICE ROW

Right-of-Way Acquisition

Full-scope easement negotiation and landowner coordination from first contact through recording.

Title Clearance

Courthouse research, chain-of-title verification, and curative work across every county on the route.

PHASE TIMELINE

01 Route Study Desktop analysis, constraint mapping.	02 Title & Survey Courthouse research, boundary survey.	03 Acquisition Easement negotiation, execution.	04 Close & Record Curative, recording, handoff.
---	--	--	--

TABLE

PHASE	SCOPE	TIMELINE
01 – Route Study	Desktop analysis, constraint mapping	4 weeks
02 – Title & Survey	Courthouse research, boundary survey	8 weeks
03 – Acquisition	Easement negotiation, execution	12 weeks

LOGO LOCKUP



CREATING CERTAINTY
THROUGH STRATEGIC

PAGE COUNTER

01 / 05

PHOTO SLOT



CTA BLOCK

■ NEXT STEP

Ready to scope your corridor?

Call Mike directly to walk through your project requirements. We'll have a preliminary scope back to you within the week.

Call 555-123-4567

Email Mike

INSPIRATION-DRIVEN (5)

STAT ROW • LIGHT

45+
years

ENERGY-LAND
EXPERTISE

340
mi

CORRIDOR CLEARED

98%

ON-TIME DELIVERY

STAT ROW • DARK

45+
years

340
mi

98%
ON-TIME
DELIVERY

12
state

STEP GRID • 2×2

01

Route Study

Desktop analysis, constraint mapping,
initial landowner identification.

02

Title & Survey

Courthouse research, chain-of-title,
boundary survey coordination.

03

Acquisition

Easement negotiation, landowner outreach,
document execution.

04

Close & Record

Final curative, recording, damage
settlement, project handoff.

ACCORDION ROW

01 Route Study & Constraint Mapping

4 weeks

Desktop analysis of proposed corridor, environmental constraint mapping, initial landowner identification.




02 Title Research & Boundary Survey

8 weeks

03 Easement Acquisition & Negotiation

12 weeks

TEAM GRID



MD

Mike Dudley
Project Lead

JR

Jane Roberts
Lead Agent

TW

Tom Wilson
Survey Coordinator

METRIC GRID

2,400+

PARCELS ACQUIRED

Across 12 states since 2019

340 mi

CORRIDOR CLEARED

Transmission and pipeline
ROW

98%

ON-TIME DELIVERY

5-year rolling average

45+

YEARS OF EXPERIENCE

Energy-land services

\$2.1B

**PROJECT VALUE
MANAGED**

Lifetime portfolio

14

ACTIVE PROJECTS

Current engagement count

■ TEMPLATES

Start from a template. Always.

Nine locked layouts cover social, LinkedIn, presentations, and print. Copy the file, change the words, keep everything else.

- Every preview below is a live render of the actual template file, not a mockup. Ask Claude for any of these and it fills in your content.

SOCIAL

KEY SERVICES

Creating certainty through strategic land solutions

- ✓ Right-of-Way & Easements
- ✓ Siting & Routing Support
- ✓ Encroachment Mitigation
- ✓ Construction Support

DUDLEY
UTILITY SERVICES

YOUR COMPLETE ENERGY PARTNER

Social square

1080 × 1080

Service posts, announcements, everyday LinkedIn graphics.

[Open template →](#)

■ PROOF, NOT PROMISES

45+

YEARS OF ENERGY-LAND EXPERTISE

We are not trying to be the loudest voice in the room.
We are trying to be the most trusted.

DUDLEY
UTILITY SERVICES

DUDLEY UTILITY SERVICES

Stat post

1080 × 1350

One number, one point. Proof over promises.

[Open template →](#)

FIELD GUIDE

WHAT A ROW PARTNER OWES YOU

DUDLEY
UTILITY SERVICES

01 / [N]


Carousel

3 × 1080 × 1350

Cover, content, and CTA slides for field guides and sequences.

[Open template →](#)

LINKEDIN COVERS




Company banner

1584 × 396

The company page cover: statement, services, proof.

[Open template →](#)



Personal banner

1584 × 396


Employee profile cover with the avatar zone kept clear.

[Open template →](#)

PRESENTATION

[PRESENTATION TITLE]

Prepared for [Client Name] · [Date]



Presentation deck

7 masters · 1920 × 1080

Title, agenda, divider, content, stats, quote, and closing masters. Duplicate what you need, delete the rest.

[Open template →](#)

45+
YEARS EXPERTISE

■ THE NUMBERS

#1
LANDMAN NETWORK

[X]
[YOUR STAT]

Deck • stats master

1920 × 1080

The proof-point slide. Two standing claims plus your project number.

[Open template →](#)

DOCUMENTS • US LETTER

DUDLEY

UTILITY SERVICES

DUDLEY UTILITY SERVICES • SERVICE OVERVIEW

TRANSMISSION & RIGHT-OF-WAY SERVICES

[Intro: who this is for and the outcome.] Your complete energy partner.

■ WHAT WE HANDLE

- ✓ Transmission Right-of-Way
- ✓ Easement Acquisition
- ✓ Non-Environmental Permitting
- ✓ Siting & Routing
- ✓ Encroachment Mitigation
- ✓ Construction & Condemnation Support

45+

YEARS OF ENERGY-LAND
EXPERTISE

38

STATES LICENSED TO
OPERATE IN

[X]

[YOUR STAT]

BUILT ON EXPERIENCE. FOCUSED ON EXECUTION.

DUDLEY

UTILITY SERVICES

[Street, City, State] • [phone]
[email] • [web]

One-pager

Letter

Service overview, handout, leave-behind PDF.

[Open template →](#)



[Date]

[Recipient block]

Re: [Subject]

[Salutation],

[Short placeholder paragraph for the opening message.]

[Short placeholder paragraph for the main detail.]

[Short placeholder paragraph for the next step.]

Sincerely,

[Name]

[Title]

Dudley Utility Services · [Street Address] · [City, State ZIP] · [Phone] · [Email]

Letterhead

Letter

Letters, memos, formal correspondence.

[Open template →](#)

■ PREPARED FOR [CLIENT NAME]

[PROJECT OR ENGAGEMENT TITLE]

[One-sentence description of the engagement.]

■ 01. UNDERSTANDING

Proposal

4 × Letter

Cover, approach, scope & pricing, terms & signatures.

[Open template →](#)

COLLATERAL • BUSINESS CARD

DUDLEY
UTILITY SERVICES

[Full Name]

[TITLE]



[phone, e.g. 832-888-7238 or (O) 620-912-4196 |
(C) 620-357-1212]



[email]@dudley-utility.com



[address, e.g. 817 Avenue A | Katy, TX 77493]

Business card • front

1050 × 600

Split panel: teal gradient with logo, white panel with name, title, contact details.

[Open template →](#)

DUDLEY

UTILITY SERVICES

TRANSMISSION | DISTRIBUTION | FIBER OPTIC | WATER UTILITY | GAS UTILITY

Business card • back

1050 × 600

Logo and five services on teal-to-green gradient.

[Open template →](#)

PRINT VENDOR: VISTAPRINT, **SOFT TOUCH, ROUNDED CORNERS**. EXPORT FRONT AND BACK AS SEPARATE PNGS USING #ONLY-1 / #ONLY-2 WITH CHROME HEADLESS AT --FORCE-DEVICE-SCALE-FACTOR=3 (3150 × 1800 PX, 900 DPI EQUIVALENT). THE TEMPLATE INCLUDES A FLATTEN SCRIPT THAT CLONES THE CANVAS INTO AN EMPTY BODY SO NOTHING SHIFTS.

Plain, confident, zero hype.

Landmen can spot corporate BS a mile away. Short sentences, real numbers, partners not vendors.



**We're not trying to be the
loudest voice in the room.
We're trying to be the most
trusted.**

DUDLEY BRAND GUIDELINES

■ **Lead with real outcomes.**

× Claim magic.

■ **Use the approved facts.**

× Invent numbers.

■ **Write short sentences.**

× Use buzzwords.

■ **Name land services plainly.**

× Hide behind jargon.

■ **Sound like a partner.**

× Bash competitors.

■ **Speak to the project on their desk.**

× Talk about yourself.



Creating certainty through
strategic land solutions.

SOURCE OF TRUTH: DUDLEY LAND COMPANY BRAND
GUIDELINES + THIS SYSTEM
TEMPLATES & USAGE: SEE README-FOR-DUS.MD ·
V3.0 · SEPTEMBER 2026