


Brain-Gut Coaching Class Cohort (N = 182)


34 virtual classes, Dec 2023 – Jul 2025 | 76% female | median 1 DC



Study Design and Data Flow


Single-arm pragmatic pre/post design with paired clinical outcomes a

: 182 adults with DGBI | 34 classes | Dec 2023 – Jul 2024



Patient Empowerment: Three Themes from Patient Voice

Thematic analysis of open-ended survey responses (N = 112 respondents)



Overarching theme: Patient Empowerment. Error bars: Wilson 95% CI.

Voices: Representative Patient Quotes

Overarching theme: Patient Empowerment | Selected exemplars from

Positive Community Atmosphere

58 / 112 (52%)

- ■ *I loved that we all could share our struggles and all wins!*
- ■ *It was nice to know that I'm not 'alone' with my issue.*

Collaborative Engagement Educational Environment

94 / 112 (84%)

- ■ *I was most intrigued by the possible explanation of discomfort arising from hypersensitivity of the gut & stomach. Not sure how I got to be this age and am still learning things about my own body. I don't enjoy talking about myself, but once people started in, I felt more comfortable.*

Hope & Actionable Tools


80 / 112 (71%)

- ■ *It feels very hopeful that science is truly seeking answers to a lot of digestive issues that we all seem to have.*
- ■ *I'm so hopeful that this class will help me live my life again.*

Quotes edited only for de-identification, grammar, and length; meaning preserved.

Patient-Set Micro-Goals During the

Self-directed goals set by patients (N = 182 g




Categories derived by keyword matching; a goal ma

Pre / Post Clinical Outcomes

Paired spaghetti with overall mean trajectory; dashed lines = clinical


IBS-SSS

N = 47 | Mean .. = -66.7 [-99.3, -32.3]
Responders (.. <= -50): 26/47 (55%)




PHQ-2

N = 131 | Mean .. = -1.3 [-1.1, -1.5]
Responders (.. <= -1): 106/131 (81%)



GAD-7

N = 106 | Mean .. = -1.1 [-1.1, -1.1]
Responders (.. <= -1): 106/106 (100%)




IBS Symptom Severity (IBS-SSS), Pre vs Post

N = 47 | Mean .. = -66.7 [-99.3, -32.3]


Responders (.. <= -50): 26/47 (55%)

Dashed lines: Mild (75), Moderate (175), Severe (300) thresholds



Exploratory: Theme Presence × Clinical Outcome Change

Positive r (blue) = theme–present group improved more | * = 95% CI excludes 0



Exploratory – no causal inference. No multiplicity correction across sub–themes.


Baseline Burden vs Change, by Theme Endorsement

= 34 patients with paired scores + coded thematic survey response); bo

A. Where did they start?

Dashed line = overall baseline

Theme absent Theme present




IBS Severity–Status Change: Improvement, Stability, Worsening

Patients | Status change uses IBS–SSS clinical cutoffs (Remission/Mild/Moderate/Severe)


A. Overall IBS status change

N = 47 paired patients




C. 50-pt responder

Patients without a status change



B. Status change by pre-class severity

Bars are 100% within each pre-class band



Pre-class severity band


Improved IBS status

Stable IBS status

Worsened IBS status

Themes Endorsed by Each Status-Change Group

34 patients with paired IBS-SSS + coded survey response | Themes: heatmap—



IBS–SSS Severity Transitions (N = 47 paired)

Responder = ≥ 50 -pt decrease in IBS–SSS

Remission: 0% responders (0/5) | Mild: 17% responders (1/6)

Moderate: 76% responders (13/17) | Severe: 63% responders

