

# Furnish Hope - Database ERD

A page per theme, in the order shown below.

## Reading the diagrams


- **Orange header** = data table (tbl\_\*). **Green header** = lookup table (lkp\_\*).
- **PK** badge marks the primary key; **FK** badge marks a foreign key.
- A small italic → tbl\_other under an FK column means that reference points OUT of this theme’s page.
- Arrows are drawn only for relationships within the same theme; cross-theme links are listed inline.

## Contents

|     |                                                                                                                                                                                                                                                                  |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.  | <b>Contacts &amp; Addresses</b><br>Shared people + place rows that almost every other theme joins to. tbl_contact is the polymorphic identity row used by clients, donors, facility_staff, agency contacts, vendors, etc.                                        |
| 2.  | <b>Clients &amp; Households</b><br>The client lifecycle — referral, intake, packing list (provisioning request) with its per-child rows + room/item template, visit, waiver, and delivery. Container pickup tables live here too.                                |
| 3.  | <b>Donors, Donations &amp; QuickBooks</b><br>Donor records, individual gifts, designations, pledges, and the QBO sync trail. Donation pickups (warehouse intake) also live here.                                                                                 |
| 4.  | <b>Inventory &amp; Storage</b><br>Items currently in the warehouse, where they're stored, and how they get reserved against open client requests.                                                                                                                |
| 5.  | <b>Facilities &amp; Vehicles</b><br>Corporate org and physical sites (warehouses, showrooms), plus the company vehicle fleet and its maintenance log.                                                                                                            |
| 6.  | <b>Staff, Volunteers &amp; Shifts</b><br>Facility staff + volunteer rosters, the public volunteer-signup queue, shift templates, generated shifts, and individual signups + hours.                                                                               |
| 7.  | <b>Fundraising: Campaigns, Events, Grants</b><br>Multi-gift campaigns, fundraising events with attendees and sponsors, and grant tracking.                                                                                                                       |
| 8.  | <b>Vendors</b><br>Outside service providers Furnish Hope works with (plumbers, landscapers, suppliers) and the log of their service calls.                                                                                                                       |
| 9.  | <b>Partner Agencies</b><br>Outside agencies that refer households to Furnish Hope. Includes the self-serve application queue (pending → approved → agency), the populations-served join, and the one-time caseworker invitations that seed agency user accounts. |
| 10. | <b>Communications, Files &amp; Notes</b><br>Email accounts, cached IMAP messages, templates, the outbound/inbound messaging layer (SMS + email with templates and triggers), the generic per-entity attachment table, and free-form notes.                       |
| 11. | <b>System: Auth, Audit, Issues, Settings</b><br>App-wide infrastructure: user accounts, audit log, app settings, the in-app issue tracker + developer broadcasts, org branding, and the user-manual screenshot store.                                            |

# Contacts & Addresses

Shared people + place rows that almost every other theme joins to. tbl\_contact is the polymorphic identity row used by clients, donors, facility\_staff, agency contacts, vendors, etc.





The client lifecycle — referral, intake, packing list (provisioning request) with its per-child rows + room/item template, visit, waiver, and delivery. Container pickup tables live here too.

| tbl_packing_template_item |                                         |                        |
|---------------------------|-----------------------------------------|------------------------|
| <b>PK</b>                 | packing_template_item_id                | integer                |
| <b>FK</b>                 | packing_template_room_id                | integer                |
|                           | item_name                               | character varying(120) |
|                           | default_qty                             | integer                |
| <b>FK</b>                 | item_category_id<br>→ lkp_item_category | integer                |
|                           | sort_order                              | integer                |
|                           | is_active                               | boolean                |

| tbl_client_waiver |                                               |                          |
|-------------------|-----------------------------------------------|--------------------------|
| <b>PK</b>         | waiver_id                                     | integer                  |
| <b>FK</b>         | client_provisioning_request_id                | integer                  |
| <b>FK</b>         | client_id                                     | integer                  |
| <b>FK</b>         | waiver_template_id                            | integer                  |
|                   | typed_legal_name                              | character varying(200)   |
|                   | signature_image                               | bytea                    |
|                   | signed_at                                     | timestamp with time zone |
|                   | ip_address                                    | inet                     |
|                   | user_agent                                    | text                     |
| <b>FK</b>         | witness_user_account_id<br>→ tbl_user_account | integer                  |
| <b>FK</b>         | pdf_attachment_id<br>→ tbl_entity_attachment  | integer                  |
|                   | created_at                                    | timestamp with time zone |

| lkp_visit_status |                 |                        |
|------------------|-----------------|------------------------|
| <b>PK</b>        | visit_status_id | integer                |
|                  | visit_status    | character varying(40)  |
|                  | sort_order      | integer                |
|                  | is_active       | boolean                |
|                  | description     | character varying(200) |

| lkp_visit_mode |               |                        |
|----------------|---------------|------------------------|
| <b>PK</b>      | visit_mode_id | integer                |
|                | visit_mode    | character varying(40)  |
|                | sort_order    | integer                |
|                | is_active     | boolean                |
|                | description   | character varying(200) |

| tbl_referral                                     |                        |  |
|--------------------------------------------------|------------------------|--|
| referral_id                                      | integer                |  |
| agency_contact_id<br>→ <i>tbl_agency_contact</i> | integer                |  |
| client_id                                        | integer                |  |
| referral_date                                    | date                   |  |
| description                                      | character varying(100) |  |

| tbl_referral |                                           |         |
|--------------|-------------------------------------------|---------|
| <b>PK</b>    | referral_id                               | integer |
| <b>FK</b>    | agency_contact_id<br>→ tbl_agency_contact | integer |
| <b>FK</b>    | client_id                                 | integer |
|              | referral_date                             | date    |
|              | description character varying(100)        |         |

| tbl_client_provisioning_request |                                                                  |                          |
|---------------------------------|------------------------------------------------------------------|--------------------------|
| PK                              | client_provisioning_request_id                                   | integer                  |
| FK                              | client_id                                                        | integer                  |
|                                 | client_request_note                                              | text                     |
| FK                              | fulfillment_corp_facility_id<br>→ tbl_corp_facility              | integer                  |
| FK                              | request_receipt_origin_id                                        | integer                  |
| FK                              | client_request_creator_facility_staff_id<br>→ tbl_facility_staff | integer                  |
|                                 | request_at                                                       | timestamp with time zone |
|                                 | description                                                      | character varying(100)   |
| FK                              | referral_id                                                      | integer                  |
|                                 | review_status                                                    | character varying(20)    |
|                                 | child_count                                                      | integer                  |
|                                 | adult_female_count                                               | integer                  |
|                                 | adult_male_count                                                 | integer                  |
|                                 | reference_code                                                   | character varying(20)    |
|                                 | fulfillment_type                                                 | character varying(16)    |
|                                 | appointment_at                                                   | timestamp with time zone |
|                                 | trailer_size                                                     | character varying(40)    |
|                                 | crew_size                                                        | integer                  |
|                                 | loading_notes                                                    | text                     |
|                                 | residence_type                                                   | character varying(60)    |
|                                 | delivery_logistics_notes                                         | text                     |
|                                 | situation_notes                                                  | text                     |
|                                 | internal_notes                                                   | text                     |
|                                 | household_type                                                   | character varying(16)    |
|                                 | situation_tags                                                   | character varying(300)   |

| lkp_request_receipt_origin |                                 |                        |
|----------------------------|---------------------------------|------------------------|
| <b>PK</b>                  | request_receipt_origin_id       | integer                |
|                            | request_receipt_origincharacter | varying(50)            |
|                            | description                     | character varying(100) |

| tbl_delivery_staff |                                           |         |
|--------------------|-------------------------------------------|---------|
| <b>PK</b>          | delivery_staff_id                         | integer |
| <b>FK</b>          | client_deliveries_id                      | integer |
| <b>FK</b>          | facility_staff_id<br>→ tbl_facility_staff | integer |
|                    | is_team_lead                              | boolean |
|                    | description character varying(100)        |         |

| tbl_delivery_receipt |                       |                          |
|----------------------|-----------------------|--------------------------|
| PK                   | delivery_receipt_id   | integer                  |
| FK                   | client_deliveries_id  | integer                  |
|                      | signature_photo_url   | character varying(255)   |
|                      | signed_at             | timestamp with time zone |
|                      | all_items_received    | boolean                  |
|                      | condition_acceptable  | boolean                  |
|                      | photo_release_granted | boolean                  |
|                      | recipient_notes       | text                     |
|                      | description           | character varying(100)   |

| tbl_delivery_items |                                                                       |                          |
|--------------------|-----------------------------------------------------------------------|--------------------------|
| <b>PK</b>          | delivery_items_id                                                     | integer                  |
| <b>FK</b>          | client_deliveries_id                                                  | integer                  |
| <b>FK</b>          | corp_facility_inventory_item_id<br>→ tbl_corp_facility_inventory_item | integer                  |
|                    | loaded_at                                                             | timestamp with time zone |
|                    | description                                                           | character varying(100)   |

| tbl_delivery_vehicle |                             |                        |
|----------------------|-----------------------------|------------------------|
| <b>PK</b>            | delivery_vehicle_id         | integer                |
| <b>FK</b>            | client_deliveries_id        | integer                |
| <b>FK</b>            | delivery_vehicle_type_id    | integer                |
| <b>FK</b>            | vehicle_id<br>→ tbl_vehicle | integer                |
| <b>FK</b>            | rental_agency_id            | integer                |
|                      | mileage_start               | integer                |
|                      | mileage_end                 | integer                |
|                      | fuel_cost                   | numeric                |
|                      | description                 | character varying(100) |

| tbl_client_request_items |                                |                          |
|--------------------------|--------------------------------|--------------------------|
| PK                       | client_request_items_id        | integer                  |
| FK                       | client_provisioning_request_id | integer                  |
|                          | item_category_id               | integer                  |
|                          | item_notes                     | character varying(255)   |
|                          | quantity                       | integer                  |
|                          | priority                       | character varying(20)    |
|                          | description                    | character varying(100)   |
|                          | time_stamp                     | timestamp with time zone |
|                          | room                           | character varying(60)    |
|                          | pulled                         | boolean                  |
|                          | qty_given                      | integer                  |
|                          | is_na                          | boolean                  |
|                          | is_declined                    | boolean                  |
|                          | sort_order                     | integer                  |
|                          | item_name                      | character varying(120)   |

| tbl_client_deliveries |                                           |                          |
|-----------------------|-------------------------------------------|--------------------------|
| <b>PK</b>             | client_deliveries_id                      | integer                  |
| <b>FK</b>             | client_provisioning_request_id            | integer                  |
| <b>FK</b>             | facility_staff_id<br>→ tbl_facility_staff | integer                  |
|                       | delivery_date                             | date                     |
| <b>FK</b>             | delivery_status_id                        | integer                  |
|                       | time_arrival_earliest                     | time without time zone   |
|                       | time_arrival_latest                       | time without time zone   |
|                       | time_delivery_complete                    | time without time zone   |
|                       | notes                                     | text                     |
|                       | gate_code                                 | character varying(10)    |
|                       | description                               | character varying(100)   |
| <b>FK</b>             | fulfilment_method_id                      | integer                  |
|                       | pickup_deadline                           | date                     |
|                       | lock_code                                 | character varying(40)    |
|                       | pickup_code_sent_at                       | timestamp with time zone |
|                       | pickup_code_sent_via                      | character varying(20)    |
|                       | pickup_code_sent_to                       | character varying(255)   |

| tbl_client_provisioning_request |                                                                  |                          |
|---------------------------------|------------------------------------------------------------------|--------------------------|
|                                 | client_provisioning_request_id                                   | integer                  |
|                                 | client_id                                                        | integer                  |
|                                 | client_request_note                                              | text                     |
|                                 | fulfillment_corp_facility_id<br>→ tbl_corp_facility              | integer                  |
|                                 | request_receipt_origin_id                                        | integer                  |
|                                 | client_request_creator_facility_staff_id<br>→ tbl_facility_staff | integer                  |
|                                 | request_at                                                       | timestamp with time zone |
|                                 | description                                                      | character varying(100)   |
|                                 | referral_id                                                      | integer                  |
|                                 | review_status                                                    | character varying(20)    |
|                                 | child_count                                                      | integer                  |
|                                 | adult_female_count                                               | integer                  |
|                                 | adult_male_count                                                 | integer                  |
|                                 | reference_code                                                   | character varying(20)    |
|                                 | fulfillment_type                                                 | character varying(16)    |
|                                 | appointment_at                                                   | timestamp with time zone |
|                                 | trailer_size                                                     | character varying(40)    |
|                                 | crew_size                                                        | integer                  |
|                                 | loading_notes                                                    | text                     |
|                                 | residence_type                                                   | character varying(60)    |
|                                 | delivery_logistics_notes                                         | text                     |
|                                 | situation_notes                                                  | text                     |
|                                 | internal_notes                                                   | text                     |
|                                 | household_type                                                   | character varying(16)    |
|                                 | situation_tags                                                   | character varying(30)    |

| lkp_delivery_status |                    |                        |
|---------------------|--------------------|------------------------|
| <b>PK</b>           | delivery_status_id | integer                |
|                     | delivery_status    | character varying(50)  |
|                     | description        | character varying(100) |

| lkp_fulfillment_method |                       |                        |
|------------------------|-----------------------|------------------------|
| <b>PK</b>              | fulfillment_method_id | integer                |
|                        | fulfillment_method    | character varying(40)  |
|                        | sort_order            | integer                |
|                        | is_active             | boolean                |
|                        | description           | character varying(200) |


| lkp_rental_agency |                  |                        |
|-------------------|------------------|------------------------|
| <b>PK</b>         | rental_agency_id | integer                |
|                   | rental_agency    | character varying(100) |
|                   | account_number   | character varying(25)  |
|                   | description      | character varying(100) |

| lkp_delivery_vehicle_type |                          |                        |
|---------------------------|--------------------------|------------------------|
| <b>PK</b>                 | delivery_vehicle_type_id | integer                |
|                           | delivery_vehicle_type    | character varying(50)  |
|                           | description              | character varying(100) |




## Donors, Donations & QuickBooks

Donor records, individual gifts, designations, pledges, and the QBO sync trail. Donation pickups (warehouse intake) also live here.



# Inventory & Storage


Items currently in the warehouse, where they're stored, and how they get reserved against open client requests.





# Facilities & Vehicles


Corporate org and physical sites (warehouses, showrooms), plus the company vehicle fleet and its maintenance log.





Staff, Volunteers & Shifts

Facility staff + volunteer rosters, the public volunteer-signup queue, shift templates, generated shifts, and individual signups + hours.





# Fundraising: Campaigns, Events, Grants

Multi-gift campaigns, fundraising events with attendees and sponsors, and grant tracking.

| tbl_grant |                    |                        |
|-----------|--------------------|------------------------|
| PK        | grant_id           | integer                |
|           | funder_name        | character varying(100) |
|           | grant_name         | character varying(100) |
|           | award_amount       | numeric                |
|           | period_start       | date                   |
|           | period_end         | date                   |
|           | reporting_deadline | date                   |
|           | restrictions       | text                   |
|           | description        | character varying(100) |

| tbl_event_attendee |                    |                          |
|--------------------|--------------------|--------------------------|
| PK                 | event_attendee_id  | integer                  |
| FK                 | event_id           | integer                  |
| FK                 | contact_id         | integer                  |
|                    | → tbl_contact      |                          |
|                    | rsvp_status        | character varying(20)    |
|                    | attended           | boolean                  |
|                    | amount_contributed | numeric                  |
|                    | description        | character varying(100)   |
|                    | checked_in_at      | timestamp with time zone |
|                    | ticket_count       | integer                  |
|                    | notes              | text                     |
| FK                 | rsvp_status_id     | integer                  |
| FK                 | donation_id        | integer                  |
|                    | → tbl_donation     |                          |
|                    | table_number       | character varying(40)    |
|                    | seat_number        | character varying(20)    |
|                    | dietary_notes      | character varying(200)   |

| tbl_event_sponsor |                  |                          |
|-------------------|------------------|--------------------------|
| PK                | event_sponsor_id | integer                  |
| FK                | event_id         | integer                  |
| FK                | corporate_id     | integer                  |
|                   | → tbl_corporate  |                          |
| FK                | contact_id       | integer                  |
|                   | → tbl_contact    |                          |
| FK                | sponsor_level_id | integer                  |
|                   | amount_pledged   | numeric                  |
|                   | amount_paid      | numeric                  |
|                   | acknowledged     | boolean                  |
|                   | notes            | text                     |
| FK                | donation_id      | integer                  |
|                   | → tbl_donation   |                          |
|                   | created_at       | timestamp with time zone |
|                   | updated_at       | timestamp with time zone |

| lkp_rsvp_status |                |                       |
|-----------------|----------------|-----------------------|
| PK              | rsvp_status_id | integer               |
|                 | rsvp_status    | character varying(40) |
|                 | sort_order     | integer               |
|                 | is_active      | boolean               |

| tbl_event |                           |                        |
|-----------|---------------------------|------------------------|
| PK        | event_id                  | integer                |
| FK        | event_type_id             | integer                |
|           | event_name                | character varying(100) |
|           | event_date                | date                   |
|           | start_time                | time without time zone |
|           | end_time                  | time without time zone |
| FK        | address_id                | integer                |
|           | → tbl_address             |                        |
|           | goal_amount               | numeric                |
|           | amount_raised             | numeric                |
|           | description               | character varying(100) |
| FK        | campaign_id               | integer                |
|           | is_public                 | boolean                |
|           | ticket_price              | numeric                |
|           | notes                     | text                   |
| FK        | manager_facility_staff_id | integer                |
|           | → tbl_facility_staff      |                        |
| FK        | host_contact_id           | integer                |
|           | → tbl_contact             |                        |
| FK        | host_corporate_id         | integer                |
|           | → tbl_corporate           |                        |
|           | max_attendees             | integer                |
|           | run_of_show               | text                   |
|           | staff_briefing            | text                   |

| lkp_sponsor_level |                  |                        |
|-------------------|------------------|------------------------|
| PK                | sponsor_level_id | integer                |
|                   | sponsor_level    | character varying(40)  |
|                   | sort_order       | integer                |
|                   | is_active        | boolean                |
|                   | description      | character varying(200) |

| tbl_campaign |                            |                          |
|--------------|----------------------------|--------------------------|
| PK           | campaign_id                | integer                  |
|              | campaign_name              | character varying(150)   |
| FK           | campaign_type_id           | integer                  |
| FK           | campaign_status_id         | integer                  |
| FK           | fund_id                    | integer                  |
|              | → lkp_fund                 |                          |
|              | goal_amount                | numeric                  |
|              | start_date                 | date                     |
|              | end_date                   | date                     |
| FK           | manager_facility_staff_id  | integer                  |
|              | → tbl_facility_staff       |                          |
|              | public_url                 | character varying(255)   |
|              | notes                      | text                     |
|              | created_at                 | timestamp with time zone |
| FK           | created_by_user_account_id | integer                  |
|              | → tbl_user_account         |                          |
|              | description                | character varying(100)   |

| lkp_event_type |               |                        |
|----------------|---------------|------------------------|
| PK             | event_type_id | integer                |
|                | event_type    | character varying(50)  |
|                | description   | character varying(100) |

| lkp_campaign_type |                  |                        |
|-------------------|------------------|------------------------|
| PK                | campaign_type_id | integer                |
|                   | campaign_type    | character varying(50)  |
|                   | description      | character varying(200) |

| lkp_campaign_status |                    |                        |
|---------------------|--------------------|------------------------|
| PK                  | campaign_status_id | integer                |
|                     | campaign_status    | character varying(50)  |
|                     | description        | character varying(200) |



# Vendors

Outside service providers Furnish Hope works with (plumbers, landscapers, suppliers) and the log of their service calls.

| tbl_vendor_service |                            |                          |
|--------------------|----------------------------|--------------------------|
| <b>PK</b>          | vendor_service_id          | integer                  |
| <b>FK</b>          | vendor_id                  | integer                  |
|                    | service_date               | date                     |
|                    | start_time                 | time without time zone   |
|                    | end_time                   | time without time zone   |
|                    | location_text              | character varying(300)   |
| <b>FK</b>          | corp_facility_id           | integer                  |
|                    | description                | text                     |
|                    | cost_estimate              | numeric                  |
| <b>FK</b>          | vendor_service_status_id   | integer                  |
|                    | notes                      | text                     |
| <b>FK</b>          | created_by_user_account_id | integer                  |
|                    | created_at                 | timestamp with time zone |
|                    | updated_at                 | timestamp with time zone |

| tbl_vendor |                     |                          |
|------------|---------------------|--------------------------|
| <b>PK</b>  | vendor_id           | integer                  |
| <b>FK</b>  | contact_id          | integer                  |
|            | → tbl_contact       |                          |
| <b>FK</b>  | vendor_type_id      | integer                  |
| <b>FK</b>  | vendor_specialty_id | integer                  |
|            | business_name       | character varying(200)   |
|            | w9_received         | boolean                  |
|            | w9_received_date    | date                     |
|            | coi_received        | boolean                  |
|            | coi_expires_at      | date                     |
|            | default_hourly_rate | numeric                  |
|            | payment_terms       | character varying(80)    |
|            | tax_id              | character varying(40)    |
|            | notes               | text                     |
|            | is_active           | boolean                  |
|            | qbo_vendor_id       | character varying(40)    |
|            | qbo_synced_at       | timestamp with time zone |
|            | created_at          | timestamp with time zone |
|            | updated_at          | timestamp with time zone |


| lkp_vendor_type |                |                        |
|-----------------|----------------|------------------------|
| <b>PK</b>       | vendor_type_id | integer                |
|                 | vendor_type    | character varying(50)  |
|                 | description    | character varying(200) |
|                 | sort_order     | integer                |

| lkp_vendor_specialty |                     |                        |
|----------------------|---------------------|------------------------|
| <b>PK</b>            | vendor_specialty_id | integer                |
|                      | vendor_specialty    | character varying(80)  |
|                      | description         | character varying(200) |
|                      | sort_order          | integer                |

| lkp_vendor_service_status |                          |                        |
|---------------------------|--------------------------|------------------------|
| <b>PK</b>                 | vendor_service_status_id | integer                |
|                           | vendor_service_status    | character varying(40)  |
|                           | description              | character varying(200) |
|                           | sort_order               | integer                |

# Partner Agencies

Outside agencies that refer households to Furnish Hope. Includes the self-serve application queue (pending → approved → agency), the populations-served join, and the one-time caseworker invitations that seed agency user accounts.





Email accounts, cached IMAP messages, templates, the outbound/inbound messaging layer (SMS + email with templates and triggers), the generic per-entity attachment table, and free-form notes.

| tbl_email_account |                                       |                          |
|-------------------|---------------------------------------|--------------------------|
| <b>PK</b>         | email_account_id                      | integer                  |
| <b>FK</b>         | user_account_id<br>→ tbl_user_account | integer                  |
|                   | display_name                          | character varying(100)   |
|                   | email_address                         | character varying(255)   |
|                   | provider                              | character varying(20)    |
|                   | auth_type                             | character varying(20)    |
|                   | imap_host                             | character varying(255)   |
|                   | imap_port                             | integer                  |
|                   | imap_secure                           | boolean                  |
|                   | smtp_host                             | character varying(255)   |
|                   | smtp_port                             | integer                  |
|                   | smtp_secure                           | boolean                  |
|                   | username                              | character varying(255)   |
|                   | encrypted_password                    | text                     |
|                   | is_default_send                       | boolean                  |
|                   | last_tested_at                        | timestamp with time zone |
|                   | last_test_status                      | character varying(20)    |
|                   | last_test_error                       | text                     |
|                   | created_at                            | timestamp with time zone |
|                   | description                           | character varying(100)   |
|                   | signature                             | text                     |
|                   | oauth_provider                        | character varying(20)    |
|                   | oauth_access_token_enc                | text                     |
|                   | oauth_refresh_token_enc               | text                     |
|                   | oauth_expires_at                      | timestamp with time zone |
|                   | oauth_scope                           | text                     |



## System: Auth, Audit, Issues, Settings

App-wide infrastructure: user accounts, audit log, app settings, the in-app issue tracker + developer broadcasts, org branding, and the user-manual screenshot store.

| tbl_audit_log |                 |                          |
|---------------|-----------------|--------------------------|
| <b>PK</b>     | audit_log_id    | integer                  |
| <b>FK</b>     | user_account_id | integer                  |
|               | action          | character varying(20)    |
|               | entity_type     | character varying(50)    |
|               | entity_id       | integer                  |
|               | field_changed   | character varying(100)   |
|               | old_value       | text                     |
|               | new_value       | text                     |
|               | action_at       | timestamp with time zone |

| tbl_app_setting |                            |                          |
|-----------------|----------------------------|--------------------------|
| <b>PK</b>       | setting_key                | character varying(50)    |
|                 | setting_value              | text                     |
|                 | description                | character varying(500)   |
|                 | updated_at                 | timestamp with time zone |
| <b>FK</b>       | updated_by_user_account_id | integer                  |

| tbl_app_issue_note |                        |                          |
|--------------------|------------------------|--------------------------|
| <b>PK</b>          | issue_note_id          | integer                  |
| <b>FK</b>          | issue_id               | integer                  |
| <b>FK</b>          | author_user_account_id | integer                  |
|                    | note                   | text                     |
|                    | created_at             | timestamp with time zone |

| tbl_app_issue |                          |                          |
|---------------|--------------------------|--------------------------|
| <b>PK</b>     | issue_id                 | integer                  |
|               | title                    | character varying(200)   |
|               | description              | text                     |
|               | severity                 | character varying(20)    |
|               | status                   | character varying(20)    |
|               | page_url                 | text                     |
|               | page_title               | character varying(200)   |
|               | user_agent               | text                     |
|               | viewport_width           | integer                  |
|               | viewport_height          | integer                  |
|               | steps_to_reproduce       | text                     |
|               | expected_behavior        | text                     |
|               | actual_behavior          | text                     |
|               | screenshot_data          | bytea                    |
|               | screenshot_content_type  | character varying(80)    |
| <b>FK</b>     | reporter_user_account_id | integer                  |
| <b>FK</b>     | assignee_user_account_id | integer                  |
|               | resolution_notes         | text                     |
|               | resolved_at              | timestamp with time zone |
|               | created_at               | timestamp with time zone |
|               | updated_at               | timestamp with time zone |

| tbl_user_account |                                           |                          |
|------------------|-------------------------------------------|--------------------------|
| <b>PK</b>        | user_account_id                           | integer                  |
|                  | username                                  | character varying(50)    |
|                  | password_hash                             | character varying(255)   |
| <b>FK</b>        | facility_staff_id<br>→ tbl_facility_staff | integer                  |
| <b>FK</b>        | agency_contact_id<br>→ tbl_agency_contact | integer                  |
|                  | last_login_at                             | timestamp with time zone |
|                  | is_active                                 | boolean                  |
|                  | created_at                                | timestamp with time zone |
|                  | description                               | character varying(100)   |
|                  | is_admin                                  | boolean                  |
|                  | is_developer                              | boolean                  |
|                  | is_program_manager                        | boolean                  |

| tbl_app_broadcast |                            |                          |
|-------------------|----------------------------|--------------------------|
| <b>PK</b>         | broadcast_id               | integer                  |
|                   | message                    | text                     |
|                   | kind                       | character varying(20)    |
| <b>FK</b>         | related_issue_id           | integer                  |
|                   | is_active                  | boolean                  |
| <b>FK</b>         | created_by_user_account_id | integer                  |
|                   | created_at                 | timestamp with time zone |
|                   | expires_at                 | timestamp with time zone |

| tbl_app_broadcast_dismissal |                 |                          |
|-----------------------------|-----------------|--------------------------|
| <b>PK/FK</b>                | broadcast_id    | integer                  |
| <b>PK/FK</b>                | user_account_id | integer                  |
|                             | dismissed_at    | timestamp with time zone |

| tbl_org_branding |                            |                          |
|------------------|----------------------------|--------------------------|
| <b>PK</b>        | branding_id                | integer                  |
|                  | logo_data                  | bytea                    |
|                  | content_type               | character varying(80)    |
|                  | filename                   | character varying(200)   |
|                  | updated_at                 | timestamp with time zone |
| <b>FK</b>        | updated_by_user_account_id | integer                  |

| tbl_manual_screenshot |                             |                          |
|-----------------------|-----------------------------|--------------------------|
| <b>PK</b>             | slug                        | character varying(80)    |
|                       | audience                    | character varying(20)    |
|                       | caption                     | character varying(300)   |
|                       | image_data                  | bytea                    |
|                       | content_type                | character varying(80)    |
|                       | filename                    | character varying(200)   |
|                       | byte_size                   | integer                  |
|                       | uploaded_at                 | timestamp with time zone |
| <b>FK</b>             | uploaded_by_user_account_id | integer                  |