

TECHNICAL SPECIFICATIONS COMPLIANCE SHEET

No	Description	Technical Specifications	Compliance
1	E-Padlocks	Intelligent Smart blue tooth lock, Battery capacity of 4500mAh or higher Bluetooth Smart Padlock Rechargeable Battery SIM card slot Realtime tracking by GPS Unlock:Bluetooth/password in software Data Transmission interval: time interval Lock status monitoring 4G device but with 2G fallback Alarm Types: Steel Cable Cutting Alarm, Cover Open Alarm, Low Battery Alarm, Geo-fence alarm, password alarm, vibration alarm. Weight: 400g Dimensions: 110mm x 82mm x 35mm Steel cable length: 300mm Steel cable material: 304 stainless steels Waterproof: IP67 Steel cable diameter: 3.5 mm Provide electronic card GPS costs, support and tracking costs for one year and an electronic card for each lock should be provided should be included. Ability to integrate e-lock with the e-lock tracking systems in use at KEMSA for tracking deliveries	Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet

No	Description	Technical Specifications	Compliance
2	Route Management Optimization Software	<u>Dynamic route planning</u> Must be capable of handling scheduled as well as on-demand orders by receiving constant updates, revising previous schedules and routes to match the new needs as and when they arise. Automated scheduling Algorithms that calculate the most efficient routes, considering factors like distance, traffic, and delivery windows minimizing travel time and fuel costs <u>Real-Time Driver Tracking and Updates</u> • Ability to locate a driver/rider at any given time, arrival time at the destination and return time at the fulfilment Centre • Must have Driver Performance Management (DPM) capability and issue detailed reports on driver's operations • Should accommodate clear workflows for what drivers must do if a delivery can't be completed at the scheduled time. • Traffic Data Integration-Provide real time traffic updates to reroute vehicles	Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet

	• Weather forecasting-Adjust routes based on weather predictions • Load optimization • Data Analytics-Prescriptive, descriptive and predictive analytics Accurate provision of dynamic alerts about ETAs - and the ability for customers to contact drivers directly. Dynamic customer notifications-send live delivery updates Dispatcher view and driver app-to enable coordination of the team API and integrations <u>Electronic Proof of Delivery (delivery app) integration</u> • Fitted with delivery app software having a wide choice of functionality of delivery data collection methods that suits the customers' preferences (e.g photo, e-signature, barcode scan, QR code scan, electronic signature etc) Real time reporting of geo-location and timestamped delivery electronic document, that compares planned and actual delivery times • The delivery document must be customizable to KEMSAs needs <u>User Friendly Interface and Integration</u> • Must be easy to operate with the existing technology with easy-to-use features that don't require extensive training. Ability to integrate with other business systems such as WMS, ERP or CRM softwares <u>Functionality</u> • MUST be GPS enabled • MUST be Web-based and capable of visualizing geocodes on Maps • Must have an android and IOS mobile app to be use by the delivery team MUST have a dashboard with drill down capabilities <u>Real - time traffic consideration</u> MUST be able to analyze real-time traffic data and route and re-route vehicles accordingly. <u>geocoding</u> • Equipped with a proper up-to-date geocoder with a capability of accurately converting addresses into latitude and longitude coordinates. Ability to store data related to local addresses and use the information for geocoding <u>Analytics and report management</u> • Ability to compare and analyze difference between actual routes and planned routes. • Ability to track and compare performance on a unified dashboard.	Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet
--	---	---

		• Ability to calculate the shortest, fastest and safest routes between the fulfillment point and customer's doorstep, analyze cost (distance and time) among the routes and generates the best preference. • Delivery analytics to review performance • Ability to issue advanced customer feedback, order tracking and route history. • Ability to; 1.Route planning Dispatch and tracking Driver efficiency Business Operations-Automate last mile workflows Customer experience 6.Business analytics 7.Integration <u>Hard ware and OS</u> Provide hardware- rack mountable server with specifications to run the system (supplier to determine the specification that can run the software) Provide operating system	Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet
--	--	---	---

No	Description	Technical Specifications	Compliance
3	Hand held scanners for New Warehouse	Physical Characteristics 22.7 cm x 8.3 cm x 4.7 cm (8.9 in x 3.3 in x 1.9 in) Weight 544 g (19.2 oz) with battery pack Processor 2.2 GHz Qualcomm® 64-bit Snapdragon™ octa-core Each Android version guaranteed from Android 9 Pie to at least 11/R, committed Operating System support for Android 12 and 13 pending feasibility Memory 4 GB DDR4 RAM, 32 GB Flash 10.16 cm (4 in) 480 x 800 bright color LCD with backlight, outdoor readable, Display optically bonded Corning Gorilla Glass 5 touch Panel Rugged multi-touch capacitive touch panel, optically bonded for extra durability and better sunlight viewability. Automatic detection and configuration utilizing mutual and self-capacitance modes for water rejection and use with many off-the-Touch Panel shelf gloves Keypad 51-key alpha plus two programmable side buttons Speaker, microphone support with noise cancellation. PTT support and Bluetooth® Audio wireless headset support 13.0-megapixel color camera with autofocus and advanced software features for	Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet

	Camera better image quality, f/2.0 aperture, flash LED with flashlight mode Sensors Ambient light sensor, accelerometer, gyroscope, hall effect Storage Expansion User-accessible microSD card up to 512 GB (SDXC/SDHC/ SDIO-compliant) Battery Li-Ion, 7,000 mAh Smart Battery Hours of Use 28 hours Scanning Capabilities EX20 Near/Far Imager (1D/2D); Scanning SDKs for Android Bluetooth V5.0 with BLE and Backward Compatibility NFC Integrated Near Field Communication Operating Environment -20°C to 50°C (-4°F to 122°F) Storage Environment -30°C to 70°C (-22°F to 158°F) 3 m (10 ft) to concrete at room temperature, 2.4 m (8 ft) across operating range per Drop MIL-STD 810G Max/Min Width: Independently certified to meet IP65 and IP68 standards for moisture and particle Environment Sealing intrusion Disinfectant Ready, Edge Service, Gold Contract, 3 Year, Initial Contract, Contract includes 5-Day Warranty Depot and Android Service Accessories Kit, Rubber Protective Boot, Scan Handle, Screen Protector Charging Stations Single Dock, Standard + Power Supply +UK Power Cord	Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet Complied as highlighted on the attached data sheet
--	---	---