

Mine-RPN

Or how we were able to recognize pigs et. familia in Minecraft



SAPIENZA
UNIVERSITÀ DI ROMA

Dario Loi, Davide Marincione,
Benjamin Barda

Bachelor's degree in
Applied Computer Science and Artificial
Intelligence
Sapienza, University of Rome

A. Y. 2021 - 2022

Breaking the ice

FACCIAMO QUALCOSA DI SCEMO

Faster RCNN

Why minecraft?

Minecraft has several desirable qualities:

- Simple graphics.
- Sandbox.
- Available to every team member.
- Distinguishable entity silhouettes.



Figure: A Minecraft promotional image.

Behold, data!




Figure: A representative chunk of our dataset

Our Backbone

The backbone is the convolutional *heart* of our model, it is:

- Blazingly fast.
- Adaptable to any resolution.

While also offering:

- A 92% accuracy when used as a Classifier.
- A mean training time of $\approx 2h$.




Figure: A Minecraft promotional image.

Our RPN

Our RPN network extends our Backbone and is composed mainly of two twin layers:

1. A Classification layer.
2. A Regression layer.

Before feeding data into those, it also performs some pre-processing:

- Anchor Splashing.
- Etc. . .




Figure: A Minecraft promotional image.

Behold, data!




Figure: A representative chunk of our dataset