

src > components > SolutionCard.tsx

View only

```
1  import type { ReactNode } from "react";
2
3  export type SolutionCardProps = {
4    className?: string;
5    iconSrc: string;
6    iconAlt: string;
7    iconBg?: string;
8    title: string;
9    titleColor?: string;
10   description: string;
11   descriptionColor?: string;
12   imageSrc: string;
13   imageAlt?: string;
14   overlay?: boolean;
15   bottomContent?: ReactNode;
16 };
17
18 export const SolutionCard = ({
19   className = "",
20   iconSrc,
21   iconAlt,
22   iconBg = "bg-gray-400",
23   title,
24   titleColor = "text-gray-900",
25   description,
26   descriptionColor = "text-white",
27   imageSrc,
28   imageAlt = "",
29   overlay,
30   bottomContent,
31 }: SolutionCardProps) => (
32   <div
33     className={`relative flex flex-col overflow-hidden rounded-3xl ${className}`}
34   >
```

src > components > SolutionCard.tsx

View only

```
34   >
35   {overlay && <div className="absolute inset-0 bg-black/20 z-0" />}
36   <div className="relative z-10 flex items-center gap-3 backdrop-blur-sm bg-white/90 rounded-full pl-2 pr-6 py-1 self-stretch" />
37     <div
38       className={`flex items-center justify-center h-9 w-9 rounded-full ${iconBg}`}
39     >
40       <img src={iconSrc} alt={iconAlt} className="h-5 w-5" />
41     </div>
42     <h3 className={`font-semibold text-lg whitespace-nowrap ${titleColor}`}>
43       {title}
44     </h3>
45   </div>
46   {bottomContent ? (
47     <div className="relative z-10 flex flex-col flex-1 justify-end">
48       <p
49         className={`text-xl font-medium leading-relaxed ${descriptionColor}`}
50       >
51         {description}
52       </p>
53     </div>
54   ) : (
55     <p className={`mt-4 text-lg leading-relaxed ${descriptionColor}`}>
56       {description}
57     </p>
58   )}
59   {imageSrc && (
60     <div className="flex-1 flex items-end mt-4">
61       <img
62         alt={imageAlt}
63         src={imageSrc}
64         className="w-full object-cover rounded-lg scale-110 origin-bottom"
65       />
66     </div>
67   )}
```

src > sections > CTASection > components > CTAContent.tsx

View only

```
1 export const CTAContent = () => (
2   <div className="relative bg-gradient-to-br from-[#35acce] via-[#277f98] to-[#1b5768] rounded-[32px] md:rounded-[40px] p-6 md:p-12 h-64 md:h-[340px] flex flex-col" />
3     /* Decorative circles */
4     <div className="absolute top-0 right-0 w-64 h-64 bg-white/5 rounded-full translate-x-1/3 -translate-y-1/3 pointer-events-none" />
5     <div className="absolute bottom-0 left-1/2 w-96 h-96 bg-white/5 rounded-full translate-y-1/2 -translate-x-1/4 pointer-events-none" />
6
7     <div className="relative">
8       <h2 className="text-white text-2xl md:text-5xl font-medium leading-tight mb-2 md:mb-3">
9         Join the <span className="text-sky-300 font-bold">10,000+</span>{" "}
10        businesses
11      </h2>
12      <p className="text-white/80 text-sm md:text-xl leading-relaxed">
13        Simplifying their finances with PayChangu.
14      </p>
15    </div>
16
17    <div className="relative flex items-center justify-end gap-3 md:gap-4">
18      
23      <a
24        href="https://dashboard.paychangu.com/register"
25        className="text-white text-sm md:text-base font-semibold whitespace-nowrap border-2 border-white rounded-full px-5 md:px-7 py-2 md:py-2.5 hover:bg-white/10"
26      >
27        Get Started Free
28      </a>
29      <a
30        href="/contact"
31        className="text-white text-sm md:text-base font-semibold whitespace-nowrap border-2 border-white/40 rounded-full px-5 md:px-7 py-2 md:py-2.5 hover:bg-white/10"
32      >
33        Contact Us
34      </a>
```

src > sections > CTASession > index.tsx

View only

```
1  import { CTACContent } from "../components/CTACContent";
2
3  export const CTASession = () => (
4    <section className="bg-white py-10 md:py-16">
5      <div className="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
6        <CTACContent />
7      </div>
8    </section>
9  );
10
```

Upgrade to edit the code

src > sections > FAQSection > components > FAQIntro.tsx

View only

```
1  export const FAQIntro = () => (
2    <div>
3      <h2 className="text-3xl md:text-5xl font-semibold leading-tight mb-5">
4        <span className="text-white">Frequently Asked</span>
5      </h2>
6      <p className="text-sky-400">Questions</p>
7      <p className="text-zinc-300 text-base md:text-sm mb-10 md:mb-14 max-w-sm">
8        Have questions? You're not alone. Explore our FAQ, browse our
9        queries and
10       get the answers you need – fast and easy.
11     </p>
12
13     <div className="flex items-start gap-8 md:gap-12 mt-10 md:mt-20">
14       <div className="flex flex-col items-center relative">
15         
20         <a
21           href="/contact"
22           className="text-white text-xs md:text-sm font-semibold border-2 border-sky-500 rounded-full px-5 py-2 md:px-7 md:py-2.5 hover:bg-sky-500 transition"
23         >
24           Contact Us
25         </a>
26       </div>
27       <p className="text-zinc-300 text-sm md:text-lg leading-relaxed ml-1 -mt-1 md:ml-4 md:-mt-4">
28         More Questions?..
29       </p>
30     </div>
31   </div>
32 );
33
```

src > sections > FAQSection > components > FAQItem.tsx

View only

```
1 import { useState } from "react";
2 import { Plus, Minus } from "lucide-react";
3
4 export type FAQItemProps = {
5   number: string;
6   question: string;
7   answer?: string;
8   indentClass?: string;
9   defaultOpen?: boolean;
10 };
11
12 export const FAQItem = ({
13   number,
14   question,
15   answer,
16   indentClass = "",
17   defaultOpen = false,
18 } : FAQItemProps) => {
19   const [open, setOpen] = useState(defaultOpen);
20
21   return (
22     <div
23       className={`bg-white border border-gray-100 rounded-2xl shadow-sm overflow-hidden transition-all duration-200 ${indentClass}`}
24     >
25       <button
26         type="button"
27         onClick={() => setOpen((v) => !v)}
28         className="w-full flex items-start justify-between text-left px-4 md:px-5 py-3 md:py-4 hover:bg-gray-50 transition-colors"
29       >
30         <div className="flex items-start gap-2 md:gap-3 flex-1">
31           <span className="text-sm md:text-base font-bold text-gray-900 shrink-0">
32             {number}
33           </span>
34           <span className="text-sm md:text-base font-bold text-gray-900">
```

src > sections > FAQSection > components > FAQItem.tsx

View only

```
32     {number}
33   </span>
34   <span className="text-sm md:text-base font-bold text-gray-900">
35     {question}
36   </span>
37 </div>
38 <div
39   className={`shrink-0 ml-3 flex items-center justify-center h-7 w-7 md:h-8 md:w-8 rounded-lg border-2 transition-colors ${
40     open
41       ? "border-sky-500 bg-sky-50"
42       : "border-gray-200 hover:border-gray-400"
43   }`}
44 >
45   {open ? (
46     <Minus size={14} className="text-sky-500" />
47   ) : (
48     <Plus size={14} className="text-gray-400" />
49   )}
50 </div>
51 </button>
52 {open && answer && (
53   <div className="px-4 md:px-5 pb-4 md:pb-5 pt-0 animate-fade-in-up">
54     <p className="text-gray-500 text-xs md:text-sm leading-relaxed ml-6 md:ml-8 border-t border-gray-50 pt-3">
55       {answer}
56     </p>
57   </div>
58 )}
59 </div>
60 );
61 };
62
```

src > sections > FAQSection > components > FAQList.tsx

View only

```
1  import { FAQItem } from "../FAQItem";
2
3  const FAQS = [
4    {
5      number: "01.",
6      question: "What is PayChangu?",
7      answer:
8        "PayChangu is a modern payment gateway that simplifies and secures transactions. It lets businesses accept payments via Airtel Money, TNM Mpamba, and ",
9      indentClass: "md:ml-24",
10     defaultOpen: true,
11   },
12   {
13     number: "02.",
14     question: "What payment options are available?",
15     answer:
16       "PayChangu supports Airtel Money, TNM Mpamba, Visa, and Mastercard payments. Businesses can also accept payments through payment links, POS terminals,
17     indentClass: "",
18     defaultOpen: false,
19   },
20   {
21     number: "03.",
22     question: "How does PayChangu handle card issuing?",
23     answer:
24       "PayChangu provides both virtual and physical cards for businesses and individuals. You can issue cards directly from your dashboard and manage spendi
25     indentClass: "md:ml-24",
26     defaultOpen: false,
27   },
28   {
29     number: "04.",
30     question: "Can I integrate PayChangu with my website?",
31     answer:
32       "Yes! PayChangu offers SDKs for JavaScript, Python, PHP, and plugins for WooCommerce, Shopify, and WordPress, making integration straightforward regar
33     indentClass: "md:ml-12",
34     defaultOpen: false,
```

src > sections > FAQSection > components > FAQList.tsx

View only

```
33     indentClass: "md:ml-12",
34     defaultOpen: false,
35   },
36   {
37     number: "05.",
38     question: "How can I manage multiple businesses with PayChangu?",
39     answer:
40       "Your PayChangu dashboard allows you to manage multiple business profiles from a single account, with separate analytics, payouts, and settings per bu
41     indentClass: "",
42     defaultOpen: false,
43   },
44 ];
45
46 export const FAQList = () => (
47   <div className="flex flex-col gap-3">
48     {FAQS.map((faq) => (
49       <FAQItem key={faq.number} {...faq} />
50     ))}
51   </div>
52 );
53
```

src > sections > FAQSection > index.tsx

View only

```
1 import { FAQIntro } from "../components/FAQIntro";
2 import { FAQList } from "../components/FAQList";
3
4 export const FAQSection = () => (
5   <section
6     className="bg-cover bg-center py-12 md:py-20"
7     style={{
8       backgroundImage: "url('https://paychangu.com/FAQ_section.svg')",
9       backgroundColor: "#0f172a",
10    }}
11   >
12     <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
13       <div className="grid grid-cols-1 md:grid-cols-2 gap-12 md:gap-16 items-start">
14         <FAQIntro />
15         <FAQList />
16       </div>
17     </div>
18   </section>
19 );
20
```

src > sections > Footer > components > FooterBottom.tsx

View only

```
1 export const FooterBottom = () => (
2   <div className="border-t border-gray-100 bg-white/90 backdrop-blur-sm">
3     <div className="w-[83.3333%] mx-auto py-5 md:py-6 flex flex-col md:flex-row items-center justify-between gap-4 md:gap-6">
4       <p className="text-gray-400 text-xs md:text-sm order-3 md:order-1">
5         © 2026 Thrive in the Digital Economy.
6       </p>
7
8       <div className="flex items-center gap-5 md:gap-7 order-2">
9         <a
10           href="/privacy-policy"
11           className="text-gray-500 text-xs md:text-sm hover:text-gray-900 transition-colors"
12         >
13           Privacy Policy
14         </a>
15         <a
16           href="/terms-of-service"
17           className="text-gray-500 text-xs md:text-sm hover:text-gray-900 transition-colors"
18         >
19           Terms of Service
20         </a>
21       </div>
22
23       <div className="flex items-center gap-4 md:gap-5 order-1 md:order-3">
24         <div>
25           {
26             href: "https://x.com/paychangu",
27             alt: "X / Twitter",
28             src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/icon-10.svg",
29           },
30         <div>
31             href: "https://www.facebook.com/PayChangu",
32             alt: "Facebook",
33             src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/icon-11.svg",
34           },
35       </div>
36     </div>
37   </div>
38 );
39
```

src > sections > Footer > components > FooterBottom.tsx

View only

```
36         href: "https://www.instagram.com/paychangu",
37         alt: "Instagram",
38         src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/icon-12.svg",
39     },
40     {
41         href: "https://www.linkedin.com/company/paychangumw/",
42         alt: "LinkedIn",
43         src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/icon-13.svg",
44     },
45     {
46         href: "https://www.tiktok.com/@paychangu",
47         alt: "TikTok",
48         src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/icon-14.svg",
49     },
50   ].map((social) => (
51     <a
52       key={social.href}
53       href={social.href}
54       aria-label={social.alt}
55       className="text-gray-400 hover:text-sky-500 transition-colors"
56     >
57       <img
58         src={social.src}
59         alt={social.alt}
60         className="h-[18px] w-[18px]"
61       />
62     </a>
63   )))
64 </div>
65 </div>
66 </div>
67 );
68
```

src

> sections > Footer > components > FooterBrand.tsx

View only

```
1 export const FooterBrand = () => (  
2   <div className="flex flex-col items-start col-span-2">  
3     <div className="flex items-center gap-1 mb-5">  
4         
9       <span className="text-sky-500 text-xl font-semibold">PayChangu</span>  
10    </div>  
11    <h3 className="text-gray-900 text-lg md:text-xl font-semibold mb-1">  
12      Empowering Business Owners  
13    </h3>  
14    <p className="text-gray-500 text-sm md:text-base">  
15      To thrive in Digital Economy  
16    </p>  
17    <div className="mt-7">  
18      <span className="text-gray-400 text-[10px] font-bold uppercase tracking-widest block mb-2">  
19        Licensed by  
20      </span>  
21        
26    </div>  
27  </div>  
28 );  
29
```


src > sections > Footer > components > FooterLinkColumn.tsx

View only

```
1 import type { ReactNode } from "react";
2
3 export type FooterLink = {
4   text?: string;
5   href?: string;
6   content?: ReactNode;
7 };
8
9 export type FooterLinkColumnProps = {
10   title: string;
11   links: FooterLink[];
12 };
13
14 export const FooterLinkColumn = ({ title, links }: FooterLinkColumnProps) => (
15   <div>
16     <h4 className="text-gray-900 font-semibold mb-4 md:mb-5">{title}</h4>
17     <ul className="space-y-3 md:space-y-4">
18       {links.map((link, i) =>
19         link.content ? (
20           <li key={i}>{link.content}</li>
21         ) : (
22           <li key={i}>
23             <a
24               href={link.href}
25               className="text-gray-400 text-sm md:text-base hover:text-sky-500 transition-colors"
26             >
27               {link.text}
28             </a>
29           </li>
30         ),
31       )}
32     </ul>
33   </div>
34 );
```

```
1 import { FooterBrand } from "../FooterBrand";
2 import { FooterLinkColumn } from "../FooterLinkColumn";
3
4 export const FooterMain = () => (
5   <div className="grid grid-cols-2 md:grid-cols-6 gap-8 md:gap-6 w-[83.333333%] mx-auto py-12 md:py-20">
6     <FooterBrand />
7     <FooterLinkColumn
8       title="Solutions"
9       links={[
10         { text: "Payment Gateway", href: "/payment-gateway" },
11         { text: "Virtual and Physical Cards", href: "/virtual-cards" },
12         { text: "Bill Payments", href: "/bill-payments" },
13         { text: "Payment Link", href: "/payment-link" },
14         { text: "Event Ticketing", href: "/event-ticketing" },
15         { text: "POS", href: "/pos" },
16         { text: "Capital", href: "/paychangu-capital" },
17       ]}
18     />
19     <FooterLinkColumn
20       title="Company"
21       links={[
22         { text: "About Us", href: "/about" },
23         { text: "Contact", href: "/contact" },
24         { text: "Careers", href: "/careers" },
25         { text: "Brand Assets", href: "/brand" },
26       ]}
27     />
28     <FooterLinkColumn
29       title="Contact"
30       links={[
31         { text: "Contact Sales", href: "/contact" },
32         { text: "Contact Support", href: "mailto:support@paychangu.com" },
33         { text: "Help Center", href: "https://support.paychangu.com/" },
34         { text: "Live Chat", href: "https://support.paychangu.com/livechat" },
```

```

src > sections > Footer > components > FooterMain.tsx View only
30  links=[
31    { text: "Contact Sales", href: "/contact" },
32    { text: "Contact Support", href: "mailto:support@paychangu.com" },
33    { text: "Help Center", href: "https://support.paychangu.com/" },
34    { text: "Live Chat", href: "https://support.paychangu.com/livechat" },
35  ]
36  />
37  <FooterLinkColumn
38    title="Developers"
39    links=[
40      { text: "API Reference", href: "/developers" },
41      { text: "SDK Documentation", href: "/developers/sdks" },
42      {
43        text: "Documentation",
44        href: "https://developer.paychangu.com/docs/welcome",
45      },
46      {
47        content: (
48          <a
49            href="https://status.paychangu.com"
50            className="flex items-center gap-2 text-gray-400 text-sm md:text-base hover:text-sky-500 transition-color
51          >
52            <span>API Status</span>
53            <span className="relative flex h-2.5 w-2.5">
54              <span className="animate-ping absolute inline-flex h-full w-full rounded-full bg-green-400 opacity-75"
55              <span className="relative inline-flex rounded-full h-2.5 w-2.5 bg-green-500" />
56            </span>
57          </a>
58        ),
59      },
60    ]
61  />
62  </div>
63  );

```

```

src > sections > Footer > index.tsx View only
1  import { FooterMain } from "../components/FooterMain";
2  import { FooterBottom } from "../components/FooterBottom";
3
4  export const Footer = () => (
5    <footer className="relative bg-white overflow-hidden">
6      <FooterMain />
7      { /* Giant watermark text */ }
8      <div className="absolute bottom-24 inset-x-0 flex items-center justify-center pointer-events-none h-24 md:h-48">
9        <span className="text-gray-100 text-5xl md:text-[200px] font-extrabold leading-none whitespace-nowrap select-none">
10          PAYCHANGU
11        </span>
12      </div>
13      <FooterBottom />
14    </footer>
15  );
16

```

src > sections > HeroSection > components > FeatureCard.tsx

View only

```
1 export type FeatureCardProps = {
2   badgeText: string;
3   title: string;
4   description: string;
5   variant?: "dark" | "slate";
6 };
7
8 export const FeatureCard = ({
9   badgeText,
10  title,
11  description,
12  variant = "dark",
13 }: FeatureCardProps) => (
14  <div
15    className={`relative rounded-2xl md:rounded-[32px] p-4 md:p-7 h-[90px] md:h-[140px] flex flex-col justify-center ov
16    variant === "slate" ? "bg-slate-900" : "bg-cyan-800"
17  }`
18  >
19    <span className="absolute top-2 right-2 md:top-4 md:right-4 text-[8px] md:text-[10px] font-bold uppercase tracking-1
20      {badgeText}
21    </span>
22    <h3 className="text-white text-sm md:text-xl font-bold mb-0.5">{title}</h3>
23    <p className="text-white/80 text-[9px] md:text-xs font-medium">
24      {description}
25    </p>
26  </div>
27  );
28
```

src > sections > HeroSection > components > HeroActions.tsx

View only

```
1 export const HeroActions = () => (
2   <div className="flex items-center gap-3 flex-wrap">
3     <a
4       href="/product-finder"
5       className="text-white text-sm md:text-base font-semibold border border-white/40 rounded-full px-6 py-3 hover:bg-w
6     >
7       Find a Product
8     </a>
9     <a
10      href="https://dashboard.paychangu.com/register"
11      className="text-black text-sm md:text-base font-bold bg-white rounded-full px-6 py-3 hover:bg-sky-100 transition-
12    >
13      Get Started
14    </a>
15  </div>
16  );
17
```

src > sections > HeroSection > components > HeroContent.tsx

View only

```
1 import { HeroActions } from "../HeroActions";
2
3 export const HeroContent = () => (
4   <div className="flex-1 max-w-xl animate-fade-in-up">
5     <h1 className="flex flex-col gap-1 mb-6">
6       <span className="text-sky-400 text-5xl md:text-7xl font-bold tracking-tight leading-none">
7         Empowering
8       </span>
9       <span className="text-white text-3xl md:text-5xl font-bold tracking-tight leading-tight">
10        Business Owners to
11      </span>
12      <span className="text-white text-3xl md:text-5xl font-bold tracking-tight leading-tight">
13        thrive in Digital Economy
14      </span>
15    </h1>
16    <p className="text-white/70 text-base md:text-xl leading-relaxed mb-8 max-w-lg">
17      Leading provider of online payments, card machines, point-of-sale
18      solutions, and flexible business funding – all in one place.
19    </p>
20    <HeroActions />
21  </div>
22 );
23
```

src > sections > HeroSection > components > ImageCard.tsx

View only

```
1 export type ImageCardProps = {
2   imageAlt: string;
3   imageSrc: string;
4   showOverlay?: boolean;
5   className?: string;
6 };
7
8 export const ImageCard = ({
9   imageAlt,
10  imageSrc,
11  showOverlay,
12  className = "",
13 }: ImageCardProps) => (
14   <div
15     className={`relative rounded-2xl md:rounded-[40px] overflow-hidden shadow-xl ${className}`}
16   >
17     {showOverlay && <div className="absolute inset-0 bg-blue-600/10 z-10" />}
18     <img alt={imageAlt} src={imageSrc} className="w-full h-full object-cover" />
19   </div>
20 );
21
```

src > sections > HeroSection > components > ProductShowcaseGrid.tsx

View only

```
1 export const ProductShowcaseGrid = () => (  
2   <div  
3     className="flex-1 max-w-[540px] m1-auto h-[620px] md:h-[760px] relative overflow-hidden pointer-events-none"  
4     style={{  
5       maskImage:  
6         "linear-gradient(to bottom, transparent 0%, black 8%, black 88%, transparent 100%)",  
7       WebkitMaskImage:  
8         "linear-gradient(to bottom, transparent 0%, black 8%, black 88%, transparent 100%)",  
9     }}  
10  >  
11    <div className="grid grid-cols-2 gap-3 md:gap-5 animate-[scroll_40s_linear_infinite]">  
12      <div className="flex flex-col gap-3 md:gap-5">  
13        {[0, 1].map((i) => (  
14          <Column1Items key={i} />  
15        ))}  
16      </div>  
17      <div className="flex flex-col gap-3 md:gap-5 pt-10 md:pt-14">  
18        {[0, 1].map((i) => (  
19          <Column2Items key={i} />  
20        ))}  
21      </div>  
22    </div>  
23  </div>  
24  );  
25  
26  const Column1Items = () => (  
27    <>  
28      <div className="relative bg-cyan-800 rounded-2xl md:rounded-[32px] p-4 md:p-7 h-[90px] md:h-[140px] flex flex-col j  
29        <span className="absolute top-2 right-2 md:top-4 md:right-4 text-[8px] md:text-[10px] font-bold uppercase trackin  
30          NEW  
31        </span>  
32        <h3 className="text-white text-sm md:text-xl font-bold leading-snug mb-0.5">  
33          Capital  
34        </h3>  
35      </div>  
36    </div>  
37  )  
38  )  
39  )  
40  )  
41  )  
42  )  
43  )  
44  )  
45  )  
46  )  
47  )  
48  )  
49  )  
50  )  
51  )  
52  )  
53  )  
54  )  
55  )  
56  )  
57  )  
58  )  
59  )  
60  )  
61  )  
62  )  
63  )  
64  )  
65  )  
66  )  
67  )  
68  )  
69  )  
70  )  
71  )  
72  )  
73  )  
74  )  
75  )  
76  )  
77  )  
78  )  
79  )  
80  )  
81  )  
82  )  
83  )  
84  )  
85  )  
86  )  
87  )  
88  )  
89  )  
90  )  
91  )  
92  )  
93  )  
94  )  
95  )  
96  )  
97  )  
98  )  
99  )  
100 )
```

src > sections > HeroSection > components > ProductShowcaseGrid.tsx

View only

```
31 </span>  
32 <h3 className="text-white text-sm md:text-xl font-bold leading-snug mb-0.5">  
33   Capital  
34 </h3>  
35 <p className="text-white/80 text-[9px] md:text-xs font-medium">  
36   Quick access to flexible loans.  
37 </p>  
38 </div>  
39 <div className="rounded-2xl md:rounded-[40px] overflow-hidden h-40 md:h-72 shrink-0 shadow-xl">  
40     
45 </div>  
46 <div className="bg-white rounded-2xl md:rounded-[40px] p-4 md:p-10 h-[90px] md:h-[140px] flex flex-col justify-cent  
47   <h3 className="text-gray-500 text-xs md:text-xl font-bold leading-snug">  
48     Built to perform.  
49   <br />  
50     Designed to adapt.  
51   </h3>  
52 </div>  
53 <div className="relative bg-cyan-800 rounded-2xl md:rounded-[32px] p-4 md:p-7 h-[90px] md:h-[140px] flex flex-col j  
54   <span className="absolute top-2 right-2 md:top-4 md:right-4 text-[8px] md:text-[10px] font-bold uppercase trackin  
55     NEW  
56   </span>  
57   <h3 className="text-white text-sm md:text-xl font-bold leading-snug mb-0.5">  
58     Capital  
59   </h3>  
60   <p className="text-white/80 text-[9px] md:text-xs font-medium">  
61     Quick access to flexible loans.  
62   </p>  
63 </div>  
64 </div>
```

src > sections > HeroSection > components > ProductShowcaseGrid.tsx

View only

```
66
67   const Column2Items = () => (
68     <>
69       <div className="rounded-2xl md:rounded-[40px] overflow-hidden h-40 md:h-72 shrink-0 shadow-xl">
70         
75       </div>
76       <div className="relative bg-slate-900 rounded-2xl md:rounded-[32px] p-4 md:p-7 h-[90px] md:h-[140px] flex flex-col justify-center items-center">
77         <span className="absolute top-2 right-2 md:top-4 md:right-4 text-[8px] md:text-[10px] font-bold uppercase tracking-tight">
78           NEW
79         </span>
80         <h3 className="text-white text-sm md:text-xl font-bold leading-snug mb-0.5">
81           POS
82         </h3>
83         <p className="text-white/80 text-[9px] md:text-xs font-medium">
84           Modern card machines.
85         </p>
86       </div>
87       <div className="relative rounded-2xl md:rounded-[40px] overflow-hidden h-40 md:h-72 shrink-0 shadow-xl">
88         
93         <div className="absolute inset-0 bg-blue-600/10" />
94       </div>
95       <div className="rounded-2xl md:rounded-[40px] overflow-hidden h-40 md:h-72 shrink-0 shadow-xl">
96         
101      </div>
102    </>
103  )
104 }
```

src > sections > HeroSection > components > TextCard.tsx

View only

```
1   export type TextCardProps = { title: string };
2
3   export const TextCard = ({ title }: TextCardProps) => (
4     <div className="bg-white rounded-2xl md:rounded-[40px] p-4 md:p-10 h-[90px] md:h-[140px] flex flex-col justify-center items-center">
5       <h3 className="text-gray-500 text-xs md:text-xl font-bold leading-snug">
6         {title}
7       </h3>
8     </div>
9   );
10
```

src > sections > HeroSection > index.tsx

View only

```
1 import { HeroContent } from "../components/HeroContent";
2 import { ProductShowcaseGrid } from "../components/ProductShowcaseGrid";
3
4 export const HeroSection = () => (
5   <section className="relative bg-black text-white overflow-hidden min-h-screen flex items-center">
6     {/* Subtle radial glow */}
7     <div className="absolute inset-0 bg-[radial-gradient(ellipse_80%_50%_at_60%_40%,rgba(3,188,225,0.08),transparent)]">
8     <div className="relative max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 w-full pt-24 pb-12 md:pt-32 md:pb-0">
9       <div className="flex flex-col md:flex-row md:items-center md:gap-12 gap-10">
10         <HeroContent />
11         <ProductShowcaseGrid />
12       </div>
13     </div>
14   </section>
15 );
16
```

src > sections > IndustrySection > components > IndustryCard.tsx

View only

```
1 import { ArrowRight } from "lucide-react";
2
3 export type IndustryCardProps = {
4   imageAlt: string;
5   imageSrc: string;
6   category: string;
7   title: string;
8   description: string;
9   buttonText: string;
10   featured?: boolean;
11 };
12
13 export const IndustryCard = ({
14   imageAlt,
15   imageSrc,
16   category,
17   title,
18   description,
19   buttonText,
20   featured = false,
21 }: IndustryCardProps) => (
22   <div
23     className={`relative overflow-hidden rounded-3xl md:rounded-[40px] group cursor-pointer transition-all duration-500
24       featured
25         ? "flex-[4] min-w-[260px]"
26         : "flex-[0.8] min-w-[240px] md:min-w-0"
27     }`}
28     style={{ minHeight: "380px" }}
29   >
30     <img
31       alt={imageAlt}
32       src={imageSrc}
33       className={`absolute inset-0 w-full h-full object-cover transition-transform duration-700 group-hover:scale-105 o
34       featured ? "scale-110" : ""
35     }`
36     />
37   </div>
38 );
```


src > sections > IndustrySection > components > IndustryCard.tsx

View only

```
33     className={`absolute inset-0 w-full h-full object-cover transition-transform duration-700 group-hover:scale-105 o
34     featured ? "scale-110" : ""
35   `}
36   />
37   {/* Gradient overlay */}
38   <div
39     className={`absolute inset-0 bg-gradient-to-t from-black/80 via-black/10 to-transparent transition-opacity durati
40   />
41
42   {/* Content */}
43   <div className="absolute bottom-4 left-4 right-4 md:bottom-8 md:left-8 md:right-8 z-10 transition-all duration-300"
44     {/* Category badge */}
45     <div className="inline-block backdrop-blur-md bg-white/10 border border-white/20 rounded-full px-3 py-1 mb-3">
46       <span className="text-white text-[9px] md:text-xs font-bold uppercase tracking-widest">
47         {category}
48       </span>
49     </div>
50     {/* Title - always visible */}
51     <h3 className="text-white text-lg md:text-3xl font-extrabold leading-tight mb-3 md:mb-6">
52       {title}
53     </h3>
54     {/* Description - visible on featured, hover on others */}
55     <p
56       className={`text-white/80 text-sm md:text-base leading-relaxed mb-4 transition-all duration-300 ${featured ? "b
57     >
58       {description}
59     </p>
60     {/* Button */}
61     <button className="flex items-center gap-2 bg-sky-500 text-white text-xs md:text-sm font-bold rounded-full px-4 m
62       {buttonText}
63       <ArrowRight size={14} />
64     </button>
65   </div>
66 </div>
```

src > sections > IndustrySection > components > IndustryHeader.tsx

View only

```
1  import { IndustryTabs } from "../IndustryTabs";
2
3  type Props = { activeTab: string; onTabChange: (tab: string) => void };
4
5  export const IndustryHeader = ({ activeTab, onTabChange }: Props) => (
6    <div className="flex flex-col md:flex-row md:items-end md:justify-between gap-5 mb-8 md:mb-16">
7      <div>
8        <h2 className="text-xl md:text-4xl font-bold tracking-tight mb-3 md:mb-5">
9          Find the product that fits your industry
10        </h2>
11        <p className="text-gray-500 text-sm md:text-base font-medium leading-relaxed max-w-xl">
12          PayChangu helps businesses across every industry thrive, with the right
13          tools for restaurants, retail, salons, and service businesses.
14        </p>
15      </div>
16      <IndustryTabs active={activeTab} onChange={onTabChange} />
17    </div>
18  );
19
```

src > sections > IndustrySection > components > IndustryTabs.tsx

View only

```
1  const TABS = ["Health & Beauty", "Food & Beverage", "Gaming", "Services"];
2
3  type Props = { active: string; onChange: (tab: string) => void };
4
5  export const IndustryTabs = ({ active, onChange }: Props) => (
6    <div className="flex items-center bg-gray-200/40 border border-gray-100 rounded-full p-1 md:p-1.5 overflow-x-auto gap
7      {TABS.map((tab) => (
8        <button
9          key={tab}
10         onClick={() => onChange(tab)}
11         className={`text-[10px] md:text-[13px] font-bold whitespace-nowrap rounded-full px-3 md:px-5 py-1.5 md:py-2 tra
12           active === tab
13             ? "bg-white shadow text-gray-900"
14             : "text-gray-400 hover:text-gray-600 bg-transparent"
15         }`}>
16       >
17         {tab}
18       </button>
19     )}>
20   </div>
21 );
22
```

src > sections > IndustrySection > index.tsx

View only

```
1  import { useState } from "react";
2  import { IndustryHeader } from "../components/IndustryHeader";
3  import { IndustryCard } from "../components/IndustryCard";
4
5  type Industry = {
6    id: string;
7    imageAlt: string;
8    imageSrc: string;
9    category: string;
10   title: string;
11   description: string;
12   buttonText: string;
13 };
14
15  const INDUSTRIES: Industry[] = [
16    {
17      id: "Health & Beauty",
18      imageAlt: "Health & Beauty",
19      imageSrc:
20        "https://c.animaapp.com/moys5pp3xEfm8f/assets/Lauryn_image-DjFvcMs3.jpg",
21      category: "Health & Beauty",
22      title: "Health & Beauty",
23      description: "Book appointments and accept payments easily.",
24      buttonText: "Explore Salons",
25    },
26    {
27      id: "Food & Beverage",
28      imageAlt: "Food & Beverage",
29      imageSrc:
30        "https://c.animaapp.com/moys5pp3xEfm8f/assets/amal_10-BsrxJged.jpg",
31      category: "Food & Beverage",
32      title: "Food & Beverage",
33      description: "Sell at your counter or get paid at the table.",
34      buttonText: "Explore Restaurants",
35    },
36  ];
```

```
src > sections > IndustrySection > index.tsx View only
35 },
36 {
37   id: "Gaming",
38   imageAlt: "Gaming",
39   imageSrc:
40     "https://c.animaapp.com/moys5pp3xEfm8f/assets/IMG_5272-79Bh4y_5.jpeg",
41   category: "Gaming",
42   title: "Gaming",
43   description: "Collection & disbursement for Gaming businesses.",
44   buttonText: "Explore Gaming",
45 },
46 {
47   id: "Services",
48   imageAlt: "Services",
49   imageSrc: "https://c.animaapp.com/moys5pp3xEfm8f/assets/pic-CKUQhNUb.png",
50   category: "Services",
51   title: "Services",
52   description: "Invoice clients and get paid for your work.",
53   buttonText: "Explore Services",
54 },
55 ];
56
57 export const IndustrySection = () => {
58   const [activeTab, setActiveTab] = useState("Health & Beauty");
59
60   return (
61     <section className="bg-gray-50 overflow-hidden pt-4 md:pt-8 pb-16 md:pb-24">
62       <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
63         <IndustryHeader activeTab={activeTab} onTabChange={setActiveTab} />
64         <div className="flex gap-3 md:gap-5 overflow-x-auto pb-4 snap-x snap-mandatory md:overflow-visible md:snap-none">
65           {INDUSTRIES.map((industry) => (
66             <IndustryCard
67               key={industry.id}
68               {...industry}
69               featured={industry.id === activeTab}

```

```
src > sections > IndustrySection > index.tsx View only
59
60   return (
61     <section className="bg-gray-50 overflow-hidden pt-4 md:pt-8 pb-16 md:pb-24">
62       <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
63         <IndustryHeader activeTab={activeTab} onTabChange={setActiveTab} />
64         <div className="flex gap-3 md:gap-5 overflow-x-auto pb-4 snap-x snap-mandatory md:overflow-visible md:snap-none">
65           {INDUSTRIES.map((industry) => (
66             <IndustryCard
67               key={industry.id}
68               {...industry}
69               featured={industry.id === activeTab}
70             />
71           ))}
72         </div>
73       </div>
74     </section>
75   );
76 };
77
```

src > sections > IntegrationsSection > components > IntegrationIconCard.tsx

View only

```
1 export type IntegrationIconCardProps = {
2   imageAlt: string;
3   imageSrc: string;
4   imageClass: string;
5   className?: string;
6 };
7
8 export const IntegrationIconCard = ({
9   imageAlt,
10  imageSrc,
11  imageClass,
12  className = "",
13 }: IntegrationIconCardProps) => (
14  <div
15    className={`absolute flex items-center justify-center bg-white border border-neutral-200 rounded-xl md:rounded-3xl
16  >
17    <img
18      alt={imageAlt}
19      src={imageSrc}
20      className={`object-contain ${imageClass}`}
21    />
22  </div>
23  );
24
```

src > sections > IntegrationsSection > components > IntegrationIcons.tsx

View only

```
1 import { IntegrationIconCard } from "../IntegrationIconCard";
2
3 export const IntegrationIcons = () => (
4   <div className="relative flex items-center justify-center h-32 md:h-64 my-4">
5     <div className="relative w-full max-w-3xl mx-auto h-full">
6       <IntegrationIconCard
7         imageAlt="Python"
8         imageSrc="https://c.animaapp.com/moys5pp3xEfm8f/assets/267_Python_logo-512_1-DwaVSVD6.png"
9         imageClass="h-6 w-6 md:h-14 md:w-14 p-0"
10        className="-translate-x-[220px] md:-translate-x-[480px] rotate-[13deg] top-4 md:top-10 h-14 w-16 md:h-[140px] m
11      />
12      <IntegrationIconCard
13        imageAlt="Give"
14        imageSrc="https://c.animaapp.com/moys5pp3xEfm8f/assets/Give-Logo-1_1-Ckq6pa_0.png"
15        imageClass="h-7 w-7 md:h-[72px] md:w-[72px] p-0"
16        className="-translate-x-[140px] md:-translate-x-[320px] -rotate-[4deg] top-1 md:top-2 h-14 w-16 md:h-[140px] md
17      />
18      <IntegrationIconCard
19        imageAlt="WooCommerce"
20        imageSrc="https://c.animaapp.com/moys5pp3xEfm8f/assets/image-2.svg"
21        imageClass="h-8 w-8 md:h-[90px] md:w-[90px] p-0"
22        className="-translate-x-[70px] md:-translate-x-[170px] rotate-[15deg] top-5 md:top-14 h-14 w-16 md:h-[140px] md
23      />
24      <IntegrationIconCard
25        imageAlt="WordPress"
26        imageSrc="https://c.animaapp.com/moys5pp3xEfm8f/assets/WordPress_logo.svg_1-BcVIxQ-o.png"
27        imageClass="h-10 w-10 md:h-[100px] md:w-[100px] p-0"
28        className="-translate-x-1/2 rotate-[2deg] top-0 h-14 w-16 md:h-[140px] md:w-[170px] p-4 md:p-7 z-30"
29      />
30      <IntegrationIconCard
31        imageAlt="Shopify"
32        imageSrc="https://c.animaapp.com/moys5pp3xEfm8f/assets/image-3.svg"
33        imageClass="h-7 w-7 md:h-[72px] md:w-[72px] p-0"
34        className="translate-x-[10px] md:translate-x-[30px] -rotate-[8deg] top-2 md:top-6 h-14 w-16 md:h-[140px] md:w-[
```

```
src > sections > IntegrationsSection > components > IntegrationIcons.tsx View only
29     />
30     <IntegrationIconCard
31       imageAlt="Shopify"
32       imageSrc="https://c.animaapp.com/moys5pp3xEfm8f/assets/image-3.svg"
33       imageClass="h-7 w-7 md:h-[72px] md:w-[72px] p-0"
34       className="translate-x-[10px] md:translate-x-[30px] -rotate-[8deg] top-2 md:top-6 h-14 w-16 md:h-[140px] md:w-[
35     />
36     <IntegrationIconCard
37       imageAlt="JavaScript"
38       imageSrc="https://c.animaapp.com/moys5pp3xEfm8f/assets/JavaScript_logo_2.svg-BLo4obvD.png"
39       imageClass="h-7 w-7 md:h-[76px] md:w-[76px] p-0"
40       className="translate-x-[80px] md:translate-x-[160px] rotate-[23deg] top-5 md:top-16 h-14 w-16 md:h-[140px] md:w
41     />
42   </div>
43 </div>
44 );
45
```

```
src > sections > IntegrationsSection > components > IntegrationsHeader.tsx View only
1  export const IntegrationsHeader = () => (
2    <div className="text-center mb-4 md:mb-6 pt-12 md:pt-20">
3      <h2 className="text-2xl md:text-5xl font-bold tracking-tight text-gray-900 mb-4 md:mb-6">
4        Integrate with your Favourite platforms
5      </h2>
6      <p className="text-gray-500 text-sm md:text-xl max-w-2xl mx-auto mb-6 md:mb-8 leading-relaxed px-4">
7        Connect seamlessly with popular E-commerce and content management systems
8        to enhance your payments.
9      </p>
10     <a
11       href="/contact"
12       className="inline-block text-cyan-700 text-sm md:text-base font-semibold border-2 border-cyan-600 rounded-full px
13     >
14       Contact Us
15     </a>
16   </div>
17 );
18
```

src > sections > IntegrationsSection > index.tsx

View only

```
1 import { IntegrationsHeader } from "../components/IntegrationsHeader";
2 import { IntegrationIcons } from "../components/IntegrationIcons";
3
4 export const IntegrationsSection = () => (
5   <section className="bg-white overflow-hidden pb-12 md:pb-20">
6     <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
7       <IntegrationsHeader />
8       <IntegrationIcons />
9     </div>
10  </section>
11 );
12
```

src > sections > Navbar > components > DesktopNavMenu.tsx

View only

```
1 import { useState, useRef, useEffect } from "react";
2 import { ChevronDown } from "lucide-react";
3
4 type DropdownItem = { label: string; href: string };
5
6 const SOLUTIONS: DropdownItem[] = [
7   { label: "Payment Gateway", href: "/payment-gateway" },
8   { label: "Virtual & Physical Cards", href: "/virtual-cards" },
9   { label: "Bill Payments", href: "/bill-payments" },
10  { label: "Payment Link", href: "/payment-link" },
11  { label: "Event Ticketing", href: "/event-ticketing" },
12  { label: "POS", href: "/pos" },
13  { label: "Capital", href: "/paychangu-capital" },
14 ];
15
16 const COMPANY: DropdownItem[] = [
17   { label: "About Us", href: "/about" },
18   { label: "Contact", href: "/contact" },
19   { label: "Careers", href: "/careers" },
20   { label: "Brand Assets", href: "/brand" },
21 ];
22
23 const DEVELOPERS: DropdownItem[] = [
24   { label: "API Reference", href: "/developers" },
25   { label: "SDK Documentation", href: "/developers/sdks" },
26   { label: "API Status", href: "https://status.paychangu.com" },
27 ];
28
29 function NavDropdown({
30   label,
31   items,
32 }: {
33   label: string;
34   items: DropdownItem[];
35 }) {
```

```
src > sections > Navbar > components > DesktopNavMenu.tsx View only
34   items: DropdownItem[];
35 } {
36   const [open, setOpen] = useState(false);
37   const ref = useRef<HTMLDivElement>(null);
38
39   useEffect(() => {
40     const handler = (e: MouseEvent) => {
41       if (ref.current && !ref.current.contains(e.target as Node))
42         setOpen(false);
43     };
44     document.addEventListener("mousedown", handler);
45     return () => document.removeEventListener("mousedown", handler);
46   }, []);
47
48   return (
49     <div ref={ref} className="relative">
50       <button
51         onClick={() => setOpen((v) => !v)}
52         className="flex items-center gap-1 text-white/90 hover:text-sky-400 font-medium text-[15px] transition-colors"
53       >
54         {label}
55         <ChevronDown
56           size={15}
57           className={`transition-transform duration-200 ${open ? "rotate-180" : ""}`}
58         />
59       </button>
60       {open && (
61         <div className="absolute top-full left-1/2 -translate-x-1/2 mt-3 w-52 bg-white rounded-2xl shadow-xl border border-gray-100"
62           >{items.map((item) => (
63             <a
64               key={item.label}
65               href={item.href}
66               className="block px-4 py-2.5 text-sm text-gray-700 hover:text-sky-500 hover:bg-sky-50 transition-colors"
67             >
```

```
src > sections > Navbar > components > DesktopNavMenu.tsx View only
62       {items.map((item) => (
63         <a
64           key={item.label}
65           href={item.href}
66           className="block px-4 py-2.5 text-sm text-gray-700 hover:text-sky-500 hover:bg-sky-50 transition-colors"
67         >
68           {item.label}
69         </a>
70       ))}
71     </div>
72   )}
73 </div>
74 );
75 }
76
77 export const DesktopNavMenu = () => (
78   <div className="hidden md:flex items-center border border-white/30 rounded-full px-8 h-11 gap-8">
79     <NavDropdown label="Solutions" items={SOLUTIONS} />
80     <a
81       href="/pricing"
82       className="text-white/90 hover:text-sky-400 font-medium text-[15px] transition-colors"
83     >
84       Pricing
85     </a>
86     <NavDropdown label="Company" items={COMPANY} />
87     <NavDropdown label="Developers" items={DEVELOPERS} />
88   </div>
89 );
90
```

src > sections > Navbar > components > MobileMenuButton.tsx

View only

```
1 import { Menu, X } from "lucide-react";
2
3 type Props = { open: boolean; onToggle: () => void };
4
5 export const MobileMenuButton = ({ open, onToggle }: Props) => (
6   <button
7     type="button"
8     onClick={onToggle}
9     className="md:hidden text-white p-2 rounded-lg hover:bg-white/10 transition-colors"
10    aria-label={open ? "Close menu" : "Open menu"}
11  >
12    {open ? <X size={24} /> : <Menu size={24} />}
13  </button>
14 );
15
```

src > sections > Navbar > components > NavbarActions.tsx

View only

```
1 export const NavbarActions = () => (
2   <div className="hidden md:flex items-center gap-4">
3     <a
4       href="https://dashboard.paychangu.com/login"
5       className="text-white font-medium text-[15px] border border-white/30 rounded-full px-6 h-11 flex items-center hov
6     >
7       Log In
8     </a>
9     <a
10      href="https://dashboard.paychangu.com/register"
11      className="text-black font-semibold text-[15px] bg-white rounded-full px-6 h-11 flex items-center hover:bg-sky-10
12    >
13      Get Started
14    </a>
15  </div>
16 );
17
```


src > sections > Navbar > components >  NavbarBrand.tsx

[View only](#)

```
1 export const NavbarBrand = () => (  
2   <a href="/" className="flex items-center gap-1.5 shrink-0">  
3       
8     <span className="text-white text-lg md:text-xl font-semibold tracking-tight">  
9       PayChangu  
10    </span>  
11  </a>  
12 );  
13
```

src > sections > Navbar >  index.tsx

[View only](#)

```
1 import { useState, useEffect } from "react";  
2 import { NavbarBrand } from "../components/NavbarBrand";  
3 import { DesktopNavMenu } from "../components/DesktopNavMenu";  
4 import { NavbarActions } from "../components/NavbarActions";  
5 import { MobileMenuButton } from "../components/MobileMenuButton";  
6  
7 export const Navbar = () => {  
8   const [mobileOpen, setMobileOpen] = useState(false);  
9   const [scrolled, setScrolled] = useState(false);  
10  
11   useEffect(() => {  
12     const onScroll = () => setScrolled(window.scrollY > 20);  
13     window.addEventListener("scroll", onScroll, { passive: true });  
14     return () => window.removeEventListener("scroll", onScroll);  
15   }, []);  
16  
17   return (  
18     <header  
19       className={`fixed inset-x-0 top-0 z-50 transition-all duration-300 ${  
20         scrolled ? "bg-black/95 backdrop-blur-sm shadow-lg" : "bg-black"  
21       }`>  
22       >  
23         <nav className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">  
24           <div className="flex items-center justify-between h-16 md:h-20">  
25             <NavbarBrand />  
26             <DesktopNavMenu />  
27             <NavbarActions />  
28             <MobileMenuButton  
29               open={mobileOpen}  
30               onToggle={() => setMobileOpen((v) => !v)}  
31             />  
32           </div>  
33         </nav>  
34  
35         { /* Mobile menu */ }
```

src > sections > Navbar > index.tsx

View only

```
34
35     {/* Mobile menu */}
36     {mobileOpen && (
37       <div className="md:hidden bg-black/95 backdrop-blur-sm border-t border-white/10 px-4 py-4 space-y-2">
38         [{"Solutions", "Pricing", "Company", "Developers"].map((item) => (
39           <a
40             key={item}
41             href={`#${item.toLowerCase()}`}
42             className="block text-white/80 hover:text-sky-400 font-medium py-2 px-3 rounded-lg hover:bg-white/5 trans
43             onClick={() => setMobileOpen(false)}
44           >
45             {item}
46           </a>
47         ))}
48       <div className="pt-3 border-t border-white/10 flex flex-col gap-2">
49         <a
50           href="https://dashboard.paychangu.com/login"
51           className="block text-center text-white border border-white/30 rounded-full py-2.5 font-medium hover:bg-w
52         >
53           Log In
54         </a>
55         <a
56           href="https://dashboard.paychangu.com/register"
57           className="block text-center text-black bg-white rounded-full py-2.5 font-semibold hover:bg-sky-100 trans
58         >
59           Get Started
60         </a>
61       </div>
62     </div>
63   )}
64 </header>
65 );
66 };
67
```

src > sections > SolutionsSection > components > FeaturedSolutionCard.tsx

View only

```
1 export const FeaturedSolutionCard = () => (  
2   <div className="relative bg-cyan-400 rounded-3xl p-8 h-80 md:h-96 overflow-hidden mt-6">  
3     <div className="flex items-center gap-3 mb-4">  
4       <div className="flex items-center justify-center h-9 w-9 bg-cyan-700 rounded-full shrink-0">  
5           
10      </div>  
11      <h3 className="text-white text-2xl font-semibold">Card Machine</h3>  
12    </div>  
13  
14    { /* Card machine image - positioned left */ }  
15    <div className="absolute -left-10 -bottom-6 w-[300px] md:w-[360px] pointer-events-none z-10">  
16        
21    </div>  
22  
23    <div className="ml-36 md:ml-44 mt-2">  
24      <p className="text-white text-lg md:text-xl leading-relaxed">  
25        Reliable, fast, and easy to use – PayChangu card machines are built to  
26        keep your business moving.  
27      </p>  
28    </div>  
29  </div>  
30 );  
31
```

src > sections > SolutionsSection > index.tsx

View only

```
1 import { SectionHeading } from "@components/SectionHeading";
2 import { FeaturedSolutionCard } from "../components/FeaturedSolutionCard";
3
4 export const SolutionsSection = () => (
5   <section className="bg-gray-100 py-12 md:py-20 overflow-hidden">
6     <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
7       <div className="grid grid-cols-1 lg:grid-cols-3 gap-5">
8         {/* Column 1: Heading + Card Machine */}
9         <div className="flex flex-col">
10           <SectionHeading />
11           <FeaturedSolutionCard />
12         </div>
13
14         {/* Column 2: Dashboard + Pricing */}
15         <div className="flex flex-col gap-5">
16           {/* Combined data Sales */}
17           <div className="relative bg-[rgb(66,65,65)] rounded-b-3xl h-[380px] p-7 flex flex-col overflow-hidden">
18             <div className="flex items-center gap-3 backdrop-blur-sm bg-sky-500/90 rounded-full pl-2 pr-10 py-1 self-st">
19               <div className="flex items-center justify-center h-8 w-8 bg-cyan-700 rounded-full shrink-0">
20                 
25               </div>
26               <h3 className="text-white text-lg font-semibold whitespace-nowrap">
27                 Combined data Sales
28               </h3>
29             </div>
30             <p className="text-white text-lg leading-relaxed mb-4">
31               Monitor every channel's performance from a single dashboard
32             </p>
33             <div className="flex-1 flex items-end relative">
34               <img
```

src > sections > SolutionsSection > index.tsx

View only

```
27     Combined data Sales
28   </h3>
29 </div>
30 <p className="text-white text-lg leading-relaxed mb-4">
31   Monitor every channel's performance from a single dashboard
32 </p>
33 <div className="flex-1 flex items-end relative">
34   
39 </div>
40 </div>
41
42 { /* Lowest Pricing */ }
43 <div className="bg-gray-400 rounded-t-3xl h-48 p-7 flex flex-col justify-start overflow-hidden">
44   <div className="flex items-center gap-3 backdrop-blur-sm bg-white/90 rounded-full pl-2 pr-10 py-1 self-star
45     <div className="flex items-center justify-center h-8 w-8 bg-gray-400 rounded-full shrink-0">
46       
51     </div>
52     <h3 className="text-gray-700 text-lg font-semibold whitespace-nowrap">
53       Lowest Pricing
54     </h3>
55   </div>
56   <p className="text-white text-lg leading-relaxed">
57     Get free automatic payouts and low transaction fees
58   </p>
59 </div>
60 </div>
```

src > sections > SolutionsSection > index.tsx

View only

```
60   </div>
61
62   { /* Column 3: E-commerce with background image */ }
63   <div
64     className="relative bg-cover bg-no-repeat rounded-3xl h-[460px] md:h-auto p-7 flex flex-col overflow-hidden"
65     style={{
66       backgroundImage:
67         "url('https://paychangu.com/assets/8-yHBJ0SU1.jpg')",
68       backgroundPosition: "85% center",
69       backgroundSize: "170%",
70     }}
71   >
72     <div className="absolute inset-0 bg-black/20 rounded-3xl" />
73     <div className="relative z-10 flex flex-col h-full justify-between">
74       <div className="flex items-center gap-3 backdrop-blur-sm bg-white/90 rounded-full pl-2 pr-10 py-1 self-star
75         <div className="flex items-center justify-center h-8 w-8 bg-gray-400 rounded-full shrink-0">
76           
81         </div>
82         <h3 className="text-gray-900 text-lg font-semibold whitespace-nowrap">
83           E-commerce
84         </h3>
85       </div>
86       <p className="text-white text-xl font-medium leading-relaxed mt-auto mb-4">
87         Convert browsers into buyers, effortlessly
88       </p>
89     </div>
90   </div>
91 </div>
92 </div>
93 </section>
```

src > sections > TrustedBusinessesSection > components > LogoItem.tsx

View only

```
1 export type LogoItemProps = { alt: string; src: string; heightClass: string };
2
3 export const LogoItem = ({ alt, src, heightClass }: LogoItemProps) => (
4   <div className="flex items-center justify-center shrink-0 px-8 md:px-12">
5     <img
6       alt={alt}
7       src={src}
8       className={`object-contain grayscale opacity-70 hover:opacity-100 hover:grayscale-0 transition-all duration-300 m
9     />
10   </div>
11 );
12
```

src > sections > TrustedBusinessesSection > components > LogoMarquee.tsx

View only

```
1 import { LogoItem } from "../LogoItem";
2
3 const LOGOS = [
4   {
5     alt: "Zonse Lotto",
6     src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/zonse_lotto_1-CM9EzoWk.png",
7     h: "h-14 md:h-24",
8   },
9   {
10    alt: "Changu",
11    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/Changulogo-BdpxbdPN.png",
12    h: "h-14 md:h-24",
13  },
14  {
15    alt: "888bets",
16    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/888bet-logo-BSV1kAod.png",
17    h: "h-6 md:h-10",
18  },
19  {
20    alt: "Betway",
21    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/image-1.svg",
22    h: "h-6 md:h-8",
23  },
24  {
25    alt: "Malawi Government",
26    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/994px-Coat_of_arms_of_Malawi.svg_-DimctDxW.webp",
27    h: "h-10 md:h-16",
28  },
29  {
30    alt: "Yellow Card",
31    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/yellow-card-logo-png_seeklogo-446595-BYpGHWfs.png",
32    h: "h-14 md:h-24",
33  },
34  {
35    alt: "Sunday Express"
36  },
37 ]
```

src > sections > TrustedBusinessesSection > components > LogoMarquee.tsx

View only

```
34  {
35    alt: "Sunday Soiree",
36    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/sunday_soiree-BybMiNMe.png",
37    h: "h-14 md:h-24",
38  },
39  {
40    alt: "Amaryllis Hotel",
41    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/amaryllis_nobg-BJy-zdbv.png",
42    h: "h-12 md:h-24",
43  },
44  {
45    alt: "WSB",
46    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/wsb-logo-2026-Bh9w9mNG.png",
47    h: "h-7 md:h-10",
48  },
49  {
50    alt: "Times",
51    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/timeslogo-CEHrGtxg.png",
52    h: "h-10 md:h-14",
53  },
54  {
55    alt: "NPL",
56    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/NPLlogo-o4ZeHS9k.png",
57    h: "h-11 md:h-16",
58  },
59 ];
60
61 export const LogoMarquee = () => (
62   <div
63     className="relative overflow-hidden"
64     style={{
65       maskImage:
66         "linear-gradient(to right, transparent, black 6%, black 94%, transparent)",
67       WebkitMaskImage:
68         "linear-gradient(to right, transparent, black 6%, black 94%, transparent)",
```

src > sections > TrustedBusinessesSection > components > LogoMarquee.tsx

View only

```
51    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/timeslogo-CEHrGtxg.png",
52    h: "h-10 md:h-14",
53  },
54  {
55    alt: "NPL",
56    src: "https://c.animaapp.com/moys5pp3xEfm8f/assets/NPLlogo-o4ZeHS9k.png",
57    h: "h-11 md:h-16",
58  },
59 ];
60
61 export const LogoMarquee = () => (
62   <div
63     className="relative overflow-hidden"
64     style={{
65       maskImage:
66         "linear-gradient(to right, transparent, black 6%, black 94%, transparent)",
67       WebkitMaskImage:
68         "linear-gradient(to right, transparent, black 6%, black 94%, transparent)",
69     }}
70   >
71     <div className="flex animate-marquee w-max">
72       {[...LOGOS, ...LOGOS].map((logo, i) => (
73         <LogoItem key={i} alt={logo.alt} src={logo.src} heightClass={logo.h} />
74       ))}
75     </div>
76   </div>
77 );
78
```

```
src > sections > TrustedBusinessesSection > index.tsx View only
1  import { LogoMarquee } from "../components/LogoMarquee";
2
3  export const TrustedBusinessesSection = () => (
4    <section className="bg-white py-8 md:py-14 overflow-hidden">
5      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
6        <div className="flex justify-start mb-6 md:mb-8">
7          <span className="text-zinc-500 text-xs md:text-sm font-medium border border-zinc-300 rounded-full px-5 py-2">
8            Trusted by Over 10,000 businesses
9          </span>
10         </div>
11         <LogoMarquee />
12       </div>
13     </section>
14   );
15
```

Upgrade to edit the code

```
src > App.tsx View only
1  import { Navbar } from "@sections/Navbar";
2  import { HeroSection } from "@sections/HeroSection";
3  import { TrustedBusinessesSection } from "@sections/TrustedBusinessesSection";
4  import { SolutionsSection } from "@sections/SolutionsSection";
5  import { IntegrationsSection } from "@sections/IntegrationsSection";
6  import { IndustrySection } from "@sections/IndustrySection";
7  import { FAQSection } from "@sections/FAQSection";
8  import { CTASection } from "@sections/CTASection";
9  import { Footer } from "@sections/Footer";
10
11  export const App = () => {
12    return (
13      <div className="min-h-screen font-sans">
14        <Navbar />
15        <main>
16          <HeroSection />
17          <TrustedBusinessesSection />
18          <SolutionsSection />
19          <IntegrationsSection />
20          <IndustrySection />
21          <FAQSection />
22          <CTASection />
23        </main>
24        <Footer />
25      </div>
26    );
27  };
28
```


src > index.tsx

View only

```
1 import React from "react";
2 import ReactDOM from "react-dom/client";
3 import { App } from "../App";
4
5 ReactDOM.createRoot(document.getElementById("app")!).render(
6   <React.StrictMode>
7     <App />
8   </React.StrictMode>,
9 );
10
```

index.html

View only

```
1 <!doctype html>
2 <html lang="en">
3   <head>
4     <meta charset="utf-8" />
5     <meta name="viewport" content="width=device-width, initial-scale=1" />
6     <title>PayChangu – Modern Online Payments for Malawi</title>
7     <meta
8       name="description"
9       content="Leading provider of online payments, card machines, point-of-sale solutions, and flexible business fundi
10    />
11     <link href="tailwind.css" rel="stylesheet" />
12   </head>
13   <body>
14     <div id="app"></div>
15     <script type="module" src="../src/index.tsx"></script>
16   </body>
17 </html>
18
```