Translation Note

This article is an abridged English translation of a contribution originally published in the German legal journal *Multimedia und Recht (MMR)*, issue 2/2026 (13 February 2026). Link to original article here.

The English version is published with the kind permission of Verlag C.H. Beck in order to facilitate international discussion. Unless stated otherwise, the legal analysis refers to German copyright law.

Methodological Note

The Creation Share Index (CSI) presented in this article is strictly intended as an analytical tool for a structured assessment of the human creative contributions in AI generated works and does not constitute a legally binding standard.

Text and Data Mining Reservation

The publisher reserves the rights under Article 4 of Directive (EU) 2019/790 and §44b UrhG to prohibit the use of this work for text and data mining, including for the training or development of artificial intelligence systems.

The Creation Share Index

A tool for assessing the copyright status of AI-generated works

By authors:

Benjamin Sach (Linkedin) and Fabian Stößer (Linkedin)

Abstract

The Creation Share Index (CSI) provides a structured method for assessing the human share of creation in AI-generated content. It evaluates the various ways humans interact with an AI system and weights those interactions according to their actual influence on the resulting output. In doing so, the CSI makes it possible to assign creative contribution in a transparent and comprehensible way.

The index is intended as a practical framework for argumentation in copyright assessments of hybrid works. It seeks to balance two considerations: the protection interests of human authors and the creative capacity of generative AI systems.

This article focuses on the evaluation of AI-generated images. In principle, however, the index can - under adjustment of the parameters - be applied to other types of works as well, offering a systematic approach for addressing unresolved copyright questions that arise from hybrid creative processes.

I. Introduction

In recent years, the generation of visual content with AI has become a widespread phenomenon. As these systems advance, the line between human creation and machine generation grows increasingly difficult to distinguish. Generative AI now allows people to produce images,

videos, and texts in new ways, blending human intention with automated production. This interaction between human creativity and the generative power of AI raises a central question for copyright law: when does AI-generated content qualify as authorship?

This article introduces the Creation Share Index (CSI), a simple yet legally accessible model that measures the human creative share in AI-generated works on a scale from 0 to 1. The index is intended as a rigid rule, but as a practical guide and argumentation aid for legal practice.

The focus of the article lies on the evaluation of AI-generated images and the creative processes behind them. At the same time, the CSI is not limited to image generation. In principle, it can also be adapted to other forms of AI-generated content.

II. The Element of Chance in AI generation

Before introducing the CSI, it is necessary to briefly consider whether AI-generated outputs should be understood as random products or whether what appears as "randomness" is in fact a factor that humans can influence within the creative process. If identical human actions can lead to widely different AI outputs, an immediate question arises: to what extent do human actions actually control the final result? This question must be addressed when evaluating AI-generated works under copyright law. At its core lies a practical issue: whether AI outputs remain replicable when the same actions are performed.

Randomness in AI-generated content can broadly be divided into two forms: manipulable randomness and randomness that cannot yet be manipulated.

Generative AI models - particularly those used for image or text generation - operate through probabilistic computation. [1] As a result, identical inputs can produce different outputs during normal use. Much of this variance stems from built-in "randomizing" mechanisms within the models that are designed to produce diverse results. [2] By adjusting certain technical parameters - such as defining a random seed or modifying sampling methods - users can influence this variability and thereby significantly control how much variation occurs when the same actions are repeated.[3]

But even when such adjustments are made, identical inputs may still produce slightly different results. [4] One reason lies in the way AI systems perform calculations. These systems rely on mathematical models that operate with real numbers[5], which computers represent as floating-point numbers. [6] Because this representation is approximate, small numerical differences can arise during computation. [7] Hardware conditions can also influence calculation processes. Variations in processor architecture or thermal fluctuations may affect the order in which operations are executed, leading to minor deviations in the results.

Additional variance may arise from the computational libraries used by many commercial AI systems. Libraries such as cuDNN[8] are designed to accelerate computation and make results available more quickly. In doing so, they may introduce further approximations in the calculation process, which can again produce slight differences in output. [9]

Research on the sources of variance in AI generation and on methods to improve reproducibility is still ongoing. [10] In practice, however, the remaining factors that cannot yet be controlled typically produce only minimal deviations. These differences are often barely noticeable to human observers. This is illustrated by the Chinese *Li v. Liu* case, in which the

artist was able to regenerate the disputed image during the trial by entering the same prompts and parameters. [11]

The variance observed in AI outputs should therefore not be understood as "chance" in the sense of a fixed and uncontrollable force. What appears as chance is largely shaped by parameters that humans can influence and increasingly quantify. This perspective shifts the understanding of AI-assisted creation. Instead of resembling a slot machine that produces arbitrary results, the process becomes a controlled form of creative production in which humans influence the conditions under which the output emerges.

Seen in this way, the creative process with AI does not fundamentally differ from the creative process with traditional tools. In traditional artistic practice, creators are also confronted with unpredictable elements arising from the tools they use or the materials they work with. The grain of wood may force a sculptor to adjust a design. Watercolor pigments may spread differently than expected. A chisel may break away more stone than intended. These forms of unpredictability have never played a decisive role in copyright assessments - likely because they appear natural, are difficult to quantify, and are simply part of artistic practice.

Yet these circumstances raise the question of how far creative expression in general results solely from an artist's intention and how far it is shaped by unforeseen developments within the creative process. One can argue, that in this sense, engaging with chance has always been an integral part of human creativity. When AI is used, this element only becomes more visible because the system operates explicitly through probabilistic mechanisms.

For the creator, however, the practical situation remains the same. Whether deviations arise from natural processes or from AI-generated variability, the artist encounters the possibility that the result may differ from the original idea. The artist remains free to react to these deviations - to accept them, adjust the concept, or refine the work further. These decisions form part of the creative process and open space for the creator's individuality expressed in the work. The resulting work can therefore reflect the creator's personal expression and may qualify for legal protection.

For this reason, the presence of variability in AI-assisted creation should not be evaluated differently from variability in traditional artistic processes. In both cases, the artist initiates the process, guides its direction, and determines when the work is complete. The human mind remains the central coordinating force.

The decisive issue, therefore, is not the existence of variance but the degree of human control over the overall creative process. It must be assessed whether the contribution of the machine merely assists human creation or whether it replaces it. As with other creative tools, this question cannot be answered in the abstract. It requires evaluation on a case-by-case basis, a familiar approach within copyright law.

To make such assessments transparent and comparable, the creative process must then be examined in a structured way. Human interactions during the generation of the work must be recorded and evaluated in relation to the influence of the AI system - that is, in relation to the role played by variability. This requires a systematic framework for assessing AI-assisted creative processes.

III. The Creation Share Index (CSI)

The CSI analyzes the creative process in AI-assisted work by identifying the different ways in which humans interact with an AI system. Each interaction influences the generation process in a distinct way and with varying intensity. Because these interactions differ in their quality and structural impact, each of them can be evaluated individually. This evaluation captures the degree to which human input shapes the generation process and reflects the quality of the creative specifications provided to the AI.

Not all interactions affect the final result to the same extent. The instructions given by a human are not reproduced one-to-one in the generated output, which is the object potentially subject to copyright protection. For this reason, the evaluation of each human specification must be weighted according to its actual influence on the final image.

The weighted values of the individual interactions can then be combined into a single overall value. This value serves as a benchmark for the level of human creative influence and allows the human contribution to AI-assisted creation to be expressed as a percentage. Where applicable, manual editing carried out after the generation process can also be included in the assessment.

1. Interactions with AI and their evaluation

At present, three main forms of interaction occur when humans work with AI: prompting, iteration and selection, and technical control. Each of these interactions functions as a parameter that can be assessed when evaluating the creative process.

a) Prompting

Prompting is the central point of interaction between humans and AI. Through the prompt, the human provides the AI with the content specifications that guide the generation process. A prompt may consist solely of text, or it may combine text with images[12] or other uploaded data that add further content elements.

The more precise and detailed the prompt, the less creative freedom remains for the AI during generation. As the specificity of the prompt increases, so does the degree of human influence on the result.

The prescriptive power of a prompt can be evaluated on a scale from 0 to 1. A value of 0.1 represents a minimal specification for the AI system, while 0.9 reflects a highly detailed specification. The value 0.0 cannot occur, because every prompt necessarily contains at least some instruction. Conversely, the value 1.0 cannot be reached, since prompts always operate in collaboration with the AI system and cannot fully replace its generative role.

When assessing a prompt, certain guiding questions can support the evaluation. Does the prompt clearly determine the content, such as theme, motif, or scene? Does it suggest a particular style, genre, or medium that establishes an artistic reference? Does it specify aspects of composition, perspective, or visual structure? Does it convey an emotional, symbolic, or narrative intention? Is the language precise and unambiguous, or does it leave significant room for interpretation by the AI?

Each of these aspects constraints part of the generation space within which the AI generates the image. The more elements the human specifies, the narrower the generative freedom of the

system becomes. As the prompt grows more complex, the user increasingly shapes the content of the output.

This difference becomes clear when comparing two examples. A prompt such as “Paint a picture” contains virtually no creative specification. By contrast, a prompt such as “Paint a boat on a stormy sea at night, in the style of Dutch painter Willem van de Velde, using a dark color palette. The waves dominate the image, the ship is small and threatened, symbolizing human powerlessness in the face of nature” contains multiple layers of content specification, stylistic reference, and symbolic meaning. If further elements are added - for example, “cold side lighting from the top left accentuates the spray” - the prompt becomes more detailed, and its prescriptive power increases accordingly.

As prompt complexity grows, creative responsibility shifts progressively from the AI system to the human user. Prompting therefore functions not merely as input, but as a form of creative control on the production carried out through AI.

In evaluating a prompt, the question is not whether the prompt itself qualifies for copyright protection. Even a short sentence may meet the threshold of originality. What matters here is the extent to which the prompt reduces the content-determining role within the AI system.

As a practical guideline, the more precise and structured the prompt, the greater its prescriptive power.

Additional circumstances may also be considered in the assessment. For example, the prompt itself may have been generated with the assistance of AI, or an image may have been uploaded as inspiration. In such cases, the evaluation depends on the concrete use in the individual situation. A distinction may arise between an AI system generating the core idea and merely refining an already existing concept. Similarly, it may matter whether a reference image originates from a third-party source or was created by the artist specifically for use in the process.

Finally, when the generation process involves multiple iterations in which the prompt is repeatedly adjusted, the assessment does not focus on the initial prompt. Instead, it evaluates only the prompt that ultimately produced the final result. Earlier prompts lose their relevance once they no longer influence the generated image. The creative contribution involved in refining the output through repeated adjustments is instead captured in the category of iteration and selection.

b) Iteration and selection

Iteration and selection describe the repeated generation of AI outputs and the human selection among them. In most cases, the first result produced by the AI is not used. Instead, several outputs are generated, from which the human selects the most suitable one.

Working with AI therefore often takes the form of an iterative process. Through repeated generation of outputs, the process gradually moves in a specific direction under human control. The user decides whether the process continues or ends. After each generation, several options are possible. An image may be selected and accepted as final. An image may be selected but partially regenerated. The result may be discarded entirely. Alternatively, the generation may be repeated with the same prompt or continued after adjusting the prompt.

Human influence in the process of iteration and selection is also assessed on a scale from 0 to 1. Adjustments to the prompt itself are not evaluated at this stage. The focus instead lies on the creative process behind the repeated generation and the choices made between the results. What is assessed is the development of the artistic idea that unfolds through these selections.

Several guiding questions can support this evaluation. Which aspects of the original prompt were explored through the different iterations, and how clearly can this be recognized in the results? For what reasons were certain outputs considered suitable and selected? Which changes or improvements ultimately led to the choice of the final image?

The central aim is to understand the artist's intentions and motivations during the iterative process. Copyright protection is commonly understood as protecting a work as an expression of the creator's personality. From this perspective, iteration and selection represent more than technical steps. Together with prompting as the initial source of ideas, they form the gradual development of the work through the artist's personal engagement with the process.

Unlike prompting, where the complexity of the instructions is decisive, the focus here lies on the depth of reflection within the creative process. Reflection becomes visible in the way the artist explores, tests, and evaluates different variations of the initial idea expressed in the prompt. A reflective process typically involves a careful examination of artistic possibilities and a deliberate choice based on aesthetic or thematic considerations.

Assessing iteration and selection therefore requires insight into the creative process itself. Some degree of documentation can be helpful in demonstrating the depth of reflection involved. Some providers of AI generation systems have already begun to integrate automatic recording of the creative process into their workflows. [13] The authors assume that such practices will become more common across the industry and that creators will increasingly be able to present the development of their creative process in greater detail.

c) Technical control interventions

Technical control interventions do not directly determine the content of an image. Instead, they influence the way the AI system generates that content. While prompting, iteration, and selection address the question *what* should appear in the image, technical control concerns *how* the image is produced.

Different generative models operate according to different principles. The most common architectures include diffusion models, GANs, and VAEs. Because these models function in distinct ways, they also differ in their strengths and limitations. [14] Differences also exist between providers using the same model architecture. These differences arise from variations in training data and in the weighting of the underlying calculations.[15] Choosing a particular model therefore already represents a form of technical control, especially when the choice reflects a specific creative intention.

Many AI systems for image generation also offer additional technical parameters. These may include the computing time allocated to the generation process[16], the seed number that determines the initial noise from which the image develops[17], the strength with which the prompt guides the generation process (often referred to as the classifier-free guidance scale) [18], and adjustments to the denoising process within the latent space[19]. Such parameters allow

creators to fine-tune the generation process, both for an initial output and for subsequent iterations based on it.

These adjustments are particularly relevant because they influence the manipulable element of randomness within the generation process. By controlling these parameters, users can modify the variability of the results and, within the limits set by non-manipulable sources of variance, reproduce similar outputs.

At the same time, these controls allow chance to be integrated deliberately into the creative process. During iterative generation, users can strengthen or reduce random variation and thus use it as a creative element. Chance can become part of personal artistic expression.

A useful parallel can be found in the stained-glass window created by Gerhard Richter for Cologne Cathedral. In this work, Richter intentionally allowed a random generator to determine much of the arrangement of the colored glass squares. He defined the color spectrum, set rules for repetition and mirroring, and intervened only occasionally with corrections. Even in this case, the deliberate inclusion of randomness was understood as part of the artist's personal creative expression. [20]

Other technical parameters exist as well, such as different sampling methods. [21] Because new technical options continue to emerge, a complete list in this article would neither be practical nor necessary for understanding the Creation Share Index. What matters is the underlying distinction: alongside interactions that shape the *content* of an image, there are also interactions that shape the *generation process itself*, including the degree of randomness involved.

Technical control interventions are evaluated on the same scale from 0 to 1. Several questions may guide the assessment. To what extent were technical parameters adjusted to improve or refine the generated image, and with what intention? Was a conscious decision made in favor of a particular model or provider, and were changes made during the creative process to steer the results in a different direction? Were technical adjustments used to align the generated images with the intended artistic outcome? Were variance factors deliberately amplified or reduced, and were these differences reflected in the creative process?

In general, the more actively a creator engages with the technical possibilities of AI during generation, the higher the degree of technical control. Such engagement should reflect an attempt to achieve a particular aesthetic result through technical means.

2. Weighting of interactions according to their influence on the image

The decisive criterion for copyright protection is the individuality expressed in a work. A protected work must reflect the personality of its creator. [22]

Evaluating interactions with AI does not, by itself, determine whether an AI-generated product is protected by copyright. The resulting image is produced through a computational process. Yet this process is influenced by human actions. Through these actions, the personality of the human creator can be expressed indirectly in the generated work.

To assess the human contribution properly, the evaluated actions must therefore be linked to the final image produced by the AI. The Creation Share Index establishes this connection by

weighting the individual interactions on a scale from 0 to 100 percent according to their influence on the final result.

This weighting serves two purposes. First, it helps determine whether the uniqueness of the image - its potential basis for copyright protection - can be attributed to human activity. Second, it measures the degree to which the final result has been shaped by human input in relation to the generative role of the AI.

The weighting takes place in two steps. The first step identifies the elements of the image that are visually decisive for copyright protection - those features that give the image its distinctive character and make it appear worthy of protection. The second step examines which of these elements can be traced back to the specific evaluated human interactions.

In the case of prompting, the analysis considers how strongly the content, composition, and style of the image can be derived from the prompt. The more the originality of the image is determined by the prompt, the higher the weighting assigned to this interaction.

For iteration and selection, the focus lies on whether the user's decisions during the exploratory process are visible in the final image. The more strongly the iterative process has shaped the final result - especially its defining elements - the higher this parameter should be weighted.

The evaluation of technical control interventions is more difficult. Their influence is often subtle and cannot easily be isolated in the visible content of the image. Because their role in shaping the content is usually indirect, the authors suggest introducing an upper weighting limit for such interventionsfor example, around five percent. This limit should only be exceeded in exceptional cases. Such cases may arise when technical interventions produce clearly recognizable visual effects that shape the image, or when the artist has demonstrably engaged in a deliberate and intensive modulation of randomness in order to achieve a specific aesthetic result.

The weighting of all interactions together may reach a maximum of 100 percent, although it does not have to. A value of 100 percent represents the highest conceivable level of human influence on the work.

The interaction of the different parameters also produces a natural hierarchy. The final prompt provides the core idea of the image and therefore has the most direct influence on its content. Iteration and selection function as filtering and decision-making processes that also shape the outcome, but less directly than prompting. Technical control interventions modify only the conditions under which the image is generated and therefore affect the content indirectly. In most cases, prompting will therefore carry the strongest creative influence, followed by iteration and selection, while technical control plays the smallest role in shaping the content. This hierarchy simply reflects a familiar principle from traditional artistic practice: not every action involved in creating a work contributes equally to its creative substance.

It should also be noted that these parameters may apply either to the entire image or only to specific parts of it. Modern AI systems allow the generation process to be restricted to areas that users define within the image. Creative interventions may therefore affect only particular regions rather than the entire work. Such localized influence can also be taken into account when determining the weight assigned to each interaction.

Once the weighting of a specific interaction - expressed as a value between 0 and 100 percent - has been determined, it is multiplied by the evaluation previously assigned to that interaction.

3. Inclusion of any Manual Editing:

When images are created with AI, manual editing must also be considered if it occurs. This form of intervention is separate from the AI generation process and must therefore be evaluated independently. Manual editing relies on traditional tools or software. The difference lies in the object of the editing: instead of modifying an image originally created by a human, the artist edits an image generated by AI. This practice is commonly referred to as "overpainting."

Manual editing can occur at any stage of the image creation process. Unlike prompting, iteration and selection, or technical control interventions, it takes place outside the AI generation itself. For this reason, it must be assessed separately from those interactions.

Overpainting represents a classic form of human creative activity. The presence of human contribution is therefore not in question. What matters instead is whether manual editing remains visible in the final image and how strongly it shapes the overall work.

If manual editing is present in the final image, its evaluation value is always 1. The next step is to determine its weight within the finished work. This weighting also ranges from 0 to 100 percent and depends on how strongly the manual intervention influences the final image.

Manual editing can also play a particular role during iterative processes. A distinction must therefore be made. If manual editing serves as the basis for further AI generation during iteration, it is considered within the parameters of iteration and selection. If the manual editing itself remains visible in the final image, it is evaluated separately under the parameter of manual editing.

4. Procedure for multiple generation processes

If an image is not produced in a single generation process but instead results from several generation steps applied to different parts of the image, each of these processes may be assessed separately. In such cases, the evaluation and weighting follow the same principles described above, with each process considered in relation to the specific part of the image it influences creatively.

Alternatively, the various generation steps can be assessed together through a single overall evaluation within the CSI calculation.

5. Addition of all weighted parameter values and the final CSI value

The values determined in this way are then added together. The resulting number, which lies between 0 and 1, represents the final CSI value and reflects the human contribution to the completed image. The remaining difference between this value and 1 represents the contribution of the AI to the final result.

If a sufficiently large reference base were available, it would also be possible to define a threshold for what might be considered a "small coin" of human creative contribution. In the authors' view, such a threshold should in any case lie above 0.5 in the context of AI-assisted

creation. Humans must contribute more than half of the decisive creative influence in order to outweigh the generative capacity of the AI and shape the work accordingly.

6. The CSI as a formula

The CSI can also be represented as a formula. Prompting is P. Iteration and selection is I. Technical control interventions are T. Manual editing is MB. The weighting is WP for prompting, WI for iteration and selection, WT for technical control interventions, and WMB for manual editing. This results in the following formula:

$$CSI = (WP \times P) + (WI \times I) + (WT \times T) + (WMB \times MB).$$

7. Example of an evaluation using the CSI

To illustrate the CSI, here is an example of an evaluation:

- Prompting: "Paint a boat on a stormy sea at night, in the style of Willem van de Velde, with a dark color palette and a lonely atmosphere. The boat is a CSIling ship in the lower right corner of the image, surrounded by roaring waves. Cliffs can be seen in the background.": This prompt contains some content-related but no detailed specifications. It refers to a specific artistic style, a time of day, a mood, and a color scheme. This could result in a value of 0.3.

- Iteration and selection: A large number of iterations were made. It is clear that the artist pursued and developed a specific idea here. This could result in a value of 0.6.

- Technical control interventions: A model was deliberately chosen and changed during iteration, and the seed number was adjusted after initial generation to examine different image output variants. This could result in a value of 0.3.

If, through an analysis of the generated image, we determine a weighting of 0.4 (40%) for prompting, 0.5 (50%) for iteration and selection, and 0.05 (5%) for technical control, then we arrive at a value of 0.12 (0.3 x 0.4) for prompting, a value of 0.3 (0.5 x 0.6) for iteration and selection, and a value of 0.015 (0.05 x 0.3) for technical control.

Added together, this gives a CSI value of 0.435 (0.12 + 0.3 + 0.015), which, in the authors opinion, is not sufficient for copyright protection, as only 43.5% of the work was created by humans and 56.5% by AI. If manual editing has been involved, this value would also have to be taken into account.

These example assessments (both at the level of interaction assessment and weighting) are, of course, open to debate, but the example clearly shows that the CSI provides an assessment framework that allows for a structured examination of human creativity in relation to AI.

IV. Applications of the CSI and outlook for the future

The CSI can serve both as an analytical tool for courts, platforms, and artists and as a structured method for documenting creative processes that involve AI. With sufficient reference data and the use of image analysis software, the CSI could in principle be integrated directly into AI-based workflows. In such a system, the platform could record the user's interactions with the AI during the creative process, evaluate them, and calculate a CSI value for the final image through automated analysis. This would not replace a legal assessment of the generated work.

It could, however, provide artists with an approximate indication of their degree of human creative contribution while they are working with AI.

The final CSI value and the underlying calculation could also be attached to a digital work file as metadata. This would allow third parties to make an initial assessment of whether a work might qualify for copyright protection. In the future, reaching a certain CSI value could even become a condition for submissions to art exhibitions, museums, or award competitions.

With suitable adjustments to its parameters, the CSI could also be applied to other forms of AI-generated content, such as texts. In this context, the CSI value could support transparent labeling of articles created with AI. Editorial guidelines could, for example, require that a text reach a minimum CSI value before publication.

The model can also accommodate further types of interaction if technical developments expand the ways in which humans work with AI. Other variations that arise in practice can likewise be incorporated into the assessment. Some AI systems, for example, allow users to train models with existing intellectual property owned by the user, enabling the generation of additional images that share a consistent visual style. In such cases, the training process introduces an indirect influence from previously existing material. This influence does not originate from the AI itself but forms part of the system's design. It could therefore be taken into account, for example, through a reduction factor applied at the end of the assessment or through adjustments within the weighting of interactions. In this way, the CSI remains modular and adaptable to ongoing technical developments.

The authors further recommend close exchange between AI platforms and legal practitioners during the early phase of CSI application. Platforms possess empirical knowledge about how users interact with AI systems, which can support legal evaluation. As court decisions accumulate, these cases can gradually form a reference framework, taking into account the specific characteristics of different AI models.

In principle, the evaluation model can also be adapted to other constellations in which humans collaborate either with autonomous systems or with other individuals. By adjusting the parameters and weightings, it becomes possible to attribute the final outcome to the individual contributions that produced it.

Ultimately, the CSI illustrates that legal analysis can respond to technological change with new tools of evaluation and argumentation. The emergence of hybrid creative processes involving AI requires adjustments to established approaches. At the same time, any such tool must remain practical. Despite the complexity of the subject, its application in legal practice must remain clear and manageable.

The authors hope that this article and the CSI introduced here provide readers with a practical instrument for assessing copyright protection and a structured framework for evaluating AI-generated images.

---

[1] https://en.wikipedia.org/wiki/Diffusion_model, see also https://www.lernen-wie-maschinen.ai/ki-pedia/wahrscheinlichkeit-das-rueckgrat-der-kuenstlichen-intelligenz/

[2] https://medium.com/@nikunj.vaghasiya2050/understanding-seeds-in-ai-the-key-to-reproducibility-and-creativity-edcfd3bf649c

[3] https://docs.aws.amazon.com/bedrock/latest/userguide/inference-parameters.html, see also https://learn.microsoft.com/en-us/azure/ai-foundry/openai/how-to/reproducible-output?tabs=pyton
[4] https://arxiv.org/html/2307.01898v2
[5] https://engineering.fb.com/2018/11/08/ai-research/floating-point-math/
[6] https://de.wikipedia.org/wiki/Gleitkommazahl
[7] https://medium.com/@decenomy/the-non-deterministic-nature-of-floating-point-operations-in-blockchain-applications-abab668bc526
[8] https://www.bigdata-insider.de/was-ist-cudnn-a-780686/
[9] https://arxiv.org/html/2307.01898v2
[10] https://www.ingonyama.com/post/solving-reproducibility-challenges-in-deep-learning-and-llms-our-journey
[11] https://english.bjinternetcourt.gov.cn/pdf/BeijingInternetCourtCivilJudgment112792023.pdf
[12] https://de.wikipedia.org/wiki/Prompt_Engineering
[13] https://pressreleases.triplepointpr.com/2025/02/10/invoke-receives-first-of-its-kind-copyright-registration-for-ai-assisted-visual-artwork-from-u-s-copyright-office-develops-provenance-records-tool-to-help-others-do-the-same/
[14] https://pub.towardsai.net/diffusion-models-vs-gans-vs-vaes-comparison-of-deep-generative-models-67ab93e0d9ae
[15] Examples: Midjourney vs. Stable Diffusion; https://blog.designhero.tv/ai-art-tool-comparison-midjourney-v7-dalle-stable-diffusion/
[16] https://docs.midjourney.com/hc/en-us/articles/32859204029709-Parameter-List
[17] https://docs.midjourney.com/hc/en-us/articles/32604356340877-Seeds
[18] The CFG scale determines the extent to which the AI should be guided by the text prompt during the denoising process, i.e., how much "freedom" the AI has in creating the image; see also https://arxiv.org/pdf/2502.10574
[19] https://support.invoke.ai/support/solutions/articles/151000159649-important-nodes-to-use
[20] See Lauber-Rönsberg, GRUR 2019, 244 (247 f.); Dreier/Schulze/Raue, 8th ed. 2025, UrhG § 2 Rn. 23 and BeckOK UrhR/Rauer/Bibi, 45th ed. 1.11.2024, UrhG § 2 Rn. 54.
[21] https://gilgam3sh.medium.com/tutorial-what-is-a-sampler-in-stable-diffusion-d5c16875b898

[22] Schricker/Loewenheim UrhG Loewenheim/Leistner, 6th ed. 2020, § 2 margin note 50.