

EXT: RSS Display

Extension Key: rss_display

Language: en Version: x.y.z

Keywords: forEditors, forAdmins

Copyright 2006-2011, Virginie Udriot, <virginie.udriot@ecodev.ch>

This document is published under the Open Content License available from http://www.opencontent.org/opl.shtml

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

EXT: RSS Display		
Introduction	3	
What does it do?	3	
Screenshots	3	

Users manual	4
Configuration	6
Reference	6
Known problems	7
ChangeLog	8


Introduction

What does it do?

Display the content elements of the RSS feed on the frontend.

Screenshots

Here you see what the extension does:







Users manual

To display a RSS feed on the page:

Click on the page where the RSS feed should be displayed and create a new content element.



Choose the "Plugins" tab and then "RSS Feed Display".



Write a header if needed ant choose "Plugin" tab.


Create new	Page Con	tent on pa	ge "RSS Displ	ay extensior	test"	
General	Plugin	Access	Appearance	Behaviour	Tags	
Content Eler Type	ment		Column	Language		
Insert P	lugin		Normal	Default	‡	
Header Header						
Type Hidden \$	Alignment	Date				
Link					8	

4




In the plugin:

- Write the feed url
- 2. Define the number of items to be displayed
- 3. Tick if the item description should be displayed
- 4. If number 3 is ticked, choose the description's length
- 5. Save and close



How it should appear (in orange) on the frontend.



Configuration

Reference

Reference of TypoScript options.

Property:	Data type:	Description:	Default:
tags	string	List of tags that will be exctracted from the feed	title, link, description, pubDate
templateFile	string	Path to the template file	templateFile

[tsref:plugin.tx_rssdisplay_pi1]

Known problems

Please, report bugs or feature request to the Forge Project.

ChangeLog

Version:	Changes:
1.0.0	First release