ProblemAnswers

October 23, 2016

0.1 Problem 1

```
In [10]: N = 10
        A = zeros(N,N)
        for i in 1:N, j in 1:N
            abs(i-j) \le 1 ? A[i,j] +=1 : nothing
            i==j ? A[i,j]=3 : nothing
        end
        Α
Out[10]: 10×10 Array{Float64,2}:
         -2.0
               1.0
                    0.0
                               0.0
                                      0.0
                                           0.0
                                                  0.0
                                                       0.0
                                                             0.0
                           0.0
          1.0 -2.0
                           0.0
                                                  0.0
                                                       0.0
                                                             0.0
                    1.0
                               0.0
                                      0.0
                                           0.0
          0.0
              1.0 - 2.0
                         1.0
                               0.0
                                      0.0
                                          0.0
                                                  0.0
                                                       0.0
                                                             0.0
          0.0
              0.0
                               1.0 0.0 0.0 0.0
                                                       0.0
                    1.0 - 2.0
                                                            0.0
                    0.0
          0.0
              0.0
                         1.0 - 2.0
                                    1.0
                                          0.0
                                                  0.0
                                                       0.0
                                                            0.0
          0.0
              0.0 0.0
                           0.0
                               1.0 - 2.0
                                          1.0
                                                  0.0
                                                       0.0
                                                            0.0
              0.0
          0.0
                    0.0
                          0.0
                                0.0 	 1.0 	 -2.0
                                                  1.0
                                                      0.0
                                                            0.0
          0.0
               0.0 0.0
                           0.0
                               0.0
                                      0.0 	 1.0 	 -2.0 	 1.0
                                                            0.0
                    0.0
                               0.0
          0.0
                0.0
                           0.0
                                      0.0
                                            0.0
                                                  1.0 - 2.0
                                                            1.0
          0.0
                0.0 0.0
                           0.0
                                0.0
                                      0.0
                                          0.0
                                                  0.0 	 1.0 	 -2.0
In [17]: #### Prepare Data
        X = rand(1000, 3)
                                      # feature matrix
        a0 = rand(3)
                                       # ground truths
        y = X * a0 + 0.1 * randn(1000); # generate response
Out[17]: 1000-element Array{Float64,1}:
          0.245515
          0.213645
          0.179037
         -0.0252645
          0.327495
          0.1073
          0.284771
          0.134653
          0.32761
```

```
0.139108
0.321555
0.192148
0.124061
0.173127
0.203367
0.183517
0.107017
0.290129
0.203007
0.261345
0.205973
0.194457
0.0825708
0.180052
0.0156171
```

0.2 Problem 2

0.3 Problem 3

0.4 Problem 4

```
(Intercept) 0.00117261 0.010462 0.112083 0.9108

X1 0.219939 0.0113648 19.3526 <1e-70

X2 0.0336012 0.0111465 3.01451 0.0026

X3 0.090267 0.0108559 8.315 <1e-15
```

0.5 Problem 5

```
In [21]: r = 2.9:.00005:4; numAttract = 150
    steady = ones(length(r),1)*.25
    for i=1:400 ## Get to steady state
        steady .= r.*steady.*(1-steady)
    end
    x = zeros(length(steady), numAttract)
    x[:,1] = steady
    @inbounds for i=2:numAttract ## Grab values at the attractor
        x[:,i] = r.*x[:,i-1].*(1-x[:,i-1])
    end
    using Plots
    plot(collect(r),x,seriestype=:scatter,markersize=.002,legend=false)
```

0.6 Metaprogramming Project

```
In [10]: macro \sim (y, ex)
           new_ex = Meta.quot(ex)
           quote
              inner ex = \$(esc(new ex))
              data_name = symbol(string(inner_ex.args[end])[1])
              eval_ex = Expr(:(=),:data,data_name)
              eval(Main, eval_ex)
             new_X = Matrix{Float64}(size(data,1),length(inner_ex.args)-1)
              cur\_spot = 0
              for i in 2:length(inner_ex.args)
                if inner_ex.args[i] == 1
                  new_X[:, i-1] = ones(size(data, 1))
                else
                  col = parse(Int, string(string(inner_ex.args[i])[2]))
                  new_X[:,i-1] = data[:,col]
                end
              end
              $(esc(y)), new X
           end
         end
         y = rand(10)
         X = rand(10, 4)
         y \sim 1 + X1 + X2 + X4
```