# Feedback based on discussion with TAs



Many thanks to our TAs:

- •Jan Mackeprang Damgaard Hansen (<a href="mailto:jmdh19@student.aau.dk">jmdh19@student.aau.dk</a>)
- Martin Pekár Christensen (mpch@cs.aau.dk)
- Abiram Mohanaraj (<u>abiramm@cs.aau.dk</u>)
- Ghadeer Abuoda (gsmas@cs.aau.dk)

#### Ignoring some information




- Tag Hierarchies: i.e., students' design contains only Tag(Tagld)
- The relation between the posts and the comments: i.e.,
  - Post(PostId, Time Stamp, Content, Location, PersonId, ForumId)
  - Comment(ComId, Content, Location, PersonId, RepliedTo)
- The information about the workplace: i.e., students' design contains only table Workplace(WPId)

## No analysis was provided on FD

 No analysis was provided on functional dependency. They just identify the primary key for each relation.


# Incorrect Usage of Many-to-Many Relationships

- A comment can only be a reply to a single other comment. This should, therefore, be a Many-to-One relationship



### Explicit Attribute Keys in Relationship


Name and company ID — the primary keys of the two attributes
— are implicit in the given relationship. As such, there is no need to make them explicit.




#### Forgetting To Model Tag Hierarchies



Description





- Example on the left
  - No tag hierarchy, but allows tags to belong to a tag class
  - Suggest adding a relationship from TagClass to TagClass
- Example on the right
  - No tag hierarchy at all

### Incorrect Use of Ternary Relationship

- In the example to the right, we have an 1-M-N between the Users, Posts and Comments.
  - This implies that each pair of posts and comments has one author, which is not necessarily true in reality.
- Suggest to remove Comments from the relation.

