

Recommendations — demo-nscclc-egfr-l858r-post-osi-d3m0

Ranked therapeutic options with likelihood, toxicity, mechanism risk, and key references

Generated 2026-05-12

Recommendations — demo-nscld-egfr-l858r-post-osi-d3m0

Profile snapshot

- **Primary site:** lung
- **Histology:** adenocarcinoma
- **Stage:** IV
- **ECOG:** 1
- **Age band:** 60-69
- **Sex:** female
- **Biomarkers:** EGFR L858R present; EGFR T790M absent; MET amplification GCN 8.2; PD-L1 TPS 10%
- **Efficacy/toxicity weight:** 0.55
- **Toxicity vetoes:** severe neuropathy, cardiotoxicity, alopecia
- **Modality constraints:** oral preferred, no inpatient infusion, minimize IV chair time

3 ranked therapeutic options. Biomarker workup steps live in the standalone Target validation paths report.

EGFR L858R-targeting interventions

1. savolitinib + osimertinib (preferably on SAFFRON / SACHI)

Key references: PMID 32679432 · NCT05261399

2. amivantamab + lazertinib

Key references: PMID 36720074

3. patritumab deruxtecan (HER3-DXd)

Key references: PMID 37563559

Pipeline context — not currently enrollable

Other agents in this target class drawn from the case dossier. The patient cannot currently enroll in these trials, but they are included for context on the broader modality landscape.

Intervention	Modality	Phase	Enrolling indication	Recruitment	Trial
patritumab deruxtecan (HER3-DXd)	—	2	EGFR-mutant NSCLC after EGFR-TKI	active not recruiting	NCT04619004
amivantamab + lazertinib (off-label)	—	1/2	EGFR-mutant NSCLC, post-osimertinib	active not recruiting	NCT04077463

Evidence in detail

One row per published clinical manuscript supporting each ranked intervention, drawn from the case's clinical-evidence dossier.

savolitinib + osimertinib (preferably on SAFFRON / SACHI)

*****Lancet Oncol* 2020****

- **Disease context:**EGFR-mutant NSCLC + MET amp post-EGFR-TKI
- **n:** 69
- **Toxicities:** —
- **Efficacy:**ORR 30% (95% CI 19-42); **PFS** 5.4 months; **DoR** 7.9 months

amivantamab + lazertinib

*****JCO* 2023****

- **Disease context:**EGFR-mutant NSCLC, post-osimertinib
- **n:** 162
- **Toxicities:** —
- **Efficacy:**ORR 36% (95% CI 28-45); **PFS** 5.1 months; **DoR** 9.6 months; **TRAE_rate**

patritumab deruxtecan (HER3-DXd)

*****JCO* 2023****

- **Disease context:**EGFR-mutant NSCLC after EGFR-TKI
- **n:** 225
- **Toxicities:** —
- **Efficacy:**ORR 29.8% (95% CI 23.9-36.2); **DoR** 6.4 months (95% CI 4.9-7.8); **PFS** 5.5 months (95% CI 5.1-5.9); **OS** 11.9 months (95% CI 11.2-13.1); **TRAE_rate** 64.9%