

Access guide — osteosarcoma-mets-dll3-h7r2

How to access each therapy: trial contacts + manufacturer medical-info

Generated 2026-05-12

Access guide — osteosarcoma-mets-dll3-h7r2

How a patient or treating team could practically access each intervention in this case's dossier. Trial recruitment contacts and manufacturer medical-information lines are captured for direct outreach. The number in the first column of the summary table is the entry's identifier in the per-intervention sections below — use it to find the deep section quickly. Information ages — each row carries a [Verified](#) date; re-screen before relying on a specific contact or trial slot.

Summary

#	Intervention	Modality	Access status	Regulatory	Recommended first action
1	tarlatamab (Imdelltra)	BiTE	Off-label use + Clinical trial	FDA accelerated approval (2024) for ES-SCLC after platinum-based chemotherapy. EMA conditional approval (2025). NOT approved for osteosarcoma — but the SCLC approval makes off-label prescription a real access path in addition to trial enrollment.	Confirm DLL3 IHC SP347 result first — required for both paths (the trial mandates $\geq 1\%$ / preferably $\geq 25\%$; off-label use should not proceed without protein confirmation).
2	FZ-AD005	ADC	Clinical trial	Investigational. Mainland-China NMPA filing; no FDA/EMA approval.	Listed for completeness only — not an actionable pathway.
3	IBI3009	ADC	Clinical trial	Investigational. INDs cleared in multiple countries; no approval yet.	Not currently enrollable for osteosarcoma.
4	IMA203 (PRAME-TCR-T)	CAR-T	Clinical trial	Investigational. No FDA/EMA approval. Phase 3 in cutaneous melanoma (NCT06743126); pan-solid phase 1/2 basket (NCT03686124) is the path for non-melanoma tumors.	Confirm PRAME IHC result AND HLA-A*02:01 typing first — both required for eligibility.

5	IMA402 (Immatix PRAME TCER)	bispecific_other	Clinical trial	Investigational. Phase 1/2 dose-finding.	Confirm PRAME IHC AND HLA-A*02:01 typing first.
6	IMC-P115C (Immunocore next-gen PRAME ImmTAC)	bispecific_other	Clinical trial	Investigational. First-in-human dose-escalation phase 1.	Confirm PRAME IHC AND HLA-A*02:01 typing first.
7	LB2102 (autologous DLL3 CAR-T)	CAR-T	Clinical trial	Investigational.	Not currently enrollable for osteosarcoma.
8	SHR-4849 / IDE849	ADC	Clinical trial	Investigational. IDEAYA holds US development license; Jiangsu Hengrui originated the compound.	Email IDEAYA Clinical Trials or call +1-855-433-2246 to confirm whether osteosarcoma is in scope for the DLL3-expressing-tumors basket arm.
9	alveltamig (ZG006)	trispecific	Clinical trial	Investigational. No FDA/EMA approval. Phase-3 in mainland China (relapsed SCLC).	This pathway is not realistically accessible for a US/EU patient.
10	brenetafusp (IMC-F106C)	bispecific_other	Clinical trial	Investigational. No FDA/EMA approval. Phase 3 PRISM-MEL-301 in cutaneous melanoma (NCT06112314).	Confirm PRAME IHC result AND HLA-A*02:01 typing first.
11	gocatamig (MK-6070 / HPN328 / DS3280)	trispecific	Clinical trial	Investigational. No FDA/EMA approval. Originated at Harpoon Therapeutics; Merck acquired Harpoon in 2024.	This pathway is not enrollable — included as contact information only.
12	obixtamig (BI 764532)	BiTE	Clinical trial	Investigational. No FDA/EMA approval. Boehringer Ingelheim's lead DLL3 program (DAREON development plan).	This pathway is not enrollable — included as contact information only.
13	peluntamig (PT217)	bispecific_other	Clinical trial	Investigational. No FDA/EMA approval.	Not enrollable for osteosarcoma at present.

14	zocilurtatug pelitecan (ZL-1310)	ADC	Clinical trial	Investigational. FDA Fast Track designation for ES-SCLC (TOP1-inhibitor payload, post-Rova-T-era ADC).	Not currently enrollable for osteosarcoma.
15	²² Ac-ABD147	radioligand	Clinical trial	Investigational. No FDA/EMA approval.	Not currently enrollable.
16	²² Ac-ETN029	radioligand	Clinical trial	Investigational. Novartis-sponsored phase 1.	Not currently enrollable for osteosarcoma.
17	DLL3-CAR-NK cells (Tianjin academic)	CAR-NK	Not yet accessible	Investigational; Chinese academic program.	Not realistically accessible for a US/EU patient.
18	QLS31904	BiTE	Not yet accessible	Investigational. NMPA-only development; no FDA/EMA filing.	Listed for completeness only — not an actionable pathway.
19	clesitamig (RO7616789)	trisppecific	Not yet accessible	Investigational. Phase 1 completed (NCT05619744). Future-development status uncertain — Roche has not announced a phase-2 successor.	Watch Roche pipeline announcements for a phase-2 successor.
20		radioimmunotherapy	Not yet accessible	Investigational. Memorial Sloan Kettering academic program with companion Zr-DFO-SC16.56 PET imaging on NCT04199741.	Not currently enrollable for osteosarcoma.
21	AMG 119 (legacy DLL3 CAR-T)	CAR-T	Unavailable	Investigational. Trial currently SUSPENDED — Amgen has not announced a restart timeline.	Not accessible — drug program is dormant.
22	BPX-701 (Bellicum PRAME-TCR with iCasp9 safety switch)	CAR-T	Unavailable	Discontinued. Bellicum's PRAME-TCR program was terminated; the company underwent restructuring.	Not accessible — drug program is dormant.

23	SC-002 (legacy)	ADC	Unavailable	Discontinued. Stemcentrx's second DLL3 ADC; phase 1 terminated.	Not accessible — drug discontinued.
24	rovalpituzumab tesirine (Rova-T, legacy)	ADC	Unavailable	Discontinued. AbbVie withdrew Rova-T from development in 2019 after the TAHOE phase-3 SCLC trial showed worse OS than topotecan.	Not accessible — drug is discontinued.

Off-label use (1)

1. tarlatamab (Imdelltra)

Aliases: tarlatamab, AMG 757, Imdelltra

Modality: BiTE · **Regulatory:** FDA accelerated approval (2024) for ES-SCLC after platinum-based chemotherapy. EMA conditional approval (2025). NOT approved for osteosarcoma — but the SCLC approval makes off-label prescription a real access path in addition to trial enrollment. · **Guidelines:** NCCN category 1 for relapsed ES-SCLC; off-guideline for osteosarcoma — basket-trial enrollment is the on-protocol route. · **Geographic scope:** US — UCLA-led trial with potential satellite arrangements. Off-label prescription is available wherever Imdelltra is commercially distributed (US, EU). · **Verified:** 2026-05-06

Two real access paths: (1) **off-label prescription** — Imdelltra is FDA-approved for SCLC and can be prescribed off-label for DLL3+ osteosarcoma by a clinician willing to navigate payer review; (2) **clinical trial** — NCT06788938 (UCLA basket) accepts DLL3-IHC-positive non-SCLC tumors and is the on-protocol pathway. The trial path is preferred when accessible because it carries trial-billing infrastructure and protocolized monitoring; off-label is the fallback if the trial is foreclosed.

Next steps

1. Confirm DLL3 IHC SP347 result first — required for both paths (the trial mandates $\geq 1\%$ / preferably $\geq 25\%$; off-label use should not proceed without protein confirmation).
2. **Trial path:** Email NCT06788938 central contact (istteam@mednet.ucla.edu) or call 888-798-0719 to request a screening slot. If outside a UCLA-affiliated geography, ask about satellite or referral arrangements.
3. **Off-label path:** If the trial is foreclosed (slot unavailable, geography mismatch, screening exclusion), discuss off-label Imdelltra with the treating oncologist and institutional pharmacy. Pre-authorization with the payer is the load-bearing step; a biomarker-justified appeal letter is typically required.
4. Contact Amgen medical information (1-800-772-6436) for technical product information and compassionate-use guidance if both trial and off-label paths are blocked.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
-----	-------	--------	----------	-----------------

Manufacturer / sponsor contact

- **Company:** Amgen
- **Med info phone:** 1-800-772-6436
- **Product info:** <https://www.amgenmedinfo.com/>
- **Compassionate / expanded access:** <https://www.amgen.com/about/compassionate-use>
- **Notes:** Imdelltra is commercially available for SCLC and can be obtained through standard specialty-distribution channels for off-label use, subject to institutional pharmacy and payer review.

Payer / coverage: Medicare bills the SCLC indication under standard biologic codes; off-label use for a non-SCLC tumor type is generally not reimbursed without prior authorization, an appeal citing biomarker rationale, or a clinical-trial billing path. Manufacturer patient-assistance through Amgen Assist (www.amgenassist360.com) may help with co-pay support.

Notes: Imdelltra label specifies SCLC after platinum failure; osteosarcoma is off-label. Trial enrollment is the on-protocol route; off-label prescription is a real fallback. The cycle-1 inpatient step-up dosing for CRS mitigation is the same regardless of which access path is used.

Clinical trial (15)

2. FZ-AD005

Aliases: FZ-AD005

Modality: ADC · **Regulatory:** Investigational. Mainland-China NMPA filing; no FDA/EMA approval. ·

Guidelines: Off-guideline. · **Geographic scope:** Mainland China only. · **Verified:** 2026-05-06

DXd-payload DLL3 ADC; mainland-China phase-1 program. Not realistically accessible for a US/EU osteosarcoma patient.

Next steps

1. Listed for completeness only — not an actionable pathway.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT06424665		recruiting	no	—

Manufacturer / sponsor contact

- **Company:** Shanghai Fudan-Zhangjiang Bio-Pharmaceutical

- **Notes:** Mainland-China sponsor; no posted English-language medical-information channel.

Payer / coverage: Not accessible to US/EU payers.

3. IBI3009

Aliases: IBI3009

Modality: ADC · **Regulatory:** Investigational. INDs cleared in multiple countries; no approval yet. · **Guidelines:** Off-guideline. · **Geographic scope:** China + select US/EU IND-cleared countries. · **Verified:** 2026-05-06

DLL3/exatecan ADC (TOP1-inhibitor payload class). Phase 1 SCLC-only enrollment — not accessible for osteosarcoma. Innovent's entry into the post-Rova-T DLL3 ADC race.

Next steps

1. Not currently enrollable for osteosarcoma.
2. Listed for sponsor / contact context only.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT06613009		recruiting	no	Lue Shen; lue.shen@innoventbio.com; +86 18507159591

Manufacturer / sponsor contact

- **Company:** Innovent Biologics
- **Med info phone:** +86 18507159591
- **Med info email:** lue.shen@innoventbio.com
- **Product info:** <https://www.innoventbio.com/>
- **Compassionate use email:** lue.shen@innoventbio.com
- **Notes:** Mainland-China sponsor with growing US/EU footprint. Direct outreach via the trial central contact is the realistic channel.

Payer / coverage: Investigational; not accessible to US/EU payers.

4. IMA203 (PRAME-TCR-T)

Aliases: IMA203, ACTengine PRAME

Modality: CAR-T · **Regulatory:** Investigational. No FDA/EMA approval. Phase 3 in cutaneous melanoma (NCT06743126); pan-solid phase 1/2 basket (NCT03686124) is the path for non-melanoma tumors. · **Guidelines:** Off-guideline. Pan-solid basket eligibility is published and protocolized. · **Geographic scope:** US, EU. Confirm specific site availability with Immatics medical affairs. · **Verified:** 2026-05-06

Best-evidenced PRAME pathway with explicit pan-solid sarcoma-inclusive basket eligibility. Conditional on PRAME IHC AND HLA-A*02:01 positivity. Trial enrollment via ACTEngine NCT03686124 is the realistic path; direct sponsor outreach to Immatics is the first action.

Next steps

- 1. Confirm PRAME IHC result AND HLA-A*02:01 typing first — both required for eligibility.
- 2. Email Immatics ctgovinquiries@immatics.com or call +1 346 204-5400 to confirm sarcoma-cohort slot availability and screening procedure.
- 3. Confirm the treating institution has CAR-T / TCR-T infrastructure (Cy/Flu lymphodepletion + CRS monitoring + ICU step-up).
- 4. Plan for 4-6-week manufacturing turnaround between leukapheresis and infusion.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT03686124		recruiting	likely	Immatics US, Inc.; ctgovinquiries@immatics.com ; +1 346 204-5400
NCT06743126		recruiting	no	Immatics US, Inc.; ctgovinquiries@immatics.com ; +1 346 204-5400

Manufacturer / sponsor contact

- **Company:** Immatics US, Inc.
- **Med info phone:**+1 346 204-5400
- **Med info email:**ctgovinquiries@immatics.com
- **Product info:**<https://www.immatics.com/>
- **Compassionate use email:**ctgovinquiries@immatics.com
- **Notes:** Mid-cap biotech with active sarcoma-cohort engagement on the ACTEngine basket. Direct email to ctgovinquiries@immatics.com is the realistic outreach channel for screening questions and sponsor-level discussion.

Payer / coverage: Investigational autologous TCR-T; no payer coverage outside trial enrollment. Trial-billing infrastructure handles drug + manufacturing; the treating institution typically bills supportive-care and lymphodepletion components.

Notes: Lymphodepleting Cy/Flu chemo + autologous TCR-T infusion. Wermke 2024 reported 54% ORR (pan-solid PRAME+ HLA-A*02:01+ basket) — best signal in PRAME class to date.

5. IMA402 (Immatics PRAME TCER)

Aliases: IMA402, TCER PRAME

Modality: bispecific_other · **Regulatory:** Investigational. Phase 1/2 dose-finding. · **Guidelines:** Off-guideline. · **Geographic scope:** US, EU. · **Verified:** 2026-05-06

Distinct mechanism class within Immatics' PRAME portfolio: half-life-extended bispecific TCER (no autologous T-cell manufacturing, unlike IMA203). Pan-solid PRAME+ basket eligibility; sarcoma fit unconfirmed.

Next steps

1. Confirm PRAME IHC AND HLA-A*02:01 typing first.
2. Email Immatics Ctgoquiries@immatics.com to confirm sarcoma-cohort eligibility and slot availability.
3. Mechanism-bridge option between brenetafusp (ImmTAC) and IMA203 (TCR-T) — relevant if neither lead pathway is accessible.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT05954221	1/2	recruiting	unconfirmed	Ctgoquiries@immatics.com

Manufacturer / sponsor contact

- **Company:** Immatics Biotechnologies
- **Med info email:** Ctgoquiries@immatics.com
- **Product info:** <https://www.immatics.com/>
- **Compassionate use email:** Ctgoquiries@immatics.com
- **Notes:** German parent of Immatics US (which owns the IMA203 program). Single point of contact via the ctgoquiries inbox.

Payer / coverage: Investigational; no payer coverage outside trial enrollment.

6. IMC-P115C (Immunocore next-gen PRAME ImmTAC)

Aliases: IMC-P115C

Modality: bispecific_other · **Regulatory:** Investigational. First-in-human dose-escalation phase 1. · **Guidelines:** Off-guideline. · **Geographic scope:** US, EU. · **Verified:** 2026-05-06

Next-generation pan-tumor PRAME ImmTAC. The most accessible Immunocore PRAME protocol for non-melanoma tumors right now (brenetafusp's pan-solid arm is active not recruiting). Conditional on PRAME IHC + HLA-A*02:01 + sponsor confirmation osteosarcoma is in scope.

Next steps

1. Confirm PRAME IHC AND HLA-A*02:01 typing first.
2. Email Immunocore medical.information@immunocore.com or call 844-466-8661 to confirm whether osteosarcoma is in scope for the IMC-P115C basket.
3. If accepted, confirm dosing schedule (weekly IV infusions, ImmTAC class) and pre-medication / CRS-management infrastructure at the treating institution.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT07156136		recruiting	unconfirmed	Immunocore Medical Information Global; 844-466-8661

Manufacturer / sponsor contact

- **Company:** Immunocore
- **Med info phone:** 844-466-8661
- **Med info email:** medical.information@immunocore.com
- **Product info:** <https://www.immunocore.com/>
- **Compassionate use email:** medical.information@immunocore.com
- **Notes:** EU contact: medinfo.eu@immunocore.com / +00 800-744-51111.

Payer / coverage: Investigational; no payer coverage outside trial enrollment.

Notes: Mechanism-class alternative to IMA203 (TCR-T) within the PRAME pathway.

7. LB2102 (autologous DLL3 CAR-T)

Aliases: LB2102

Modality: CAR-T · **Regulatory:** Investigational. · **Guidelines:** Off-guideline. · **Geographic scope:** US, China.
· **Verified:** 2026-05-06

Autologous DLL3 CAR-T — distinct mechanism class from BiTEs and ADCs. Phase 1 active not recruiting in SCLC/LCNEC; not accessible for osteosarcoma. CAR-T manufacturing logistics and CRS-management infrastructure are themselves screening-relevant for the patient and treating institution.

Next steps

1. Not currently enrollable for osteosarcoma.
2. Listed for class-mechanism context (CAR-T as alternative to BiTE / ADC / radioligand).

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT05680922		active not recruiting	no	—

Manufacturer / sponsor contact

- **Company:** Legend Biotech
- **Product info:** <https://www.legendbiotech.com/>
- **Notes:** Legend has commercial cilta-cel infrastructure but no posted compassionate-use program for LB2102.

Payer / coverage: Investigational autologous CAR-T; no payer coverage outside trial enrollment.

8. SHR-4849 / IDE849

Aliases: SHR-4849, IDE849

Modality: ADC · **Regulatory:** Investigational. IDEAYA holds US development license; Jiangsu Hengrui originated the compound. · **Guidelines:** Off-guideline. · **Geographic scope:** US. · **Verified:** 2026-05-06

DLL3 ADC (TOP1-inhibitor payload) in IDEAYA's pan-tumor basket. Eligibility for non-SCLC tumors including osteosarcoma is plausible per trial wording but UNCONFIRMED — the rank-3 row in the recommendations gates on direct sponsor confirmation. This is the second-best actionable pathway after NCT06788938.

Next steps

1. Email IDEAYA Clinical Trials (IDEAYAClinicalTrials@ideayabio.com) or call +1-855-433-2246 to confirm whether osteosarcoma is in scope for the DLL3-expressing-tumors basket arm.
2. Confirm DLL3 IHC SP347 result before pursuing screening.
3. Ask whether concurrent or sequential enrollment with NCT06788938 is permitted.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT071714283		recruiting	unconfirmed	IDEAYA Clinical Trials; +1-855-433-2246

Manufacturer / sponsor contact

- **Company:** IDEAYA Biosciences (US license) / Jiangsu Hengrui (parent)
- **Med info phone:** +1-855-433-2246
- **Med info email:** IDEAYAClinicalTrials@ideayabio.com
- **Product info:** <https://www.ideayabio.com/>
- **Compassionate use email:** IDEAYAClinicalTrials@ideayabio.com
- **Notes:** Small-cap biotech with active medical-affairs engagement on the SHR-4849 program. The clinical-trials inbox is the realistic outreach channel for both screening questions and compassionate inquiries.

Payer / coverage: Investigational; no payer coverage.

Notes: Mechanism-distinct second DLL3 pathway — relevant if the tarlatamab BiTE path is foreclosed or fails.

9. alveltamig (ZG006)

Aliases: alveltamig, ZG006

Modality: trispecific · **Regulatory:** Investigational. No FDA/EMA approval. Phase-3 in mainland China (relapsed SCLC). · **Guidelines:** Off-guideline. · **Geographic scope:** Mainland China only. · **Verified:** 2026-05-06

DLL3 × DLL3 × CD3 trispecific in mainland-China phase-3 development for SCLC. Not accessible for a US/EU osteosarcoma patient — sponsor is China-only and trials are SCLC-restricted.

Next steps

1. This pathway is not realistically accessible for a US/EU patient.
2. Listed for sponsor / contact context only — included to make the broader DLL3 trispecific class visible to the board.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT07189455		recruiting	no	Hewen Yin; yinhw@zelgen.com; +86-0512-57309965

Manufacturer / sponsor contact

- **Company:** Suzhou Zelgen Biopharmaceuticals
- **Med info phone:** +86-0512-57309965
- **Med info email:** yinhw@zelgen.com
- **Notes:** Mainland-China sponsor; no published US/EU expanded-access program. US/EU access would require ex-China clinical development partnership that does not yet exist.

Payer / coverage: Investigational drug; no US/EU payer coverage. Mainland-China NMPA process only.

Notes: Bivalent DLL3 binding distinguishes mechanism from monovalent BiTEs; potentially active at lower DLL3 surface densities.

10. brenetafusp (IMC-F106C)

Aliases: brenetafusp, IMC-F106C

Modality: bispecific_other · **Regulatory:** Investigational. No FDA/EMA approval. Phase 3 PRISM-MEL-301 in cutaneous melanoma (NCT06112314). · **Guidelines:** Off-guideline. · **Geographic scope:** US, EU. · **Verified:** 2026-05-06

Lead PRAME ImmTAC bispecific. Pan-solid sarcoma cohort on NCT04262466 is currently active not recruiting; pivotal phase-3 PRISM-MEL-301 is melanoma-only. Patient is not currently enrollable on either active protocol. Immunocore's IMC-P115C (rank 5) is the next-generation pan-tumor protocol that may be more accessible.

Next steps

1. Confirm PRAME IHC result AND HLA-A*02:01 typing first.
2. Email Immunocore medical.information@immunocore.com or call 844-466-8661 to ask about sarcoma-cohort re-opening on NCT04262466 or a successor protocol.
3. If brenetafusp is not currently accessible, IMC-P115C (NCT07156136, pan-tumor PRAME ImmTAC) is the same-class alternative — see access entry for IMC-P115C.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT042612466		active not recruiting	unconfirmed	—
NCT06132314		recruiting	no	Immunocore Medical Information; 844-466-8661

Manufacturer / sponsor contact

- **Company:** Immunocore
- **Med info phone:** 844-466-8661
- **Med info email:** medical.information@immunocore.com
- **Product info:** <https://www.immunocore.com/>
- **Compassionate use email:** medical.information@immunocore.com
- **Notes:** EU contact: medinfo.eu@immunocore.com / +00 800-744-51111. Immunocore commercializes tebentafusp (Kimmtrak, gp100 ImmTAC for uveal melanoma) — same platform as brenetafusp.

Payer / coverage: Investigational; no payer coverage outside trial enrollment.

Notes: ImmTAC platform validated (tebentafusp approved in uveal melanoma). PRAME-specific data: ORR ~9% in heavily pretreated melanoma (Hamid 2024 Cancer Discov), durable in subset.

11. gocatamig (MK-6070 / HPN328 / DS3280)

Aliases: gocatamig, MK-6070, HPN328, DS3280

Modality: trispecific · **Regulatory:** Investigational. No FDA/EMA approval. Originated at Harpoon Therapeutics; Merck acquired Harpoon in 2024. · **Guidelines:** Off-guideline. · **Geographic scope:** US (primarily), with select EU and Asia-Pacific sites. · **Verified:** 2026-05-06

Trispecific DLL3 × CD3 × albumin-binding T-cell engager from Harpoon → Merck. SCLC/NEC-only enrollment; not a path for osteosarcoma. Compassionate access via Merck's expanded-access program is theoretically possible but rarely granted outside the indications under active study.

Next steps

1. This pathway is not enrollable — included as contact information only.
2. If pursuing as a last-resort option, treating physician submits an expanded-access request via <https://www.merck.com/research/expanded-access/> for Compassionate Use Advisory Committee review.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT044711227		active not recruiting	no	—

Manufacturer / sponsor contact

- **Company:** Merck (acquired Harpoon Therapeutics 2024)

- **Med info phone:** 1-800-672-6372
- **Product info:** <https://www.merck.com/research/oncology/>
- **Compassionate / expanded access:** <https://www.merck.com/research/expanded-access/>
- **Notes:** Merck operates a posted expanded-access program for select investigational oncology assets. Eligibility is reviewed case-by-case by Merck's Compassionate Use Advisory Committee.

Payer / coverage: Investigational drug; no payer coverage outside trial enrollment.

Notes: Half-life-extended trispecific — pharmacology distinct from short-half-life BiTE class.

12. obrixtamig (BI 764532)

Aliases: obrixtamig, BI 764532, BI-764532

Modality: BiTE · **Regulatory:** Investigational. No FDA/EMA approval. Boehringer Ingelheim's lead DLL3 program (DAREON development plan). · **Guidelines:** Off-guideline. · **Geographic scope:** US, EU. · **Verified:** 2026-05-06

Investigational DLL3 BiTE in pivotal phase-3 development for SCLC. All current trials are SCLC/NEC-only — patient is not enrollable. Compassionate access for an off-label osteosarcoma case would require direct outreach to BI medical affairs.

Next steps

1. This pathway is not enrollable — included as contact information only.
2. If pursuing as a last-resort option after all enrollable paths are exhausted, contact Boehringer Ingelheim medical information (1-800-542-6257) and ask about expanded-access procedure.
3. Treating physician should follow BI's expanded-access policy at <https://www.boehringer-ingelheim.com/about-us/expanded-access-policy> if compassionate use is sought.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT07482517		recruiting	no	Boehringer Ingelheim; 1-800-243-0127
NCT04429087		recruiting	no	1-800-243-0127

Manufacturer / sponsor contact

- **Company:** Boehringer Ingelheim
- **Med info phone:** 1-800-542-6257
- **Product info:** <https://medical.boehringer-ingelheim.com/>
- **Compassionate / expanded access:** <https://www.boehringer-ingelheim.com/about-us/expanded-access-policy>
- **Notes:** Boehringer publishes a formal expanded-access policy. Compassionate access for an off-label tumor type is theoretically possible but requires both a treating-physician request and BI medical-affairs review.

Payer / coverage: Investigational drug; no payer coverage outside trial enrollment.

Notes: Decision-relevant primarily as DLL3 BiTE class context — not as an actionable patient option for this case.

13. peluntamig (PT217)

Aliases: peluntamig, PT217

Modality: bispecific_other · **Regulatory:** Investigational. No FDA/EMA approval. · **Guidelines:** Off-guideline. · **Geographic scope:** US. · **Verified:** 2026-05-06

DLL3 × CD47 bispecific — non-T-cell-engager mechanism. Currently SCLC/NEC-only enrollment; not accessible for osteosarcoma. Phanes is a small-cap biotech without a formal expanded-access program; direct email is the only outreach channel.

Next steps

1. Not enrollable for osteosarcoma at present.
2. If pursuing class-distinct DLL3 targeting outside the BiTE / ADC / radioligand axes, email Phanes Therapeutics at clinical-trials@phanestx.com to ask about future basket arms.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT05632286		recruiting	no	Phanes Therapeutics; clinical-trials@phanestx.com ; 858-766-0852

Manufacturer / sponsor contact

- **Company:** Phanes Therapeutics
- **Med info phone:** 858-766-0852
- **Med info email:** clinical-trials@phanestx.com
- **Product info:** <https://www.phanestx.com/>
- **Compassionate use email:** clinical-trials@phanestx.com
- **Notes:** Small-cap biotech; no posted formal expanded-access program. Direct email to the clinical-trials inbox is the realistic outreach channel.

Payer / coverage: Investigational; no payer coverage.

Notes: DLL3 × CD47 bispecific combines DLL3 targeting with macrophage 'don't-eat-me' blockade.

14. zocilurtatug pelitecan (ZL-1310)

Aliases: zocilurtatug pelitecan, ZL-1310, zoci

Modality: ADC · **Regulatory:** Investigational. FDA Fast Track designation for ES-SCLC (TOP1-inhibitor payload, post-Rova-T-era ADC). · **Guidelines:** Off-guideline. · **Geographic scope:** US, EU, China. · **Verified:** 2026-05-06

First DLL3 ADC in pivotal phase-3 since Rova-T's TAHOE failure (TOP1-inhibitor payload, distinct from PBD warhead class). SCLC-only enrollment — not currently accessible for osteosarcoma. Zai Lab's FDA Fast Track suggests they may be responsive to expanded-access inquiries when the SCLC program matures.

Next steps

- 1. Not currently enrollable for osteosarcoma.
- 2. If a basket arm opens, watch ClinicalTrials.gov for a NCT update under the ZL-1310 study series.
- 3. For class-mechanism context, the SHR-4849 IDEAYA basket (rank 3) is the closer-to-actionable ADC option.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT07238146		recruiting	no	ZL-1310-003 Study Team; (510)-316-3502

Manufacturer / sponsor contact

- **Company:** Zai Lab
- **Med info phone:**(510)-316-3502
- **Med info email:**study-ZL-1310-003@zailaboratory.com
- **Product info:**<https://www.zailaboratory.com/>
- **Notes:** FDA Fast Track designation suggests responsive engagement on US-based regulatory questions. No posted formal expanded-access program.

Payer / coverage: Investigational; no payer coverage outside trial enrollment.

Notes: TOP1-inhibitor payload class is the post-Rova-T direction every current DLL3 ADC entrant has chosen.

15. ²²Ac-ABD147

Aliases: ²²Ac-ABD147, ²²⁵Ac-ABD147, ABD147

Modality: radioligand · **Regulatory:** Investigational. No FDA/EMA approval. · **Guidelines:** Off-guideline. · **Geographic scope:** US, Canada. · **Verified:** 2026-05-06

Actinium-225 alpha-particle DLL3 radiopharmaceutical. Phase 1 active not recruiting — not currently enrollable. Mechanism is independent of T-cell function (interesting hedge against BiTE-class antigen-loss escape) but no near-term access for an osteosarcoma patient.

Next steps

- 1. Not currently enrollable.

2. Watch Abdera pipeline announcements for a phase 2 successor that may include a basket arm.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT06736418		active not recruiting	no	—

Manufacturer / sponsor contact

- **Company:** Abdera Therapeutics
- **Product info:** <https://www.abderatx.com/>
- **Notes:** Small-cap radiopharmaceutical biotech; no posted formal medical-information line. Corporate website is the only public channel.

Payer / coverage: Not accessible to US/EU payers outside trial enrollment.

16. ²²Ac-ETN029

Aliases: ²²Ac-ETN029, ²²⁵Ac-ETN029, ETN029

Modality: radioligand · **Regulatory:** Investigational. Novartis-sponsored phase 1. · **Guidelines:** Off-guideline.
· **Geographic scope:** US, EU. · **Verified:** 2026-05-06

Actinium-225 DLL3 radioligand with companion indium-111 imaging — Novartis's entry into the DLL3 RLT space. NEC-umbrella enrollment; not currently accessible for osteosarcoma. Novartis's Managed Access Program may be a fallback if a future basket arm opens.

Next steps

1. Not currently enrollable for osteosarcoma.
2. If pursuing class-distinct radioligand therapy and Novartis opens a broader basket, contact Novartis medical information at 1-888-669-6682 or via the Managed Access Program portal.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT07006727		recruiting	no	Novartis Pharmaceuticals; novartis.email@novartis.com ; 1-888-669-6682

Manufacturer / sponsor contact

- **Company:** Novartis
- **Med info phone:** 1-888-669-6682
- **Med info email:** novartis.email@novartis.com
- **Product info:** <https://www.novartis.com/>
- **Compassionate / expanded access:**

<https://www.novartis.com/our-focus/research-development/managed-access-programs>

- **Notes:** Novartis runs a posted Managed Access Program for select investigational oncology assets. Eligibility is reviewed case-by-case.

Payer / coverage: Investigational; no payer coverage outside trial enrollment.

Not yet accessible (4)

17. DLL3-CAR-NK cells (Tianjin academic)

Aliases: DLL3-CAR-NK

Modality: CAR-NK · **Regulatory:** Investigational; Chinese academic program. · **Guidelines:** Off-guideline. · **Geographic scope:** Mainland China only. · **Verified:** 2026-05-06

Allogeneic DLL3 CAR-NK — off-the-shelf cell therapy class with theoretically lower CRS / GvHD profile vs autologous CAR-T. Chinese academic program with unknown current recruitment. Not realistically accessible for a US/EU osteosarcoma patient.

Next steps

1. Not realistically accessible for a US/EU patient.
2. Listed for class-mechanism context.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT05507593		unknown	no	—

Manufacturer / sponsor contact

- **Company:** Tianjin Medical University Cancer Institute and Hospital
- **Notes:** Chinese academic sponsor; no posted English-language medical-information channel.

Payer / coverage: Not accessible to US/EU payers.

18. QLS31904

Aliases: QLS31904

Modality: BiTE · **Regulatory:** Investigational. NMPA-only development; no FDA/EMA filing. · **Guidelines:** Off-guideline. · **Geographic scope:** Mainland China only. · **Verified:** 2026-05-06

Mainland-China DLL3 BiTE in early phase 1 with current recruitment status unknown. Not realistically accessible for a US/EU osteosarcoma patient.

Next steps

1. Listed for completeness only — not an actionable pathway.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT05401287		unknown	unconfirmed	—

Manufacturer / sponsor contact

- **Company:** Qilu Pharmaceutical
- **Notes:** Mainland-China sponsor with no posted English-language medical-information channel. US/EU access would require an ex-China partnership that does not yet exist.

Payer / coverage: Not accessible to US/EU payers.

19. clesitamig (RO7616789)

Aliases: clesitamig, RO7616789, RG6524, ALPS12

Modality: trispecific · **Regulatory:** Investigational. Phase 1 completed (NCT05619744). Future-development status uncertain — Roche has not announced a phase-2 successor. · **Guidelines:** Off-guideline. · **Geographic scope:** US, EU (per the completed phase 1 footprint). · **Verified:** 2026-05-06

Trispecific DLL3 × CD3 × CD137 with co-stimulation arm. Phase 1 completed; no current enrollment and Roche has not announced a successor trial. Effectively unreachable for a patient seeking access right now.

Next steps

1. Watch Roche pipeline announcements for a phase-2 successor.
2. If a successor is announced, contact Roche/Genentech medical information at 1-800-526-6367.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT05619744		completed	no	—

Manufacturer / sponsor contact

- **Company:** Hoffmann-La Roche / Genentech
- **Med info phone:** 1-800-526-6367
- **Product info:** <https://www.gene.com/medical-professionals/medical-information>
- **Compassionate / expanded access:**
<https://www.gene.com/medical-professionals/clinical-trials/global-access-policies>
- **Notes:** Roche's expanded-access policy is conservative for early-phase assets; no formal program is currently posted for clesitamig.

Payer / coverage: Investigational; no payer coverage.

Notes: Co-stimulation via CD137 was designed to extend T-cell persistence — mechanism-distinct from first-generation BiTEs.

20. ¹⁷⁷Lu-DTPA-SC16.56

Aliases: ¹⁷⁷Lu-DTPA-SC16.56, ¹⁷⁷Lu-SC16.56, SC16.56

Modality: radioimmunotherapy · **Regulatory:** Investigational. Memorial Sloan Kettering academic program with companion Zr-DFO-SC16.56 PET imaging on NCT04199741. · **Guidelines:** Off-guideline. · **Geographic scope:** US (single-center MSKCC). · **Verified:** 2026-05-06

Lutetium-177 beta-particle DLL3 radioimmunotherapy from Memorial Sloan Kettering, paired with theranostic Zr-SC16.56 PET imaging. NET-only protocol — not currently accessible for osteosarcoma. PI Lisa Bodei is the contact if a future basket arm is opened.

Next steps

1. Not currently enrollable for osteosarcoma.
2. If pursuing class-distinct radioligand therapy in the future, email Lisa Bodei (bodeil@mskcc.org) to ask about basket-arm plans.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT06941480		not yet recruiting	no	Lisa Bodei, MD, PhD; bodeil@mskcc.org ; 212-639-7373

Manufacturer / sponsor contact

- **Company:** Memorial Sloan Kettering Cancer Center (academic sponsor)
- **Med info phone:** 1-800-525-2225
- **Med info email:** bodeil@mskcc.org
- **Product info:** <https://www.mskcc.org/>
- **Compassionate use email:** bodeil@mskcc.org
- **Notes:** Academic-sponsored radioimmunotherapy program. The trial PI's email is the realistic outreach channel for screening questions.

Payer / coverage: Investigational; not accessible to payers outside the academic protocol.

Unavailable (4)

21. AMG 119 (legacy DLL3 CAR-T)

Aliases: AMG 119

Modality: CAR-T · **Regulatory:** Investigational. Trial currently SUSPENDED — Amgen has not announced a restart timeline. · **Guidelines:** Off-guideline. · **Geographic scope:** Was US. · **Verified:** 2026-05-06

Amgen's first-generation autologous DLL3 CAR-T. Trial is suspended with no restart timeline; Amgen's DLL3 development effort has shifted to tarlatamab. Decision-relevant only as the precedent program for current CAR-T entrants (LB2102).

Next steps

1. Not accessible — drug program is dormant.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT03392064		suspended	no	—

Manufacturer / sponsor contact

- **Company:** Amgen
- **Med info phone:** 1-800-772-6436
- **Product info:** <https://www.amgenmedinfo.com/>
- **Notes:** Amgen has shifted DLL3 development effort to tarlatamab. AMG 119 (CAR-T) program is dormant.

Payer / coverage: Not applicable — drug not accessible.

22. BPX-701 (Bellicum PRAME-TCR with iCasp9 safety switch)

Aliases: BPX-701

Modality: CAR-T · **Regulatory:** Discontinued. Bellicum's PRAME-TCR program was terminated; the company underwent restructuring. · **Guidelines:** Not applicable. · **Geographic scope:** Was US. · **Verified:** 2026-05-06

Discontinued. Bellicum's first-generation PRAME-TCR program with iCasp9 safety switch was terminated in phase 1/2; the company has restructured. Decision-relevant only as historical context for the PRAME-TCR class — IMA203 (rank 4) is the active inheritor of this mechanism class.

Next steps

1. Not accessible — drug program is dormant.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT02742611		terminated	no	—

Manufacturer / sponsor contact

- **Company:** Bellicum Pharmaceuticals
- **Notes:** Bellicum's CAR-T program with inducible-caspase-9 safety switch. Company has restructured; the BPX-701 PRAME-TCR program is dormant.

Payer / coverage: Not applicable — drug not produced.

23. SC-002 (legacy)

Aliases: SC-002

Modality: ADC · **Regulatory:** Discontinued. Stemcentrx's second DLL3 ADC; phase 1 terminated. · **Guidelines:** Not applicable. · **Geographic scope:** Was US. · **Verified:** 2026-05-06

Discontinued. Stemcentrx's second-generation DLL3 PBD-payload ADC; phase 1 terminated and never advanced. Listed only as historical context for the PBD-payload ADC class that the field has moved away from.

Next steps

1. Not accessible — drug discontinued.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT02500914		terminated	no	—

Manufacturer / sponsor contact

- **Company:** Stemcentrx (acquired by AbbVie)
- **Med info phone:** 1-800-633-9110
- **Product info:** <https://medinfo.abbvie.com/>
- **Notes:** Stemcentrx no longer exists as an independent entity; AbbVie absorbed the pipeline and has discontinued both Rova-T and SC-002.

Payer / coverage: Not applicable — drug not produced.

24. rovalpituzumab tesirine (Rova-T, legacy)

Aliases: rovalpituzumab tesirine, Rova-T, SC16LD6.5

Modality: ADC · **Regulatory:** Discontinued. AbbVie withdrew Rova-T from development in 2019 after the TAHOE phase-3 SCLC trial showed worse OS than topotecan. · **Guidelines:** Not applicable — no longer available. · **Geographic scope:** Was US, EU. · **Verified:** 2026-05-06

Discontinued. AbbVie withdrew Rova-T after the TAHOE phase-3 SCLC trial showed worse OS than topotecan;

manufacturing has been wound down. Decision-relevant context for the post-Rova-T DLL3 ADC era (informs the toxicity-budget framing for ZL-1310, SHR-4849, IBI3009, FZ-AD005) but not an accessible therapy.

Next steps

- 1. Not accessible — drug is discontinued.

Trial pathways

NCT	Phase	Status	Eligible	Central contact
NCT03061812		completed	no	—

Manufacturer / sponsor contact

- **Company:** AbbVie / Stemcentrx
- **Med info phone:** 1-800-633-9110
- **Product info:** <https://medinfo.abbvie.com/>
- **Compassionate / expanded access:**
<https://www.abbvie.com/our-science/research-and-development/clinical-trials/expanded-access-program.html>
- **Notes:** AbbVie has wound down the DLL3 ADC program. Compassionate access is not available because the manufacturer no longer produces or supplies the drug.

Payer / coverage: Not applicable — drug not produced.