

Manuscripts considered — demo-nsc lc-egfr-l858r-post-osi-d3m0

Master inventory: every paper reviewed in this case

Generated 2026-05-05

Manuscripts considered — demo-nsclc-egfr-l858r-post-osi-d3m0

Master inventory: 3 clinical (3 included, 0 considered & excluded) + 3 pre-clinical (3 included, 0 considered & excluded) + 1 additional trial publications/registrations. One row per manuscript, sorted by year (newest first). Excluded rows are papers a Libby agent reviewed and chose NOT to feed to the board, with the exclusion reason captured.

Report	Type	Inclusion	Intervention	Indication / model	n	Effect size	Variance	Toxicities (type, n/N, rate)	Case fit
—/— (2024) — ClinicalTrials.gov record	trial	included	savolitinib + osimertinib	EGFR-mutant NSCLC, post-osimertinib, MET-amp (2L); EGFR-mut + MET-amp (GCN ≥6 or IHC 3+)	324	— — PFS	—	—	strong
—/Bauml (2023) — JCO	clinical	included	amivantamab + lazertinib	EGFR-mutant NSCLC, post-osimertinib	162	36 — ORR (investigator)	95% CI 28-45	—	—
—/Jänne (2023) — JCO	clinical	included	patritumab deruxtecan (HER3-DXd)	EGFR-mutant NSCLC after EGFR-TKI	225	29.8 — ORR (BICR)	95% CI 23.9-36.2	—	—
—/— (2021) — Cancer Discov	preclinical	included	amivantamab + lazertinib	Ba/F3 cells expressing EGFR L858R + lazertinib-resistant lines	—	moderate — Combination retained activity in models where lazertinib alone failed.	translatability: high	n/a (preclinical)	—
—/Camidge (2020) — Lancet Oncol	clinical	included	savolitinib + osimertinib	EGFR-mutant NSCLC + MET amp post-EGFR-TKI	69	30 — ORR	95% CI 19-42	—	—

—/— (2020) — Cancer Discov	preclinical	included	patritumab deruxtecan (HER3-DXd)	HER3-expressing NSCLC PDX panel	—	moderate — Tumor regression observed across HER3-high and HER3-mid expressors; broader activity than expected.	translatability: med	n/a (preclinical)	—
—/— (2019) — Mol Cancer Ther	preclinical	included	savolitinib + osimertinib	MET-amplified PC-9-derived xenograft	—	strong — Combination produced sustained tumor regression where either agent alone showed regrowth at 30 days.	translatability: high	n/a (preclinical)	—