Assignment 1

Alex Sacharow & Torben Klausa October 07, 2016

Contents

1	Introduction	1
2	Data Set 1: Police Killings	1
3	Data Set 2: US Birth Statistics	1
4	Including Plots	3
\mathbf{R}_{0}	eferences	4

1 Introduction

In this assignment we draw two data sets from the GitHub repository fivethirtyeight and apply some descriptive statistics on them.¹ If you have set this file up correctly your working directory should appear here:

[1] "/home/torben/GIT/1st-Pair-Assignment"


2 Data Set 1: Police Killings

The first data set we choose is about police killings in the US which was gathered by the Guardian. Information on the structure of the raw data set can be accessed on GitHub: fivethirtyeight. FiveThirtyEight wrote themselves about it on their website and the corresponding Guardian story is available on The counted. What fallows are our own descriptive statistics of the data set.


3 Data Set 2: US Birth Statistics

This is boxplot 1:


¹This is a test footnote. See Acemoglu and Robinson (2000, 33–40).




This is No 2:



Here comes the heatmap:



Births on Weekdays per Month



This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

summary(cars)

```
##
        speed
                          dist
##
           : 4.0
                            :
                               2.00
##
    1st Qu.:12.0
                    1st Qu.: 26.00
##
    Median:15.0
                    Median : 36.00
    Mean
            :15.4
                            : 42.98
##
                    Mean
    3rd Qu.:19.0
                    3rd Qu.: 56.00
##
##
    Max.
            :25.0
                            :120.00
                    Max.
```

4 Including Plots

You can also embed plots, for example:



Note that the echo = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.

References

Acemoglu, Daron, and James A. Robinson. 2000. "Why Did the West Extend the Franchise? Democracy, Inequality, and Growth in Historical Perspective." *The Quarterly Journal of Economics* 115 (4): 1167–99.