Assessment of Bering Sea and Aleutian Islands arrowtooth flounder (*Reinhardtius stomias*)

Assessment ID:AFSC-ARFLOUNDBSAI-1970-2008-STANTON Issue URL: http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/244

Area ID: USA-NMFS-BSAI

General assessment details.

Detail	Value					
Management body	NMFS					
Assessment group	Alaska Fisheries Science Center					
Assessment authors	Wilderbuer TK					
Assessment method	an AD-Model builder statistical Catch at					
	Age Model					
Publication year	2009					
Timeseries span	1970-2008					
Document	AFSC-ARFLOUNDBSAI-2007-					
	Arrowtooth flounder BSAI.pdf (pdf					
	not in database)					
Recorder	STANTON					
Date entered	2009-04-03					
Date last loaded	2010-02-10					
QA/QC complete	YES					
Date approved	2010-02-10					

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

prin	primary LME		secondary LME to	ertiary LME	
1 - East Bering Sea		na n	a		
Parameter	Value	Units			
SCD ACE vm	1+	172	Reference points		
SSB-AGE-yr SSB-SEX-sex	1	yr sex	Parameter	Value	Units
REC-AGE-yr	2	yr	SSBmsy-MT (SSB)	292200.00	MT
F-AGE-yr-yr	1+	yr-yr	Flim-1/yr (F)	0.29	1/yr
TB-AGE-yr	1+	yr	Fpa-1/yr (F)	0.235	1/yr
L50-cm	42.2	cm	F_{2008}/F_{lim}	0.100	
M			SSB_{2008}/SSB_{msy}	2.698	
A50-yr					

Time series minima and maxima								
	SSB	R	F	TB	Catch			
Minimum year	1976	1972	1976	1976	1970			
Maximum year	2008	2002	2008	2008	2008			
Time series minimum	157687	59880	0.018	248550	4859			
Time series maximum	788485	734150	0.149	1090100	24668			
Units	MT	E03	1/yr	MT	MT			

