Dear Susan,

Thank you sincerely for submitting assessments to the Myers II database. We have entered 2 of your assessments, and now wish to quality assure/quality control (QA/QC) these data for a release version of the database. Please follow the steps below to ensure that your assessments have been dutifully represented:

QA/QC steps

For each assessment:

1. Ensure that the General assessment details are correct.

2. Ensure that the units for all Biometrics and Time Series shown are correct. To aid in this, we have included the minimum, maximum, first year, and last year of the spawning stock biomass, recruitment, fishing mortality, total biomass, and catch (where provided).

3. If there are blank values in the Biometrics table, please include these in your response (see below), where they are available. Please note that in the Biometrics table, the following abbreviations are used:

   - SSB-AGE-yr = Ages for which the spawning stock biomass is defined
   - REC-AGE = Age at recruitment
   - F-AGE-yr = Ages for which the fishing mortality is defined
   - TB-AGE-yr = Ages for which the total biomass is defined
   - M = Natural mortality
   - A50-yr = The age at 50% maturity
   - L50-cm = The length at 50% maturity
   - MORATOR-yr-yr = Moratorium years
   - LME = Large Marine Ecosystem

4. To ensure that the recruitment time series has been offset by the age at recruitment so that yearclass matches up with spawner biomass, please make sure that the difference between the last year of the recruitment and last year of the SSB time series is equal to the age at recruitment supplied (unless there is another reason, e.g. estimates unavailable).

5. Provide Large Marine Ecosystem (LME) designation(s) for your stock (unless it is a high seas stock). Please enter a primary, secondary and tertiary LME (if they exist) in the issue you submit (see below). A map of the LMEs is provided on the last page of this document.

QA/QC submission process

If you (or someone else) submitted the assessments via the RAM legacy site, please log into : http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting
and locate the issue(s) associated with your spreadsheet submission(s). Once you locate your assessment, open the associated issue and choose 'Add response". At the top of this response write:
QAQC: Assessment ID (this ID is located at the top of each assessment in the current document)

If you did not submit via the RAM Legacy site, please go to the url above and click "Submit a new issue" with the title: *QAQC: Assessment ID* (located at the top of each assessment in this pdf).

If you found no issues with the QA/QC document, please type:
"QA/QC correct". If you have found issues, please update the assessment spreadsheet accordingly or write the details of corrections to be made in the dialogue box. Once we have received and processed your response, the assessment will be flagged as quality controlled and the data it contains will be used for analyses.

Contents

Assessment of South Africa South coast cape horse mackerel (*Trachurus capensis*)

Assessment ID:MARAM-CTRACSA-1950-2007-Johnston

Area ID: South Africa-DETMCM-SASC

General assessment details.

Detail	Value
Management body	DETMCM
Assessment group	Marine Resource Assessment and Management Group, Department of Mathematics and Applied Mathematics, University of Cape Town, Rondebosch, 7701, South Africa
Assessment authors	Johnston SJ
Assessment method	Age-structured surplus production model
Publication year	
Timeseries span	1950-2007
Document	Johnston-SAHorseMackerel-2007.pdf.pdf (pdf not in database)
Recorder	Johnston
Date entered	2009-03-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

Parameter	Value	Units
REC-AGE-yr	0	yr
A50-yr	3	yr
M-1/yr	0.3	1/yr
SSB-AGE-yr		
TB-AGE-yr		
F-AGE-yr		
M		
L50-cm		
MORATOR-yr-yr		
LME		

Reference points		
Parameter	Value	Units
BH-h-dimensionless	0.6	dimensionless
Blim-MT (SSB)	418631	MT
SSB0-MT (SSB)	1010700	MT
SSB_{2007}/B_{lim}	1.561	

	SSB	R	F	TB	Catch
Minimum year	1950	1950	1950	1950	1950
Maximum year	2007	2007	2007	2007	2007
Time series minimum	418631	1348400	0.013	469844	8693
Time series maximum	1010700	1666230	0.171	1045060	120650
Units	MT	E03	1/yr	MT	MT

Assessment of South Africa South coast southern spiny lobster (*Palinurus gilchristi*)

Assessment ID:MARAM-SSLOBSTERSASC-1973-2008-Johnston

Area ID: South Africa-DETMCM-SASC

General assessment details.

| Detail	Value
Management body	DETMCM
Assessment group	Marine Resource Assessment and Management Group, Department of Mathematics and Applied Mathematics, University of Cape Town, Rondebosch, 7701, South Africa
Assessment authors	Johnston SJ
Assessment method	Statistical catch-at-age model
Publication year	
Timeseries span	1973-2008
Document	Johnston-SASouthRockLobster-2008.pdf.pdf (pdf not in database)
Recorder	Johnston
Date entered	2009-03-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

Parameter	Value	Units
REC-AGE-yr	0	yr
A50-yr	10	yr
M-1/yr	0.1	1/yr
SSB-AGE-yr		
TB-AGE-yr		
F-AGE-yr		
M		
L50-cm		
MORATOR-yr-yr		
LME		

Reference points		
Parameter	Value	Units
BH-h-dimensionless	0.713	dimensionless
Blim-MT (SSB)	249	MT
SSB0-MT (SSB)	782	MT
SSB_{2008}/B_{lim}	0.999	

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1973	1973	1973	1973	1973
Maximum year	2008	2008	2008	2008	2008
Time series minimum	248.76	0.48642	0.107	465.44	122
Time series maximum	781.67	2.27674	0.991	1712.58	973
Units	MT	E03	1/yr	MT	MT

Large Marine Ecosystems of the World
and Linked Watersheds

LARGE MARINE ECOSYSTEMS are areas of the ocean characterized by distinct bathymetry, hydrography, productivity, and trophic interactions. They annually produce 95 percent of the world's fish catch. They are national and regional focal areas of a global effort to reduce the degradation of linked watersheds, marine resources, and coastal environments from pollution, habitat loss, and over-fishing.

For More Information Visit: **www.edc.uri.edu/lme**

SOUTH POLAR REGION

NORTH POLAR REGION

MAP KEY:

LME Numbers:

1. East Bering Sea
2. Gulf of Alaska
3. California Current
4. Gulf of California
5. Gulf of Mexico
6. Southeast U.S. Continental Shelf
7. Northeast U.S. Continental Shelf
8. Scotian Shelf
9. Newfoundland-Labrador Shelf
10. Insular Pacific-Hawaiian
11. Pacific Central-American Coastal
12. Caribbean Sea
13. Humboldt Current
14. Patagonian Shelf
15. South Brazil Shelf
16. East Brazil Shelf
17. North Brazil Shelf
18. West Greenland Shelf
19. East Greenland Shelf
20. Barents Sea
21. Norwegian Shelf
22. North Sea
23. Baltic Sea
24. Celtic-Biscay Shelf
25. Iberian Coastal
26. Mediterranean Sea
27. Canary Current
28. Guinea Current
29. Benguela Current
30. Agulhas Current
31. Somali Coastal Current
32. Arabian Sea
33. Red Sea
34. Bay of Bengal
35. Gulf of Thailand
36. South China Sea
37. Sulu-Celebes Sea
38. Indonesian Sea
39. North Australian Shelf
40. Northeast Australian Shelf - Great Barrier Reef
41. East Central Australian Shelf
42. Southeast Australian Shelf
43. Southwest Australian Shelf
44. West Central Australian Shelf
45. Northwest Australian Shelf
46. New Zealand Shelf
47. East China Sea
48. Yellow Sea
49. Kuroshio Current
50. Sea of Japan
51. Oyashio Current
52. Sea of Okhotsk
53. West Bering Sea
54. Beaufort Sea
55. Chukchi Sea
56. East Siberian Sea
57. Laptev Sea
58. Kara Sea
59. Iceland Shelf
60. Faroe Plateau
61. Antarctic
62. Hudson Bay
63. Arctic Ocean

Large Marine Ecosystems

Watershed Bounds

Political Borders

DEPTH

Feet (ft)	Meters (m)
-36,080	-11,000
-32,800	-10,000
-29,520	-9,000
-26,240	-8,000
-22,960	-7,000
-19,680	-6,000
-16,400	-5,000
-13,120	-4,000
-9,840	-3,000
-6,560	-2,000
-3,280	-1,000
-1,640	-500
-246	-75
0	0

SCALE = 1 : 29,798,000
Robinson Projection
United States

Data Sources:
Bathymetry (2-minute): Smith and Sandwell, 1997
Bathymetry (5-minute): NAVOCEANO, DBDB5
Watershed/HYDRO 1K, USGS Eros Data Center
Terrestrial Image, Political Boundaries : ESRI