

Figures and Tables for CJFAS Short Communication

June 3, 2010

1	[1]	"Number of stocks used in the slope analyses"					
2	[1]	207					
3	[1]	"Number of species used in the slope analyses"					
4	[1]	108					
5	[1]	"Number of stocks per geographical region"					
6							
7		Aust-NZ	HighSeas	NEAtl	NEPac	NorthMidAtl	NWAtl
8		28	14	46	64	14	36
9		SAfr	SEPac				
10		4	1				
11	[1]	"Number of stocks used in the multi-species analyses"					
12	[1]	185					
13	[1]	"Number of stocks with negative pre-1992 slope"					
14	[1]	152					
15	[1]	"Number of stocks with negative pre-1992 slope and negative post-1992 slope (i.e. still decl"					
16	[1]	97					
17	[1]	"Number of stocks with negative pre-1992 slope and negative slope difference"					
18	[1]	62					
19	[1]	"Number of stocks with negative pre-1992 slope and positive slope difference"					
20	[1]	90					
21	[1]	"Number of stocks with negative pre-1992 slope, positive slope difference and negative post-					
22	[1]	35					
23	[1]	"Number of pre-1992 negative (0) and pre-1992 positive (1) per region"					
24							
25			0	1			
26		Aust-NZ	25	3			
27		HighSeas	11	3			
28		NEAtl	35	11			
29		NEPac	37	27			
30		NorthMidAtl	12	2			
31		NWAtl	28	8			

```

32   SAfr          4  0
33   SEPac         0  1
34   [1] "Number of stocks with BRP with negative pre-1992 slope"
35   [1] 136
36   [1] "Number of stocks with BRP with negative pre-1992 slope and negative post-1992 slope (i.e. s
37   [1] 84
38   [1] "Number of stocks with BRP with negative pre-1992 slope and negative slope difference"
39   [1] 52
40   [1] "Number of stocks with BRP with negative pre-1992 slope and positive slope difference"
41   [1] 84
42   [1] "Number of stocks with BRP with negative pre-1992 slope, positive slope difference and negat
43   [1] 32
44   [1] "Number of pre-1992 negative stocks with BRP from assessment"
45
46   yes  no
47   85  51
48   [1] "1992 ratio for pre-1992 negative "
49
50   #808080  green orange1  red2
51   16      52      42      42
52   [1] "1992 ratio per region for pre-1992 negative "
53
54   #808080  green orange1 red2
55   Aust-NZ      0    20      4    1
56   HighSeas     0     7      3    1
57   NEAtl        5     1     17   12
58   NEPac        4    17      8    8
59   NorthMidAtl  2     3      2    5
60   NWAtl        5     1      7   15
61   SAfr         0     3      1    0
62   [1] "current ratio for pre-1992 negative "
63
64   #808080  green orange1  red2
65   16      55      47      34
66   [1] "current ratio per region for pre-1992 negative "
67
68   #808080  green orange1 red2
69   Aust-NZ      0    17      5    3
70   HighSeas     0     6      4    1
71   NEAtl        5     4     13   13
72   NEPac        4    20     10    3
73   NorthMidAtl  2     2      5    3
74   NWAtl        5     3      9   11
75   SAfr         0     3      1    0

```




Figure 1




Figure 2

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
ACADREDGOMGB	Gulf of Maine / Georges Bank	Acadian red-fish	<i>Sebastes fasciatus</i>	Demersal		0.3700	8.6600	-0.0582	0.1702	-0.0556	0.2303	-0.0535	0.2109
ALBANATL	Northern Atlantic	Albacore tuna	<i>Thunnus alalunga</i>	Pelagic		0.9300	0.8100	-0.0177	-0.0097	-0.0185	-0.0244	-0.0156	-0.0144
ALBASPAC	South Pacific Ocean	Albacore tuna	<i>Thunnus alalunga</i>	Pelagic		4.0100	2.4600	-0.0307	-0.0007	-0.0373	-0.0295	-0.0337	-0.0349
ALPLAICBSAI	Bering Sea and Aleutian Islands	Alaska plaice	<i>Pleuronectes quadrituberculatus</i>	Demersal		2.7100	2.4600	0.0233	-0.0322	0.0458	-0.0123	0.0324	-0.0060
AMPL23K	Labrador - NE Newfoundland	American plaice	<i>Hippoglossoides platessoides</i>	Demersal				-0.1657	-0.1548	-0.0588	-0.0479	-0.1073	-0.1470
AMPL3LNO	Grand Banks	American plaice	<i>Hippoglossoides platessoides</i>	Demersal	*	0.1400	0.0800	-0.0587	-0.0688	-0.0222	0.0640	-0.0524	0.0187
AMPL5YZ	Gulf of Maine / Georges Bank	American plaice	<i>Hippoglossoides platessoides</i>	Demersal		0.5200	0.7000	-0.0993	0.0283	-0.1398	0.0087	-0.0809	0.0202
ARFLOUNDBSAI	Bering Sea and Aleutian Islands	Arrowtooth flounder	<i>Reinhardtius stomias</i>	Demersal		1.3100	2.7000	0.0628	0.0463	0.0524	0.0381	0.0592	0.0451
ARFLOUNDGA	Gulf of Alaska	Arrowtooth flounder	<i>Reinhardtius stomias</i>	Demersal		1.9300	3.0200	0.0521	0.0257	0.0508	0.0225	0.0467	0.0249
ARFLOUNDPCOAST	Pacific Coast	Arrowtooth flounder	<i>Reinhardtius stomias</i>	Demersal		3.1100	3.8100	-0.0090	0.0129	-0.0095	0.0027	-0.0059	0.0136
ATBTUNAEATL	Eastern Atlantic	Atlantic bluefin tuna	<i>Thunnus thynnus</i>	Pelagic		0.6200	0.3400	-0.0135	-0.0403	-0.0221	-0.0550	-0.0173	-0.0621
ATBTUNAWATL	Western Atlantic	Atlantic bluefin tuna	<i>Thunnus thynnus</i>	Pelagic		0.4300	0.5700	-0.0961	0.0318	-0.1085	0.0106	-0.0918	0.0193
ATKABSAI	Bering Sea and Aleutian Islands	Atka mackerel	<i>Pleurogrammus monopterygius</i>	Demersal		2.2300	1.5500	0.0272	0.0026	0.0189	-0.0025	0.0648	-0.0215
ATLCROAKMATLC	Mid-Atlantic Coast	Atlantic croaker	<i>Micropogonias undulatus</i>	Demersal		1.3000	1.4200	0.0782	0.0306	0.0677	0.0034	0.0952	0.0092
AUSSALMONNZ	New Zealand	Australian salmon	<i>Arripis trutta</i>	Pelagic		1.8400	1.6400	-0.0475	-0.0007	-0.0541	-0.0082	-0.0440	-0.0080
BGROCKPCOAST	Pacific Coast	Blackgill rockfish	<i>Sebastes melanostomus</i>	Demersal		1.4300	1.3100	-0.0124	-0.0287	-0.0093	-0.0034	-0.0136	-0.0070
BIGEYEATL	Atlantic	Bigeye tuna	<i>Thunnus obesus</i>	Pelagic	*	1.4100	0.9000	-0.0150	-0.0576	0.0018	-0.0358	-0.0049	-0.0274
BIGEYEEPAC	Eastern Pacific	Bigeye tuna	<i>Thunnus obesus</i>	Pelagic		1.7400	0.9000	-0.0086	-0.0494	-0.0010	-0.0419	-0.0074	-0.0439
BIGEYEIO	Indian Ocean	Bigeye tuna	<i>Thunnus obesus</i>	Pelagic		2.2900	1.2300	-0.0062	-0.0626	-0.0049	-0.0558	-0.0114	-0.0518
BIGEYEWPO	Western Pacific Ocean	Bigeye tuna	<i>Thunnus obesus</i>	Pelagic		1.8700	1.0600	-0.0326	-0.0212	-0.0352	-0.0384	-0.0287	-0.0407
BIGHTREDSE	Southeast Australia	Bight redfish	<i>Centroberyx gerrardi</i>	Demersal		1.3400	0.9500	0.0056	-0.0170	0.0038	-0.0242	0.0047	-0.0234
BLACKKOREOWECR	West end of Chatham Rise	Black oreo	<i>Allocyttus niger</i>	Demersal		1.2500	0.9900	-0.0588	-0.0164	-0.0581	-0.0156	-0.0513	-0.0158
BLACKROCKNPCOAST	Northern Pacific Coast	Black rockfish	<i>Sebastes melanops</i>	Demersal	*	0.9800	1.3700	-0.0126	-0.0158	-0.0095	0.0586	-0.0167	0.0458

Continued on next page

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
BLACKROCKSPCOAST	Southern Pacific Coast	Black rockfish	<i>Sebastes melanops</i>	Demersal		1.2100	2.2300	-0.0103	-0.0019	-0.0078	0.0528		
BLUEFISHATLC	Atlantic Coast	Bluefish	<i>Pomatomus saltatrix</i>	Demersal	*	0.5600	0.8100	-0.1517	0.0269	-0.1415	0.0303	-0.1314	0.0212
BLUEROCKCAL	California	Blue rockfish	<i>Sebastes mystinus</i>	Demersal		0.3300	0.7500	-0.0250	-0.0164	-0.0204	0.0802	-0.0270	0.0544
BOCACCCSPCOAST	Southern Pacific Coast	Bocaccio	<i>Sebastes paucispinis</i>	Demersal		0.1800	0.3200	-0.0270	-0.0448	-0.0143	0.0425	-0.0328	0.0421
BSBASSMATLC	Mid-Atlantic Coast	Black sea bass	<i>Centropristis striata</i>	Demersal		0.5600	0.9200	-0.0119	0.0354	-0.0045	0.0505	0.0051	0.0331
BUTTERGOMCHATT	Gulf of Maine / Cape Hatteras	Atlantic butterfish	<i>Peprilus triacanthus</i>	Demersal				-0.0154	-0.0430	-0.0087	-0.0149	-0.0578	-0.0034
BWHITNEA	Northeast Atlantic	Blue whiting	<i>Micromesistius poutassou</i>	Demersal	*	0.3400	0.6700	-0.0141	0.0858	-0.0363	0.0768	0.0073	0.0351
CABEZNCAL	Northern California	Cabazon	<i>Scorpaenichthys marmoratus</i>	Demersal		0.7700	1.0400	-0.0122	-0.0240	-0.0103	0.0283	-0.0162	0.0231
CABEZSCAL	Southern California	Cabazon	<i>Scorpaenichthys marmoratus</i>	Demersal		0.3500	0.7400	-0.0374	-0.0473	-0.0335	0.0178	-0.0340	0.0573
CAPEICE	Iceland Grounds	Capelin	<i>Mallotus villosus</i>	Pelagic	*	0.8500	0.4900	0.0341	0.0094	0.0099	-0.0089	0.0367	0.0081
CAPENOR	Barents Sea	Capelin	<i>Mallotus villosus</i>	Pelagic	*	1.0300	0.1700	0.0585	0.0301	0.0571	0.0089		
CHAKESA	South Africa	Shallow-water cape hake	<i>Merluccius capensis</i>	Demersal		3.0400	2.3000	-0.0068	0.0034	-0.0085	-0.0280		
CHILISPCOAST	Southern Pacific Coast	Chilipepper rockfish	<i>Sebastes goodei</i>	Demersal	*	0.8900	1.4300	-0.0090	-0.0062	-0.0072	0.0624	-0.0109	0.0500
CHTRACCH	Chilean EEZ and offshore	Chilean jack mackerel	<i>Trachurus murphyi</i>	Pelagic	*	1.1200	0.5200	0.1135	-0.0963	0.1703	-0.0395	0.1276	-0.0674
CMACKPCOAST	Pacific Coast	Chub mackerel	<i>Scomber japonicus</i>	Pelagic		1.0400	0.6800	-0.0071	-0.0568	-0.0088	-0.0786	-0.0332	-0.0265
COD3NO	Southern Grand Banks	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.0500	0.0200	-0.0446	-0.1081	-0.0161	0.0024	-0.0495	-0.0386
COD3Pn4RS	Northern Gulf of St. Lawrence	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.1200	0.0900	-0.1353	-0.0290	-0.0611	0.0545	-0.1010	0.0176
COD3Ps	St. Pierre Bank	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.2900	0.4900	-0.0269	0.0717	0.0145	0.1195	0.0037	0.0853
COD4TVn	Southern Gulf of St. Lawrence	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.3100	0.1700	0.0022	-0.0857	0.0392	-0.0286	-0.0253	-0.0335
COD4VsW	Eastern Scotian Shelf	Atlantic cod	<i>Gadus morhua</i>	Demersal				0.0050	-0.2548	0.0379	-0.1399	-0.0148	-0.1734
COD5Zjm	Georges Bank	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.6100	0.3400	-0.0428	-0.0574	0.0036	-0.0032	-0.0202	-0.0521
CODBA2224	Western Baltic	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.3700	0.3600	-0.0362	-0.0009	-0.0365	-0.0014	-0.0706	0.0535
CODBA2532	Eastern Baltic	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.1300	0.1600	-0.0005	-0.1159	0.0221	-0.0546	-0.0362	-0.0093
CODFAPL	Faroe Plateau	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.3600	0.2600	-0.0094	-0.0397	-0.0076	-0.0325	-0.0248	-0.0101
CODGB	Georges Bank	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.2500	0.1200	-0.0753	-0.0776	-0.0326	-0.0490	-0.0632	-0.0503
CODGOM	Gulf of Maine	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.6500	1.4600	-0.0628	0.0218	0.0095	0.0458	-0.0540	0.0693
CODICE	Iceland Grounds	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.3700	0.4600	-0.0412	0.0340	-0.0432	0.0231	-0.0406	0.0144
CODIS	Irish Sea	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.5200	0.1500	-0.0249	-0.0905	-0.0114	-0.0595	-0.0231	-0.0737
CODKAT	Kattegat and Skagerrak	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.2600	0.1900	-0.0752	-0.0378	-0.0973	-0.0765	-0.0781	-0.0329

Continued on next page

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
CODNEAR	North-East Arctic	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.7300	0.5600	-0.0129	0.0790	-0.0244	-0.0203	-0.0060	-0.0291
CODNS	North Sea	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.5100	0.1900	-0.0348	-0.0752	-0.0352	-0.0762	-0.0281	-0.0442
CODVIA	West of Scotland	Atlantic cod	<i>Gadus morhua</i>	Demersal	*	0.3500	0.1200	-0.0464	-0.0970	-0.0541	-0.1028	-0.0632	-0.0910
COWCODSCAL	Southern California	Cowcod	<i>Sebastes levis</i>	Demersal		0.0500	0.0900	-0.0313	-0.1297	-0.0257	0.0448	-0.0430	0.0420
CROCKPCOAST	Pacific Coast	Canary rockfish	<i>Sebastes piniger</i>	Demersal		0.4000	0.8500	-0.0222	-0.0076	-0.0187	0.0663	-0.0251	0.0506
CTRACSA	South Africa	Cape horse mackerel	<i>Trachurus capensis</i>	Pelagic	*	1.3000	1.4700	-0.0003	0.0127	-0.0016	0.0047	-0.0127	0.0091
DEEPCHAKESA	South Africa	Deep-water cape hake	<i>Merluccius paradoxus</i>	Demersal		0.8100	0.8300	-0.0369	0.0222	-0.0388	-0.0135	-0.0263	0.0013
DEEPFLATHEADSE	Southeast Australia	Deepwater flathead	<i>Platycephalus conatus</i>	Demersal		2.0700	1.5100	-0.0261	-0.0344	-0.0194	-0.0299	-0.0201	-0.0212
DKROCKPCOAST	Pacific Coast	Darkblotched rockfish	<i>Sebastes crameri</i>	Demersal		0.7100	0.7300	-0.0222	-0.0815	-0.0171	-0.0062	-0.0243	0.0021
DSOLEPCOAST	Pacific Coast	Dover sole	<i>Microstomus pacificus</i>	Demersal		1.0600	1.6100	-0.0112	0.0074	-0.0103	0.0357	-0.0108	0.0320
DUSROCKGA	Gulf of Alaska	Dusky rockfish	<i>Sebastes variabilis</i>	Demersal		0.8900	1.5400	0.0484	0.0400	0.0461	0.0383	0.0429	0.0364
ESOLEPCOAST	Pacific Coast	English sole	<i>Parophrys vetulus</i>	Demersal		1.2400	6.4200	-0.0139	0.1017	-0.0132	0.1333	-0.0130	0.1095
FLSOLEBSAI	Bering Sea and Aleutian Islands	Flathead sole	<i>Hippoglossoides elassodon</i>	Demersal		1.8300	1.8300	0.2020	-0.0112	0.2068	-0.0079	0.1779	-0.0000
GAGGM	Gulf of Mexico	Gag	<i>Mycteroperca microlepis</i>	Demersal		0.4400	1.0000	-0.0481	0.0883	-0.0494	0.0825	-0.0518	0.0687
GAGSATLC	Southern Atlantic coast	Gag	<i>Mycteroperca microlepis</i>	Demersal		0.6000	0.9400	-0.0429	0.0347	-0.0455	0.0239	-0.0382	0.0349
GEMFISHNZ	New Zealand	common gemfish	<i>Rezea solandri</i>	Demersal		4.7800	1.6400	-0.0108	-0.0830	-0.0124	-0.0936	-0.0072	-0.0766
GEMFISHSE	Southeast Australia	common gemfish	<i>Rezea solandri</i>	Demersal		0.3800	0.2500	-0.0721	-0.0929	-0.0529	-0.0471	-0.0678	-0.0288
GHAL23KLMNO	Labrador Shelf - Grand Banks	Greenland halibut	<i>Reinhardtius hippoglossoides</i>	Demersal	*	0.9900	0.3900	0.0512	-0.1551	0.0582	-0.1472	0.0707	-0.1674
GHALBSAI	Bering Sea and Aleutian Islands	Greenland halibut	<i>Reinhardtius hippoglossoides</i>	Demersal		5.1800	1.4800	0.0177	-0.1247	0.0319	-0.0835	0.0142	-0.0739
GHALNEAR	North-East Arctic	Greenland halibut	<i>Reinhardtius hippoglossoides</i>	Demersal	*	0.1400	0.3600	-0.0681	0.0467	-0.0558	0.0854	-0.0537	0.0564
GOPHERSPCOAST	Southern Pacific Coast	Gopher rockfish	<i>Sebastes carnatus</i>	Demersal		1.8700	2.3800	-0.0110	0.0669	-0.0194	0.0388	-0.0084	0.0186
GRAMBERSATLC	Southern Atlantic coast	Greater amberjack	<i>Seriola dumerili</i>	Demersal		1.2400	1.1000	-0.0193	-0.0275	-0.0153	0.0067	-0.0214	-0.0086
GTRIGGM	Gulf of Mexico	Gray triggerfish	<i>Balistes capricus</i>	Demersal		2.1300	1.1200	0.0033	-0.0501	0.0184	-0.0411	0.0141	-0.0540

Continued on next page

∞

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
HAD4X5Y	Western Scotian Shelf, Bay of Fundy and Gulf of Maine	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal	*	0.4100	0.8500	-0.0294	0.0524	-0.0223	0.0733	-0.0164	0.0684
HAD5Y	Gulf of Maine	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal		0.1500	0.9900	-0.2069	0.1973	-0.2653	0.1522	-0.1924	0.1251
HAD5Zejm	Georges Bank	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal	*	0.2500	1.0000	-0.0168	0.1031	0.0029	0.1670	-0.0293	0.1599
HADFAPL	Faroe Plateau	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal	*	0.3100	0.8500	-0.0054	0.0431	0.0068	0.1035	-0.0184	0.0685
HADGB	Georges Bank	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal		0.1000	1.9900	-0.0275	0.1379	-0.0234	0.1929	-0.0286	0.1966
HADICE	Iceland Grounds	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal	*	0.3500	0.9800	-0.0540	0.0587	-0.0387	0.0674	-0.0467	0.0589
HADNEAR	North-East Arctic	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal	*	0.6100	1.1000	-0.0078	0.0717	-0.0135	0.0311	0.0061	0.0421
HADNS-IIIa	IIIa and North Sea	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal	*	0.8000	0.6200	-0.0453	0.0537	-0.0461	0.0513	-0.0510	0.0368
HADV1a	West of Scotland	Haddock	<i>Melanogrammus aeglefinus</i>	Demersal	*	0.8200	0.5800	-0.0433	0.0253	-0.0453	0.0239	-0.0452	0.0262
HAKENRTN	IIIa-IV-VI-VII-VIIIabd	Hake	<i>Merluccius merluccius</i>	Demersal	*	0.7100	1.0400	-0.0860	0.0113	-0.0589	0.0268	-0.0679	0.0292
HAKESOTH	VIIIc-IXa	Hake	<i>Merluccius merluccius</i>	Demersal				-0.1155	-0.0256	-0.1067	-0.0227	-0.0949	-0.0250
HERR2532	Eastern Baltic	Herring	<i>Clupea harengus</i>	Pelagic	*	0.6900	0.6900	-0.0499	-0.0275	-0.0393	-0.0140	-0.0372	0.0032
HERR30	Bothnian Sea	Herring	<i>Clupea harengus</i>	Pelagic	*	1.4700	1.1900	0.0589	0.0028	0.0469	-0.0144	0.0540	-0.0142
HERR31	Bothnian Bay	Herring	<i>Clupea harengus</i>	Pelagic	*	0.6500	0.2900	-0.0497	-0.0629	-0.0010	-0.0362	-0.0097	-0.0615
HERR4RFA	NAFO 4R	Herring	<i>Clupea harengus</i>	Pelagic				0.0080	-0.0273	0.0064	-0.0308	-0.0107	-0.0263
HERR4RSP	NAFO 4R	Herring	<i>Clupea harengus</i>	Pelagic				-0.0036	-0.0566	0.0153	0.0162	0.0039	-0.0101
HERR4VWX	Scotian Shelf and Bay of Fundy	Herring	<i>Clupea harengus</i>	Pelagic				-0.0095	-0.1375	0.0045	-0.0965	-0.0139	-0.1290
HERRCC	Central Coast	Pacific herring	<i>Clupea pallasii</i>	Pelagic	*	1.2500	0.3000	0.0220	-0.0456	0.0197	-0.0598	0.0125	-0.0590
HERRNIRS	Irish Sea	Herring	<i>Clupea harengus</i>	Pelagic	*	0.2400	0.7200	0.0102	-0.0734	0.0229	-0.0242	0.0292	0.0252
HERRNS	North Sea	Herring	<i>Clupea harengus</i>	Pelagic	*	0.6900	0.6500	-0.0182	0.1215	-0.0234	0.0999	-0.0275	0.0384
HERRNWATLC	Northwestern Atlantic Coast	Herring	<i>Clupea harengus</i>	Pelagic				-0.0274	0.1555	-0.0683	0.0386	-0.0282	0.0387
HERRPRD	Prince Rupert District	Pacific herring	<i>Clupea pallasii</i>	Pelagic	*	0.3900	0.1600	0.0037	-0.0118	0.0025	-0.0195	0.0077	-0.0349
HERRPWS	Prince William Sound	Pacific herring	<i>Clupea pallasii</i>	Pelagic				-0.0234	-0.1256	0.0597	-0.0799	0.0410	-0.1524

Continued on next page

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
HERRQCI	Queen Charlotte Islands	Pacific herring	<i>Clupea pallasii</i>	Pelagic	*	0.3600	0.2000	0.0358	-0.1062	0.0457	-0.0468	0.0183	-0.0361
HERRRIGA	Gulf of Riga	Herring	<i>Clupea harengus</i>	Pelagic	*	1.3700	1.2100	0.0587	-0.0060	0.0390	-0.0212	0.0536	-0.0108
HERRSITKA	East of Gotland	Pacific herring	<i>Clupea pallasii</i>	Pelagic	*	1.1700	0.9100	0.0401	0.0495	0.0672	0.0677	0.0712	0.0273
HERRSOG	Sitka	Pacific herring	<i>Clupea pallasii</i>	Pelagic	*	1.1700	0.9100	0.0258	0.0165	0.0230	-0.0008	0.0162	-0.0154
HERRVla	Straight of Georgia	Herring	<i>Clupea harengus</i>	Pelagic	*	0.3700	0.1800	-0.0376	0.0009	-0.0377	0.0003	-0.0222	-0.0251
HERRWCVANI	West of Scotland	Herring	<i>Clupea harengus</i>	Pelagic	*	0.3700	0.1800	-0.0376	0.0009	-0.0377	0.0003	-0.0222	-0.0251
HOKIENZ	West Coast of Vancouver Island	Pacific herring	<i>Clupea pallasii</i>	Pelagic	*	0.6900	0.0300	0.0266	-0.1686	0.0287	-0.1562	0.0140	-0.1783
HOKIWNZ	Eastern New Zealand	Hoki	<i>Macruronus novaezealandiae</i>	Demersal	*	1.6400	1.1100	-0.0009	-0.0689	-0.0003	-0.0680	-0.0002	-0.0529
KELPGREENLINGORECOAST	Western New Zealand	Hoki	<i>Macruronus novaezealandiae</i>	Demersal	*	1.0600	0.5100	-0.0089	-0.1100	-0.0102	-0.1117	-0.0310	-0.0812
KINGKLIPSA	East Coast	Kelp greenling	<i>Hexagrammos decagrammus</i>	Demersal		2.9400	1.2800	0.0279	-0.0500	0.0132	-0.0609	0.0256	-0.0643
LINGCODNPCOAST	South Africa	Anchovy	<i>Engraulis encrasicolus</i>	Pelagic		1.1000	1.2000	-0.0120	-0.0060	-0.0113	0.0019	-0.0124	0.0057
LINGCODSPCOAST	Northern Pacific Coast	Lingcod	<i>Ophiodon elongatus</i>	Demersal				-0.0587	0.0605	-0.0425	0.1575	-0.0589	0.1395
LNOSEKAPCOAST	Southern Pacific Coast	Lingcod	<i>Ophiodon elongatus</i>	Demersal				-0.0624	-0.0156	-0.0511	0.0525	-0.0591	0.0404
LSTHORNHPCOAST	Pacific Coast	Longnose skate	<i>Raja rhina</i>	Demersal	*	1.6400	1.5600	-0.0044	-0.0083	-0.0045	-0.0100	-0.0043	-0.0059
MACKGOMCHATT	Pacific Coast	Longspine thornyhead	<i>Sebastolobus altivelis</i>	Demersal		3.3200	2.6500	-0.0040	-0.0251	-0.0019	-0.0174	-0.0041	-0.0174
MACKNEICES	Gulf of Maine / Cape Hatteras	Mackerel	<i>Scomber scombrus</i>	Pelagic		1.9700	3.6100	0.0276	0.0380	0.0336	0.0668	0.0495	0.0504
MENATGM	Ila-IIIabd-IV-Vb-VI-VII-VIIIabcde-XII-XIV-Ixa	Mackerel	<i>Scomber scombrus</i>	Pelagic	*	1.1600	0.9800	-0.0217	-0.0049	-0.0286	-0.0158	-0.0241	-0.0088
MORWONGSE	Gulf of Mexico	Gulf menhaden	<i>Brevoortia patronus</i>	Pelagic	*	1.2600	1.0800	0.0445	0.0224	0.0430	0.0160	0.0449	-0.0081
MUTSNAPSATLCGM	Southeast Australia	Hawaiian morwong	<i>Nemadactylus macropterus</i>	Demersal		0.6700	0.3100	-0.0102	-0.1173	-0.0078	-0.0644	-0.0146	-0.0503
NROCKBSAI	Southern Atlantic coast and Gulf of Mexico	Mutton snapper	<i>Lutjanus analis</i>	Demersal		0.5200	1.1300	-0.0669	0.0568	-0.0523	0.0635	-0.0462	0.0555
NROCKGA	Bering Sea and Aleutian Islands	Northern rockfish	<i>Sebastes polyspinis</i>	Demersal		1.1400	1.4100	0.0386	0.0131	0.0388	0.0132	0.0375	0.0127
NRSOLEEBSAI	Gulf of Alaska	Northern rockfish	<i>Sebastes polyspinis</i>	Demersal		2.1900	1.5000	-0.0124	0.0107	-0.0232	-0.0220	-0.0197	-0.0239
	Eastern Bering Sea and Aleutian Islands	Northern rock sole	<i>Lepidopsetta polyxystra</i>	Demersal		1.7400	3.0200	0.1331	0.0546	0.1081	0.0296	0.1151	0.0365

Continued on next page

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
NZLINGESE	Southeast Australia	New ling	Zealand	<i>Genypterus blacodes</i>	Demersal	1.4000	0.5900	-0.0165	-0.0526	-0.0150	-0.0494	-0.0173	-0.0576
NZLINGLIN3-4	New Zealand Areas LIN 3 and 4	New ling	Zealand	<i>Genypterus blacodes</i>	Demersal	4.1400	3.0700	-0.0020	-0.0338	0.0074	-0.0207	-0.0082	-0.0200
NZLINGLIN5-6	New Zealand Areas LIN 5 and 6	New ling	Zealand	<i>Genypterus blacodes</i>	Demersal	5.1300	3.9600	-0.0044	-0.0190	-0.0014	-0.0149	-0.0021	-0.0173
NZLINGLIN6b	New Zealand Areas LIN 6b	New ling	Zealand	<i>Genypterus blacodes</i>	Demersal	3.7800	2.1900	-0.0050	-0.0358	0.0014	-0.0324	-0.0074	-0.0390
NZLINGLIN72	New Zealand Areas LIN 72	New ling	Zealand	<i>Genypterus blacodes</i>	Demersal	3.0500	2.4900	-0.0231	-0.0113	-0.0156	-0.0008	-0.0220	-0.0136
NZLINGLIN7WC	New Zealand Areas LIN 7WC-WCSI	New ling	Zealand	<i>Genypterus blacodes</i>	Demersal	2.0600	2.2100	-0.0184	-0.0104	-0.0120	-0.0024	-0.0180	0.0045
NZLINGWSE	Western half of Southeast Australia	New ling	Zealand	<i>Genypterus blacodes</i>	Demersal	1.6600	1.0800	-0.0041	-0.0172	-0.0043	-0.0176	-0.0100	-0.0283
NZSNAPNZ8	New Zealand Area 8 (Auckland and Central West)	New snapper	Zealand	<i>Chrysophrys auratus</i>	Demersal	0.5100	0.3500	-0.0454	-0.0335	-0.0443	-0.0154	-0.0368	-0.0285
OROUGHYNZMEC	New Zealand Mid East Coast	Orange roughy		<i>Hoplostethus atlanticus</i>	Demersal	1.3400	1.2000	-0.1496	-0.0199	-0.1119	0.0029	-0.1274	-0.0088
OROUGHYSE	Southeast Australia	Orange roughy		<i>Hoplostethus atlanticus</i>	Demersal	2.3300	0.5200	-0.1073	-0.1450	-0.0096	-0.0797	-0.0587	-0.1002
PCODBSAI	Bering Sea and Aleutian Islands	Pacific cod		<i>Gadus macrocephalus</i>	Demersal	1.3200	1.0000	0.0338	-0.0298	0.0767	-0.0003	0.0422	-0.0174
PCODGA	Gulf of Alaska	Pacific cod		<i>Gadus macrocephalus</i>	Demersal	1.2500	0.9100	0.0684	-0.0399	0.0960	-0.0209	0.0622	-0.0198
PERCHEBSAI	Eastern Bering Sea and Aleutian Islands	Pacific ocean perch		<i>Sebastes alutus</i>	Demersal	0.7400	1.2300	0.1033	0.0404	0.0822	0.0275	0.0816	0.0304
PHAKEPCOAST	Pacific Coast	Pacific hake		<i>Merluccius productus</i>	Demersal	4.3800	1.6100	-0.0018	-0.0904	0.0249	-0.0336	0.0020	-0.0624
PLAIC7d	Eastern English Channel	European Plaice		<i>Pleuronectes platessa</i>	Demersal			0.0415	-0.0674	0.0809	-0.0457	0.0276	-0.0376
PLAICCELT	Celtic Sea	European Plaice		<i>Pleuronectes platessa</i>	Demersal	* 0.9800	0.6500	0.0517	-0.0960	0.0843	-0.0674	0.0660	-0.0592
PLAICECHW	Western English Channel	European Plaice		<i>Pleuronectes platessa</i>	Demersal	* 0.7200	0.5100	0.0403	-0.0536	0.0785	-0.0153	0.0505	-0.0392
PLAICIIa	Kattegat and Skagerrak	European Plaice		<i>Pleuronectes platessa</i>	Demersal			-0.0115	-0.0443	-0.0265	-0.0557	-0.0137	-0.0320
PLAICIS	Irish Sea	European Plaice		<i>Pleuronectes platessa</i>	Demersal	* 0.5700	1.0700	-0.0266	0.0331	-0.0198	0.0545	-0.0256	0.0482
PLAICNS	North Sea	European Plaice		<i>Pleuronectes platessa</i>	Demersal			-0.0033	-0.0366	0.0021	-0.0096	-0.0009	-0.0250
POLL4VWX5Zc	Scotian Shelf, Bay of Fundy and Georges Bank	Pollock		<i>Pollachius virens</i>	Demersal	* 0.6200	0.5600	-0.1202	-0.0183	-0.0543	0.0064	-0.0561	0.0004

Continued on next page

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
POLLFAPL	Faroe Plateau	Pollock	<i>Pollachius virens</i>	Demersal	*	0.5200	0.9900	-0.0148	0.0068	-0.0056	0.0423	-0.0119	0.0355
POLLNEAR	North-East Arctic	Pollock	<i>Pollachius virens</i>	Demersal	*	0.7200	1.7000	-0.0447	0.1547	-0.0546	0.1137	-0.0275	0.1339
POLLNS-VI-IIIa	IIIa, VI and North Sea	Pollock	<i>Pollachius virens</i>	Demersal	*	0.2700	0.5700	-0.0517	0.0700	-0.0483	0.0784	-0.0313	0.0781
POPERCHGA	Gulf of Alaska	Pacific ocean perch	<i>Sebastes alutus</i>	Demersal		0.3000	1.1600	-0.0686	0.1400	-0.0901	0.0747	-0.0698	0.0853
POPERCHPCOAST	Pacific Coast	Pacific ocean perch	<i>Sebastes alutus</i>	Demersal		0.5300	0.6900	-0.0429	0.0053	-0.0399	0.0194	-0.0398	0.0174
PSOLENPCOAST	Northern Pacific Coast	Petrale sole	<i>Eopsetta jordani</i>	Demersal		0.4800	1.8700	-0.0293	0.0324	-0.0268	0.1124	-0.0300	0.1050
PSOLESPCOAST	Southern Pacific Coast	Petrale sole	<i>Eopsetta jordani</i>	Demersal		0.2700	1.1300	-0.0220	-0.0063	-0.0206	0.0872	-0.0226	0.1089
PTOOTHFISHPEI	South Africa Subantarctic Prince Edward Islands	Patagonian toothfish	<i>Dissostichus eleginoides</i>	Demersal		4.8800	1.8100	0.0033	-0.0656	-0.0004	-0.0775	-0.0005	-0.0619
REXSOLEGA	Gulf of Alaska	Rex sole	<i>Glyptocephalus zachirus</i>	Demersal		2.2200	2.6000	0.0142	0.0005	0.0147	0.0006	0.0235	0.0103
REYEROCKBSAI	Bering Sea and Aleutian Islands	Rougheye rockfish	<i>Sebastes aleutianus</i>	Demersal		1.1100	1.1500	0.0088	0.0020	0.0140	0.0052	0.0000	0.0021
REYEROCKGA	Gulf of Alaska	Rougheye rockfish	<i>Sebastes aleutianus</i>	Demersal		1.4700	1.6400	-0.0209	0.0068	-0.0199	0.0075	-0.0207	0.0071
RPORGYSATLC	Southern Atlantic coast	Common seabream	<i>Pagrus pagrus</i>	Demersal		0.3200	0.6100	-0.1179	0.0182	-0.0982	0.0594	-0.1020	0.0550
RSNAPEGM	Eastern Gulf of Mexico	Red snapper	<i>Lutjanus campechanus</i>	Demersal				-0.1176	0.0441	-0.1101	0.0922	-0.0999	0.0612
RSNAPSATLC	Southern Atlantic coast	Red snapper	<i>Lutjanus campechanus</i>	Demersal		0.0200	0.0200	-0.1215	0.0697	-0.1256	0.0321	-0.0947	0.0098
SABLEFEBSAIGA	Eastern Bering Sea / Aleutian Islands / Gulf of Alaska	Sablefish	<i>Anoplopoma fimbria</i>	Demersal		1.2800	1.0500	-0.0150	-0.0163	-0.0126	-0.0085	-0.0051	-0.0123
SABLEFPCOAST	Pacific Coast	Sablefish	<i>Anoplopoma fimbria</i>	Demersal	*	0.9300	0.8400	-0.0068	-0.0542	-0.0055	-0.0150	-0.0089	-0.0099
SARDNPAC	North Pacific	Sardine	<i>Sardinops sagax</i>	Pelagic	*	0.3100	1.7300	0.4959	0.0867	0.4736	0.0787	0.4155	0.0870
SARDPCOAST	Pacific Coast	Sardine	<i>Sardinops sagax</i>	Pelagic	*		1.3600	0.5457	0.0878	0.5053	0.0715	0.4600	0.0714
SARDPVIIIc-IXa	VIIIc-IXa	European pilchard	<i>Sardina pilchardus</i>	Pelagic				-0.0033	-0.0094	0.0041	-0.0044	0.0233	0.0071
SBELLYROCKPCOAST	Pacific Coast	Shortbelly rockfish	<i>Sebastes jordani</i>	Demersal				-0.0181	-0.0222	-0.0249	-0.0774	-0.0245	-0.0589
SBWHITACIR	New Zealand - Campbell Island Rise	Southern blue whiting	<i>Micromesistius australis</i>	Demersal		0.5600	1.1500	-0.0131	0.0447	-0.0508	0.0202	-0.0646	0.0514
SFLOUNMATLC	Mid-Atlantic Coast	Summer flounder	<i>Paralichthys dentatus</i>	Demersal		0.1800	0.7200	-0.0720	0.1143	-0.1371	0.0928	-0.0944	0.0943

Continued on next page

Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
SILVERFISHSE	Southeast Australia	Silverfish	<i>Seriolella punctata</i>	Demersal		1.1700	1.0300	-0.0384	-0.0214	-0.0285	-0.0139	-0.0442	-0.0093
SKJCWPAC	Central Western Pacific	Skipjack tuna	<i>Katsuwonus pelamis</i>	Pelagic		4.0000	4.3800	0.0184	-0.0036	0.0269	0.0099	0.0098	0.0065
SMOOTHOREOCR	Chatham Rise	Smooth oreo	<i>Pseudocyttus maculatus</i>	Demersal		2.9900	2.2500	-0.0243	-0.0226	-0.0213	-0.0206	-0.0222	-0.0203
SMOOTHOREOWECR	West end of Chatham Rise	Smooth oreo	<i>Pseudocyttus maculatus</i>	Demersal		1.5900	1.2500	-0.0500	-0.0404	-0.0401	-0.0217	-0.0481	-0.0203
SNOWGROUPSATLC	Southern Atlantic coast	Snowy grouper	<i>Epinephelus niveatus</i>	Demersal		0.3400	0.1900	-0.0824	-0.0755	-0.0779	-0.0437	-0.0707	-0.0589
SOLECS	Celtic Sea	common European sole	<i>Solea vulgaris</i>	Demersal	*	0.8600	0.9000	-0.0555	0.0275	-0.0538	0.0304	-0.0480	0.0052
SOLEIS	Irish Sea	common European sole	<i>Solea vulgaris</i>	Demersal	*	0.6700	0.3600	-0.0193	-0.0333	-0.0125	-0.0201	-0.0313	-0.0399
SOLENS	North Sea	common European sole	<i>Solea vulgaris</i>	Demersal				-0.0126	-0.0198	-0.0199	-0.0558	0.0058	-0.0674
SOLEVIId	Eastern English Channel	common European sole	<i>Solea vulgaris</i>	Demersal				0.0207	-0.0034	0.0057	-0.0090	0.0223	0.0025
SOLEVIIe	Western English Channel	common European sole	<i>Solea vulgaris</i>	Demersal	*	0.6100	0.5100	-0.0005	-0.0292	0.0082	-0.0108	-0.0034	-0.0149
SOUTHHAKECR	Chatham Rise	Southern hake	<i>Merluccius australis</i>	Demersal		5.1800	1.7700	0.0102	-0.0690	0.0139	-0.0648	0.0044	-0.0768
SOUTHHAKESEA	Sub-Antarctic	Southern hake	<i>Merluccius australis</i>	Demersal		5.4700	2.9100	0.0130	-0.0495	0.0267	-0.0358	0.0103	-0.0421
SPANMACKSATLC	Southern Atlantic coast	Spanish mackerel	<i>Scomberomorus maculatus</i>	Pelagic		0.2500	0.3800	-0.0388	0.0566	-0.0430	0.0300	-0.0373	0.0282
SPRAT22-32	Baltic Areas 22-32	Sprat	<i>Sprattus sprattus</i>	Pelagic	*	1.1500	1.1300	0.0290	0.0440	-0.0229	-0.0144	0.0140	0.0097
SSTHORNHPCOAST	Pacific Coast	Shortspine thornyhead	<i>Sebastolobus alascanus</i>	Demersal		1.7300	1.5700	-0.0030	-0.0286	-0.0025	-0.0064	-0.0041	-0.0074
STFLOUNNP COAST	Northern Pacific Coast	Starry flounder	<i>Platichthys stellatus</i>	Demersal		4.1600	1.1000	0.0498	-0.0333	0.0279	-0.0815	0.0448	-0.1024
STFLOUNSP COAST	Southern Pacific Coast	Starry flounder	<i>Platichthys stellatus</i>	Demersal		1.7900	1.5500	0.0190	-0.0069	0.0334	0.0246	0.0055	-0.0114
STRIPEDBASSGOMCHATS	Gulf of Maine / Cape Hatteras	Striped bass	<i>Morone saxatilis</i>	Demersal				0.2426	0.0892	0.1807	0.0660	0.2060	0.0651
SWHITSE	Southeast Australia	School whiting	<i>Sillago flindersi</i>	Demersal		0.9900	0.6600	-0.0138	-0.0461	-0.0136	-0.0446	-0.0162	-0.0265
SWORDNATL	Northern Atlantic	Swordfish	<i>Xiphias gladius</i>	Pelagic	*	0.9100	1.0300	-0.0685	-0.0018	-0.0622	0.0036	-0.0479	0.0115
TIGERFLATSE	Southeast Australia	Tiger flathead	<i>Neoplatycephalus richardsoni</i>	Demersal		2.2400	1.9900	-0.0138	0.1060	-0.0180	-0.0038	-0.0094	-0.0086
TILESATLC	Southern Atlantic coast	Tilefish	<i>Lopholatilus chamaeleonticeps</i>	Demersal		1.0100	0.9400	-0.0401	-0.0226	-0.0367	0.0017	-0.0349	-0.0075
TREVALLYTRE7	New Zealand Areas TRE 7	Trevally	<i>Pseudocaranx dentex</i>	Demersal		1.8500	1.4400	-0.0211	-0.0096	-0.0223	-0.0230	-0.0144	-0.0193
VSNAPGM	Gulf of Mexico	Vermilion snapper	<i>Rhomboplites aurorubens</i>	Demersal				-0.0192	-0.0432	0.0152	-0.0224	-0.0077	-0.0363


Continued on next page


Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992
VSNAPSATLC	Southern Atlantic coast	Vermilion snapper	<i>Rhomboplites aurorubens</i>	Demersal		1.1200	0.8600	-0.0242	-0.0199	-0.0243	-0.0209	-0.0239	-0.0197
WEAKFISHATLC	Atlantic Coast	Weakfish	<i>Cynoscion regalis</i>	Demersal		7.0700	0.7900	-0.0379	-0.1393	-0.0597	-0.1488	-0.0611	-0.1373
WHAKEGBGOM	Gulf of Maine / Georges Bank	White hake	<i>Urophycis tenuis</i>	Demersal		0.5600	0.3500	0.0018	-0.0776	0.0189	-0.0266	0.0131	-0.0306
WHITNS-VIIId-IIIa	IIIa, VIIId and North Sea	Whiting	<i>Merlangius merlangus</i>	Demersal	*	0.8900	0.3300	-0.0428	-0.0543	-0.0464	-0.0563	-0.0557	-0.0718
WHITVIIek	Celtic Sea	Whiting	<i>Merlangius merlangus</i>	Demersal	*	0.7900	0.4400	0.1253	-0.0294	0.0679	-0.0509	0.0713	-0.0221
WINFLOUN5Z	Georges Bank	Winter flounder	<i>Pseudopleuronectes americanus</i>	Demersal		0.3300	0.2800	-0.0969	0.0320	-0.1025	0.0299	-0.1103	-0.0116
WINFLOUNSNEMATL	Southern New England /Mid Atlantic	Winter flounder	<i>Pseudopleuronectes americanus</i>	Demersal		0.0900	0.0900	-0.1354	-0.0099	-0.1311	-0.0081	-0.1305	-0.0029
WITFLOUN5Y	Gulf of Maine	Witch flounder	<i>Glyptocephalus cynoglossus</i>	Demersal		0.6200	0.3000	-0.0984	-0.0125	-0.0985	-0.0125	-0.0716	-0.0480
WPOLLAI	Aleutian Islands	Walleye pollock	<i>Theragra chalcogramma</i>	Demersal		2.2300	0.8600	-0.0554	-0.0938	0.0239	-0.0466	-0.0171	-0.0596
WPOLLEBS	Eastern Bering Sea	Walleye pollock	<i>Theragra chalcogramma</i>	Demersal		1.1100	0.6600	0.0627	-0.0330	0.0636	-0.0307	0.0491	-0.0324
WPOLLGA	Gulf of Alaska	Walleye pollock	<i>Theragra chalcogramma</i>	Demersal		1.4500	0.7700	-0.0414	-0.0662	-0.0308	-0.0589	-0.0422	-0.0393
WROCKPCOAST	Pacific Coast	Widow rockfish	<i>Sebastes entomelas</i>	Demersal	*	0.9600	0.9100	-0.0248	-0.0416	-0.0202	-0.0198	-0.0217	-0.0144
YELLGB	Georges Bank	Yellowtail flounder	<i>Limanda ferruginea</i>	Demersal		0.1000	0.2200	-0.0742	0.0720	-0.0947	0.0462	-0.0664	0.0504
YELLSNEMATL	Southern New England /Mid Atlantic	Yellowtail flounder	<i>Limanda ferruginea</i>	Demersal		0.0600	0.1300	-0.1046	-0.0357	-0.0497	0.0334	-0.1027	0.0476
YEYEROCKPCOAST	Pacific Coast	Yelloweye rockfish	<i>Sebastes berrimus</i>	Demersal	*	0.6600	0.3800	-0.0180	-0.1088	-0.0138	-0.0268	-0.0210	-0.0297
YFINATL	Atlantic	Yellowfin tuna	<i>Thunnus albacares</i>	Pelagic		1.7900	1.0700	-0.0065	-0.0358	-0.0077	-0.0382	-0.0178	-0.0370
YFINCWPAC	Central Western Pacific	Yellowfin tuna	<i>Thunnus albacares</i>	Pelagic		2.3800	1.2200	-0.0125	-0.0549	-0.0136	-0.0628	-0.0094	-0.0513
YFINEPAC	Northeast Pacific	Yellowfin tuna	<i>Thunnus albacares</i>	Pelagic				0.0389	-0.0084	0.0307	-0.0166	-0.0067	-0.0204
YSOLEBSAI	Bering Sea and Aleutian Islands	Yellowfin sole	<i>Limanda aspera</i>	Demersal		2.5000	1.9400	0.0990	-0.0365	0.1065	-0.0180	0.0789	-0.0160
YTROCKNPACOAST	Northern Pacific Coast	Yellowtail rockfish	<i>Sebastes flavidus</i>	Demersal		1.4500	1.3600	-0.0224	0.0053	-0.0229	0.0040	-0.0176	-0.0049


Continued on next page


Stock ID	Area	Common name	Scientific name	Category	type	ratio 1992	ratio current	Continuous		Discontinuous		Drift	
								pre-1992	post-1992	pre-1992	post-1992	pre-1992	post-1992


Table 1: A description of each population’s alphanumeric identification code, geographic location, common and scientific names, taxonomic category, reference point type, values for the different slopes and ratios of biomass to MSY reference point for 1992 and the current year.






































Year

Figure S1




Figure S2