

Dear Coilin,

Thank you sincerely for submitting assessments to the Myers II database. We have entered 37 of your assessments, and now wish to quality assure/quality control (QA/QC) these data for a release version of the database. Please follow the steps below to ensure that your assessments have been dutifully represented:

QA/QC steps

For each assessment:

1. Ensure that the General assessment details are correct.
2. Ensure that the units for all Biometrics and Time Series shown are correct. To aid in this, we have included the minimum, maximum, first year, and last year of the spawning stock biomass, recruitment, fishing mortality, total biomass, and catch (where provided).
3. If there are blank values in the Biometrics table, please include these in your response (see below), where they are available. Please note that in the Biometrics table, the following abbreviations are used:
 - SSB-AGE-yr = Ages for which the spawning stock biomass is defined
 - REC-AGE = Age at recruitment
 - F-AGE-yr = Ages for which the fishing mortality is defined
 - TB-AGE-yr = Ages for which the total biomass is defined
 - M = Natural mortality
 - A50-yr = The age at 50% maturity
 - L50-cm = The length at 50% maturity
 - MORATOR-yr-yr = Moratorium years
 - LME = Large Marine Ecosystem
4. To ensure that the recruitment time series has been offset by the age at recruitment so that yearclass matches up with spawner biomass, please make sure that the difference between the last year of the recruitment and last year of the SSB time series is equal to the age at recruitment supplied (unless there is another reason, e.g. estimates unavailable).
5. Provide Large Marine Ecosystem (LME) designation(s) for your stock (unless it is a high seas stock). Please enter a primary, secondary and tertiary LME (if they exist) in the issue you submit (see below). A map of the LMEs is provided on the last page of this document.

QA/QC submission process

If you (or someone else) submitted the assessments via the RAM legacy site, please log into : <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting> and locate the issue(s) associated with your spreadsheet submission(s). Once you locate your assessment, open the associated issue and choose "Add response". At the top of this response write:

QAQC: Assessment ID (this ID is located at the top of each assessment in the current document)

If you did not submit via the RAM Legacy site, please go to the url above and click "Submit a new issue" with the title: *QAQC: Assessment ID* (located at the top of each assessment in this pdf).

If you found no issues with the QA/QC document, please type: "QA/QC correct". If you have found issues, please update the assessment spreadsheet accordingly or write the details of corrections to be made in the dialogue box. Once we have received and processed your response, the assessment will be flagged as quality controlled and the data it contains will be used for analyses.

Contents

QA/QC steps	1
QA/QC submission process	1
AFWG-CAPENOR-1965-2007-MINTO	3
AFWG-CODCOASTNOR-1982-2006-MINTO	5
AFWG-CODNEAR-1943-2006-MINTO	7
AFWG-GOLDREDNEAR-1986-2006-MINTO	9
AFWG-HADNEAR-1947-2006-MINTO	11
AFWG-POLLNEAR-1957-2006-MINTO	13
AFWG-REDDEEPI-II-1985-2006-MINTO	15
HAWG-HERR2224IIIa-1991-2006-MINTO	17
HAWG-HERRNS-1960-2007-MINTO	19
HAWG-HERRVIa-1957-2006-MINTO	21
HAWG-HERRVIaVIIbc-1969-2000-MINTO	23
HAWG-SPRATNS-1995-2007-MINTO	25
NWWG-CAPEICE-1977-2007-MINTO	27
NWWG-CODFAPL-1959-2006-MINTO	29
NWWG-CODICE-1952-2006-MINTO	31
NWWG-HADFAPL-1955-2006-MINTO	33
NWWG-HADICE-1977-2007-MINTO	35
NWWG-POLLFAPL-1958-2006-MINTO	37
WGBFAS-CODKAT-1970-2006-MINTO	39
WGNSDS-CODIS-1968-2006-MINTO	41
WGNSDS-CODVIa-1977-2006-MINTO	43
WGNSDS-HADIS-1972-2006-MINTO	45
WGNSDS-HADVIa-1977-2006-MINTO	47
WGNSDS-PLAICIS-1962-2006-MINTO	49
WGNSDS-SOLEIS-1968-2006-MINTO	51
WGNSDS-WHITVIa-1984-2007-MINTO	53
WGNSSK-CODNS-1962-2007-MINTO	55
WGNSSK-HADNS-IIIa-1963-2006-MINTO	57
WGNSSK-NPOUTNS-1983-2007-MINTO	59
WGNSSK-PLAIC7d-1979-2006-MINTO	61
WGNSSK-PLAICIIIa-1976-2006-MINTO	63
WGNSSK-PLAICNS-1956-2006-MINTO	65
WGNSSK-POLLNS-VI-IIIa-1964-2006-MINTO	67
WGNSSK-SEELNS-1983-2007-MINTO	69
WGNSSK-SOLENS-1956-2006-MINTO	71
WGNSSK-SOLEVIIId-1981-2006-MINTO	73
WGNSSK-WHITNS-VIIId-IIIa-1979-2006-MINTO	75
LME map	77

Assessment of Barents Sea capelin (*Mallotus villosus*)

Assessment ID: AFWG-CAPENOR-1965-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/362>

Area ID: multinational-ICES-I





General assessment details.

Detail	Value
Management body	ICES
Assessment group	Arctic Fisheries Working Group
Assessment authors	Anonymous
Assessment method	Spreadsheet assessment model used for Capelin
Publication year	2007
Timeseries span	1965-2007
Document	ICES-AFWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-08
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

Parameter	primary LME		secondary LME		tertiary LME	
	20 - Barents Sea	na	na	na	na	na
Parameter	Value	Units	Reference points			
SSB-AGE-yr	2+	yr	Parameter	Value	Units	
REC-AGE-yr	1	yr	SSBlim-MT (SSB)	200000	MT	
TB-AGE-yr	1+	yr	MORATOR-yr-yr	1986-1991	yr-yr	
M-1/T	AVAILABLE	1/T	MORATOR-yr-yr	1993-1999	yr-yr	
SSB-SEX-sex			MORATOR-yr-yr	2004-2006	yr-yr	
F-AGE-yr			SSB_{2007}/SSB_{lim}	0.945		
M						
A50-yr						
L50-cm						

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1973	1972		1972	1965
Maximum year	2007	2005		2006	2006
Time series minimum	22000	3000000		107000	0
Time series maximum	643000	1140000000		8841000	2987000
Units	MT	E03		MT	MT



Assessment of North-East Arctic atlantic cod (*Gadus morhua*)

Assessment ID:AFWG-CODCOASTNOR-1982-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/363>

Area ID: multinational-ICES-I-II

General assessment details.





Detail	Value
Management body	ICES
Assessment group	Arctic Fisheries Working Group
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1982-2006
Document	ICES-AFWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-03-24
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME		secondary LME	tertiary LME		
21 - Norwegian Sea		22 - North Sea	na		
Parameter	Value	Units			
A50-yr	5	yr			
SSB-AGE-yr	2+	yr			
REC-AGE-yr	2	yr			
F-AGE-yr-yr	4-7	yr-yr			
M-1/T	0.2	1/T			
TB-AGE-yr	2+	yr			
SSB-SEX-sex					
M					
L50-cm					

Time series minima and maxima

	SSB	R	F	TB	Catch
Minimum year	1984	1982	1984	1984	1984
Maximum year	2006	2004	2006	2006	2006
Time series minimum	51445	7539	0.1699	84309	22432
Time series maximum	188357	87938	0.6221	310230	75451
Units	MT	E03	1/T	MT	MT



Assessment of North-East Arctic atlantic cod (*Gadus morhua*)

Assessment ID:AFWG-CODNEAR-1943-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/364>

Area ID: multinational-ICES-I-II





General assessment details.

Detail	Value
Management body	ICES
Assessment group	Arctic Fisheries Working Group
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1943-2006
Document	ICES-AFWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-02-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME		tertiary LME	
20 - Barents Sea			21 - Norwegian Sea		na	
Parameter	Value	Units	Reference points			
			Parameter	Value	Units	
A50-yr	6.5	yr				
SSB-AGE-yr	3+	yr	SSBlim-MT (SSB)	220000	MT	
SSB-SEX-sex	0	sex	SSBpa-MT (SSB)	460000	MT	
REC-AGE-yr	3	yr	F0.1-1/T	0.15	1/T	
F-AGE-yr-yr	5-10	yr-yr	Flim-1/T (F)	0.74	1/T	
M-1/T	0.2	1/T	Fpa-1/T (F)	0.4	1/T	
TB-AGE-yr	3+	yr	Fmax-1/T	0.28	1/T	
M			SSB_{2006}/SSB_{lim}	2.685		
L50-cm			F_{2006}/F_{lim}	0.889		

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1946	1943	1946	1946	1946
Maximum year	2006	2003	2006	2006	2006
Time series minimum	102315	112039	0.1857	738675	212000
Time series maximum	1165059	1818949	1.0347	4168882	1343068
Units	MT	E03	1/T	MT	MT



Assessment of North-East Arctic golden redfish (*Sebastes norvegicus*)

Assessment ID: AFWG-GOLDREDNEAR-1986-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/365>

Area ID: multinational-ICES-I-II

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Arctic Fisheries Working Group
Assessment authors	Anonymous
Assessment method	Globally Applicable area-Disaggregated General Ecosystem Toolbox - An ecosystem-based management tool used for assessment
Publication year	2007
Timeseries span	1986-2006
Document	ICES-AFWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-07
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

	primary LME	secondary LME	tertiary LME
	20 - Barents Sea	21 - Norwegian Sea	na
Parameter	Value	Units	
A50-yr	12	yr	
REC-AGE-yr	3	yr	
SSB-AGE-yr	4+	yr	
M-1/T	0.10	1/T	
TB-AGE-yr	3+	yr	
F-AGE-yr-yr	12-19	yr-yr	
SSB-SEX-sex			
M			
L50-cm			

Reference points		
Parameter	Value	Units
MORATOR-yr-yr	2004-2007	yr-yr

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1990	1987	1990	1990	1986
Maximum year	2006	2003	2006	2006	2006
Time series minimum	32572	3547	0.129	47231	7037
Time series maximum	75317	44912	0.252	163536	30203
Units	MT	E03	1/T	MT	MT



Assessment of North-East Arctic haddock (*Melanogrammus aeglefinus*)

Assessment ID: AFWG-HADNEAR-1947-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/366>

Area ID: multinational-ICES-I-II


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Arctic Fisheries Working Group
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1947-2006
Document	ICES-AFWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-03-31
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

	primary LME	secondary LME	tertiary LME
	20 - Barents Sea	21 - Norwegian Sea	na
Parameter	Value	Units	Reference points
A50-yr	6	yr	Parameter Value Units
SSB-AGE-yr	3+	yr	SSBlim-MT (SSB) 50000 MT
REC-AGE-yr	3	yr	SSBpa-MT (SSB) 80000 MT
F-AGE-yr-yr	4-7	yr-yr	Flim-1/T (F) 0.49 1/T
M-1/T	0.2+cod mortality	1/T	Fpa-1/T (F) 0.35 1/T
TB-AGE-yr	3+	yr	SSB_{2006}/SSB_{lim} 4.533
SSB-SEX-sex			F_{2006}/F_{lim} 0.806
M			
L50-cm			

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1950	1947	1950	1950	1950
Maximum year	2006	2003	2006	2006	2006
Time series minimum	49753	8961	0.1562	67367	20945
Time series maximum	248181	1184843	0.9053	573954	322226
Units	MT	E03	1/T	MT	MT



Assessment of North-East Arctic pollock (*Pollachius virens*)

Assessment ID: AFWG-POLLNEAR-1957-2006-MINTO

Issue URL: <http://www.marinemarinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/367>

Area ID: multinational-ICES-I-II


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Arctic Fisheries Working Group
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1957-2006
Document	ICES-AFWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-07
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			primary LME			secondary LME			tertiary LME		
			20 - Barents Sea			21 - Norwegian Sea			na		
Parameter			Value	Units	Reference points						
					Parameter		Value	Units			
A50-yr			5	yr	SSBlim-MT (SSB)		136000	MT			
SSB-AGE-yr			4+	yr	SSBpa-MT (SSB)		220000	MT			
REC-AGE-yr			3	yr	F0.1-1/T		0.14	1/T			
F-AGE-yr-yr			4-7	yr-yr	Fmax-1/T		0.32	1/T			
M-1/T			0.2	1/T	Flim-1/T (F)		0.58	1/T			
TB-AGE-yr			3+	yr	Fpa-1/T (F)		0.35	1/T			
SSB-SEX-sex					SSB_{2006}/SSB_{lim}		5.793				
M					F_{2006}/F_{lim}		0.386				
L50-cm											

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1960	1957	1960	1960	1960
Maximum year	2006	2003	2006	2006	2006
Time series minimum	93950	66951	0.1193	253730	70458
Time series maximum	787915	414480	0.681	1309499	274121
Units	MT	E03	1/T	MT	MT



Assessment of North-East Arctic deepwater redfish (*Sebastes mentella*)

Assessment ID:AFWG-REDDEEPI-II-1985-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/368>

Area ID: multinational-ICES-I-II

General assessment details.

Detail	Value
Management body	ICES
Assessment group	Arctic Fisheries Working Group
Assessment authors	Anonymous
Assessment method	Temporal indices derived from scientific survey data
Publication year	2007
Timeseries span	1985-2006
Document	ICES-AFWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-07
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.


primary LME		secondary LME		tertiary LME	
20 - Barents Sea		21 - Norwegian Sea		na	
Parameter	Value	Units			
A50-yr	13	yr			
REC-AGE					
SSB-AGE-yr					
SSB-SEX-sex					
TB-AGE-yr					
F-AGE-yr					
M					
L50-cm					

Reference points
Parameter Value Units

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year					1985
Maximum year					2006
Time series minimum					10361
Time series maximum					92552
Units					MT

No biomass data
available

No recruitment
data available



No SSB–recruit
data available

Assessment of 22-24-IIIa herring (*Clupea harengus*)

Assessment ID: HAWG-HERR2224IIIa-1991-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/369>

Area ID: multinational-ICES-22-24-IIIa

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Herring Assessment Working Group for the Area South of 62N
Assessment authors	Anonymous
Assessment method	Integrated Catch-at-age Analysis
Publication year	2007
Timeseries span	1991-2006
Document	ICES-HAWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

	primary LME	secondary LME	tertiary LME
	22 - North Sea	23 - Baltic Sea	na
Parameter	Value	Units	
A50-yr	2-3	yr	
SSB-AGE-yr	2+	yr	
REC-AGE-yr	0	yr	
TB-AGE-yr	0+	yr	
F-AGE-yr-yr	3-6	yr-yr	
M-1/T	0.2 for 2+	1/T	
SSB-SEX-sex			
M			
L50-cm			

Reference points		
Parameter	Value	Units
F0.1-1/T	0.22	1/T
Fmax-1/T	0.53	1/T

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1991	1991	1991	1991	1991
Maximum year	2006	2006	2006	2006	2006
Time series minimum	111615	1313450	0.3875	251938	76815
Time series maximum	300193	6257570	0.7704	592997	194411
Units	MT	E03	1/yr	MT	MT



Assessment of North Sea herring (*Clupea harengus*)

Assessment ID:HAWG-HERRNS-1960-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/370>

Area ID: multinational-ICES-IV

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Herring Assessment Working Group for the Area South of 62N
Assessment authors	Anonymous
Assessment method	Integrated Catch-at-age Analysis
Publication year	2007
Timeseries span	1960-2007
Document	ICES-HAWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

	primary LME	secondary LME	tertiary LME
	22 - North Sea	na	na
Parameter	Value	Units	
A50-yr	2	yr	
SSB-AGE-yr	2+	yr	
REC-AGE-yr	0	yr	
TB-AGE-yr	0+	yr	
F-AGE-yr-yr	2-6	yr-yr	
M-1/T	0.1 for 4+	1/T	
SSB-SEX-sex			
M			
L50-cm			

Reference points		
Parameter	Value	Units
F0.1-1/T	0.22	1/T
Fpa-1/T (F)	0.25	1/T
SSBpa-MT (SSB)	1300000	MT
SSBlim-MT (SSB)	800000	MT
SSB_{2006}/SSB_{lim}	1.510	

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1960	1960	1960	1960	1960
Maximum year	2006	2007	2006	2006	2006
Time series minimum	47975	2732.61	0.053	211261	11000
Time series maximum	2183501	109000	1.4676	4792818	1168800
Units	MT	E03	1/T	MT	MT



Assessment of West of Scotland herring (*Clupea harengus*)

Assessment ID:HAWG-HERRVIa-1957-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/371>

Area ID: multinational-ICES-VIa





General assessment details.

Detail	Value
Management body	ICES
Assessment group	Herring Assessment Working Group for the Area South of 62N
Assessment authors	Anonymous
Assessment method	Integrated Catch-at-age Analysis
Publication year	2007
Timeseries span	1957-2006
Document	ICES-HAWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			primary LME	secondary LME	tertiary LME
			24 - Celtic-Biscay Shelf	na	na
Parameter	Value	Units			
A50-yr	1-2	yr			
SSB-AGE-yr	2+	yr	Reference points		
REC-AGE-yr	1	yr	Parameter	Value	Units
TB-AGE-yr	1+	yr	F0.1-1/T	0.17	1/T
F-AGE-yr-yr	3-6	yr-yr	SSBlim-MT (SSB)	50000	MT
M-1/T	0.1 for 4+	1/T	SSB_{2006}/SSB_{lim}	1.556	
SSB-SEX-sex					
M					
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1958	1957	1958	1958	1958
Maximum year	2006	2005	2006	2006	2006
Time series minimum	50015	112240	0.0004	111054	60
Time series maximum	484835	9575740	1.0609	1522522	210270
Units	MT	E03	1/T	MT	MT



Assessment of VIa, VIIb and VIIc herring (*Clupea harengus*)

Assessment ID:HAWG-HERRVIaVIIbc-1969-2000-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/372>

Area ID: multinational-ICES-VIa-VIIb-VIIc


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Herring Assessment Working Group for the Area South of 62N
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1969-2000
Document	ICES-HAWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units	Reference points		
A50-yr	1	yr	Parameter	Value	Units
SSB-AGE-yr	1+	yr	SSBlim-MT (SSB)	81000	MT
REC-AGE-yr	1	yr	SSBpa-MT (SSB)	110000	MT
TB-AGE-yr	1+	yr	Flim-1/T (F)	0.33	1/T
F-AGE-yr-yr	3-6	yr-yr	Fpa-1/T (F)	0.22	1/T
SSB-SEX-sex			SSB_{2000}/SSB_{lim}	0.472	
M			F_{2000}/F_{lim}	1.522	
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1970	1969	1970	1970	1970
Maximum year	2000	1999	2000	2000	2000
Time series minimum	38246	392.621	0.1545	105417	15044
Time series maximum	310384	3284.004	1.0001	578250	48600
Units	MT	E03	1/T	MT	MT



Assessment of North Sea sprat (*Sprattus sprattus*)

Assessment ID:HAWG-SPRATNS-1995-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/373>

Area ID: multinational-ICES-IV

General assessment details.




Detail	Value
Management body	ICES
Assessment group	Herring Assessment Working Group for the Area South of 62N
Assessment authors	Anonymous
Assessment method	Catch-Survey Analysis (like a state space approach)
Publication year	2007
Timeseries span	1995-2007
Document	ICES-HAWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			Parameter	Value	Units
			SSB-AGE-yr	1+	yr
			REC-AGE-yr	1	yr
			TB-AGE-yr	1+	yr
			M-1/T	0.75	1/T
			A50-yr	0-1	yr
			SSB-SEX-sex		
			F-AGE-yr		
			M		
			L50-cm		
Reference points					
			Parameter	Value	Units

primary LME	secondary LME	tertiary LME
22 - North Sea	na	na

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year		1995	1996	1996	
Maximum year		2006	2007	2007	
Time series minimum		14821.9	0	727854	
Time series maximum		277968.1	0.204	1731263	
Units		relative	1/T	relative	



No SSB-recruit
data available

Assessment of Iceland Grounds capelin (*Mallotus villosus*)

Assessment ID:NWWG-CAPEICE-1977-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/374>

Area ID: multinational-ICES-Va

General assessment details.





Detail	Value
Management body	ICES
Assessment group	North-Western Working Group
Assessment authors	Anonymous
Assessment method	acoustic surveys
Publication year	2007
Timeseries span	1977-2007
Document	ICES-NWWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-10
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME		secondary LME	tertiary LME
59 - Iceland Shelf		na	na
Parameter	Value	Units	
A50-yr	2	yr	
SSB-AGE-yr	2+	yr	
REC-AGE-yr	1	yr	
TB-AGE-yr	1+	yr	
SSB-SEX-sex			
F-AGE-yr			
M			
L50-cm			

Reference points
Parameter Value Units

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1978	1977		1978	1978
Maximum year	2006	2005		2006	2007
Time series minimum	115000	49000000		975000	0
Time series maximum	830000	251000000		3106000	1571000
Units	MT	E03		MT	MT



Assessment of Faroe Plateau atlantic cod (*Gadus morhua*)

Assessment ID:NWWG-CODFAPL-1959-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/375>

Area ID: multinational-ICES-Vb1

General assessment details.





Detail	Value
Management body	ICES
Assessment group	North-Western Working Group
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1959-2006
Document	ICES-NWWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-08
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
60 - Faroe Plateau			na	na	
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	3	yr	SSBlim-MT (SSB)	21000	MT
SSB-AGE-yr	2+	yr	SSBpa-MT (SSB)	40000	MT
REC-AGE-yr	2	yr	F0.1-1/yr (F)	0.12	1/yr
F-AGE-yr-yr	3-7	yr-yr	Fmax-1/T	0.25	1/T
TB-AGE-yr	1+	yr	Flim-1/T (F)	0.68	1/T
SSB-SEX-sex			Fpa-1/T (F)	0.35	1/T
M			SSB_{2006}/SSB_{lim}	0.851	
L50-cm			F_{2006}/F_{lim}	1.115	

Time series minima and maxima

	SSB	R	F	TB	Catch
Minimum year	1961	1959	1961	1961	1961
Maximum year	2006	2004	2006	2006	2006
Time series minimum	17878	3128	0.1877	25436	6107
Time series maximum	123077	47753	0.8206	161260	40422
Units	MT	E03	1/T	MT	MT



Assessment of Iceland Grounds atlantic cod (*Gadus morhua*)

Assessment ID:NWWG-CODICE-1952-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/376>

Area ID: multinational-ICES-Va


General assessment details.

Detail	Value
Management body	ICES
Assessment group	North-Western Working Group
Assessment authors	Anonymous
Assessment method	Statistical catch-at-age model
Publication year	2007
Timeseries span	1952-2006
Document	ICES-NWWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-10
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			primary LME	secondary LME	tertiary LME
			59 - Iceland Shelf	na	na
Parameter	Value	Units			
A50-yr	6.5	yr			
SSB-AGE-yr	3+	yr			
REC-AGE-yr	3	yr			
TB-AGE-yr	4+	yr			
M-1/T	0.25	1/T			
F-AGE-yr-yr	5-10	yr-yr			
SSB-SEX-sex					
M					
L50-cm					
			Reference points		
			Parameter	Value	Units
			SSBlim-MT (SSB)	400000	MT
			F0.1-1/T	0.15	1/T
			Fmax-1/T	0.34	1/T
			SSB_{2006}/SSB_{lim}	0.682	

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1955	1952	1955	1955	1955
Maximum year	2006	2003	2006	2006	2006
Time series minimum	174000	64000	0.29	546000	169000
Time series maximum	1137000	368000	0.9	2357000	538000
Units	MT	E03	1/T	MT	MT



Assessment of Faroe Plateau haddock (*Melanogrammus aeglefinus*)

Assessment ID: NWWG-HADFAPL-1955-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/377>

Area ID: multinational-ICES-Vb1


General assessment details.

Detail	Value
Management body	ICES
Assessment group	North-Western Working Group
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1955-2006
Document	ICES-NWWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-08
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
60 - Faroe Plateau			na	na	
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	3	yr	SSBlim-MT (SSB)	23000	MT
SSB-AGE-yr	2+	yr	SSBpa-MT (SSB)	35000	MT
REC-AGE-yr	2	yr	F0.1-1/T	0.15	1/T
F-AGE-yr-yr	3-7	yr-yr	Fmax-1/T	0.61	1/T
TB-AGE-yr	0+	yr	Flim-1/T (F)	0.4	1/T
M-1/T	0.2	1/T	Fpa-1/T (F)	0.25	1/T
SSB-SEX-sex			SSB_{2006}/SSB_{lim}	3.121	
M			F_{2006}/F_{lim}	0.619	
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1957	1955	1957	1957	1957
Maximum year	2006	2004	2006	2006	2006
Time series minimum	22125	1826	0.155	27998	4026
Time series maximum	108674	115282	0.7101	168570	27571
Units	MT	E03	1/T	MT	MT



Assessment of Iceland Grounds haddock (*Melanogrammus aeglefinus*)

Assessment ID:NWWG-HADICE-1977-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/378>

Area ID: multinational-ICES-Va


General assessment details.

Detail	Value
Management body	ICES
Assessment group	North-Western Working Group
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1977-2007
Document	ICES-NWWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-10
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME		secondary LME	tertiary LME		
59 - Iceland Shelf		na	na		
Parameter	Value	Units			
A50-yr	4	yr			
SSB-AGE-yr	1+	yr	Reference points		
REC-AGE-yr	2	yr	Parameter	Value	Units
TB-AGE-yr	3+	yr	F0.1-1/T	0.16	1/T
M-1/T	0.2	1/T	Fmax-1/T	0.44	1/T
F-AGE-yr-yr	4-7	yr-yr	Fpa-1/T (F)	0.47	1/T
SSB-SEX-sex					
M					
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1979	1977	1979	1979	1979
Maximum year	2007	2005	2007	2007	2007
Time series minimum	43116	9758	0.384	86966	39530
Time series maximum	180435	405094	0.787	305098	105012
Units	MT	E03	1/T	MT	MT



Assessment of Faroe Plateau pollock (*Pollachius virens*)

Assessment ID: NWWG-POLLFAPL-1958-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/379>

Area ID: multinational-ICES-Vb1

General assessment details.





Detail	Value
Management body	ICES
Assessment group	North-Western Working Group
Assessment authors	Anonymous
Assessment method	Virtual Population Analysis
Publication year	2007
Timeseries span	1958-2006
Document	ICES-NWWG-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-09
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-08

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			primary LME	secondary LME	tertiary LME
			60 - Faroe Plateau	na	na
Parameter	Value	Units			
A50-yr	5	yr	Reference points		
SSB-AGE-yr	3+	yr	Parameter	Value	Units
REC-AGE-yr	3	yr	SSBlim-MT (SSB)	47500	MT
F-AGE-yr-yr	4-8	yr-yr	SSBpa-MT (SSB)	60000	MT
TB-AGE-yr	3+	yr	F0.1-1/T	0.14	1/T
M-1/T	0.2	1/T	Fmax-1/T	0.45	1/T
SSB-SEX-sex			Fpa-1/T (F)	0.5	1/T
M			SSB_{2006}/SSB_{lim}	2.072	
L50-cm					

Time series minima and maxima

	SSB	R	F	TB	Catch
Minimum year	1961	1958	1961	1961	1961
Maximum year	2006	2003	2006	2006	2006
Time series minimum	59693	8415	0.0911	113051	9592
Time series maximum	147569	92717	0.7025	313275	67972
Units	MT	E03	1/T	MT	MT



Assessment of Kattegat and Skagerrak atlantic cod (*Gadus morhua*)

Assessment ID:WGBFAS-CODKAT-1970-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/380>

Area ID: multinational-ICES-IIIa


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Baltic Fisheries Assessment Working Group
Assessment authors	Anonymous
Assessment method	The ADAPT approach with year effects in a catch multiplier
Publication year	2007
Timeseries span	1970-2006
Document	ICES-WGBFAS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			Parameter	Value	Units
primary LME	secondary LME	tertiary LME	A50-yr	2	yr
			SSB-AGE-yr	1+	yr
			REC-AGE-yr	1	yr
			TB-AGE-yr	1+	yr
			F-AGE-yr-yr	3-5	yr-yr
			M-1/T	0.2	1/T
			SSB-SEX-sex		
			M		
			L50-cm		
			22 - North Sea	na	na
			Reference points		
Parameter		Value	Units		
Flim-1/T (F)		1	1/T		
Fpa-1/T (F)		0.6	1/T		
SSBpa-MT (SSB)		10500	MT		
SSBlim-MT (SSB)		6400	MT		
SSB_{2006}/SSB_{lim}		0.992			
F_{2006}/F_{lim}		0.698			

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1971	1970	1971	1971	1971
Maximum year	2006	2005	2006	2006	2006
Time series minimum	3500	1330	0.4454	3952	876
Time series maximum	49301	37064	1.565	56919	21880
Units	MT	E03	1/T	MT	MT



Assessment of Irish Sea atlantic cod (*Gadus morhua*)

Assessment ID:WGNSDS-CODIS-1968-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/381>

Area ID: multinational-ICES-VIIa

General assessment details.





Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Northern Shelf Demersal Stocks
Assessment authors	Anonymous
Assessment method	The ADAPT approach with year effects in a catch multiplier
Publication year	2007
Timeseries span	1968-2006
Document	ICES-WGNSDS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	2	yr	SSBlim-MT (SSB)	6000	MT
SSB-AGE-yr	2+	yr	SSBpa-MT (SSB)	10000	MT
REC-AGE-yr	0	yr	Fpa-1/T (F)	0.72	1/T
TB-AGE-yr	0+	yr	Fmax-1/T	0.32	1/T
M-1/T	0.2	1/T	Flim-1/T (F)	1	1/T
F-AGE-yr-yr	2-4	yr-yr	F0.1-1/T	0.18	1/T
SSB-SEX-sex			SSB_{2006}/SSB_{lim}	0.427	
M			F_{2006}/F_{lim}	1.644	
L50-cm					

Time series minima and maxima

	SSB	R	F	TB	Catch
Minimum year	1968	1968	1968	1968	1968
Maximum year	2006	2006	2006	2006	2006
Time series minimum	2025	875	0.6386	4537	838
Time series maximum	20249	18442	1.7828	30044	14907
Units	MT	E03	1/T	MT	MT



Assessment of West of Scotland atlantic cod (*Gadus morhua*)

Assessment ID:WGNMDS-CODVla-1977-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/382>

Area ID: multinational-ICES-Vla


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Northern Shelf Demersal Stocks
Assessment authors	Anon
Assessment method	State-space catch at age time series analysis
Publication year	2007
Timeseries span	1977-2006
Document	ICES-WGNMDS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units	Reference points		
A50-yr	2	yr	Parameter	Value	Units
SSB-AGE-yr	2+	yr	SSBlim-MT (SSB)	14000	MT
REC-AGE-yr	1	yr	SSBpa-MT (SSB)	22000	MT
TB-AGE-yr	1+	yr	Fpa-1/T (F)	0.6	1/T
M-1/T	0.2	1/T	Fmax-1/T	0.19	1/T
F-AGE-yr-yr	2-5	yr-yr	Flim-1/T (F)	0.8	1/T
SSB-SEX-sex			SSB_{2006}/SSB_{lim}	0.252	
M			F_{2006}/F_{lim}	1.111	
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1978	1977	1978	1978	1978
Maximum year	2006	2005	2006	2006	2006
Time series minimum	3530.6	2007.4	0.7072	6332.3	552
Time series maximum	38214.9	54850.9	0.9867	57758.8	27758.1
Units	MT	E03	1/T	MT	MT



Assessment of Irish Sea haddock (*Melanogrammus aeglefinus*)

Assessment ID: WGNSSDS-HADIS-1972-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/383>

Area ID: multinational-ICES-VIIa





General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Northern Shelf Demersal Stocks
Assessment authors	Anonymous
Assessment method	Survey based stock assessment method
Publication year	2007
Timeseries span	1972-2006
Document	ICES-WGNSSDS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units			
A50-yr	2	yr			
SSB-AGE-yr	2+	yr			
REC-AGE-yr	0	yr			
M-1/T	0.2	1/T			
SSB-SEX-sex					
TB-AGE-yr					
F-AGE-yr					
M					
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1992	1991		1992	1972
Maximum year	2006	2006		2006	2006
Time series minimum	0.005	0.006		0.055	131
Time series maximum	0.68	1.45		1.086	4902
Units	relative	relative		relative	MT



Assessment of West of Scotland haddock (*Melanogrammus aeglefinus*)

Assessment ID: WGN SDS-HAD VIa-1977-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/384>

Area ID: multinational-ICES-VIa

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Northern Shelf Demersal Stocks
Assessment authors	Anon
Assessment method	State-space catch at age time series analysis
Publication year	2007
Timeseries span	1977-2006
Document	ICES-WGN SDS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	2	yr	SSBlim-MT (SSB)	22000	MT
SSB-AGE-yr	2+	yr	SSBpa-MT (SSB)	30000	MT
REC-AGE-yr	1	yr	Fpa-1/T (F)	0.5	1/T
TB-AGE-yr	1+	yr	F0.1-1/T	0.19	1/T
M-1/T	0.2	1/T	Fmax-1/T	0.21	1/T
F-AGE-yr-yr	2-6	yr-yr	SSB_{2006}/SSB_{lim}	1.501	
SSB-SEX-sex					
M					
L50-cm					

Time series minima and maxima

	SSB	R	F	TB	Catch
Minimum year	1978	1977	1978	1978	1978
Maximum year	2006	2005	2006	2006	2006
Time series minimum	21880	17434	0.444	34739	6694
Time series maximum	103933	543159	0.953	128403	46355
Units	MT	E03	1/T	MT	MT



Assessment of Irish Sea european plaice (*Pleuronectes platessa*)

Assessment ID:WGNSSDS-PLAICIS-1962-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/385>

Area ID: multinational-ICES-VIIa


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Northern Shelf Demersal Stocks
Assessment authors	Anonymous
Assessment method	Integrated Catch-at-age Analysis
Publication year	2007
Timeseries span	1962-2006
Document	ICES-WGNSSDS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units			
A50-yr	3	yr	Reference points		
SSB-AGE-yr	2+	yr			
REC-AGE-yr	2	yr	Parameter	Value	Units
TB-AGE-yr	2+	yr	Fmax-1/T	0.36	1/T
F-AGE-yr-yr	3-6	yr-yr	F0.1-1/T	0.13	1/T
M-1/T	0.12	1/T	Fpa-1/T (F)	0.45	1/T
SSB-SEX-sex			SSBpa-MT (SSB)	3100	MT
M					
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1964	1962	1964	1964	1964
Maximum year	2006	2004	2006	2006	2006
Time series minimum	3003	6600	0.0941	4819	932
Time series maximum	10092	29060	0.9231	14152	6220
Units	MT	E03	1/T	MT	MT



Assessment of Irish Sea common european sole (*Solea vulgaris*)

Assessment ID:WGNSDS-SOLEIS-1968-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/386>

Area ID: multinational-ICES-VIIa





General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Northern Shelf Demersal Stocks
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1968-2006
Document	ICES-WGNSDS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-15
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	2-3	yr	Fmax-1/T	0.51	1/T
SSB-AGE-yr	2+	yr	F0.1-1/T	0.18	1/T
REC-AGE-yr	2	yr	Fpa-1/T (F)	0.3	1/T
TB-AGE-yr	2+	yr	SSBpa-MT (SSB)	3800	MT
F-AGE-yr-yr	4-7	yr-yr	SSBlim-MT (SSB)	2800	MT
M-1/T	0.1	1/T	Flim-1/T (F)	0.4	1/T
SSB-SEX-sex			SSB_{2006}/SSB_{lim}	0.625	
M			F_{2006}/F_{lim}	1.062	
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1970	1968	1970	1970	1970
Maximum year	2006	2004	2006	2006	2006
Time series minimum	1750	1886	0.263	2155	569
Time series maximum	6540	23415	0.8401	8359	2808
Units	MT	E03	1/T	MT	MT



Assessment of West of Scotland whiting (*Merlangius merlangus*)

Assessment ID: WGN SDS-WHITVla-1984-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/387>

Area ID: multinational-ICES-Vla

General assessment details.



Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Northern Shelf Demersal Stocks
Assessment authors	Anonymous
Assessment method	Survey based stock assessment method
Publication year	2007
Timeseries span	1984-2007
Document	ICES-WGN SDS-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.


primary LME		secondary LME	tertiary LME
24 - Celtic-Biscay Shelf		na	na
Parameter	Value	Units	
A50-yr	2	yr	
SSB-AGE-yr	2+	yr	
REC-AGE-yr	1	yr	
M-1/T	0.2	1/T	
TB-AGE-yr	1+	yr	
SSB-SEX-sex			
F-AGE-yr			
M			
L50-cm			

Reference points		
Parameter	Value	Units

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1985	1984		1985	
Maximum year	2007	2006		2007	
Time series minimum	0.152	0.583		0.211	
Time series maximum	1.094	11.288		1.703	
Units	relative	relative		relative	



No exploitation
data available



Assessment of North Sea atlantic cod (*Gadus morhua*)

Assessment ID: WGNSSK-CODNS-1962-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/398>

Area ID: multinational-ICES-IV

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	The ADAPT approach with year effects in a catch multiplier
Publication year	2007
Timeseries span	1962-2007
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-11
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

	primary LME	secondary LME	tertiary LME
	22 - North Sea	na	na

Parameter	Value	Units		Reference points	
			Parameter	Value	Units
F-AGE-yr-yr	2-4	yr-yr	Flim-1/T (F)	0.86	1/T
TB-AGE-yr	1+	yr	Fpa-1/T (F)	0.65	1/T
A50-yr	3-4	yr	SSBlim-MT (SSB)	70000	MT
M-1/T	0.2 for 4+	1/T	SSBpa-MT (SSB)	150000	MT
REC-AGE			SSB_{2007}/SSB_{lim}	0.531	
SSB-AGE-yr			F_{2006}/F_{lim}	0.733	
SSB-SEX-sex					
M					
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1963	1962	1963	1963	1963
Maximum year	2007	2005	2006	2006	2006
Time series minimum	28481	92257	0.51	129581	43856
Time series maximum	252747	2566638	1.272	1159434	590678
Units	MT	E03	1/T	MT	MT



Assessment of IIIa and North Sea haddock (*Melanogrammus aeglefinus*)

Assessment ID: WGNSSK-HADNS-IIIa-1963-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/388>

Area ID: multinational-ICES-IIIa-IV

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anon
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1963-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

	primary LME	secondary LME	tertiary LME
	22 - North Sea	na	na

Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	2-3	yr	SSBlim-MT (SSB)	100000	MT
SSB-AGE-yr	1+	yr	SSBpa-MT (SSB)	140000	MT
REC-AGE-yr	0	yr	Fpa-1/T (F)	0.7	1/T
TB-AGE-yr	0+	yr	Flim-1/T (F)	1	1/T
M-1/T	Age specific	1/T	SSB_{2006}/SSB_{lim}	1.682	
F-AGE-yr-yr	2-4	yr-yr	F_{2006}/F_{lim}	0.540	
SSB-SEX-sex					
M					
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1963	1963	1963	1963	1963
Maximum year	2006	2006	2006	2006	2006
Time series minimum	61772	2316.936	0.26	558318	54753
Time series maximum	899883	388564.67	1.2	6823944	930538
Units	MT	E03	1/T	MT	MT



Assessment of North Sea norway pout (*Trisopterus esmarkii*)

Assessment ID:WGNSSK-NPOUTNS-1983-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/389>

Area ID: multinational-ICES-IV


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1983-2007
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-13
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			Parameter	Value	Units
primary LME	secondary LME	tertiary LME	A50-yr	1-2	yr
			SSB-AGE-yr	1+	yr
			REC-AGE-yr	0	yr
			TB-AGE-yr	0+	yr
			M-1/T	0.4	1/T
			F-AGE-yr-yr	1-2	yr-yr
			SSB-SEX-sex		
			M		
			L50-cm		
Reference points					
Parameter		Value	Units		
SSBlim-MT (SSB)		90000	MT		
SSBpa-MT (SSB)		150000	MT		
SSB_{2007}/SSB_{lim}		1.792			

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1983	1983	1983	1983	1983
Maximum year	2007	2007	2006	2006	2006
Time series minimum	55568	21662000	0	215118	1900
Time series maximum	371336	308548000	1.295	1902065	457600
Units	MT	E03	1/T	MT	MT



Assessment of Eastern English Channel european plaice (*Pleuronectes platessa*)

Assessment ID: WGNSSK-PLAIC7d-1979-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/390>

Area ID: multinational-ICES-VIIId


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1979-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-13
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	3	yr			
SSB-AGE-yr	2+	yr	SSBlim-MT (SSB)	5600	MT
REC-AGE-yr	1	yr	SSBpa-MT (SSB)	8000	MT
TB-AGE-yr	1+	yr	Flim-1/T (F)	0.54	1/T
M-1/T	0.1	1/T	Fpa-1/T (F)	0.45	1/T
F-AGE-yr-yr	3-6	yr-yr	SSB_{2006}/SSB_{lim}	0.942	
SSB-SEX-sex			F_{2006}/F_{lim}	0.833	
M					
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1980	1979	1980		1980
Maximum year	2006	2005	2006		2006
Time series minimum	4473	12969	0.41		2650
Time series maximum	14714	60704	1.14		10420
Units	MT	E03	1/T		MT



Assessment of Kattegat and Skagerrak european plaice (*Pleuronectes platessa*)

Assessment ID:WGNSSK-PLAICIIIa-1976-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/391>

Area ID: multinational-ICES-IIIa





General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1976-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-13
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			Parameter	Value	Units
primary LME	secondary LME	tertiary LME	A50-yr	2	yr
			SSB-AGE-yr	2+	yr
			REC-AGE-yr	2	yr
			M-1/T	0.1	1/T
			F-AGE-yr-yr	4-8	yr-yr
			TB-AGE-yr	2+	yr
			SSB-SEX-sex		
			M		
			L50-cm		
			Reference points		
			Parameter	Value	Units
			SSBpa-MT (SSB)	24000	MT
			Fpa-1/T (F)	0.73	1/T

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1978	1976	1978		1978
Maximum year	2006	2004	2006		2006
Time series minimum	11423	19141	0.57		6916
Time series maximum	45470	94503	1.87		26953
Units	MT	E03	1/T		MT



Assessment of North Sea european plaice (*Pleuronectes platessa*)

Assessment ID: WGNSSK-PLAICNS-1956-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/392>

Area ID: multinational-ICES-IV

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1956-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-13
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			Parameter	Value	Units
primary LME	secondary LME	tertiary LME	A50-yr	2-3	yr
			SSB-AGE-yr	2+	yr
			REC-AGE-yr	1	yr
			M-1/T	0.1	1/T
			F-AGE-yr-yr	2-6	yr-yr
			TB-AGE-yr	1+	yr
			SSB-SEX-sex		
			M		
			L50-cm		
22 - North Sea	na	na			

Reference points		
Parameter	Value	Units
SSBlim-MT (SSB)	160000	MT
SSBpa-MT (SSB)	230000	MT
Fpa-1/T (F)	0.6	1/T
Flim-1/T (F)	0.74	1/T
F0.1-1/T	0.17	1/T
SSB_{2006}/SSB_{lim}	1.233	
F_{2006}/F_{lim}	0.743	

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1957	1956	1957		1957
Maximum year	2006	2005	2006		2006
Time series minimum	180384	366.601	0.27		55700
Time series maximum	441943	4752.726	0.79		169818
Units	MT	E03	1/T		MT



Assessment of IIIa, VI and North Sea pollock (*Pollachius virens*)

Assessment ID:WGNSSK-POLLNS-VI-IIIa-1964-2006-MINTO
Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/393>

Area ID: multinational-ICES-IIIa-IV-VI


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1964-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME		tertiary LME	
22 - North Sea			24 - Celtic-Biscay Shelf		na	
Parameter	Value	Units	Reference points			
			Parameter	Value	Units	
A50-yr	4-5	yr				
SSB-AGE-yr	4+	yr	SSBlim-MT (SSB)	106000	MT	
REC-AGE-yr	3	yr	SSBpa-MT (SSB)	200000	MT	
TB-AGE-yr	3+	yr	Fpa-1/T (F)	0.4	1/T	
M-1/T	0.2	1/T	F0.1-1/T	0.11	1/T	
F-AGE-yr-yr	3-6	yr-yr	Fmax-1/T	0.22	1/T	
SSB-SEX-sex			Flim-1/T (F)	0.6	1/T	
M			SSB_{2006}/SSB_{lim}	2.811		
L50-cm			F_{2006}/F_{lim}	0.420		

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1967	1964	1967	1967	1967
Maximum year	2006	2003	2006	2006	2006
Time series minimum	97609	67123	0.19	255620	88326
Time series maximum	554904	384108	0.825	1018303	343967
Units	MT	E03	1/T	MT	MT



Assessment of North Sea sand lance (*Ammodytes marinus*)

Assessment ID:WGNSSK-SEELNS-1983-2007-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/394>

Area ID: multinational-ICES-IV

General assessment details.


Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1983-2007
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-12
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

	primary LME	secondary LME	tertiary LME
	22 - North Sea	na	na
Parameter	Value	Units	
A50-yr	2	yr	
SSB-AGE-yr	2+	yr	
REC-AGE-yr	0	yr	
M-1/T	0.2 for 1+	1/T	
F-AGE-yr-yr	1-2	yr-yr	
TB-AGE-yr	0+	yr	
SSB-SEX-sex			
M			
L50-cm			

Reference points		
Parameter	Value	Units
SSBlim-MT (SSB)	430000	MT
SSBpa-MT (SSB)	600000	MT
SSB_{2007}/SSB_{lim}	1.057	

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1983	1983	1983	1983	1983
Maximum year	2007	2006	2007	2007	2007
Time series minimum	169965	77203000	0.21	549532	171790
Time series maximum	1735847	1935600000	0.969	5435685	1114044
Units	MT	E03	1/T	MT	MT



Assessment of North Sea common european sole (*Solea vulgaris*)

Assessment ID:WGNSSK-SOLENS-1956-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/395>

Area ID: multinational-ICES-IV


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1956-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-13
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

			Parameter	Value	Units
primary LME	secondary LME	tertiary LME	A50-yr	3	yr
			SSB-AGE-yr	3+	yr
			REC-AGE-yr	1	yr
			M-1/T	0.1	1/T
			F-AGE-yr-yr	2-6	yr-yr
			TB-AGE-yr	1+	yr
			SSB-SEX-sex		
			M		
			L50-cm		
Reference points					
Parameter		Value	Units		
SSBlim-MT (SSB)		25000	MT		
SSBpa-MT (SSB)		35000	MT		
Fpa-1/T (F)		0.4	1/T		
F0.1-1/T		0.119	1/T		
Fmax-1/T		0.51	1/T		
SSB ₂₀₀₆ /SSB _{lim}		1.120			

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1957	1956	1957		1957
Maximum year	2006	2005	2006		2006
Time series minimum	20945	11.727	0.17		11342
Time series maximum	117094	538.987	0.7		35120
Units	MT	E03	1/T		MT



Assessment of Eastern English Channel common european sole (*Solea vulgaris*)

Assessment ID: WGNSSK-SOLEVIId-1981-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/396>

Area ID: multinational-ICES-VIId


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anonymous
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1981-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-13
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME	tertiary LME	
24 - Celtic-Biscay Shelf			na	na	
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	3	yr			
SSB-AGE-yr	3+	yr			
REC-AGE-yr	1	yr	SSBpa-MT (SSB)	8000	MT
TB-AGE-yr	1+	yr	Fpa-1/T (F)	0.4	1/T
M-1/T	0.1	1/T	Flim-1/T (F)	0.55	1/T
F-AGE-yr-yr	3-8	yr-yr	F0.1-1/T	0.13	1/T
SSB-SEX-sex			Fmax-1/T	0.3	1/T
M			F_{2006}/F_{lim}	0.653	
L50-cm					

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1982	1981	1982	1982	1982
Maximum year	2006	2005	2006	2006	2006
Time series minimum	7876	11007	0.2938	10484	3190
Time series maximum	13442	61817	0.5792	22566	5038
Units	MT	E03	1/T	MT	MT



Assessment of IIIa, VIId and North Sea whiting (*Merlangius merlangus*)

Assessment ID: WGNSSK-WHITNS-VIId-IIIa-1979-2006-MINTO

Issue URL: <http://www.marinebiodiversity.ca/RAMlegacy/ramlegacy-bug-reporting/397>

Area ID: multinational-ICES-IIIa-IV-VIId


General assessment details.

Detail	Value
Management body	ICES
Assessment group	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak
Assessment authors	Anon
Assessment method	Extended Survivor Analysis
Publication year	2007
Timeseries span	1979-2006
Document	ICES-WGNSSK-2007.pdf (pdf in database)
Recorder	MINTO
Date entered	2008-04-14
Date last loaded	2010-07-18
QA/QC complete	YES
Date approved	2009-06-10

Biometrics provided. Note that the assumed timeseries to which the reference point pertains is indicated in parentheses.

primary LME			secondary LME		tertiary LME
22 - North Sea			24 - Celtic-Biscay Shelf		na
Parameter	Value	Units	Reference points		
			Parameter	Value	Units
A50-yr	1	yr			
SSB-AGE-yr	1+	yr	SSBlim-MT (SSB)	225000	MT
REC-AGE-yr	1	yr	SSBpa-MT (SSB)	315000	MT
TB-AGE-yr	1+	yr	Fpa-1/T (F)	0.65	1/T
M-1/T	Age specific	1/T	F0.1-1/T	0.1	1/T
F-AGE-yr-yr	2-6	yr-yr	Fmax-1/T	0.19	1/T
SSB-SEX-sex			Flim-1/T (F)	0.9	1/T
M			SSB_{2006}/SSB_{lim}	0.431	
L50-cm			F_{2006}/F_{lim}	0.578	

Time series minima and maxima					
	SSB	R	F	TB	Catch
Minimum year	1980	1979	1980	1980	1980
Maximum year	2006	2005	2006	2006	2006
Time series minimum	96967	383532	0.26	138290	26795
Time series maximum	521533	4423048	1.12	837376	223517
Units	MT	E03	1/T	MT	MT



MAP KEY:

- | LME Number | LME Name |
|------------|-------------------------------|
| 1 | East Baltic Sea |
| 2 | North Sea |
| 3 | Gulf of California |
| 4 | California Current |
| 5 | Chukchi Sea |
| 6 | South Sea |
| 7 | Indian Ocean |
| 8 | South East Labrador Shelf |
| 9 | Greenland Sea |
| 10 | North Pacific Ocean |
| 11 | Interior Pacific Haulnet Area |
| 12 | Chukchi Sea |
| 13 | Chukchi Sea |
| 14 | Chukchi Sea |
| 15 | Alaskan Shelf |
| 16 | East Bering Sea |
| 17 | West Bering Sea |
| 18 | East Greenland Shelf |
| 19 | East Greenland Shelf |
| 20 | Northwest Shelf |
| 21 | Labrador Shelf |
| 22 | Baltic Sea |
| 23 | North Sea |
| 24 | North Sea |
| 25 | North Sea |
| 26 | North Sea |
| 27 | Central Coast |
| 28 | Central Coast |
| 29 | Central Coast |
| 30 | Central Coast |
| 31 | Central Coast |
| 32 | Central Coast |
| 33 | Central Coast |
| 34 | Central Coast |
| 35 | Central Coast |
| 36 | Central Coast |
| 37 | Central Coast |
| 38 | Central Coast |
| 39 | Central Coast |
| 40 | Central Coast |
| 41 | Central Coast |
| 42 | Central Coast |
| 43 | Central Coast |
| 44 | Central Coast |
| 45 | Central Coast |
| 46 | Central Coast |
| 47 | Central Coast |
| 48 | Central Coast |
| 49 | Central Coast |
| 50 | Central Coast |
| 51 | Central Coast |
| 52 | Central Coast |
| 53 | Central Coast |
| 54 | Central Coast |
| 55 | Central Coast |
| 56 | Central Coast |
| 57 | Central Coast |
| 58 | Central Coast |
| 59 | Central Coast |
| 60 | Central Coast |
| 61 | Central Coast |
| 62 | Central Coast |
| 63 | Central Coast |
| 64 | Central Coast |
| 65 | Central Coast |
| 66 | Central Coast |
| 67 | Central Coast |
| 68 | Central Coast |
| 69 | Central Coast |
| 70 | Central Coast |
| 71 | Central Coast |
| 72 | Central Coast |
| 73 | Central Coast |
| 74 | Central Coast |
| 75 | Central Coast |
| 76 | Central Coast |
| 77 | Central Coast |
| 78 | Central Coast |
| 79 | Central Coast |
| 80 | Central Coast |
| 81 | Central Coast |
| 82 | Central Coast |
| 83 | Central Coast |
| 84 | Central Coast |
| 85 | Central Coast |
| 86 | Central Coast |
| 87 | Central Coast |
| 88 | Central Coast |
| 89 | Central Coast |
| 90 | Central Coast |
| 91 | Central Coast |
| 92 | Central Coast |
| 93 | Central Coast |
| 94 | Central Coast |
| 95 | Central Coast |
| 96 | Central Coast |
| 97 | Central Coast |
| 98 | Central Coast |
| 99 | Central Coast |
| 100 | Central Coast |



LARGE MARINE ECOSYSTEMS are areas of the ocean characterized by distinct bathymetry, hydrography, productivity, and trophic interactions. They annually produce 95 percent of the world's fish catch. They are national and regional focal areas of a global effort to reduce the degradation of linked watersheds, marine resources, and coastal environments from pollution, habitat loss, and over-fishing.

For More Information Visit: www.edc.uri.edu/lme

NORTH POLAR REGION

SOUTH POLAR REGION