

Summary contents of the RAM II stock-recruitment database

Julia Baum ¹

Coilín Minto ²
Olaf Jensen ³

Daniel Ricard ²

June 1, 2009

¹Scripps Institute of oceanography, La Jolla, CA, USA

²Dalhousie University, Halifax, NS, Canada

³University of Washington, Seattle, WA, USA

Contents

1	Introduction	2
1.1	Contacts	3
2	Summary plots	4
2.1	Beryciformes	5
2.1.1	Trachichthyidae	5
2.2	Clupeiformes	6
2.2.1	Clupeidae	6
2.2.2	Engraulidae	19
2.3	Decapoda	22
2.3.1	Nephropidae	22
2.4	Gadiformes	23
2.4.1	Gadidae	23
2.4.2	Merlucciidae	32
2.5	Perciformes	37
2.5.1	Gempylidae	37
2.5.2	Labridae	38
2.5.3	Scombridae	39
2.6	Pleuronectiformes	40
2.6.1	Pleuronectidae	40
2.6.2	Scophthalmidae	48
2.6.3	Soleidae	50
2.7	Scorpaeniformes	54
2.7.1	Scorpaenidae	54
3	Summary tables	57
3.1	Contributors	57
3.2	Number of assessments per stock	57
3.3	Number of assessments per species	57
3.4	Reference material for each assessment	57
	Index	57

Chapter 1

Introduction

In 1995 Ransom A. Myers and colleagues first published a summary of their newly compiled worldwide database of stock-recruitment data for marine species (Myers, R. A., J. Bridson, and N.J. Barrowman. 1995. Summary of Worldwide Spawner and Recruitment Data. Can. Tech. Rep. Fish. Aquat. Sci.2020: iv + 327 p.). This database has since been used in a large number of publications, leading to important advances in fisheries science and ecology (please refer to the following URL for a list of Dr. Myers' publications: <http://as01.ucis.dal.ca/ramweb/content.php?lang=en&i=4&sub=0>). Increasingly, however, analyses became limited by the lack of updating for many of the stocks, providing potentially an outdated picture of the status of marine fisheries.

DISCLAIMER: This database is under development and the stocks that appear here are only those that have passed the Quality Assurance and Quality Control (QAQC) process.

The current database details can be accessed by NCEAS group members at the following URL: <http://www.marinebiodiversity.ca/RAMlegacy/srdb>

1.1 Contacts

For further information about the database design, its content and how to access it, please contact:

- Julia Baum, Email: juliakbaum@gmail.com, Phone: +1 858-822-5912 (W); +1 858 752-0633 (cell)
- Coilín Minto, Email: mintoc@mathstat.dal.ca, Phone: +1 902-494-2146
- Daniel Ricard, Email: ricardd@mathstat.dal.ca, Phone: +1 902-494-2146
- Olaf Jensen, Email: ojensen@u.washington.edu, Phone: +1 410-812-4842

Chapter 2

Summary plots

2.1 Beryciformes


2.1.1 Trachichthyidae

Hoplostethus atlanticus - Orange roughy

ID: CSIRO-OROUGHYSESSF-1978-2007-FULTON

Orange roughy Southeast Australia

stock assessment conducted: Stock Synthesis v2.0 model



2.2 Clupeiformes


2.2.1 Clupeidae

Clupea harengus - Herring

ID: WGBFAS-HERRIsum-1983-2007-JENNINGS

Herring Iceland (Summer spawners)

stock assessment conducted: VPA/ADPAT version 2.3.2 NOAA Fisheries




Clupea harengus - Herring

ID: WGBFAS-HERR2532-1973-2006-JENNINGS

Herring ICES 25-32

stock assessment conducted: Extended Survivor Analysis




Clupea harengus - Herring

ID: WGBFAS-HERRRIGA-1976-2007-JENNINGS

Herring ICES 28

stock assessment conducted: Extended Survivor Analysis




Clupea harengus - Herring

ID: WGBFAS-HERR30-1972-2007-JENNINGS

Herring ICES 30

stock assessment conducted: Extended Survivor Analysis




Clupea harengus - Herring

ID: WGBFAS-HERR31-1979-2006-JENNINGS

Herring ICES 31

stock assessment conducted: Extended Survivor Analysis




Clupea harengus - Herring

ID: HAWG-HERRNIRS-1960-2006-JENNINGS

Herring Northern Irish Sea

stock assessment conducted: Integrated Catch-at-age Analysis







***Clupea pallasii* - Pacific herring**

ID: DFO-PAC-HERRCC-1951-2007-COLLIE

Pacific herring Central Coast

stock assessment conducted: an AD-Model builder statistical Catch at Age Model







***Clupea pallasii* - Pacific herring**

ID: DFO-PAC-HERRPRD-1951-2007-COLLIE

Pacific herring Prince Rupert District

stock assessment conducted: an AD-Model builder statistical Catch at Age Model







***Clupea pallasii* - Pacific herring**

ID: DFO-PAC-HERRQCI-1951-2007-COLLIE

Pacific herring Queen Charlotte Islands

stock assessment conducted: an AD-Model builder statistical Catch at Age Model




***Clupea pallasii* - Pacific herring**

ID: DFO-PAC-HERRSOG-1951-2007-COLLIE

Pacific herring Straight of Georgia

stock assessment conducted: an AD-Model builder statistical Catch at Age Model




***Clupea pallasii* - Pacific herring**

ID: DFO-PAC-HERRWCVANI-1951-2007-COLLIE

Pacific herring West Coast of Vancouver Island

stock assessment conducted: an AD-Model builder statistical Catch at Age Model




Sardina pilchardus - European pilchard

ID: WGMHSA-SARDPVIIIc-IXa-1978-2007-JENNINGS

European pilchard ICES VIIIc-IXa

stock assessment conducted: a flexible age structured model




Sprattus sprattus - Sprat

ID: WGBFAS-SPRAT22-32-1973-2007-JENNINGS

Sprat ICES Baltic Areas 22-32

stock assessment conducted: Extended Survivor Analysis



2.2.2 Engraulidae


Engraulis anchoita - Argentine anchoita

ID: INIDEP-ARGANCHONARG-1989-2007-Parma

Argentine anchoita Northern Argentina

stock assessment conducted: A general approach to fitting VPA models.

ADAPT is based on minimising the sum-of-squares over any number of indices of abundance to find best-fit parameters.




Engraulis anchoita - Argentine anchoita

ID: INIDEP-ARGANCHOSARG-1992-2007-Parma

Argentine anchoita Southern Argentina

stock assessment conducted: Age-structured surplus production model




Engraulis encrasicolus - Anchovy

ID: WGMHSA-ANCHOBAYB-1986-2007-JENNINGS

Anchovy ICES VIII

stock assessment conducted: Bayesian Biomass Model



2.3 Decapoda


2.3.1 Nephropidae

Homarus americanus - American lobster


ID: RIDEM-LOBSTERRI-1959-2007-COLLIE

American lobster Rhode Island

stock assessment conducted: Age-aggregated surplus production model



No recruitment
data available



No SSB--recruit
data available

2.4 Gadiformes


2.4.1 Gadidae

Gadus macrocephalus - Pacific cod

ID: DFO-PAC-PCODHS-1956-2005-COLLIE

Pacific cod Hecate Strait

stock assessment conducted: Delay difference model




Gadus macrocephalus - Pacific cod

ID: DFO-PAC-PCODWCVANI-1956-2002-COLLIE

Pacific cod West Coast of Vancouver Island

stock assessment conducted: Delay difference model




Gadus morhua - Atlantic cod

ID: WGBFAS-CODBA2224-1969-2007-JENNINGS

Atlantic cod Baltic Areas 22 and 24

stock assessment conducted: Extended Survivor Analysis




Gadus morhua - Atlantic cod

ID: WGBFAS-CODBA2532-1964-2007-JENNINGS

Atlantic cod Baltic Areas 25-32

stock assessment conducted: Extended Survivor Analysis




Melanogrammus aeglefinus - Haddock

ID: WGSSDS-HADVIIb-k-1993-2006-JENNINGS

Haddock ICES VIIb-k

stock assessment conducted: Extended Survivor Analysis




Melanogrammus aeglefinus - Haddock

ID: WGNSSK-HADROCK-1990-2007-JENNINGS

Haddock Rockall Bank

stock assessment conducted: Extended Survivor Analysis




Merlangius merlangus - Whiting

ID: WGSSDS-WHITVIIek-1982-2007-JENNINGS

Whiting ICES VIIe-k

stock assessment conducted: Extended Survivor Analysis




Micromesistius australis - Southern blue whiting

ID: INIDEP-SBWHITARGS-1985-2007-Parma

Southern blue whiting Southern Argentina

stock assessment conducted: Virtual Population Analysis




Micromesistius poutassou - Blue whiting

ID: WGNPBW-BWHITNEA-1980-2007-JENNINGS

Whiting Northeast Atlantic

stock assessment conducted: Stochastic Multi-species (SMS) model




2.4.2 Merlucciidae

Macruronus magellanicus - Patagonian grenadier

ID: INIDEP-PATGRENADIERSARG-1983-2006-Parma

Patagonian grenadier Southern Argentina

stock assessment conducted: Virtual Population Analysis




Merluccius hubbsi - Argentine hake

ID: INIDEP-ARGHAKENARG-1985-2007-Parma

Argentine hake Northern Argentina

stock assessment conducted: Virtual Population Analysis




Merluccius hubbsi - Argentine hake

ID: INIDEP-ARGHAKESARG-1985-2007-Parma

Argentine hake Southern Argentina

stock assessment conducted: Virtual Population Analysis




Merluccius merluccius - Hake

ID: WGHMM-HAKENRTN-1977-2007-JENNINGS

Hake Northeast Atlantic North

stock assessment conducted: Extended Survivor Analysis




Merluccius merluccius - Hake

ID: WGHMM-HAKESOTH-1982-2007-JENNINGS

Hake Northeast Atlantic South

stock assessment conducted: Extended Survivor Analysis



2.5 Perciformes


2.5.1 Gempylidae

Rexea solandri - common gemfish

ID: CSIRO-GEMFISHSESSF-1966-2007-FULTON

common gemfish Southeast Australia

stock assessment conducted: Stock Synthesis v2.0 model




2.5.2 Labridae

Tautoga onitis - Tautog


ID: RIDEM-TAUTOGRI-1959-2007-COLLIE

Tautog Rhode Island

stock assessment conducted: Age-aggregated surplus production model



No recruitment
data available



No SSB--recruit
data available


2.5.3 Scombridae

Scomber scombrus - Mackerel

ID: WGMHSA-MACKNEICES-1972-2007-JENNINGS

Mackerel ICES Northeast Atlantic

stock assessment conducted: Integrated Catch-at-age Analysis



2.6 Pleuronectiformes


2.6.1 Pleuronectidae

Hippoglossus stenolepis - Pacific halibut

ID: IPHC-PHALNPAC-1988-2009-Parma

Pacific halibut North Pacific

stock assessment conducted: an AD-Model builder statistical Catch at Age Model




***Lepidopsetta bilineata* - Rock sole**

ID: DFO-PAC-RSOLEHSTR-1945-2001-COLLIE

Rock sole Hecate Strait

stock assessment conducted: State-space catch at age time series analysis




Parophrys vetulus - English sole

ID: DFO-PAC-ESOLEHS-1944-2001-COLLIE

English sole Hecate Strait

stock assessment conducted: State-space catch at age time series analysis




Pleuronectes platessa - European Plaice

ID: WGSSDS-PLAICECHW-1975-2006-JENNINGS

European Plaice ICES VIIe

stock assessment conducted: Extended Survivor Analysis




Pleuronectes platessa - European Plaice

ID: WGSSDS-PLAICCELT-1976-2006-JENNINGS

European Plaice ICES VIIf-g

stock assessment conducted: Extended Survivor Analysis




***Pseudopleuronectes americanus* - Winter flounder**


ID: RIDEM-WINFLOUNDRI-1959-2007-COLLIE

Winter flounder Rhode Island

stock assessment conducted: Age-aggregated surplus production model



No recruitment
data available




No SSB-recruit
data available

Reinhardtius hippoglossoides - Greenland halibut

ID: AFWG-GHALNEAR-1959-2007-JENNINGS

Greenland halibut Northeast Arctic

stock assessment conducted: Extended Survivor Analysis




Reinhardtius stomias - Arrowtooth flounder

ID: NWFSC-ARFLOUNDPACOAST-1916-2007-BRANCH

Arrowtooth flounder Pacific Coast

stock assessment conducted: Stock Synthesis v2.0 model




2.6.2 Scophthalmidae

Lepidorhombus boscii - Fourspotted megrim

ID: WGHMM-FMEG8c9a-1986-2006-JENNINGS

Fourspotted megrim ICES VIIIc-IXa

stock assessment conducted: Extended Survivor Analysis




Lepidorhombus whiffiagonis - Megrin

ID: WGHMM-MEG8c9a-1985-2007-JENNINGS

Megrin ICES VIIIc-IXa

stock assessment conducted: Extended Survivor Analysis




2.6.3 Soleidae

Solea vulgaris - common European sole

ID: WGHMM-SOLEVIII-1982-2006-JENNINGS

common European sole Bay of Biscay

stock assessment conducted: Extended Survivor Analysis




Solea vulgaris - common European sole

ID: WGSSDS-SOLECS-1970-2006-JENNINGS

common European sole Celtic Sea

stock assessment conducted: Extended Survivor Analysis




Solea vulgaris - common European sole

ID: WGBFAS-SOLEIIIa-1982-2007-JENNINGS

common European sole ICES Kattegat and Skagerrak

stock assessment conducted: Extended Survivor Analysis




Solea vulgaris - common European sole

ID: WGSSDS-SOLEVIIe-1968-2006-JENNINGS

common European sole Western English Channel

stock assessment conducted: Extended Survivor Analysis



2.7 Scorpaeniformes


2.7.1 Scorpaenidae

Sebastes crameri - Darkblotched rockfish

ID: NWFSC-DKROCKPCOAST-1928-2007-BRANCH

Darkblotched rockfish Pacific Coast

stock assessment conducted: Stock Synthesis v2.0 model




Sebastes melanops - Black rockfish

ID: NWFSC-BLACKROCKNPCOAST-1914-2006-BRANCH

Black rockfish Northern Pacific Coast

stock assessment conducted: Stock Synthesis v2.0 model




Sebastes melanops - Black rockfish

ID: NWFSC-BLACKROCKSPCOAST-1915-2007-BRANCH

Black rockfish Southern Pacific Coast

stock assessment conducted: Stock Synthesis v2.0 model



Chapter 3

Summary tables

3.1 Contributors

3.2 Number of assessments per family

3.3 Number of assessments per species

3.4 Number of assessments per jurisdiction

3.5 Reference material for each assessment

Index

- Argentine anchoita, 6, 7
- Argentine hake, 10, 11
- Beryciformes, 5
 - Trachichthyidae, 5
- Clupeiformes, 6
 - Engraulidae, 6
- common gemfish, 12
- Engraulidae, 6
 - Engraulis anchoita, 6, 7
- Engraulis anchoita, 6, 7
- Gadidae, 8
 - Micromesistius australis, 8
- Gadiformes, 8
 - Gadidae, 8
 - Merlucciidae, 9
- Gempylidae, 12
 - Rexea solandri, 12
- Hippoglossus stenolepis, 13
- Hoplostethus atlanticus, 5
- Macruronus magellanicus, 9
- Merlucciidae, 9
 - Macruronus magellanicus, 9
 - Merluccius hubbsi, 10, 11
- Merluccius hubbsi, 10, 11
- Micromesistius australis, 8
- Orange roughy, 5
- Pacific halibut, 13
- Patagonian grenadier, 9
- Perciformes, 12
 - Gempylidae, 12
- Pleuronectidae, 13
 - Hippoglossus stenolepis, 13
- Pleuronectiformes, 13
 - Pleuronectidae, 13
- Rexea solandri, 12
- Southern blue whiting, 8
- Trachichthyidae, 5
 - Hoplostethus atlanticus, 5