

Tables for Supporting Information of the accepted Fish and Fisheries paper August 2011

August 10, 2011

1 Supplementary tables

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
AFMA	Australia	Southwest Australian Shelf	Bight redfish Southeast Australia	<i>Centroberyx gerrardi</i>	Beryciformes		Integrated Analysis	1958-2007			
AFMA	Australia	Subantarctic High Seas	Patagonian toothfish Macquarie Island	<i>Dissostichus eleginoides</i>	Perciformes	3.96	Integrated Analysis	1975-2010	2010	2.3	0.19
AFMA	Australia	Southwest Australian Shelf	New Zealand ling Western half of Southeast Australia	<i>Genypterus blacodes</i>	Ophidiiformes		Integrated Analysis	1968-2007			
AFMA	Australia	Southeast Australian Shelf	New Zealand ling Eastern half of Southeast Australia	<i>Genypterus blacodes</i>	Ophidiiformes	4.34	Integrated Analysis	1968-2007	2007	0.59	2.2 *
AFMA	Australia	Southeast Australian Shelf	Orange roughy Southeast Australia	<i>Hoplostethus atlanticus</i>	Beryciformes	3.98	Integrated Analysis	1978-2007	2007	0.52	0.29 *
AFMA	Australia	Southeast Australian Shelf	Orange roughy Cascade Plateau	<i>Hoplostethus atlanticus</i>	Beryciformes		Integrated Analysis	1987-2006			
AFMA	Australia	Southeast Australian Shelf	Jackass morwong Southeast Australia	<i>Nemadactylus macropterus</i>	Perciformes	3.41	Integrated Analysis	1913-2007	2007	0.31	1.8 *
AFMA	Australia	Southeast Australian Shelf	Tiger flathead Southeast Australia	<i>Neoplatycephalus richardsoni</i>	Scorpaeniformes	3.87	Integrated Analysis	1913-2006	2006	1.99	1.03 *
AFMA	Australia	North Australian Shelf	Northern Australia brown tiger shrimp	<i>Penaeus esculentus</i>	Decapoda		Biomass dynamics model	1970-2006			
AFMA	Australia	North Australian Shelf	Northern Australia grooved Tiger Prawn	<i>Penaeus esculentus</i>	Decapoda		Biomass dynamics model	1970-2006			
AFMA	Australia	Southwest Australian Shelf	Deepwater flathead Southeast Australia	<i>Platycephalus conatus</i>	Scorpaeniformes	4.20	Integrated Analysis	1978-2007	2007	1.51	0.61 *
AFMA	Australia	Southeast Australian Shelf	Tasmanian giant crab Tasmania	<i>Pseudocarcinus gigas</i>	Decapoda		Unknown	1990-2007			
AFMA	Australia	Southeast Australian Shelf	common gemfish Southeast Australia	<i>Rezea solandri</i>	Perciformes	4.25	Integrated Analysis	1966-2007	2007	0.25	0.39 *
AFMA	Australia	Southwest Australian Shelf	Blue Warehou Western half of Southeast Australia	<i>Seriolella brama</i>	Perciformes	3.30	Integrated Analysis	1984-2006	2006	0.41	2.04 *
AFMA	Australia	Southeast Australian Shelf	Blue Warehou Eastern half of Southeast Australia	<i>Seriolella brama</i>	Perciformes	3.30	Integrated Analysis	1984-2006	2006	0.49	0.84 *
AFMA	Australia	Southeast Australian Shelf	Silverfish Southeast Australia	<i>Seriolella punctata</i>	Perciformes	3.40	Integrated Analysis	1978-2006	2006	1.03	0.79 *
AFMA	Australia	Southeast Australian Shelf	School whiting Southeast Australia	<i>Sillago flindersi</i>	Perciformes	3.34	Integrated Analysis	1945-2007	2007	0.66	0.82 *
CCAMLR	Multinational	Subantarctic High Seas	Antarctic toothfish Ross Sea	<i>Dissostichus mawsoni</i>	Perciformes		Integrated Analysis	1995-2007			
CCSBT	Multinational	Indian High Seas	Southern bluefin tuna Southern Oceans	<i>Thunnus maccoyii</i>	Perciformes		Integrated Analysis	1931-2009			
CFP	Argentina	Patagonian Shelf	Argentine anchoita Southern Argentina	<i>Engraulis anchoita</i>	Clupeiformes	2.51	Biomass dynamics model	1992-2007	2007	3.13	0.04

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
CFP	Argentina	Patagonian Shelf	Argentine anchoita	<i>Engraulis anchoita</i>	Clupeiformes	2.51	VPA	1989-2007	2007	1.37	0.17
CFP	Argentina	Patagonian Shelf	Patagonian grenadier	<i>Macruronus magellanicus</i>	Gadiformes	3.93	VPA	1983-2006	2006	1.82	0.6
CFP	Argentina	Patagonian Shelf	Argentine hake Southern Argentina	<i>Merluccius hubbsi</i>	Gadiformes	4.23	VPA	1985-2008	2008	0.34	1.49
CFP	Argentina	Patagonian Shelf	Argentine hake Northern Argentina	<i>Merluccius hubbsi</i>	Gadiformes	4.23	VPA	1985-2007	2007	0.16	1.26
CFP	Argentina	Patagonian Shelf	Southern blue whiting Southern Argentina	<i>Micromesistius australis</i>	Gadiformes		VPA	1985-2007			
DETMCM	South Africa	Subantarctic High Seas	Patagonian toothfish South Africa Subantarctic Prince Edward Islands	<i>Dissostichus eleginoides</i>	Perciformes		Biomass dynamics model	1960-2008			
DETMCM	South Africa	Benguela Current	Anchovy South Africa	<i>Engraulis encrasicolus</i>	Clupeiformes	3.11	Statistical catch at age model	1984-2006	2006	0.97 *	0.36 *
DETMCM	South Africa	Benguela Current	Kingklip South Africa	<i>Genypterus capensis</i>	Ophidiiformes	4.44	Biomass dynamics model	1932-2008	2008	1.2	0.55 *
DETMCM	South Africa	Benguela Current	South African abalone South Africa	<i>Haliotis midae</i>	Archaeogastropoda		Statistical catch at age model	1951-2008			
DETMCM	South Africa	Benguela Current	South African west coast rock lobster South Africa Area 7	<i>Jasus lalandii</i>	Decapoda		Statistical catch at age model	1910-2008			
DETMCM	South Africa	Benguela Current	South African west coast rock lobster South Africa Areas 3-4	<i>Jasus lalandii</i>	Decapoda		Statistical catch at age model	1910-2008			
DETMCM	South Africa	Benguela Current	South African west coast rock lobster South Africa Areas 5-6	<i>Jasus lalandii</i>	Decapoda		Statistical catch at age model	1910-2008			
DETMCM	South Africa	Benguela Current	South African west coast rock lobster South Africa Area 8	<i>Jasus lalandii</i>	Decapoda		Statistical catch at age model	1910-2008			
DETMCM	South Africa	Benguela Current	South African west coast rock lobster South Africa Areas 1-2	<i>Jasus lalandii</i>	Decapoda		Statistical catch at age model	1910-2008			
DETMCM	South Africa	Benguela Current	Shallow-water cape hake South Africa	<i>Merluccius capensis</i>	Gadiformes	4.45	Biomass dynamics model	1917-2008	2008	2.3	0.4 *
DETMCM	South Africa	Benguela Current	Deep-water cape hake South Africa	<i>Merluccius paradoxus</i>	Gadiformes		Biomass dynamics model	1917-2008			
DETMCM	South Africa	Agulhas Current	Southern spiny lobster South Africa South coast	<i>Palinurus gilchristi</i>	Decapoda	2.60	Statistical catch at age model	1973-2008	2008	0.51 *	1.5 *
DETMCM	South Africa	Benguela Current	Sardine South Africa	<i>Sardinops sagax</i>	Clupeiformes	2.43	Statistical catch at age model	1984-2006	2006	0.75 *	0.55 *
DETMCM	South Africa	Agulhas Current	Cape horse mackerel South Africa South coast	<i>Trachurus capensis</i>	Perciformes	3.47	Biomass dynamics model	1950-2007	2007	1.47 *	0.76 *
DFO	Canada	Gulf of Alaska	Sablefish Pacific Coast of Canada	<i>Anoplopoma fimbria</i>	Scorpaeniformes		Integrated Analysis	1913-2004			
DFO	Canada	Northeast U.S. Continental Shelf	Cusk NAFO 4X	<i>Brosme brosme</i>	Gadiformes		Biomass dynamics model	1970-2007			

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
DFO	Canada	Scotian Shelf	Herring NAFO 4T spring spawners	<i>Clupea harengus</i>	Clupeiformes		VPA	1974-2007			
DFO	Canada	Newfoundland-Labrador Shelf	Herring NAFO 4R spring spawners	<i>Clupea harengus</i>	Clupeiformes		VPA	1963-2004			
DFO	Canada	Scotian Shelf	Herring NAFO 4T fall spawners	<i>Clupea harengus</i>	Clupeiformes		VPA	1974-2007			
DFO	Canada	Newfoundland-Labrador Shelf	Herring NAFO 4R fall spawners	<i>Clupea harengus</i>	Clupeiformes		VPA	1971-2003			
DFO	Canada	Scotian Shelf	Herring Scotian Shelf and Bay of Fundy	<i>Clupea harengus</i>	Clupeiformes		VPA	1964-2006			
DFO	Canada	Gulf of Alaska	Pacific herring Prince Rupert District	<i>Clupea pallasii</i>	Clupeiformes	3.15	Statistical catch at age model	1951-2007	2007	0.16 *	0.32 *
DFO	Canada	Gulf of Alaska	Pacific herring Central Coast	<i>Clupea pallasii</i>	Clupeiformes	3.15	Statistical catch at age model	1951-2007	2007	0.3 *	0.11 *
DFO	Canada	Gulf of Alaska	Pacific herring Straight of Georgia	<i>Clupea pallasii</i>	Clupeiformes	3.15	Statistical catch at age model	1951-2007	2007	0.91 *	0.4 *
DFO	Canada	Gulf of Alaska	Pacific herring Queen Charlotte Islands	<i>Clupea pallasii</i>	Clupeiformes	3.15	Statistical catch at age model	1951-2007	2007	0.2 *	0 *
DFO	Canada	Gulf of Alaska	Pacific herring West Coast of Vancouver Island	<i>Clupea pallasii</i>	Clupeiformes	3.15	Statistical catch at age model	1951-2007	2007	0.03 *	0 *
DFO	Canada	Gulf of Alaska	Pacific cod West Coast of Vancouver Island	<i>Gadus macrocephalus</i>	Gadiformes	4.01	Biomass dynamics model	1956-2002	2001	0.28 *	0.61 *
DFO	Canada	Gulf of Alaska	Pacific cod Hecate Strait	<i>Gadus macrocephalus</i>	Gadiformes	4.01	Biomass dynamics model	1956-2005	2004	0.37 *	0.25 *
DFO	Canada	Scotian Shelf	Atlantic cod NAFO 4VsW	<i>Gadus morhua</i>	Gadiformes		Unknown	1958-2002			
DFO	Canada	Scotian Shelf	Atlantic cod NAFO 4TVn	<i>Gadus morhua</i>	Gadiformes		VPA	1965-2009			
DFO	Canada	Newfoundland-Labrador Shelf	Atlantic cod NAFO 3Ps	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1959-2004	2004	0.49 *	0.41 *
DFO	Canada	Northeast U.S. Continental Shelf	Atlantic cod NAFO 5Zjm	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1978-2003	2002	0.34 *	0.45 *
DFO	Canada	Newfoundland-Labrador Shelf	Atlantic cod NAFO 2J3KL	<i>Gadus morhua</i>	Gadiformes		VPA	1850-2005			
DFO	Canada	Newfoundland-Labrador Shelf	Atlantic cod NAFO 2J3KL inshore	<i>Gadus morhua</i>	Gadiformes		VPA	1959-2006			
DFO	Canada	Newfoundland-Labrador Shelf	Atlantic cod NAFO 3Pn4RS	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1964-2007	2006	0.09 *	0.79 *
DFO	Canada	Gulf of Alaska	Rock sole Hecate Strait	<i>Lepidopsetta bilineata</i>	Pleuronectiformes	3.21	Statistical catch at age model	1945-2001	2001	1.03 *	0.45 *
DFO	Canada	Northeast U.S. Continental Shelf	Haddock NAFO-4X5Y	<i>Melanogrammus aeglefinus</i>	Gadiformes		VPA	1960-2003			
DFO	Canada	Northeast U.S. Continental Shelf	Haddock NAFO-5Zejm	<i>Melanogrammus aeglefinus</i>	Gadiformes		VPA	1968-2003			
DFO	Canada	Gulf of Alaska	English sole Hecate Strait	<i>Parophrys vetulus</i>	Pleuronectiformes	3.45	Statistical catch at age model	1944-2001	2001	1.24 *	0.37 *

Continued on next page

Management	Country	LME	Stock			Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
DFO	Canada	Northeast U.S. Continental Shelf	Pollock NAFO-4X5YZ			<i>Pollachius virens</i>	Gadiformes	4.38	VPA	1980-2006	2006	0.56 *	0.31 *
IATTC	Multinational	Pacific High Seas	Yellowfin Pacific	tuna	Eastern	<i>Thunnus albacares</i>	Perciformes		Statistical catch at age model Integrated Analysis Biomass dynamics model	1975-2007			
IATTC	Multinational	Pacific High Seas	Bigeye Pacific	tuna	Eastern	<i>Thunnus obesus</i>	Perciformes			1975-2007			
ICCAT	Multinational	Atlantic High Seas	Skipjack Atlantic	tuna	Western	<i>Katsuwonus pelamis</i>	Perciformes	4.35		1952-2006	2006	1.72 *	0.32
ICCAT	Multinational	Atlantic High Seas	Skipjack Atlantic	tuna	Eastern	<i>Katsuwonus pelamis</i>	Perciformes	4.35	Biomass dynamics model	1950-2006	2006	1.71 *	0.27
ICCAT	Multinational	Atlantic High Seas	Albacore Atlantic	tuna	North	<i>Thunnus alalunga</i>	Perciformes	4.31	VPA	1929-2005	2005	0.81	1.49
ICCAT	Multinational	Atlantic High Seas	Yellowfin Atlantic	tuna	Atlantic	<i>Thunnus albacares</i>	Perciformes	4.34	VPA	1970-2006	2006	1.07	0.81
ICCAT	Multinational	Atlantic High Seas	Bigeye Atlantic	tuna	Atlantic	<i>Thunnus obesus</i>	Perciformes	4.50	Biomass dynamics model	1950-2005	2005	0.9 *	0.87
ICCAT	Multinational	Atlantic High Seas	Bluefin Atlantic	tuna	Eastern	<i>Thunnus thynnus</i>	Perciformes	4.43	VPA	1969-2007	2007	0.34	9.38
ICCAT	Multinational	Atlantic High Seas	Bluefin Atlantic	tuna	Western	<i>Thunnus thynnus</i>	Perciformes	4.43	VPA	1969-2007	2007	0.57	1.33
ICCAT	Multinational	Atlantic High Seas	Swordfish Atlantic	South Atlantic		<i>Xiphias gladius</i>	Perciformes	4.49	Biomass dynamics model	1970-2005	2005	1.54	0.49
ICCAT	Multinational	Mediterranean Sea	Swordfish Sea	Mediterranean		<i>Xiphias gladius</i>	Perciformes	4.49	Biomass dynamics model	1968-2006	2006	0.94	1.27
ICCAT	Multinational	Atlantic High Seas	Swordfish	North Atlantic		<i>Xiphias gladius</i>	Perciformes	4.49	Biomass dynamics model	1978-2007	2005	0.99	0.88
ICES	Multinational	North Sea	Sandeel	North Sea		<i>Ammodytes marinus</i>	Perciformes		VPA	1983-2007	2007	0.92 *	0.24 *
ICES	Multinational	Celtic-Biscay Shelf	Herring	Northern Irish Sea		<i>Clupea harengus</i>	Clupeiformes	3.23	Statistical catch at age model	1960-2006	2006	0.72 *	0.34 *
ICES	Multinational	Celtic-Biscay Shelf	Herring	ICES VIa		<i>Clupea harengus</i>	Clupeiformes	3.23	Statistical catch at age model	1957-2006	2006	0.18 *	1.59 *
ICES	Multinational	Baltic Sea	Herring	ICES 30		<i>Clupea harengus</i>	Clupeiformes	3.23	VPA	1972-2007	2006	1.19 *	1.1 *
ICES	Multinational	Baltic Sea	Herring	ICES 25-32		<i>Clupea harengus</i>	Clupeiformes	3.23	VPA	1973-2006	2006	0.69 *	0.79 *
ICES	Multinational	North Sea	Herring	ICES 22-24-IIIa		<i>Clupea harengus</i>	Clupeiformes		Statistical catch at age model	1991-2006			
ICES	Multinational	Baltic Sea	Herring	ICES 31		<i>Clupea harengus</i>	Clupeiformes	3.23	VPA	1979-2006	2006	0.29 *	1.6 *
ICES	Multinational	Iceland Shelf	Herring	Iceland (Summer spawners)		<i>Clupea harengus</i>	Clupeiformes	3.23	VPA	1983-2007	2006	1 *	0.79 *
ICES	Multinational	North Sea	Herring	North Sea		<i>Clupea harengus</i>	Clupeiformes	3.23	Statistical catch at age model	1960-2007	2006	0.65 *	1.32 *
ICES	Multinational	Baltic Sea	Herring	ICES 28		<i>Clupea harengus</i>	Clupeiformes	3.23	VPA	1976-2007	2006	1.21 *	0.87 *
ICES	Multinational	Celtic-Biscay Shelf	Herring	ICES VIa-VIIb-VIIc		<i>Clupea harengus</i>	Clupeiformes	3.23	VPA	1969-2000	2000	0.5 *	1.04 *
ICES	Multinational	Celtic-Biscay Shelf	Anchovy	ICES VIII		<i>Engraulis encrasicolus</i>	Clupeiformes		Biomass dynamics model	1986-2007			

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
ICES	Multinational	Baltic Sea	Atlantic cod Baltic Areas 25-32	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1964-2007	2006	0.16 *	1.46 *
ICES	Multinational	Barents Sea	Atlantic cod Northeast Arctic	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1943-2006	2006	0.56 *	1.42 *
ICES	Multinational	Norwegian Sea	Atlantic cod coastal Norway	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1982-2006	2006	0.27 *	2.17 *
ICES	Multinational	Celtic-Biscay Shelf	Atlantic cod West of Scotland	<i>Gadus morhua</i>	Gadiformes	4.42	Statistical catch at age model	1977-2006	2006	0.12 *	0.42 *
ICES	Multinational	North Sea	Atlantic cod Kattegat	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1970-2006	2006	0.19 *	0.31 *
ICES	Multinational	Celtic-Biscay Shelf	Atlantic cod Irish Sea	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1968-2006	2006	0.15 *	0.56 *
ICES	Multinational	Baltic Sea	Atlantic cod Baltic Areas 22 and 24	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1969-2007	2006	0.36 *	1.43 *
ICES	Multinational	North Sea	Atlantic cod North Sea	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1962-2007	2006	0.19 *	0.8 *
ICES	Multinational	Iceland Shelf	Atlantic cod Iceland	<i>Gadus morhua</i>	Gadiformes	4.42	Statistical catch at age model	1952-2006	2006	0.46 *	1.17 *
ICES	Multinational	Faroe Plateau	Atlantic cod Faroe Plateau	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1959-2006	2006	0.26 *	1.52 *
ICES	Multinational	Iberian Coastal	Fourspotted megrim ICES VIIIc-IXa	<i>Lepidorhombus boscii</i>	Pleuronectiformes		VPA	1986-2006	2006	0.7 *	1.01 *
ICES	Multinational	Iberian Coastal	Megrim ICES VIIIc-IXa	<i>Lepidorhombus whiffiagonis</i>	Pleuronectiformes	4.24	VPA	1985-2007	2006	0.43 *	1.07 *
ICES	Multinational	Barents Sea	Capelin Barents Sea	<i>Mallotus villosus</i>	Osmeriformes	3.15	Unknown	1965-2007	2006	0.17 *	0 *
ICES	Multinational	Iceland Shelf	Capelin Iceland	<i>Mallotus villosus</i>	Osmeriformes	3.15	Survey index	1977-2007	2006	0.49 *	0.85 *
ICES	Multinational	Celtic-Biscay Shelf	Haddock ICES VIIb-k	<i>Melanogrammus aeglefinus</i>	Gadiformes		VPA	1993-2006			
ICES	Multinational	Barents Sea	Haddock Northeast Arctic	<i>Melanogrammus aeglefinus</i>	Gadiformes	4.09	VPA	1947-2006	2006	1.1 *	1.06 *
ICES	Multinational	Faroe Plateau	Haddock Faroe Plateau	<i>Melanogrammus aeglefinus</i>	Gadiformes	4.09	VPA	1955-2006	2006	0.85 *	1.07 *
ICES	Multinational	Celtic-Biscay Shelf	Haddock Irish Sea	<i>Melanogrammus aeglefinus</i>	Gadiformes		Survey index	1972-2006			
ICES	Multinational	Celtic-Biscay Shelf	Haddock West of Scotland	<i>Melanogrammus aeglefinus</i>	Gadiformes	4.09	Statistical catch at age model	1977-2006	2006	0.58 *	0.73 *
ICES	Multinational	North Sea	Haddock ICES IIIa and North Sea	<i>Melanogrammus aeglefinus</i>	Gadiformes	4.09	VPA	1963-2006	2006	0.62 *	0.25 *
ICES	Multinational	Iceland Shelf	Haddock Iceland	<i>Melanogrammus aeglefinus</i>	Gadiformes	4.09	VPA	1977-2007	2007	0.98 *	1.23 *
ICES	Multinational	Celtic-Biscay Shelf	Haddock Rockall Bank	<i>Melanogrammus aeglefinus</i>	Gadiformes		VPA	1990-2007			
ICES	Multinational	Celtic-Biscay Shelf	Whiting ICES VIa	<i>Merlangius merlangus</i>	Gadiformes		Survey index	1984-2007			
ICES	Multinational	North Sea	Whiting ICES IIIa, VIIId and North Sea	<i>Merlangius merlangus</i>	Gadiformes	4.29	VPA	1979-2006	2006	0.33 *	1.04 *
ICES	Multinational	Celtic-Biscay Shelf	Whiting ICES VIIe-k	<i>Merlangius merlangus</i>	Gadiformes	4.29	VPA	1982-2007	2006	0.44 *	1.25 *
ICES	Multinational	Celtic-Biscay Shelf	Hake Northeast Atlantic North	<i>Merluccius merluccius</i>	Gadiformes	4.42	VPA	1977-2007	2006	1.04 *	0.74 *
ICES	Multinational	Iberian Coastal	Hake Northeast Atlantic South	<i>Merluccius merluccius</i>	Gadiformes		VPA	1982-2007			
ICES	Multinational	Celtic-Biscay Shelf	Whiting Atlantic Northeast	<i>Micromesistius poutassou</i>	Gadiformes	4.01	Integrated Analysis	1980-2007	2006	0.67 *	1.66 *
ICES	Multinational	North Sea	European Plaice North Sea	<i>Pleuronectes platessa</i>	Pleuronectiformes		VPA	1956-2006			
ICES	Multinational	Celtic-Biscay Shelf	European Plaice ICES VIIId	<i>Pleuronectes platessa</i>	Pleuronectiformes		VPA	1979-2006			
ICES	Multinational	North Sea	European Plaice ICES IIIa	<i>Pleuronectes platessa</i>	Pleuronectiformes		VPA	1976-2006			

Continued on next page

Management	Country	LME	Stock			Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio	
ICES	Multinational	Celtic-Biscay Shelf	European Plaice Irish Sea			<i>Pleuronectes platessa</i>	Pleuronectiformes	3.26	Statistical catch at age model	1962-2006	2006	1.07 *	0.23 *	
ICES	Multinational	Celtic-Biscay Shelf	European VIII-f-g	Plaice	ICES	<i>Pleuronectes platessa</i>	Pleuronectiformes	3.26	VPA	1976-2006	2006	0.65 *	0.41 *	
ICES	Multinational	Celtic-Biscay Shelf	European VII-e	Plaice	ICES	<i>Pleuronectes platessa</i>	Pleuronectiformes	3.26	VPA	1975-2006	2006	0.51 *	1.39 *	
ICES	Multinational	North Sea	Pollock ICES IIIa, VI and North Sea			<i>Pollachius virens</i>	Gadiformes	4.38	VPA	1964-2006	2006	0.57 *	0.97 *	
ICES	Multinational	Barents Sea	Pollock Northeast Arctic			<i>Pollachius virens</i>	Gadiformes	4.38	VPA	1957-2006	2006	1.7 *	0.6 *	
ICES	Multinational	Faroe Plateau	Pollock Faroe Plateau			<i>Pollachius virens</i>	Gadiformes	4.38	VPA	1958-2006	2006	0.99 *	1.52 *	
ICES	Multinational	Barents Sea	Greenland	halibut		<i>Reinhardtius hippoglossoides</i>	Pleuronectiformes	4.48	VPA	1959-2007	2006	0.36 *	1.2 *	
ICES	Multinational	Iberian Coastal	European	pilchard		<i>Sardina pilchardus</i>	Clupeiformes		Statistical catch at age model	1978-2007				
ICES	Multinational	Celtic-Biscay Shelf	Mackerel	ICES	Northeast Atlantic	<i>Scomber scombrus</i>	Perciformes	3.18	Statistical catch at age model	1972-2007	2006	0.98 *	0.73 *	
ICES	Multinational	Barents Sea	Golden Redfish	Northeast Arctic		<i>Sebastes norvegicus</i>	Scorpaeniformes		Statistical catch at age model	1986-2006				
ICES	Multinational	Celtic-Biscay Shelf	common Irish Sea	European	sole	<i>Solea vulgaris</i>	Pleuronectiformes	3.17	VPA	1968-2006	2006	0.36 *	1.16 *	
ICES	Multinational	North Sea	common ICES	European Kattegat	sole and	<i>Solea vulgaris</i>	Pleuronectiformes	3.17	VPA	1982-2007	2006	1.25 *	0.54 *	
ICES	Multinational	Celtic-Biscay Shelf	common ICES VII-d	European	sole	<i>Solea vulgaris</i>	Pleuronectiformes		VPA	1981-2006				
ICES	Multinational	Celtic-Biscay Shelf	common Western English Channel	European	sole	<i>Solea vulgaris</i>	Pleuronectiformes	3.17	VPA	1968-2006	2006	0.51 *	1.74 *	
ICES	Multinational	Celtic-Biscay Shelf	common Bay of Biscay	European	sole	<i>Solea vulgaris</i>	Pleuronectiformes	3.17	VPA	1982-2006	2006	0.76 *	1 *	
ICES	Multinational	Celtic-Biscay Shelf	common Celtic Sea	European	sole	<i>Solea vulgaris</i>	Pleuronectiformes	3.17	VPA	1970-2006	2006	0.9 *	0.95 *	
ICES	Multinational	North Sea	common North Sea	European	sole	<i>Solea vulgaris</i>	Pleuronectiformes		VPA	1956-2006				
ICES	Multinational	Baltic Sea	Sprat 22-32	ICES	Baltic Areas	<i>Sprattus sprattus</i>	Clupeiformes	3.00	VPA	1973-2007	2006	1.13 *	1.27 *	
ICES	Multinational	North Sea	Sprat North Sea			<i>Sprattus sprattus</i>	Clupeiformes		Statistical catch at age model	1995-2007				
ICES IMARPE	Multinational Peru	North Sea Humboldt Current	Norway pout	North Sea		<i>Trisopterus esmarkii</i>	Gadiformes	3.24	VPA	1983-2007	2006	0.9 *	0.33 *	
			Peruvian anchoveta			<i>Engraulis ringens</i>	Clupeiformes		VPA	1963-2004				
IOTC	Multinational	Indian High Seas	North-Central	Peru	Bigeye tuna	Indian Ocean	<i>Thunnus obesus</i>	Perciformes	4.50	Biomass dynamics model	1957-2006	2004	1.23	0.97
IPHC	Multinational	Gulf of Alaska	Pacific	halibut	North Pacific	<i>Hippoglossus stenolepis</i>	Pleuronectiformes		Statistical catch at age model	1988-2009				
Iran	Iran	Caspian Sea	Anchovy	kilka	Caspian Sea	<i>Clupeonella engrauliformis</i>	Clupeiformes		Biomass dynamics model	1991-2007				
MFish	New Zealand	New Zealand Shelf	Black oreo	West end of Chatham Rise		<i>Alloctytus niger</i>	Zeiformes	3.38	Integrated Analysis	1973-2007	2007	0.99	0.82	
MFish	New Zealand	New Zealand Shelf	Australian	salmon	New Zealand	<i>Arripis trutta</i>	Perciformes	4.07	Integrated Analysis	1975-2006	2006	1.64	0.33	

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
MFish	New Zealand	New Zealand Shelf	New Zealand snapper New Zealand Area 8	<i>Chrysophrys auratus</i>	Perciformes	3.32	Integrated Analysis	1931-2005	2005	0.35	2.5
MFish	New Zealand	New Zealand Shelf	New Zealand ling New Zealand Area LIN 7WC - WCSI	<i>Genypterus blacodes</i>	Ophidiiformes	4.34	Integrated Analysis	1972-2008	2008	2.21	0.13
MFish	New Zealand	New Zealand Shelf	New Zealand ling New Zealand Area LIN 72	<i>Genypterus blacodes</i>	Ophidiiformes	4.34	Integrated Analysis	1972-2007	2007	2.49	0.32
MFish	New Zealand	New Zealand Shelf	New Zealand ling New Zealand Areas LIN 3 and 4	<i>Genypterus blacodes</i>	Ophidiiformes	4.34	Integrated Analysis	1972-2007	2007	3.07	0.09
MFish	New Zealand	New Zealand Shelf	New Zealand ling New Zealand Areas LIN 5 and 6	<i>Genypterus blacodes</i>	Ophidiiformes	4.34	Integrated Analysis	1972-2007	2007	3.96	0.1
MFish	New Zealand	New Zealand Shelf	New Zealand ling New Zealand Area LIN 6b	<i>Genypterus blacodes</i>	Ophidiiformes	4.34	Integrated Analysis	1980-2006	2006	2.19	0.11
MFish	New Zealand	New Zealand Shelf	New Zealand abalone species New Zealand Area PAU 5D	<i>Haliotis iris</i>	Archaeogastropoda	2.00	Integrated Analysis	1964-2006	2006	0.44 *	2.1 *
MFish	New Zealand	New Zealand Shelf	New Zealand abalone species New Zealand Area PAU 5A	<i>Haliotis iris</i>	Archaeogastropoda	2.00	Integrated Analysis	1964-2006	2006	0.72 *	2.83 *
MFish	New Zealand	New Zealand Shelf	New Zealand abalone species New Zealand Area PAU 7	<i>Haliotis iris</i>	Archaeogastropoda	2.00	Integrated Analysis	1964-2008	2008	0.87 *	0.94 *
MFish	New Zealand	New Zealand Shelf	New Zealand abalone species New Zealand Area PAU 5B	<i>Haliotis iris</i>	Archaeogastropoda	2.00	Integrated Analysis	1963-2007	2007	1.02 *	0.59 *
MFish	New Zealand	New Zealand Shelf	Orange roughly New Zealand Mid East Coast	<i>Hoplostethus atlanticus</i>	Beryciformes	3.98	Integrated Analysis	1981-2004	2004	1.2	0.35
MFish	New Zealand	New Zealand Shelf	Red rock lobster New Zealand area CRA7	<i>Jasus edwardsii</i>	Decapoda	2.60	Unknown	1976-2005	2005	0.73 *	0.43 *
MFish	New Zealand	New Zealand Shelf	Red rock lobster New Zealand area CRA3	<i>Jasus edwardsii</i>	Decapoda		Unknown	1945-2007			
MFish	New Zealand	New Zealand Shelf	Red rock lobster New Zealand area CRA2	<i>Jasus edwardsii</i>	Decapoda	2.60	Unknown	1945-2001	2001	0.53 *	2.12 *
MFish	New Zealand	New Zealand Shelf	Red rock lobster New Zealand area CRA8	<i>Jasus edwardsii</i>	Decapoda	2.60	Unknown	1976-2005	2005	0.69 *	0.49 *
MFish	New Zealand	New Zealand Shelf	Red rock lobster New Zealand area CRA5	<i>Jasus edwardsii</i>	Decapoda	2.60	Unknown	1945-2002	2002	0.59 *	1.68 *
MFish	New Zealand	New Zealand Shelf	Red rock lobster New Zealand area CRA1	<i>Jasus edwardsii</i>	Decapoda	2.60	Unknown	1945-2001	2001	1.14 *	0.88 *
MFish	New Zealand	New Zealand Shelf	Red rock lobster New Zealand area CRA4	<i>Jasus edwardsii</i>	Decapoda	2.60	Unknown	1945-2005	2005	0.67 *	1.33 *
MFish	New Zealand	New Zealand Shelf	Hoki Western New Zealand	<i>Macruronus novaezelandiae</i>	Gadiformes	4.47	Integrated Analysis	1972-2007	2007	0.51 *	0.57 *
MFish	New Zealand	New Zealand Shelf	Hoki Eastern New Zealand	<i>Macruronus novaezelandiae</i>	Gadiformes	4.47	Integrated Analysis	1972-2007	2007	1.11 *	0.33 *
MFish	New Zealand	New Zealand Shelf	Southern hake Chatham Rise	<i>Merluccius australis</i>	Gadiformes	4.45	Integrated Analysis	1975-2006	2006	1.77	0.12
MFish	New Zealand	New Zealand Shelf	Southern hake Sub-Antarctic	<i>Merluccius australis</i>	Gadiformes	4.45	Integrated Analysis	1975-2007	2007	2.91	0.11
MFish	New Zealand	New Zealand Shelf	Southern blue whiting Campbell Island Rise	<i>Micromesistius australis</i>	Gadiformes	3.79	Integrated Analysis	1979-2006	2006	1.15	0.92
MFish	New Zealand	New Zealand Shelf	Trevally New Zealand Areas TRE 7	<i>Pseudocaranx dentex</i>	Perciformes	3.24	Integrated Analysis	1944-2005	2005	1.44	0.83
MFish	New Zealand	New Zealand Shelf	Smooth oreo Chatham Rise	<i>Pseudocyttus maculatus</i>	Zeiformes	3.61	Integrated Analysis	1979-2006	2006	2.25	0.38
MFish	New Zealand	New Zealand Shelf	Smooth oreo West end of Chatham Rise	<i>Pseudocyttus maculatus</i>	Zeiformes	3.61	Integrated Analysis	1973-2004	2004	1.25	0.53

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
MFish	New Zealand	New Zealand Shelf	common gemfish New Zealand	<i>Rexea solandri</i>	Perciformes	4.25	Integrated Analysis	1952-2007	2006	1.64	0.43
NAFO	Multinational	Newfoundland-Labrador Shelf	Atlantic cod NAFO 3NO	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1953-2007	2006	0.02 *	0.27 *
NAFO	Multinational	Newfoundland-Labrador Shelf	Atlantic cod NAFO 3M	<i>Gadus morhua</i>	Gadiformes		VPA	1959-2008			
NAFO	Multinational	Newfoundland-Labrador Shelf	Atlantic NAFO-3LNO	<i>Hippoglossoides platessoides</i>	Pleuronectiformes	3.65	VPA	1955-2007	2006	0.08 *	0.77 *
NAFO	Multinational	Newfoundland-Labrador Shelf	Atlantic NAFO-3M	<i>Hippoglossoides platessoides</i>	Pleuronectiformes		VPA	1960-2007			
NAFO	Multinational	Northeast U.S. Continental Shelf	Yellowtail Flounder NAFO 3LNO	<i>Limanda ferruginea</i>	Pleuronectiformes	3.22	Biomass dynamics model	1960-2009	2007	1.62 *	0.15 *
NAFO	Multinational	Newfoundland-Labrador Shelf	Brookland halibut NAFO 23KLMNO	<i>Reinhardtius hippoglossoides</i>	Pleuronectiformes	4.48	VPA	1960-2006	2006	0.39 *	1.73 *
NAFO	Multinational	Newfoundland-Labrador Shelf	Redfish species NAFO 3M	<i>Sebastes spp</i>	Scorpaeniformes		VPA	1985-2006			
NAFO	Multinational	Newfoundland-Labrador Shelf	Redfish species NAFO 3LN	<i>Sebastes spp</i>	Scorpaeniformes	4.04	Biomass dynamics model	1959-2008	2008	1.88	0.04
NMFS	USA	California Current	Sablefish Pacific Coast	<i>Anoplopoma fimbria</i>	Scorpaeniformes		Integrated Analysis	1900-2007			
NMFS	USA	East Bering Sea	Sablefish Eastern Bering Sea / Aleutian Islands / Gulf of Alaska	<i>Anoplopoma fimbria</i>	Scorpaeniformes	3.83	Statistical catch at age model	1956-2008	2008	1.05	0.66
NMFS	USA	Northeast U.S. Continental Shelf	Ocean quahog Atlantic Coast	<i>Arctica islandica</i>	Veneroida		Biomass dynamics model	1978-2008			
NMFS	USA	Gulf of Mexico	Gray triggerfish Gulf of Mexico	<i>Balistes capriscus</i>	Tetraodontiformes		Biomass dynamics model	1981-2004			
NMFS	USA	Gulf of Mexico	Gulf menhaden Gulf of Mexico	<i>Brevoortia patronus</i>	Clupeiformes	2.19	Statistical catch at age model	1964-2004	2004	1.08 *	0.48 *
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic menhaden	<i>Brevoortia tyrannus</i>	Clupeiformes	2.25	Statistical catch at age model	1940-2005	2005	0.47 *	0.97 *
NMFS	USA	Southeast U.S. Continental Shelf	Blacknose shark Atlantic	<i>Carcharhinus acronotus</i>	Carcharhiniformes		Biomass dynamics model	1950-2005			
NMFS	USA	Southeast U.S. Continental Shelf	Finetooth shark Atlantic	<i>Carcharhinus isodon</i>	Carcharhiniformes		Biomass dynamics model	1976-2005			
NMFS	USA	Gulf of Mexico	Blacktip shark Gulf of Mexico	<i>Carcharhinus limbatus</i>	Carcharhiniformes		Biomass dynamics model	1981-2004			
NMFS	USA	Southeast U.S. Continental Shelf	Blacktip shark Atlantic	<i>Carcharhinus limbatus</i>	Carcharhiniformes		Biomass dynamics model	1981-2004			
NMFS	USA	Scotian Shelf	Sandbar shark Atlantic	<i>Carcharhinus plumbeus</i>	Carcharhiniformes		Biomass dynamics model	1975-2004			

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
NMFS	USA	Northeast U.S. Continental Shelf	Black sea bass Mid-Atlantic Coast	<i>Centropristis striata</i>	Perciformes	3.98	Statistical catch at age model	1968-2007	2007	0.92	0.67 *
NMFS	USA	East Bering Sea	Snow crab Bering Sea	<i>Chionoecetes opilio</i>	Decapoda	2.30	Biomass dynamics model	1979-2008	2008	0.55	1.49 *
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic herring Northwest Atlantic Coast	<i>Clupea harengus</i>	Clupeiformes	3.23	Statistical catch at age model	1960-2005	2005	1.66	0.34
NMFS	USA	Gulf of Alaska	Pacific herring Prince William Sound	<i>Clupea pallasii</i>	Clupeiformes		Statistical catch at age model	1980-2006			
NMFS	USA	Gulf of Alaska	Pacific herring Sitka	<i>Clupea pallasii</i>	Clupeiformes		Statistical catch at age model	1978-2007			
NMFS	USA	Northeast U.S. Continental Shelf	Weakfish Atlantic Coast	<i>Cynoscion regalis</i>	Perciformes		VPA	1981-2008			
NMFS	USA	California Current	Petrale sole Southern Pacific Coast	<i>Eopsetta jordani</i>	Pleuronectiformes	4.05	Integrated Analysis	1874-2005	2005	1.13	0.61 *
NMFS	USA	California Current	Petrale sole Northern Pacific Coast	<i>Eopsetta jordani</i>	Pleuronectiformes	4.05	Integrated Analysis	1910-2005	2005	1.87	1.26 *
NMFS	USA	Gulf of Mexico	Red grouper Gulf of Mexico	<i>Epinephelus morio</i>	Perciformes	3.49	Statistical catch at age model	1986-2005	2005	1.27	0.73
NMFS	USA	Southeast U.S. Continental Shelf	Snowy grouper Southern Atlantic coast	<i>Epinephelus niveatus</i>	Perciformes	4.04	Statistical catch at age model	1961-2002	2002	0.19	3.08
NMFS	USA	Gulf of Alaska	Pacific cod Gulf of Alaska	<i>Gadus macrocephalus</i>	Gadiformes	4.01	Integrated Analysis	1964-2008	2008	0.91	0.84 *
NMFS	USA	East Bering Sea	Pacific cod Bering Sea and Aleutian Islands	<i>Gadus macrocephalus</i>	Gadiformes	4.01	Integrated Analysis	1964-2008	2008	1	0.93 *
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic cod Georges Bank	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1960-2008	2007	0.12	0.72 *
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic cod Gulf of Maine	<i>Gadus morhua</i>	Gadiformes	4.42	VPA	1893-2008	2007	1.46 *	2.4
NMFS	USA	Northeast U.S. Continental Shelf	Witch Flounder NAFO-5Y	<i>Glyptocephalus cynoglossus</i>	Pleuronectiformes		VPA	1982-2008	2007	0.3	1.45
NMFS	USA	Gulf of Alaska	Rex sole Gulf of Alaska	<i>Glyptocephalus zachirus</i>	Pleuronectiformes		Statistical catch at age model	1979-2008			
NMFS	USA	California Current	Kelp greenling Oregon Coast	<i>Hexagrammos decagrammus</i>	Scorpaeniformes		Integrated Analysis	1979-2005			
NMFS	USA	Gulf of Alaska	Flathead sole Gulf of Alaska	<i>Hippoglossoides classodon</i>	Pleuronectiformes		Statistical catch at age model	1978-2010			
NMFS	USA	East Bering Sea	Flathead sole Bering Sea and Aleutian Islands	<i>Hippoglossoides classodon</i>	Pleuronectiformes	3.64	Statistical catch at age model	1977-2008	2008	1.83	0.18 *

Continued on next page

Management	Country	LME	Stock		Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
NMFS	USA	Northeast U.S. Continental Shelf	American NAFO-5YZ	Plaice	<i>Hippoglossoides platessoides</i>	Pleuronectiformes	3.65	VPA	1960-2008	2007	0.7	0.3 *
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic NAFO-5YZ	Halibut	<i>Hippoglossus hippoglossus</i>	Pleuronectiformes		Unknown	1800-2007			
NMFS	USA	Northeast U.S. Continental Shelf	American lobster Bank	Georges	<i>Homarus americanus</i>	Decapoda		Biomass dynamics model	1981-2007			
NMFS	USA	Northeast U.S. Continental Shelf	American lobster Maine	Gulf of	<i>Homarus americanus</i>	Decapoda		Biomass dynamics model	1981-2007			
NMFS	USA	Northeast U.S. Continental Shelf	American lobster New England	Southern	<i>Homarus americanus</i>	Decapoda		Biomass dynamics model	1981-2007			
NMFS	USA	Northeast U.S. Continental Shelf	Northern shortfin squid Northwest Atlantic Coast		<i>Illex illecebrosus</i>	Teuthida		Biomass dynamics model	1967-2005			
NMFS	USA	East Bering Sea	Northern rock sole Bering Sea and Aleutian Islands	Eastern	<i>Lepidopsetta polyxystra</i>	Pleuronectiformes	3.21	Statistical catch at age model	1971-2008	2007	3.02	0.21
NMFS	USA	East Bering Sea	Yellowfin sole Bering Sea and Aleutian Islands		<i>Limanda aspera</i>	Pleuronectiformes	3.24	Statistical catch at age model	1959-2008	2008	1.94	0.62
NMFS	USA	Northeast U.S. Continental Shelf	Yellowtail Southern England-Mid Atlantic	Flounder New	<i>Limanda ferruginea</i>	Pleuronectiformes	3.22	VPA	1935-2008	2007	0.13	1.61
NMFS	USA	Northeast U.S. Continental Shelf	Yellowtail Georges Bank	flounder	<i>Limanda ferruginea</i>	Pleuronectiformes	3.22	VPA	1935-2008	2007	0.22	1.14
NMFS	USA	Northeast U.S. Continental Shelf	Yellowtail flounder Cape Cod / Gulf of Maine		<i>Limanda ferruginea</i>	Pleuronectiformes	3.22	VPA	1935-2008	2007	0.25	1.73
NMFS	USA	East Bering Sea	Golden king crab Aleutian Islands Eastern segment		<i>Lithodes acquispinus</i>	Decapoda		Statistical catch at length model	1990-2007			
NMFS	USA	East Bering Sea	Golden king crab Aleutian Islands Western segment		<i>Lithodes acquispinus</i>	Decapoda		Statistical catch at length model	1989-2007			
NMFS	USA	Northeast U.S. Continental Shelf	Monkfish Georges Bank / Mid-Atlantic	Southern	<i>Lophius americanus</i>	Lophiiformes	4.49	Unknown	1964-2006	2006	1.72 *	0.3 *
NMFS	USA	Northeast U.S. Continental Shelf	Monkfish Gulf of Maine / Northern Georges Bank		<i>Lophius americanus</i>	Lophiiformes	4.49	Unknown	1964-2006	2006	1.73 *	0.38 *

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
NMFS	USA	Southeast U.S. Continental Shelf	Tilefish Southern Atlantic coast	<i>Lopholatilus chamaeleonticeps</i>	Perciformes	3.45	Statistical catch at age model	1961-2002	2002	0.9	1.55
NMFS	USA	Northeast U.S. Continental Shelf	Tilefish Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	Perciformes	3.45	Biomass dynamics model	1973-2008	2005	0.72 *	0.61 *
NMFS	USA	Southeast U.S. Continental Shelf	Mutton snapper Southern Atlantic coast and Gulf of Mexico	<i>Lutjanus analis</i>	Perciformes		Statistical catch at age model	1981-2006			
NMFS	USA	Southeast U.S. Continental Shelf	Red snapper Southern Atlantic coast	<i>Lutjanus campechanus</i>	Perciformes	4.01	Statistical catch at age model	1945-2006	2006	0.04	7.51
NMFS	USA	Gulf of Mexico	Red snapper Eastern Gulf of Mexico	<i>Lutjanus campechanus</i>	Perciformes		Statistical catch at age model	1872-2003			
NMFS	USA	Gulf of Mexico	Red snapper Western Gulf of Mexico	<i>Lutjanus campechanus</i>	Perciformes		Statistical catch at age model	1880-2003			
NMFS	USA	Northeast U.S. Continental Shelf	Haddock NAFO-5Y	<i>Melanogrammus aeglefinus</i>	Gadiformes	4.09	VPA	1956-2008	2007	0.99	1.21 *
NMFS	USA	Northeast U.S. Continental Shelf	Haddock Georges Bank	<i>Melanogrammus aeglefinus</i>	Gadiformes		VPA	1930-2008			
NMFS	USA	Northeast U.S. Continental Shelf	Silver hake Gulf of Maine / Northern Georges Bank	<i>Merluccius bilinearis</i>	Gadiformes		Survey index	1955-2005			
NMFS	USA	Northeast U.S. Continental Shelf	Silver hake Southern Georges Bank / Mid-Atlantic	<i>Merluccius bilinearis</i>	Gadiformes		Survey index	1955-2005			
NMFS	USA	California Current	Pacific hake Pacific Coast	<i>Merluccius productus</i>	Gadiformes	4.35	Integrated Analysis	1966-2008	2008	1.61	0.73
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic croaker Mid-Atlantic Coast	<i>Micropogonias undulatus</i>	Perciformes	3.31	Statistical catch at age model	1973-2002	2002	1.42	0.27
NMFS	USA	California Current	Dover sole Pacific Coast	<i>Microstomus pacificus</i>	Pleuronectiformes	3.27	Integrated Analysis	1910-2005	2005	1.61	0.45 *
NMFS	USA	Gulf of Alaska	Dover sole Gulf of Alaska	<i>Microstomus pacificus</i>	Pleuronectiformes		Statistical catch at age model	1978-2010			
NMFS	USA	Northeast U.S. Continental Shelf	Striped bass Gulf of Maine / Cape Hatteras	<i>Morone saxatilis</i>	Perciformes		Statistical catch at age model	1982-2006			
NMFS	USA	Gulf of Mexico	Gag Gulf of Mexico	<i>Mycteroperca microlepis</i>	Perciformes	3.65	Unknown	1963-2004	2004	1	2.44
NMFS	USA	Southeast U.S. Continental Shelf	Gag Southern Atlantic coast	<i>Mycteroperca microlepis</i>	Perciformes	3.65	Statistical catch at age model	1962-2005	2005	0.94	1.31

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
NMFS	USA	Southeast U.S. Continental Shelf	Yellowtail snapper Southern Atlantic Coast	<i>Ocyurus chrysurus</i>	Perciformes	3.99	Statistical catch at age model	1962-2001	2001	1.14	0.61
NMFS	USA	California Current	Lingcod Southern Pacific Coast	<i>Ophiodon elongatus</i>	Scorpaeniformes		Integrated Analysis	1956-2005			
NMFS	USA	California Current	Lingcod Northern Pacific Coast	<i>Ophiodon elongatus</i>	Scorpaeniformes		Integrated Analysis	1956-2005			
NMFS	USA	Southeast U.S. Continental Shelf	Red porgy Southern Atlantic coast	<i>Pagrus pagrus</i>	Perciformes	3.65	Statistical catch at age model	1972-2004	2004	0.61	0.39
NMFS	USA	Northeast U.S. Continental Shelf	Northern shrimp Gulf of Maine	<i>Pandalus borealis</i>	Decapoda		Statistical catch at age model	1960-2009	2008	1.58 *	0.56 *
NMFS	USA	Northeast U.S. Continental Shelf	Summer flounder Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	Pleuronectiformes		Statistical catch at age model	1940-2007			
NMFS	USA	East Bering Sea	Red king crab Bristol Bay	<i>Paralithodes camtschaticus</i>	Decapoda	2.82	Statistical catch at length model	1960-2008	2008	1.27	1.05
NMFS	USA	East Bering Sea	Red king crab Norton Sound	<i>Paralithodes camtschaticus</i>	Decapoda		Statistical catch at length model	1976-2008			
NMFS	USA	California Current	English sole Pacific Coast	<i>Parophrys vetulus</i>	Pleuronectiformes	3.45	Integrated Analysis	1876-2007	2007	6.42	0.14 *
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic butterfish Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	Perciformes		Unknown	1965-2005			
NMFS	USA	Northeast U.S. Continental Shelf	Sea scallop Georges Bank	<i>Placopecten magellanicus</i>	Ostreoida	2.00	Statistical catch at length model	1964-2006	2006	1.59 *	0.78 *
NMFS	USA	Northeast U.S. Continental Shelf	Sea scallop Mid-Atlantic Coast	<i>Placopecten magellanicus</i>	Ostreoida	2.00	Statistical catch at length model	1964-2006	2006	1 *	0.36 *
NMFS	USA	California Current	Starry flounder Southern Pacific Coast	<i>Platichthys stellatus</i>	Pleuronectiformes	3.32	Integrated Analysis	1970-2005	2005	1.55	0.12 *
NMFS	USA	California Current	Starry flounder Northern Pacific Coast	<i>Platichthys stellatus</i>	Pleuronectiformes	3.32	Integrated Analysis	1970-2005	2005	1.1	0.33 *
NMFS	USA	East Bering Sea	Atka mackerel Bering Sea and Aleutian Islands	<i>Pleurogrammus monopterygius</i>	Scorpaeniformes	3.33	Statistical catch at age model	1976-2009	2009	1.55	0.55 *
NMFS	USA	East Bering Sea	Alaska plaice Bering Sea and Aleutian Islands	<i>Pleuronectes quadrituberculatus</i>	Pleuronectiformes	3.10	Statistical catch at age model	1972-2008	2008	2.46	0.07
NMFS	USA	Northeast U.S. Continental Shelf	Pollock NAFO-5YZ	<i>Pollachius virens</i>	Gadiformes		Survey index	1963-2007			

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
NMFS	USA	Northeast U.S. Continental Shelf	Bluefish Atlantic Coast	<i>Pomatomus saltatrix</i>	Perciformes	4.50	Statistical catch at age model	1981-2007	2007	0.81 *	0.79
NMFS	USA	Northeast U.S. Continental Shelf	Winter Flounder New England-Mid Atlantic	<i>Pseudopleuronectes americanus</i>	Pleuronectiformes	2.83	VPA	1940-2007	2007	0.09	1.1 *
NMFS	USA	Northeast U.S. Continental Shelf	Winter NAFO-5Y Flounder	<i>Pseudopleuronectes americanus</i>	Pleuronectiformes		Unknown	1982-2008			
NMFS	USA	Northeast U.S. Continental Shelf	Winter NAFO-5Z Flounder	<i>Pseudopleuronectes americanus</i>	Pleuronectiformes	2.83	VPA	1982-2007	2006	0.28	0.25 *
NMFS	USA	California Current	Longnose skate Pacific Coast	<i>Raja rhina</i>	Rajiformes	3.76	Integrated Analysis	1915-2007	2007	1.76	0.4 *
NMFS	USA	East Bering Sea	Greenland turbot Bering Sea and Aleutian Islands	<i>Reinhardtius hippoglossoides</i>	Pleuronectiformes	4.48	Statistical catch at age model	1960-2009	2009	1.48	0.05
NMFS	USA	California Current	Arrowtooth flounder Pacific Coast	<i>Reinhardtius stomias</i>	Pleuronectiformes	4.26	Integrated Analysis	1916-2007	2007	3.81	0.21
NMFS	USA	East Bering Sea	Arrowtooth flounder Bering Sea and Aleutian Islands	<i>Reinhardtius stomias</i>	Pleuronectiformes	4.26	Statistical catch at age model	1970-2008	2008	2.7	0.31 *
NMFS	USA	Gulf of Alaska	Arrowtooth flounder Gulf of Alaska	<i>Reinhardtius stomias</i>	Pleuronectiformes	4.26	Statistical catch at age model	1958-2010	2010	3.02	0.28 *
NMFS	USA	Southeast U.S. Continental Shelf	Atlantic sharpnose shark Atlantic	<i>Rhizoprionodon terraenovae</i>	Carcharhiniformes		Biomass dynamics model	1950-2005			
NMFS	USA	Southeast U.S. Continental Shelf	Vermilion snapper Southern Atlantic coast	<i>Rhomboplites aurorubens</i>	Perciformes	4.33	Statistical catch at age model	1946-2008	2007	0.86	1.27
NMFS	USA	Gulf of Mexico	Vermilion snapper Gulf of Mexico	<i>Rhomboplites aurorubens</i>	Perciformes		Biomass dynamics model	1981-2004			
NMFS	USA	California Current	Pacific sardine Pacific Coast	<i>Sardinops sagax</i>	Clupeiformes	2.43	Integrated Analysis	1981-2007	2006	1.36 *	0.41 *
NMFS	USA	California Current	Pacific chub mackerel Pacific Coast	<i>Scomber japonicus</i>	Perciformes		Statistical catch at age model	1929-2008			
NMFS	USA	Gulf of Mexico	King mackerel Gulf of Mexico	<i>Scomberomorus cavalla</i>	Perciformes		VPA	1992-2001			
NMFS	USA	Southeast U.S. Continental Shelf	King mackerel Southern Atlantic Coast	<i>Scomberomorus cavalla</i>	Perciformes		VPA	1981-2001			
NMFS	USA	Southeast U.S. Continental Shelf	Spanish mackerel Southern Atlantic Coast	<i>Scomberomorus maculatus</i>	Perciformes	4.50	Statistical catch at age model	1950-2008	2007	0.38	0.91
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic mackerel Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	Perciformes		VPA	1960-2005			

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
NMFS	USA	Northeast U.S. Continental Shelf	Windowpane New Atlantic	Southern England-Mid	<i>Scophthalmus aquosus</i>	Pleuronectiformes	Survey index	1975-2007			
NMFS	USA	Northeast U.S. Continental Shelf	Windowpane flounder - Gulf of Maine / Georges Bank		<i>Scophthalmus aquosus</i>	Pleuronectiformes	Survey index	1975-2007			
NMFS	USA	California Current	California scorpionfish Southern California		<i>Scorpaena guttata</i>	Scorpaeniformes	Statistical catch at age model	1990-2005			
NMFS	USA	California Current	Cabazon California	Northern	<i>Scorpaenichthys marmoratus</i>	Scorpaeniformes	Integrated Analysis	1916-2005	2005	1.04	0.99 *
NMFS	USA	California Current	Cabazon California	Southern	<i>Scorpaenichthys marmoratus</i>	Scorpaeniformes	Integrated Analysis	1932-2005	2005	0.74	0.53 *
NMFS	USA	East Bering Sea	Roughye rockfish Bering Sea and Aleutian Islands		<i>Sebastes aleutianus</i>	Scorpaeniformes	Statistical catch at age model	1974-2009			
NMFS	USA	Gulf of Alaska	Roughye rockfish Gulf of Alaska		<i>Sebastes aleutianus</i>	Scorpaeniformes	Statistical catch at age model	1974-2007			
NMFS	USA	California Current	Pacific ocean perch Pacific Coast		<i>Sebastes alutus</i>	Scorpaeniformes	Statistical catch at age model	1953-2007	2007	0.69	0
NMFS	USA	Gulf of Alaska	Pacific ocean perch Gulf of Alaska		<i>Sebastes alutus</i>	Scorpaeniformes	Statistical catch at age model	1959-2010			
NMFS	USA	East Bering Sea	Pacific Ocean perch Eastern Bering Sea and Aleutian Islands		<i>Sebastes alutus</i>	Scorpaeniformes	Statistical catch at age model	1974-2009	2009	1.23	0.26 *
NMFS	USA	East Bering Sea	Shortraker rockfish Bering Sea and Aleutian Islands		<i>Sebastes borealis</i>	Scorpaeniformes	Statistical catch at age model	1977-2008			
NMFS	USA	California Current	Gopher rockfish Pacific Coast	Southern	<i>Sebastes carnatus</i>	Scorpaeniformes	Integrated Analysis	1965-2005			
NMFS	USA	California Current	Darkblotched rockfish Pacific Coast		<i>Sebastes crameri</i>	Scorpaeniformes	Integrated Analysis	1928-2007	2007	0.73	0.31
NMFS	USA	California Current	Widow rockfish Pacific Coast		<i>Sebastes entomelas</i>	Scorpaeniformes	Statistical catch at age model	1955-2006	2006	0.91 *	0.06
NMFS	USA	Northeast U.S. Continental Shelf	Acadian redfish Maine / Georges Bank	Gulf of	<i>Sebastes fasciatus</i>	Scorpaeniformes	Statistical catch at age model	1913-2007			
NMFS	USA	California Current	Yellowtail rockfish Northern Pacific Coast		<i>Sebastes flavidus</i>	Scorpaeniformes	Integrated Analysis	1967-2005	2005	1.36	0.51 *
NMFS	USA	California Current	Chilipepper Pacific Coast	Southern	<i>Sebastes goodei</i>	Scorpaeniformes	Integrated Analysis	1892-2007	2006	1.43 *	0.04
NMFS	USA	California Current	Shortbelly rockfish Pacific Coast		<i>Sebastes jordani</i>	Scorpaeniformes	Integrated Analysis	1950-2005			
NMFS	USA	California Current	Cowcod California	Southern	<i>Sebastes levis</i>	Scorpaeniformes	Integrated Analysis	1900-2007	2007	0.09	0.07
NMFS	USA	California Current	Black rockfish Pacific Coast	Southern	<i>Sebastes melanops</i>	Scorpaeniformes	Integrated Analysis	1915-2007	2007	2.23	0.33
NMFS	USA	California Current	Black rockfish Pacific Coast	Northern	<i>Sebastes melanops</i>	Scorpaeniformes	Integrated Analysis	1914-2006	2006	1.37 *	0.47
NMFS	USA	California Current	Blackgill rockfish Pacific Coast		<i>Sebastes melanostomus</i>	Scorpaeniformes	Integrated Analysis	1950-2005			

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
NMFS	USA	California Current	Blue rockfish California	<i>Sebastes mystinus</i>	Scorpaeniformes	2.81	Integrated Analysis	1916-2007	2007	0.75	1.19
NMFS	USA	California Current	Bocaccio Southern Pacific Coast	<i>Sebastes paucispinis</i>	Scorpaeniformes	3.51	Integrated Analysis	1951-2006	2006	0.32	0.1
NMFS	USA	California Current	Canary rockfish Pacific Coast	<i>Sebastes pinniger</i>	Scorpaeniformes	3.80	Integrated Analysis	1916-2009	2009	0.62	0.03
NMFS	USA	East Bering Sea	Northern rockfish Bering Sea and Aleutian Islands	<i>Sebastes polyspinis</i>	Scorpaeniformes	3.57	Statistical catch at age model	1974-2009	2009	1.41	0.13 *
NMFS	USA	Gulf of Alaska	Northern rockfish Gulf of Alaska	<i>Sebastes polyspinis</i>	Scorpaeniformes	3.57	Statistical catch at age model	1959-2008	2008	1.5	0.66
NMFS	USA	California Current	Yelloweye rockfish Pacific Coast	<i>Sebastes ruberrimus</i>	Scorpaeniformes	4.43	Integrated Analysis	1923-2006	2006	0.41	0.65
NMFS	USA	Gulf of Alaska	Dusky rockfish Gulf of Alaska	<i>Sebastes variabilis</i>	Scorpaeniformes	3.69	Statistical catch at age model	1973-2008	2007	1.54	0.54
NMFS	USA	California Current	Shortspine thornyhead Pacific Coast	<i>Sebastolobus alascanus</i>	Scorpaeniformes	3.61	Integrated Analysis	1901-2005			
NMFS	USA	California Current	Longspine thornyhead Pacific Coast	<i>Sebastolobus altivelis</i>	Scorpaeniformes		Integrated Analysis	1962-2005	2005	2.65	0.23
NMFS	USA	Southeast U.S. Continental Shelf	Greater amberjack Southern Atlantic coast	<i>Seriola dumerili</i>	Perciformes		Statistical catch at age model	1946-2006			
NMFS	USA	Gulf of Mexico	Greater amberjack Gulf of Mexico	<i>Seriola dumerili</i>	Perciformes		Biomass dynamics model	1986-2004			
NMFS	USA	Southeast U.S. Continental Shelf	Bonnethead shark Atlantic	<i>Sphyrna tiburo</i>	Carcharhiniformes		Biomass dynamics model	1950-2005			
NMFS	USA	Northeast U.S. Continental Shelf	Atlantic surfclam Mid-Atlantic Coast	<i>Spisula solidissima</i>	Veneroida		Biomass dynamics model	1965-2008			
NMFS	USA	Northeast U.S. Continental Shelf	Spiny dogfish Atlantic Coast	<i>Squalus acanthias</i>	Squaliformes		Unknown	1962-2006			
NMFS	USA	Northeast U.S. Continental Shelf	Scup Atlantic Coast	<i>Stenotomus chrysops</i>	Perciformes		Statistical catch at age model	1960-2007			
NMFS	USA	Gulf of Alaska	Walleye pollock Gulf of Alaska	<i>Theragra chalcogramma</i>	Gadiformes		Statistical catch at age model	1964-2008			
NMFS	USA	East Bering Sea	Walleye pollock Eastern Bering Sea	<i>Theragra chalcogramma</i>	Gadiformes	3.45	Statistical catch at age model	1963-2008	2008	0.66	0.85 *
NMFS	USA	East Bering Sea	Walleye pollock Aleutian Islands	<i>Theragra chalcogramma</i>	Gadiformes	3.45	Statistical catch at age model	1976-2008	2008	0.86	0.02
NMFS	USA	Northeast U.S. Continental Shelf	White hake Georges Bank / Gulf of Maine	<i>Urophycis tenuis</i>	Gadiformes	4.20	Biomass dynamics model	1963-2007	2007	0.35	0.8

Continued on next page

Management	Country	LME	Stock	Scientific name	Taxonomic order	Trophic Level	Methodology	Timespan	Current year	B ratio	U ratio
RFFA	Russia	Sea of Okhotsk	Walleye pollock Northern Sea of Okhotsk	<i>Theragra chalcogramma</i>	Gadiformes		Biomass dynamics model	1985-1994			
RFFA	Russia	West Bering Sea	Walleye pollock Western Bering Sea	<i>Theragra chalcogramma</i>	Gadiformes		VPA	1994-2004			
SPRFMO	Multinational	Humboldt Current	Chilean jack mackerel Chilean EEZ and offshore	<i>Trachurus murphyi</i>	Perciformes	3.49	Integrated Analysis VPA	1950-2010	2010	0.09 *	3.66 *
UNKNOWN	Multinational	Pacific High Seas	Shortfin mako Northwest Pacific Ocean	<i>Isurus oxyrinchus</i>	Lamniformes			1990-2003			
US State	USA	Northeast U.S. Continental Shelf	American lobster Rhode Island	<i>Homarus americanus</i>	Decapoda	3.70	Biomass dynamics model	1959-2007	2006	0.53 *	0.67 *
US State	USA	Northeast U.S. Continental Shelf	Winter flounder Rhode Island	<i>Pseudopleuronectes americanus</i>	Pleuronectiformes	2.83	Biomass dynamics model	1959-2007	2006	0.25 *	2.02
US State	USA	Northeast U.S. Continental Shelf	Tautog Rhode Island	<i>Tautoga onitis</i>	Perciformes	3.33	Biomass dynamics model	1959-2007	2006	0.84 *	0.59 *
WCPFC	Multinational	Pacific High Seas	Striped marlin Southwestern Pacific Ocean	<i>Kajikia audax</i>	Perciformes	4.58	Statistical catch at age model	1950-2003	2003	0.75	1.11
WCPFC	Multinational	Pacific High Seas	Skipjack tuna Western Pacific	<i>Katsuwonus pelamis</i>	Perciformes	4.35	Statistical catch at age model	1972-2006	2006	4.38	0.3
WCPFC	Multinational	Pacific High Seas	Albacore tuna Pacific Ocean	<i>Thunnus alalunga</i>	Perciformes	4.31	Statistical catch at age model	1959-2006	2006	2.46	0.9
WCPFC	Multinational	Pacific High Seas	Yellowfin tuna Western Pacific	<i>Thunnus albacares</i>	Perciformes	4.34	Statistical catch at age model	1952-2005	2005	1.22	0.8
WCPFC	Multinational	Pacific High Seas	Bigeye tuna Pacific Ocean	<i>Thunnus obesus</i>	Perciformes	4.50	Statistical catch at age model	1952-2006	2006	1.06	1.38

Table S 1: Summary of population-dynamics model based assessments in the RAM Legacy database, including the management body (acronyms from Table 1), assessment method, timespan of their longest time series data, estimated ratios of current biomass to the biomass at MSY and current harvest rate to the harvest rate that results in MSY. Estimated ratios were preferentially obtained directly from the assessment document or derived from surplus production models. When both SSB_{msy} and B_{msy} reference points were available, SSB was chosen preferentially.

	SP U/Umsy < 1	SP U/Umsy >= 1
U/Umsy < 1	20	14
U/Umsy >= 1	2	8
B/Bmsy < 1	29	6
B/Bmsy >= 1	12	31

Table S 2: Contingency tables of stock status classification for biomass and exploitation reference points obtained from assessments and those derived from surplus production models.

	SP U/Umsy < 1	SP U/Umsy >= 1
U/Umsy < 1	20	14
U/Umsy >= 1	2	8
B/Bmsy < 1	29	6
B/Bmsy >= 1	12	31

Table S 3: Contingency tables of stock status classification for biomass and exploitation reference points obtained from assessments and those derived from surplus production models. Upper bound for the Schaefer parameter set to $5 \cdot \max(TB)$