



Python

Input and Output - Working with files



Copyright © Software Carpentry 2010

This work is licensed under the Creative Commons Attribution License

See http://software-carpentry.org/license.html for more information.





Been using print to see what programs are doing How to save data to files?



How to save data to files?

And read data from them?



How to save data to files?

And read data from them?

Python's solution looks very much like C's



How to save data to files?

And read data from them?

Python's solution looks very much like C's

A file is a sequence of bytes

How to save data to files?

And read data from them?

Python's solution looks very much like C's

- A file is a sequence of bytes
- But it's often more useful to treat it as a sequence of lines



Sample data file: "haiku.txt"

Three things are certain: Death, taxes, and lost data. Guess which has occurred.

Errors have occurred. We won't tell you where or why. Lazy programmers.

With searching comes loss and the presence of absence: "My Thesis" not found.

A crash reduces your expensive computer to a simple stone.







bytes - Assume 1-to-1 for now



bytes - Assume 1-to-1 for now

Revisit later



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()
print len(data)
```



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()

print len(data)

Create a file object
```



```
with open('haiku.txt'), 'r') as reader:
   data = reader.read()
print len(data)
```

File to connect to



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()
print len(data)
To read
```



```
with open('haiku.txt', 'r') as reader:
    data = reader.read()

print len(data)

Now holds file object
```



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()
```

print len(data)

Read entire content of file into a string



```
with open('haiku.txt', 'r') as reader:
    data = reader.read()
```

print len(data)

Now has a copy of all the bytes that were in the file



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()
print len(data)
```

Why don't we need to *close* the file?

Since Python now uses the "with" statement we can trust the file will be automatically closed when we leave the context of the "with"

(indented) block.

Python



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()
```

print len(data)

Report how many characters were read



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()
```

print len(data)

Report how many characters were read

bytes



```
with open('haiku.txt', 'r') as reader:
   data = reader.read()

print len(data)
293
```





```
with open('haiku.txt', 'r') as reader:
    data = reader.read(64)
    while data != '':
        print len(data)
        data = reader.read(64)
    print len(data)
```



```
with open('haiku.txt', 'r') as reader:
    data = reader.read(64)
    while data != '':
        print len(data)
        data = reader.read(64)
    print len(data)
```



```
with open('haiku.txt', 'r') as reader:
    data = reader.read(64)
    while data != '':
        print len(data)
        data = reader.read(64)
    print len(data)
        if there is no more data
Or the empty string
if there is no more data
```



```
with open('haiku.txt', 'r') as reader:
    data = reader.read(64)
    while data != '':
        print len(data)
        data = reader.read(64)
        print len(data)
        the last read returned
        some data
```



```
with open('haiku.txt', 'r') as reader:
   data = reader.read(64)
   while data != '':
        print len(data)
        data = reader.read(64)
        print len(data)
        the data
```



```
with open('haiku.txt', 'r') as reader:
    data = reader.read(64)
while data != '':
    print len(data)
    data = reader.read(64)
    print len(data)
(Try to) reload
```



Should be 0 (or the loop would still be running)



```
with open('haiku.txt', 'r') as reader:
   data = reader.read(64)
   while data != '':
       print len(data)
       data = reader. read(64)
   print len(data)
64
64
64
64
37
```



```
with open('haiku.txt', 'r') as reader:
   data = reader.read(64)
   while data != '':
       print len(data)
       data = reader. read(64)
   print len(data)
64
64
                       Don't do this unless
64
64
37
```



```
with open('haiku.txt', 'r') as reader:
   data = reader. read(64)
   while data != '':
       print len(data)
       data = reader. read(64)
   print len(data)
64
64
                       Don't do this unless the file really
64
                       might be very large (or infinite)
64
37
```



More common to read one line at a time



More common to read one line at a time

```
with open('haiku.txt', 'r') as reader:
    line = reader.readline()
    total = 0
    count = 0
    while line != '':
        count += 1
        total += len(line)
        line = reader.readline()
print 'average', float(total) / float(count)
```



```
with open('haiku.txt', 'r') as reader:
    line = reader.readline()
    total = 0
    count = 0
    while line != '':
        count += 1
        total += len(line)
        line = reader.readline()

print 'average', float(total) / float(count)
```





```
with open('haiku.txt', 'r') as reader:
   line = reader.readline()
   total = 0
   count = 0
   while line != '':
      count += 1
      total += len(line)
      line = reader.readline() (Try to) reload

print 'average', float(total) / float(count)
```



```
with open('haiku.txt', 'r') as reader:
   line = reader.readline()
   total = 0
   count = 0
   while line != '':
       count += 1
       total += len(line)
       line = reader.readline()
print 'average', float(total) / float(count)
Average 19. 53333333
```





```
with open('haiku.txt', 'r') as reader:
    contents = reader.readlines()
    total = 0
    count = 0
    for line in contents:
        count += 1
        total += len(line)

print 'average', float(total) / float(count)
```



```
with open('haiku.txt', 'r') as reader:
    contents = reader.readlines()
    total = 0
    count = 0
    for line in contents:
        count += 1
        total += len(line)

print 'average', float(total) / float(count)
```



```
with open('haiku.txt', 'r') as reader:
    contents = reader.readlines()
    total = 0
    count = 0
    with for

for line in contents:
        count += l
        total += len(line)

print 'average', float(total) / float(count)
```



```
with open('haiku.txt', 'r') as reader:
   contents = reader.readlines()
   total = 0
   count = 0
   for line in contents:
       count += 1
       total += len(line)
print 'average', float(total) / float(count)
Average 19. 53333333
```



"Read lines as list" + "loop over list" is common idiom





```
with open('haiku.txt', 'r') as reader:
   total = 0
   count = 0
   for line in reader:
        count += 1
        total += len(line)

print 'average', float(total) / float(count)
```



```
with open('haiku.txt', 'r') as reader:
    total = 0
    count = 0
    Assign lines of text in file
    for line in reader:
        count += 1
        to loop variable one by one
        total += len(line)

print 'average', float(total) / float(count)
```



```
with open('haiku.txt', 'r') as reader:
   total = 0
   count = 0
   for line in reader:
        count += 1
        total += len(line)

print 'average', float(total) / float(count)

19. 5333333333
```

Python





```
with open('temp.txt', 'w') as writer:
    writer.write('elements')
    writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```



```
with open('temp.txt', 'w') as writer:
  writer.write('elements')
  writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```

Same function



```
with open('temp.txt') 'w') as writer:
   writer.write('elements')
   writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```

File to write to
(is created if it doesn't exist)



```
with open('temp.txt', 'w') as writer:
   writer.write('elements')
   writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```

For writing instead of reading



```
with open('temp.txt', 'w') as writer:
  writer.write('elements')
  writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```

Write a single string



```
with open('temp.txt', 'w') as writer:
    writer.write('elements')
    writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```

Write each string in a list as a line



```
with open('temp.txt', 'w') as writer:
    writer.write('elements')
    writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```

elementsHeNeArKr



```
with open('temp.txt', 'w') as writer:
    writer.write('elements')
    writer.writelines(['He', 'Ne', 'Ar', 'Kr'])
```

elementsHeNeArKr

Python only writes what you tell it to



```
with open('temp.txt', 'w') as writer:
   writer.write('elements\n')
   writer.writelines(['He\n', 'Ne\n', 'Ar\n', 'Kr\n'])
```

Have to provide end-of-line characters yourself



```
with open('temp.txt', 'w') as writer:
    writer.write('elements\n')
    writer.writelines(['He\n', 'Ne\n', 'Ar\n', 'Kr\n'])
```

elements

Не

Ne

Ar

Kr