

MANUAL TEST GUIDE

# CA Unpacker Prototype

A beginner-friendly checklist for testing the Windows desktop app

|                |                                                                     |
|----------------|---------------------------------------------------------------------|
| Prepared       | 18 August 2026                                                      |
| Prototype      | Release 0 - Trust Foundation                                        |
| Estimated time | 15 minutes for the smoke test; 45-60 minutes for the full checklist |

**Safety first:** Use only the included synthetic files for your first test. Do not use real client documents until you are comfortable with the prototype.

*No coding or terminal knowledge is required.*

## Start here

**Important:** This is a source prototype, not the final installer. Run it from the isolated prototype folder described below. Keep the black command window open while testing.

**App launcher:** C:\Users\Admin\OneDrive\Desktop\CA idea\.worktrees\full-product-integration\start.bat

**Synthetic test folder:** C:\Users\Admin\OneDrive\Desktop\CA idea\.worktrees\full-product-integration\test-dump

**Suggested output folder:** C:\Users\Admin\OneDrive\Desktop\CA idea\CA Unpacker Test Output

**Local app library:** %LOCALAPPDATA%\CAUnpacker

## Before you begin

- [ ] Close Excel files from any previous CA Unpacker test.
- [ ] Create an empty folder named 'CA Unpacker Test Output' in the visible CA idea folder.
- [ ] Use a made-up firm and client name. Suggested: Test & Co. and Demo Trading Pvt Ltd.
- [ ] Do not click 'Delete library' if this computer already contains data you want to keep.
- [ ] Have a place ready for screenshots if anything looks wrong.

## 15-minute smoke test

| Done | Check              | What should happen                                                                                  |
|------|--------------------|-----------------------------------------------------------------------------------------------------|
| [ ]  | <b>Launch</b>      | Double-click start.bat. The CA Unpacker window should open without closing itself.                  |
| [ ]  | <b>Set up</b>      | On first launch, enter a test firm name, choose the test output folder, then click 'Open the desk'. |
| [ ]  | <b>Create work</b> | Add client 'Demo Trading Pvt Ltd', open it, add period 'Jul 2026', then open the dump tray.         |
| [ ]  | <b>Import</b>      | Click 'Add folder' and choose the test-dump folder. It currently contains 13 synthetic files.       |
| [ ]  | <b>Wait</b>        | Wait until processing stops. Do not close the app while the status is changing.                     |

| Done | Check       | What should happen                                                                                                |
|------|-------------|-------------------------------------------------------------------------------------------------------------------|
| [ ]  | Account     | Confirm all 13 filenames appear. Every file must show Processed, Needs review, Failed, or Unclassified.           |
| [ ]  | Warnings    | Because the mixed folder contains unrelated/unknown files, expect 'Completed with warnings', not a clean success. |
| [ ]  | Outputs     | Use 'Open pack folder' and confirm one or more generated Excel files can be opened.                               |
| [ ]  | Persistence | Close and reopen the app. Confirm the test client, period, files, and outputs are still shown.                    |

**Smoke-test pass:** The app launches, imports all 13 files without silently dropping any, shows warning/review outcomes, creates usable Excel output, and remembers the work after restart.

## Detailed manual tests

Run these after the smoke test. Tick one result for each test and write down anything unexpected.

### Test 1 - Launch and first-run setup

**Purpose:** Confirm a non-technical user can open and configure the prototype.

| Step | Action                                                                                                    |
|------|-----------------------------------------------------------------------------------------------------------|
| 1    | Open C:\Users\Admin\OneDrive\Desktop\CA idea\worktrees\full-product-integration in File Explorer.         |
| 2    | Double-click start.bat and leave the black command window open.                                           |
| 3    | If the 'First launch' screen appears, enter 'Test & Co.' as the firm name.                                |
| 4    | Click 'Choose folder' and select C:\Users\Admin\OneDrive\Desktop\CA idea\CA Unpacker Test Output.         |
| 5    | Click 'Open the desk'. If setup was already completed earlier, simply confirm the Clients screen appears. |

**Expected result:** The app window opens and shows the Clients screen. It does not crash, freeze, or upload anything.

**Pass when:** The Clients screen is usable and the chosen output folder appears in the left rail.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

### Test 2 - Create a client and period

**Purpose:** Confirm the basic client workspace can be created without special knowledge.

| Step | Action                                                                                           |
|------|--------------------------------------------------------------------------------------------------|
| 1    | Enter 'Demo Trading Pvt Ltd' in Client name. Leave GSTIN blank or use a clearly fake test value. |
| 2    | Click 'Add client', then click the new client row.                                               |
| 3    | Enter 'Jul 2026' in Period and click 'Add period'.                                               |

| Step | Action                                              |
|------|-----------------------------------------------------|
| 4    | Click the new period row labelled 'Open dump tray'. |

**Expected result:** The dump tray opens and its heading identifies Demo Trading Pvt Ltd and Jul 2026.

**Pass when:** The client and period appear once, with no error message or duplicate row.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

### Test 3 - Import the mixed synthetic folder

**Purpose:** Confirm mixed PDFs, JSON, XML, ZIP, CSV, images, and an unrelated document are all accounted for.

| Step | Action                                                                                                                        |
|------|-------------------------------------------------------------------------------------------------------------------------------|
| 1    | In the dump tray, click 'Add folder'.                                                                                         |
| 2    | Choose C:\Users\Admin\OneDrive\Desktop\CA idea\worktrees\full-product-integration\test-dump and confirm the folder selection. |
| 3    | Wait until the status stops changing and the Add buttons become available again.                                              |
| 4    | Count the filenames shown in the file ledger. Compare them with the 13-file checklist in Appendix A.                          |

**Expected result:** Exactly 13 files are visible. Each one has a type and one terminal outcome: Processed, Needs review, Failed, or Unclassified.

**Pass when:** No selected file disappears, processing finishes, and the visible outcome count reconciles to 13.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

### Test 4 - Review warnings and unknown files

**Purpose:** Confirm the app does not claim clean success when files still need attention.

| Step | Action                                                                                                 |
|------|--------------------------------------------------------------------------------------------------------|
| 1    | Read the status at the top-right of the dump tray.                                                     |
| 2    | Open the 'Review files' section.                                                                       |
| 3    | Find meeting_notes.docx and random_scan.jpg, or any file marked Needs review, Failed, or Unclassified. |
| 4    | Confirm each review item shows a reason instead of only a colored badge.                               |

**Expected result:** The job says 'Completed with warnings' when unresolved files exist. Review items show the source filename, outcome, and a reason.

**Pass when:** The app never shows clean completion while unresolved or failed files are present.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

## Test 5 - Open and spot-check Excel outputs

**Purpose:** Confirm generated workbooks exist, open in Excel, and contain recognizable data from the synthetic sources.

| Step | Action                                                                                                                    |
|------|---------------------------------------------------------------------------------------------------------------------------|
| 1    | Click 'Open pack folder'. If 'Open in Excel' is available, test that button too.                                          |
| 2    | Look for the workbook names listed in Appendix B. The exact set depends on which sample files processed successfully.     |
| 3    | Open each available workbook and check that its first row contains headings rather than raw PDF text.                     |
| 4    | For Bank_Statement_Cleaned.xlsx, confirm dates/amounts are present and no obviously unrelated invoice or GST rows appear. |
| 5    | Close the workbooks before continuing so files are not locked.                                                            |

**Expected result:** Available .xlsx files open normally, contain structured rows, and are stored under the chosen test output folder.

**Pass when:** At least one expected workbook opens without a repair warning, and its contents match the document type named in the workbook.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

## Test 6 - Manual type override and reprocessing

**Purpose:** Confirm a reviewer can correct a classification and the app reprocesses the period transparently.

| Step | Action                                                                                     |
|------|--------------------------------------------------------------------------------------------|
| 1    | In Review files, choose an unresolved test item such as random_scan.jpg.                   |
| 2    | Change its type using the dropdown. Use the most reasonable option shown, such as Invoice. |
| 3    | Wait for automatic reprocessing to finish.                                                 |
| 4    | Confirm the file remains visible and receives a new terminal outcome and reason.           |

| Step | Action                                                                                  |
|------|-----------------------------------------------------------------------------------------|
| 5    | If the override is clearly wrong, change it back to Unknown after recording the result. |

**Expected result:** The app becomes busy, reparses the current period, and returns to a terminal job status without losing the file or the other outputs.

**Pass when:** The override is visible, reprocessing finishes, and every file still has an outcome.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

## Test 7 - Reject legacy .xls safely

**Purpose:** Confirm unsupported Excel files are rejected with useful guidance rather than accepted silently.

| Step | Action                                                                                                                   |
|------|--------------------------------------------------------------------------------------------------------------------------|
| 1    | Create a new empty folder named 'xls-rejection-test' under C:\Users\Admin\OneDrive\Desktop\CA idea.                      |
| 2    | Open Notepad, type the word test, choose Save As, select 'All files', and save it inside that folder as legacy-test.xls. |
| 3    | In CA Unpacker, click 'Add folder' and select xls-rejection-test.                                                        |
| 4    | Read the error shown in the dump tray.                                                                                   |

**Expected result:** The import is rejected and the message says legacy .xls is unsupported and should be exported as .xlsx or .csv.

**Pass when:** No false Excel output is produced and the guidance is understandable.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

## Test 8 - Restart and persistence

**Purpose:** Confirm local work survives a normal close and reopen.

| Step | Action                                                                                |
|------|---------------------------------------------------------------------------------------|
| 1    | Write down the visible client, period, file count, and one output filename.           |
| 2    | Close the CA Unpacker window, then close the black command window if it remains open. |
| 3    | Double-click start.bat again.                                                         |
| 4    | Open Demo Trading Pvt Ltd and Jul 2026.                                               |
| 5    | Compare the restored files and outputs with your notes.                               |

**Expected result:** The client, period, imported files, outcomes, and generated pack remain available after restart.

**Pass when:** Nothing has to be imported again and the stored file count matches the pre-restart count.

**Result:** ☐ PASS ☐ FAIL ☐ NOT RUN

Notes: \_\_\_\_\_

Notes: \_\_\_\_\_

## What not to test manually yet

**Prototype boundary:** The following gates are important, but they are better handled by automated tests or a later installed-app build. Skipping them does not invalidate your manual prototype feedback.

[ ] The 400/401-file folder boundary. Automated tests cover this and creating 401 files by hand adds little value.

[ ] Password-protected bank PDFs unless you already have a safe synthetic sample.

[ ] A clean Windows 11 installer test. This source prototype is not the final packaged installer.

[ ] Tesseract packaging on a clean computer. OCR may vary until the release build bundles the OCR assets.

[ ] Real client documents. Keep them outside Git and wait until the prototype workflow feels trustworthy.

## How to report a problem

For every failure, capture these five things. This is enough information to reproduce most prototype problems.

| Record         | What to write                                                        |
|----------------|----------------------------------------------------------------------|
| Test number    | For example: Test 4 - Review warnings and unknown files              |
| Exact filename | Copy the full name shown in the app                                  |
| Expected       | What this guide said should happen                                   |
| Actual         | What happened instead, including the exact error wording             |
| Evidence       | A screenshot plus the last visible lines in the black command window |

**Stop immediately if:** a selected file vanishes, a failed file produces clean completion, the app overwrites an original, or an unexpected network/upload message appears.

## Test session summary

| Test | Area | Result | Notes / screenshot name |
|------|------|--------|-------------------------|
|------|------|--------|-------------------------|

| Test | Area                | Result     | Notes / screenshot name |
|------|---------------------|------------|-------------------------|
| 1    | Launch/setup        | P / F / NR |                         |
| 2    | Client/period       | P / F / NR |                         |
| 3    | Folder import       | P / F / NR |                         |
| 4    | Warnings/review     | P / F / NR |                         |
| 5    | Excel outputs       | P / F / NR |                         |
| 6    | Override/reparse    | P / F / NR |                         |
| 7    | .xls rejection      | P / F / NR |                         |
| 8    | Restart/persistence | P / F / NR |                         |

**Tester:** \_\_\_\_\_

**Date and time:** \_\_\_\_\_

**Overall verdict:** ☐ Ready for another feedback round ☐ Fix issues first

## Appendix A - Synthetic test files

Folder: C:\Users\Admin\OneDrive\Desktop\CA idea\worktrees\full-product-integration\test-dump

| Seen | Filename                    | Likely family                  |
|------|-----------------------------|--------------------------------|
| [ ]  | GSTR-2B_July.json           | GST return data                |
| [ ]  | GSTR1_July.json             | GST return data                |
| [ ]  | GSTR3B_July.json            | GST return data                |
| [ ]  | HDFC_Statement_Jul2026.pdf  | Bank statement or invoice      |
| [ ]  | ICICI_Statement_Jul2026.pdf | Bank statement or invoice      |
| [ ]  | invoice_photo.png           | Scanned/image invoice          |
| [ ]  | meeting_notes.docx          | Unrelated/unknown document     |
| [ ]  | random_scan.jpg             | Image requiring classification |
| [ ]  | SBI_Statement_Jul2026.pdf   | Bank statement or invoice      |
| [ ]  | Tally_Backup.zip            | Tally backup                   |
| [ ]  | Tally_Daybook.xml           | Tally export                   |
| [ ]  | Tax_Invoice_Acme.pdf        | Bank statement or invoice      |
| [ ]  | Zoho_Books_Invoices.csv     | Books/Zoho export              |

## Appendix B - Expected workbook names

You may see some or all of these, depending on which synthetic inputs processed successfully:

- [ ] Bank\_Statement\_Cleaned.xlsx
- [ ] Purchase\_Register\_Extracted.xlsx
- [ ] Sales\_Register\_Extracted.xlsx
- [ ] GSTR\_1\_Formatted.xlsx

- [ ] GSTR\_2B\_Formatted.xlsx
- [ ] GSTR\_3B\_Formatted.xlsx
- [ ] Books\_Register\_Extracted.xlsx