




POST-OP DRAIN FLUID COLORS

What you may notice during recovery



DARK RED

Bloody drainage can occur early after surgery.



PINK

Drainage may lighten as healing progresses.



PALE YELLOW / CLEAR

Fluid may become lighter and more watery.



TIMING VARIES

Color alone cannot confirm normal healing.
Follow your surgeon's instructions.

CALL YOUR SURGEON PROMPTLY FOR:

- New bright-red drainage or a sudden increase
- Cloudy, thick, or foul-smelling fluid
- Fever, increasing redness, swelling, or pain
- Drainage that suddenly stops



Record drainage amounts as directed.
Your surgical team decides when drains can be removed.



@thedivascare



thedivascarellc.com

PATIENTS
PEOPLE
PURPOSE
ALWAYS

SAME JOURNEY ★ STRONGER TOMORROWS

*Care
Looks Good
On You*




BBL & LIPO 360

Protect healing tissue. Follow your personal plan.

BBL: SITTING & SLEEPING

Avoid prolonged pressure on transferred fat. Your surgeon decides how long sitting is restricted; there is no universal clearance date.

When approved, position your BBL cushion under your thighs or hamstrings to lift your buttocks away from the seat. Ask your team to demonstrate.

Use only approved sleeping positions. Side sleeping may put pressure on fat transferred to the hips.

BBL: ACTIVITY & MASSAGE

Get clearance before exercise, driving or massage. Tell your therapist exactly where fat was transferred. Do not assume the buttocks can be massaged.

LIPO 360: DAILY CARE

Confirm which areas were treated. Wear prescribed compression, care for incisions, and record drain output if instructed. Avoid strenuous activity until cleared.

Swelling and bruising improve gradually. Calendar dates do not replace an examination.

LUMPS OR FIRMNESS

Record when the area appeared and whether it hurts or changes. Ask your surgeon to assess it before adding massage or device treatments.

ASK AT FOLLOW-UP

When may I sit and for how long?
Which sleeping positions are safe?
Which areas may a therapist treat?
When may I work, drive and exercise?

Source: American Society of Plastic Surgeons recovery guidance.
Your surgeon's instructions take priority.

THE DIVA'S CARE

KNOWLEDGE • PREPARATION • A SMOOTHER TOMORROW

YOUR POST-OP RECOVERY GUIDE

BBL • Lipo 360 • Tummy Tuck • Breast Surgery

Welcome, D-O-L-L

Prepare with care. Ask questions. Give healing the attention it deserves.

1 START WITH YOUR SURGEON'S PLAN

Get written instructions for medicines, wound and drain care, sleeping, walking, compression, massage, driving and follow-up appointments. Save daytime and after-hours numbers.

2 CALL 911 FOR

Sudden trouble breathing, chest pain, coughing up blood, fainting or collapse. Do not wait for a massage appointment or social-media reply.

3 GET URGENT HELP

New pain, warmth or swelling in one leg needs urgent medical assessment. Do not massage that leg.

4 CALL YOUR SURGICAL TEAM

Report fever, spreading redness, worsening pain, foul drainage, wound opening or increased bleeding. If rapidly worsening, seek emergency care.

5 PREPARE YOUR SPACE

Arrange a caregiver and transportation. Keep paths clear. Have your thermometer, prescribed medicines, clean dressings, approved pillows, easy meals, phone and charger within reach.

*Education only. This guide has not been independently reviewed by a clinician.
Your surgical team's instructions take priority.*

Sources: CDC blood-clot guidance; MedlinePlus surgical wound care.

TUMMY TUCK & BREAST CARE

CLEAR GUIDANCE FOR A SMOOTHER RECOVERY

TUMMY TUCK

Your plan must protect the skin incision and any deeper abdominal repair. Follow instructions for dressings, drains and support garments.

Ask how to get out of bed, whether to rest with hips and knees bent, when to stand upright, and your lifting limit. Get clearance for pushing, pulling and abdominal exercise.

Do not stretch through pulling at the incision. Keep follow-ups even when the outside looks better.

BREAST AUGMENTATION, LIFT & REDUCTION

Use the support bra or band prescribed. Ask about sleeping, reaching, lifting, showering, driving and exercise.

Do not begin implant massage or displacement exercises unless your surgeon prescribes and demonstrates them.

Implants are not lifetime devices. Keep your implant information. Report persistent new swelling, pain, a lump or shape change. Discuss silicone implant imaging and routine breast-cancer screening.

COMBINED PROCEDURES

Request one coordinated plan. BBL positions can conflict with breast or tummy-tuck restrictions. Have the team demonstrate safe sleeping and movement.

FACE & EYE SURGERY

Follow procedure-specific head elevation, dressing and eye-care instructions. Do not apply ice to facelift areas unless directed. Sudden vision changes or severe eye pain need urgent medical attention.

OTHER PROCEDURES

Arm lifts, thigh lifts, chin lipo and rhinoplasty need their own instructions. After filler, severe unusual pain, white or dusky skin, or vision changes need immediate attention.

Sources: ASPS recovery guidance; FDA implant and filler guidance.

Your surgeon's instructions take priority.

DRAIN COLORS & WOUND CARE

COLORS DO NOT FOLLOW FIXED DAYS

-  **Dark red or bloody:** May occur early; the amount and your symptoms matter.
-  **Pink:** May appear as blood becomes less concentrated.
-  **Pale yellow or clearer:** Can occur as recovery progresses.
-  **New bright red or suddenly bloodier:** Call your surgical team promptly.
-  **Cloudy, thick or foul-smelling:** Call your surgical team promptly.

Color alone cannot confirm normal healing.
Pale-yellow fluid is different from thick yellow pus.

CARING FOR A BULB DRAIN

- Clean hands before and after care.
- Empty on the prescribed schedule.
- Measure in milliliters and record each drain separately.
- Restore suction exactly as taught.
- Secure the drain to prevent pulling.
- Manipulate tubing only as instructed.

Call if the bulb will not stay compressed, drainage suddenly stops, fluid leaks around the site, or the tube comes out.

Do not reinsert it.

Your surgical team decides when drains can be removed.

INCISIONS & BATHING

- Follow instructions for dressings, glue and tape.
- Ask when you can shower or soak.
- For open wounds, use only the prescribed cleaning method.
- Alcohol, peroxide, iodine and harsh cleansers can damage healing wound tissue.
- Do not add creams or herbal remedies without approval.

KEEP A RECORD

Date / time • Drain ID • Amount in mL • Color • Symptoms

FOOD & DAILY RECOVERY

EAT TO SUPPORT HEALING

There is no single required BBL food or meal that guarantees fat survival.

Aim for adequate food, protein and fluids within your medical plan.

- **Protein:** Eggs, chicken, fish, yogurt, tofu, beans or lentils.
- **Energy:** Oats, rice, potatoes or whole-grain bread.
- **Produce:** Berries, citrus, peppers, broccoli or leafy greens.
- **Fats:** Olive oil, avocado, nuts or seeds.

If appetite is low, try smaller meals more often. Ask for dietitian help if you cannot eat enough. Diabetes, kidney disease, allergies or fluid restrictions need an individualized plan.

SAMPLE DAY

- **Breakfast:** Eggs, toast and berries.
- **Lunch:** Chicken or lentils, rice and vegetables.
- **Dinner:** Salmon or tofu, potato and broccoli.
- **Snack:** Yogurt or a suitable alternative.

Ask your team before adding iron, arnica, lymphatic drops or vitamin megadoses.

DAILY CHECKLIST

- Record medicines and doses.
- Follow your walking plan.
- Track meals, drinks and drain output.
- Check incisions and garment fit.
- Write down symptoms and questions.
- Keep follow-up appointments.

TRAVEL & SUPPORT

- Get travel clearance and a clot-prevention plan. A massage or BBL pillow does not replace that plan.
- Arrange help with meals and daily tasks. If anxiety or sadness interferes with daily life, tell a healthcare professional.

MY CONTACTS

Surgeon: _____

After-hours number: _____

Next appointment: _____

Sources: Alberta Health Services wound-healing nutrition; CDC travel guidance.

Your surgical team's instructions take priority.

MASSAGE & COMPRESSION

HOW OFTEN SHOULD I GET MESSAGES?

There is no single validated schedule for every BBL, liposuction or tummy-tuck patient. Your surgeon and qualified therapist should decide your start date, frequency, treatment areas and goals.

A fixed total, daily appointments or twice-daily massage is not a universal requirement.

A PERSONAL PLAN

Before clearance: Wait for your surgeon's approval.

Starting: Agree on a schedule and reassessment date.

Improving: Ask whether fewer appointments are needed.

Not improving: Seek reassessment before continuing.

New concerning symptoms: Pause and obtain medical advice.

GENTLE, QUALIFIED CARE

Manual lymphatic drainage uses light, specialized movements. It should not involve painful squeezing or forceful attempts to break up tissue. Choose a licensed professional with postoperative training.

Do not receive massage with suspected blood clots, infection or fever.
Heart or kidney disease needs medical assessment.

GARMENTS, FOAMS & BOARDS

Your surgeon should specify fit, wear time and duration. Ask whether you need foam or a board and where to place it.

Stage 1, Stage 2 and Stage 3 labels do not determine medical readiness. Get approval before changing compression or starting waist training.

Report numbness, skin injury, discoloration or worsening pain instead of tightening further.

MY PLAN

Start date: _____

Visits per week: _____

Approved areas: _____

Review date: _____