

McMaster Signs of Migrating Icy Worlds in the Radius Valley

Bennett Skinner, Ralph Pudritz, and Ryan Cloutier


ALL RESULTS NOT FINAL AND WILL CHANGE BEFORE PUBLICATION!



skinnb1@mcmaster.ca


Radius Valley

- Distribution of planetary radii is bimodal "Radius Valley" 1
 - ~1.3 R_e super-Earth peak and ~2.4 R_e sub-Neptune peak¹
 - Super-Earth ρ consistent w/ Earth-like
 - Sub-Neptune ρ consistent w/ H/He OR water envelope
- Sub-Neptune composition depends on valley formation
 - Atmospheric mass loss → H/He-rich
 - Water-rich formation → water-rich
- FGK slope w/ instellation consistent w/ envelope mass loss^{2,3}
- M slope different v. FGK stars⁴, possible water-rich formation
- Both mechanisms could contribute⁵




Interior Structure Updates

- Determine planetary radii from MPPSM output parameters⁷
- Now use most modern Equations of State (EOS)⁸⁻²⁵
- Experimental measurements of ρ using diamond anvils²²
- Apply Density Functional Theory (DFT) to high pressures²³
- More advanced model
 - Mantle composition via Gibbs free energy minimization¹³
 - Non-grey irradiated atmosphere²⁶⁻²⁹
 - Thermal effects (including melting) within mantle, core⁸⁻²⁵
 - FeS in the core^{21,23}
 - Prescription for rotation³⁰⁻³¹
- Transit radii calculated to compare to observations²⁶




Planet Population Synthesis

- Simulate planet formation, create synthetic population
- McMaster Planet Population Synthesis Model (MPPSM)⁶
 - Planetesimal accretion in disk around sunlike star
 - One lunar-mass embryo/disk
 - Power-law disk evolved via turbulent viscosity
 - Disk wind-driven advection and mass loss
 - Planets form in planet traps where disk conditions change⁷
 - Ice Line: Water vapour → condensed
 - Heat Transition: Heat via viscous dissipation → irradiation
 - Dead-Active Zone: MRI inactive → MRI active




New Mass-Radius Curves

- Radii calculated for varying masses, compositions
- Current mass-radius curves old EOS or not made for high T




Synthetic Radius Valley

- Calculated radii of MPPSM planets w/ new interior structure Is radius valley replicated without H/He-rich planets?
- Peak radii approximated but relative occurrence incorrect Water worlds could be secondary FGK sub-Neptune source
- Updated interior structure model required for radius valley
- W/o winds, no radius valley b/c less migration



Future Work

- Incorporate metals in H/He envelope
- Non-radiogenic heating
- Implement active-dead zone boundary
- Create and run MPPSM for M dwarf stars
- Statistically quantify synthetic-observed discrepancy
- Apply improved interior structure to MPPSM advances Pebble accretion, new wind prescription, N-body, etc.



Observations from

Fulton et al. (2017)1

Too broad

Acknowledgements & References

We would like to thank Matthew Alessi for providing code used in MPPSM; Komal Bali and Caroline Dorn for providing tabulated MR relationships from their interior structure model; and Jonas Haldemann for insights about water equations of state. We would also like to thank the

creators of the BICEPS model, Jonas Haldemann, Caroline Dorn, Julia Venturini, Yann Alibert, and Willy Benz, for coagulating many of the EOS we use in our model.

The California-Kepler Survey. III. A Gap in the Radius Distribution of Small Planets., 154(3):109 ²Lopez, E. D. and Rice, K. (2018). How formation time-scales affect the period dependence of the transition between rocky super-Earths and gaseous sub-Neptunesand implications for η_θ ³Gupta, A. and Schlichting, H. E. (2019). Sculpting the valley in the radius distribution of small exoplanets as a by-product of planet formation: the core-powered mass-loss mechanism. ⁴Cloutier, R. and Menou, K. (2020). Evolution of the Radius Valley around Low-mass Stars from Kepler and K2 ⁵Burn, R., Mordasini, C., Mishra, L., Haldemann, J., Venturini, J., Emsenhuber, A., and Henning, T. (2024). A radius valley between migrated steam worlds and evaporated rocky cores. 6Alessi, M. and Pudritz, R. E. (2022). Combined effects of disc winds and turbulence-driven accretion on planet populations Alessi, M., Pudritz, R. E., and Cridland, A. J. (2020b). Formation of planetary populations - II. Effects of initial disc size and radial dust drift. ⁸Chabrier, G., Mazevet, S., and Soubiran, F. (2019). A New Equation of State for Dense Hydrogen-Helium Mixtures 9Chabrier, G. and Debras, F. (2021). A New Equation of State for Dense Hydrogen-Helium Mixtures. II. Taking into Account Hydrogen-Helium Interactions ¹⁰Howard, S. and Guillot, T. (2023). Accounting for non-ideal mixing effects in the hydrogen-helium equation of state. ¹¹Haldemann, J., Alibert, Y., Mordasini, C., and Benz, W. (2020). AQUA: a collection of H2O equations of state for planetary models. ¹²Stixrude, L. and Lithgow-Bertelloni, C. (2024). Thermodynamics of mantle minerals - III: the role of iron. ¹³Connolly, J. A. D. (2009). The geodynamic equation of state: What and how ¹⁴Ichikawa, H. and Tsuchiya, T. (2020). Ab Initio Thermoelasticity of Liquid Iron-Nickel-Light Element Alloys. ¹⁵Sakai, T., Dekura, H., and Hirao, N. (2016). Experimental and theoretical thermal equations of state of MgSiO₃ post-perovskite at multi-megabar pressures. ¹⁶Fischer, R. A., Campbell, A. J., Shofner, G. A., Lord, O. T., Dera, P., and Prakapenka, V. B. (2011). Equation of state and phase diagram of FeO. ¹⁷Musella, R., Mazevet, S., and Guyot, F. (2019). Physical properties of MgO at deep planetary conditions ¹⁸Melosh, H. J. (2007). A hydrocode equation of state for SiO2 ¹⁹Faik, S., Tauschwitz, A., and Iosilevskiy, I. (2018). The equation of state package FEOS for high energy density matter. ²⁰Stewart, S., Davies, E., Duncan, M., Lock, S., Root, S., Townsend, J., Kraus, R., Caracas, R., and Jacobsen, S. (2020). The shock physics of giant impacts: Key requirements for the equations of ²¹Ichikawa, H. and Tsuchiya, T. (2020). Ab Initio Thermoelasticity of Liquid Iron-Nickel-Light Element Alloys. ²²Kuwayama, Y., Morard, G., Nakajima, Y., Hirose, K., Baron, A. Q. R., Kawaguchi, S. I., Tsuchiya, T., Ishikawa, D., Hirao, N., and Ohishi, Y. (2020). Equation of State of Liquid Iron under Extreme ²³Hakim, K., Rivoldini, A., Van Hoolst, T., Cottenier, S., Jaeken, J., Chust, T., and Steinle-Neumann, G. (2018). A new ab initio equation of state of hcp-Fe and its implication on the interior structure ²⁴Fei, Y., Murphy, C., Shibazaki, Y., Shahar, A., and Huang, H. (2016). Thermal equation of state of hcp-iron: Constraint on the density deficit of Earth's solid inner core. ²⁵Dorogokupets, P. I., Dymshits, A. M., Litasov, K. D., and Sokolova, T. S. (2017). Thermodynamics and Equations of State of Iron to 350 GPa and 6000 K ²⁶Guillot, T. (2010). On the radiative equilibrium of irradiated planetary atmospheres ²⁷Parmentier, V. and Guillot, T. (2014). A non-grey analytical model for irradiated atmospheres. I. Derivation ²⁸Parmentier, V., Guillot, T., Fortney, J. J., and Marley, M. S. (2015). A non-grey analytical model for irradiated atmospheres. II. Analytical vs. numerical solutions. ²⁹Freedman, R. S., Lustig-Yaeger, J., Fortney, J. J., Lupu, R. E., Marley, M. S., and Lodders, K. (2014). Gaseous Mean Opacities for Giant Planet and Ultracool Dwarf Atmospheres over a Range of ³⁰Paxton, B., Cantiello, M., Arras, P., Bildsten, L., Brown, E. F., Dotter, A., Mankovich, C., Montgomery, M. H., Stello, D., Timmes, F. X., and Townsend, R. (2013). Modules for Experiments in Stellar Astrophysics (MESA): Planets, Oscillations, Rotation, and Massive Stars. ³¹Paxton, B., Smolec, R., Schwab, J., Gautschy, A., Bildsten, L., Cantiello, M., Dotter, A., Farmer, R., Goldberg, J. A., Jermyn, A. S., Kanbur, S. M., Marchant, P., Thoul, A., Townsend, R. H. D., Wolf, W. M., Zhang, M., and Timmes, F. X. (2019). Modules for Experiments in Stellar Astrophysics (MESA): Pulsating Variable Stars, Rotation, Convective Boundaries, and Energy Conservation