

log: /msu/scratch4/m1cmb07/Connor_bob/mmb/output/interactions_with_rules/Billsacrat_stky_ > pr_calvo.smcl

log type: smcl opened on: 18 Jul 2024, 16:00:01

Interaction effects of stky_pr_calvo and rules on Billsacrat at various horizons

obtaining LAD starting values ... done iterating RLS done fitting empty model ... done computing standard errors ... done

M regression (95% efficiency)

Number of obs = Wald chi2(5) = Prob > chi2 = Pseudo R2 = Riweight k = 228 44.31 0.0000 0.1091 Biweight k 4.685 .36026859 Scale

| Billsacrat20 | Coefficient | Robust std. err. | t | P> t | [95% conf. | interval] |
|----------------------------------------------------|------------------------|-------------------------------------------|-------|-------|------------|-----------|
| stky_pr_calvo 0 1 | 0 2095864 | (empty) .0985802 | -2.13 | 0.035 | 4038592 | 0153135 |
| rule_g 0 1 | 0 . 3649348 | (empty) . 1142195 | 3.20 | 0.002 | .1398416 | . 590028 |
| rule_itr 0 1 | 0 . 2412891 | (empty) . 1085534 | 2.22 | 0.027 | . 027362 | . 4552161 |
| stky_pr_calvo#rule_g 0 0 0 1 1 0 1 1 | 0 0 0 03878 | (empty) (empty) (empty) .1305288 | -0.30 | 0.767 | 2960141 | . 2184541 |
| stky_pr_calvo#rule_itr 0 0 0 1 1 0 1 1 | 0 0 0 1564221 | (empty) (empty) (empty) .1288964 | -1.21 | 0.226 | 4104391 | . 0975949 |
| _cons | . 3439824 | .0873753 | 3.94 | 0.000 | .1717912 | .5161736 |

Interaction effects of stky_pr_calvo and rules on Billsacrat at various horizons

obtaining LAD starting values ... done iterating RLS done fitting empty model ... done computing standard errors ... done

M regression (95% efficiency)

Number of obs = 228
Wald chi2(5) = 34.03
Prob > chi2 = 0.0000
Pseudo R2 = 0.0903
Biweight k = 4.685
Scale = .40443635

| cons | . 2926341 | .1003259 | 2.92 | 0.004 | .0949212 | .4903471 |
|----------------------------------------------------|-----------------------------|-------------------------------------------|-------|-------|------------|-----------|
| stky_pr_calvo#rule_itr 0 0 0 1 1 0 1 1 | 0 0 0 2580846 | (empty) (empty) (empty) .1554936 | -1.66 | 0.098 | 5645169 | . 0483478 |
| stky_pr_calvo#rule_g 0 0 0 1 1 0 1 1 | 0 0 0 0 1179768 | (empty) (empty) (empty) .1529292 | -0.77 | 0.441 | 4193555 | . 1834019 |
| rule_itr 0 1 | . 3327443 | (empty) .1336095 | 2.49 | 0.013 | .0694391 | . 5960495 |
| rule_g 0 1 | . 4369901 | (empty) . 1376825 | 3.17 | 0.002 | .1656583 | . 708322 |
| stky_pr_calvo 0 1 | 0 1838697 | (empty) . 1120886 | -1.64 | 0.102 | 4047635 | .0370241 |
| Billsacrat40 | Coefficient | Robust std. err. | t | P> t | [95% conf. | interval] |

Interaction effects of stky_pr_calvo and rules on Billsacrat at various horizons

obtaining LAD starting values ... done iterating RLS done fitting empty model ... done computing standard errors ... done

M regression (95% efficiency)

Number of obs = 228
Wald chi2(5) = 37.52
Prob > chi2 = 0.0000
Pseudo R2 = 0.0824
Biweight k = 4.685
Scale = .40115642

| Billsacrat60 | Coefficient | Robust std. err. | t | P> t | [95% conf. | interval] |
|----------------------------------------------------|------------------------|---------------------------------------------------|-------|-------|------------|-----------|
| stky_pr_calvo 0 1 | 0 1914969 | (empty) . 1107224 | -1.73 | 0.085 | 4096984 | .0267046 |
| rule_g 0 1 | . 3964435 | (empty) . 1266015 | 3.13 | 0.002 | . 146949 | . 645938 |
| rule_itr 0 1 | . 3038506 | (empty) . 12737 | 2.39 | 0.018 | . 0528415 | . 5548596 |
| stky_pr_calvo#rule_g 0 0 0 1 1 0 1 1 | 0 0 0 0743971 | (empty) (empty) (empty) .1444197 | -0.52 | 0.607 | 359006 | . 2102118 |
| stky_pr_calvo#rule_itr 0 0 0 1 1 0 1 1 | 0 0 0 2273461 | (empty) (empty) (empty) . 1534547 | -1.48 | 0.140 | 5297604 | . 0750682 |
| _cons | . 2914534 | .0976417 | 2.98 | 0.003 | .09903 | . 4838767 |

name: <unnamed>
 log: /msu/scratch4/m1cmb07/Connor_bob/mmb/output/interactions_with_rules/Billsacrat_stky_
> pr_calvo.smcl
log type: smcl
closed on: 18 Jul 2024, 16:00:01