Slides

Techorama

ALL-STAR SPORTS EDITION

Star Schema ALL The Things!
But why?

Microsoft

Benni De Jagere

Principal Program Manager | Fabric Customer Advisory Team (FabricCAT)

Fabric CAT

.be Member

@BenniDeJagere

/bennidejagere

/bennidejagere

/bennidejagere

#SayNoToPieCharts

What spurred the idea for this session?

Spoiler Alert: It was (yet) another X discussion



It all started with an X, how did it end up like this?

It was only an X, it was only an X

- *"You should never do [xyz]"*
- *"You always need to [xyz]"*
- *"I won't even touch a model if it's not [xyz]"*

- But why?
- Kurt Buhler - the Goblin behind the Model

Session Objectives



Session Objectives

- Star Schema ALL the things! (For Power BI)
- Convince you to be critical of best practices
- Take you through my thought process
  - Hang on tight! 

The Data & Architecture

The Data

www.citibikenyc.com/system-data

Public Open Data

Starts June 2013

Information about every trip

- Longer than 60 seconds
- Only ‘actual trips’

Masterdata

https://i0.wp.com/thenypost.files.wordpress.com/2013/12/citibike1.jpg

The Data



The Data


CSV Properties
General
Sharing
Security
Previous Versions
Customize
CSV
Type:
File folder
Location:
Size:
38.0 GB (40,882,837,570 bytes)
Size on disk:
38.0 GB (40,883,343,360 bytes)
Contains:
264 Files, 7 Folders
Created:
Sunday, September 25, 2022, 1:43:15 PM
Attributes:
Read-only (Only applies to files in folder)
Hidden
Advanced...

	Lakehouse Name	Table Name	Num_Files	Num_Rowgroups	Num_Rows	Delta_Size_MB	Last OPTIMIZE Timestamp	Last VACUUM Timestamp
0	NYCCitibike_BASE	Trips	24	73	212794868	6205	None	None
3	NYCCitibike_CURATED	UserType_DI	1	1	3	0	None	None
4	NYCCitibike_CURATED	Gender_DI	1	1	59	0	None	None
5	NYCCitibike_CURATED	TripType_DI	1	1	3	0	None	None
6	NYCCitibike_CURATED	MemberType_DI	1	1	3	0	None	None
7	NYCCitibike_CURATED	Region_DI	1	1	8	0	None	None
8	NYCCitibike_CURATED	Batch_DI	1	1	10	0	None	None
9	NYCCitibike_CURATED	FileType_DI	1	1	3	0	None	None
10	NYCCitibike_CURATED	Station_DI	1	1	3991	0	None	None
11	NYCCitibike_CURATED	RideType_DI	1	1	4	0	None	None
12	NYCCitibike_CURATED	Bike_DI	1	1	35553	0	None	None
13	NYCCitibike_CURATED	TripsXL_FA	0	0	0	0	None	None
14	NYCCitibike_CURATED	TripsXXL_FA	0	0	0	0	None	None
15	NYCCitibike_CURATED	Date_DI	1	1	7304	0	None	None

The Architecture



The ‘Metrics’

aka “What do I care about?”

The Metrics

- Refresh Time
- Model Size
- (Re)Usability
- DAX Complexity
- Performance
- Cost

- Mystery

The Tools

The Tools

Performance Analyzer Pane

DAX Studio

VertiPaq Analyzer

Tabular Editor 2

SSMS Profiler

Visualize Your Refresh

The Models

Remember when I said ‘No Shortcuts?’

Let’s take a shortcut

Data should be transformed as far upstream as possible, and as far downstream as necessary.

Matthew Roche, 2021
(The purple haired sword afficionado in a feline themed team)
https://ssbipolar.com/2021/05/31/roches-maxim

From a previous session

1_NYC_Citibike_BASE.pbix	4,397,349 KB
2_NYC_Citibike_DataTypes.pbix	3,775,468 KB
3_NYC_Citibike_AutoDateTime.pbix	2,553,543 KB
4_NYC_Citibike_UnusedColumns.pbix	1,761,946 KB
5_NYC_Citibike_StarSchema.pbix	837,947 KB
6_NYC_Citibike_Report_v1 (Calculated Column).pbix	1,023,519 KB
7_NYC_Citibike_Report_v2(NewCards).pbix	837,363 KB
7_NYC_Citibike_Report_v2.pbix	837,355 KB
8_NYC_Citibike_Report_v3_UnusedRows.pbix	199,357 KB

The Shortcut

- PowerQuery transformations didn’t scale
- Led to timeouts, capacity pressure, ..
- DAX Calculated Columns/Tables scaled even less

- Could you get it to work well?
- Yes, but it would require time, resources, and skill

Let’s Compare!

Refresh Time

How to measure

- Use Profiler to run a trace
- Save it as ‘Trace XML file’
- Leverage Phil Seamark - ‘Visualize your refresh’
  - Check which specific events you need to trace
- Compare results and notes

Job Trace Reporting

Star Schema – 2020 only

Select a Request ID

All



532K

Total CPU Time

11 mins 43 sec

Duration

ObjectName	Rows Read	Duration Measure (Seconds)	Rows per second
TripType	3	6	0.50
FileType	3	1	3.00
MemberType	3	1	3.00
UserType	3	1	3.00
RideType	4	1	4.00
Region	8	1	8.00
Batch	10	1	10.00
Gender	59	1	59.00
StopStation	3,991	6	665.17
DateStart	7,304	6	1,217.33
StartStation	3,991	1	3,991.00
Total	**20,074,475**	**703**	**28,555.44**

Job Trace Reporting

Flat Table– 2020 only

Select a Request ID

All



1M

Total CPU Time

ObjectName	Rows Read	Duration Measure (Seconds)	Rows per second
Trips	19,843,659	1337	14,841.93
Total	**19,843,659**	**1337**	**14,841.93**

22 mins 32 sec

Duration

Houston, we have a problem

- Flat Table was not able to refresh through ‘Refresh Now’ in UI
- Memory Footprint exceeded P1 allocation (25GB)
- So I cheated ☺

- When increased to P2, refresh timed out after 5 hours
- Incremental Refresh was configured for both models
  - As volume grows year over year, so does the difference in processing times ..

Did you know?

- By default, Power BI creates an Attribute Hierarchy
  - Adds Model Size, Refresh Time
- Mostly used for MDX / Excel PivotTable
- Can be disabled for columns that are **not**:
  - Visible
  - Used in Sort By Column
  - Used in Hierarchies

https://blog.crossjoin.co.uk/2018/07/02/isavailableinmdx-ssas-tabular/
https://data-mozart.com/hidden-little-gem-that-can-save-your-power-bi-life/

Model Size

Model Size (2020)

OBT (Flat)

00_NYCCitibike_FLAT_2020 (PBI Service)

Total Size in Memory	Last Data Refresh	Analysis Date
2.07 GB	3/17/2024 2:15:44 PM +01:00	3/17/2024 2:24:01 PM +01:00

Compatibility	Tables	Columns	Server
1567	1	21	powerbi://api.powerbi.com/v1.0/myorg/BDJ_NYCCitibike_StarSchemaAllTheThings

Star Schema

00_NYCCitibike_STAR_2020 (PBI Service)

Total Size in Memory	Last Data Refresh	Analysis Date
299.46 MB	3/17/2024 11:57:27 AM +01:00	3/17/2024 11:58:22 AM +01:00

Compatibility	Tables	Columns	Server
1567	16	133	powerbi://api.powerbi.com/v1.0/myorg/BDJ_NYCCitibike_StarSchemaAllTheThings

Model Size (Full)

OBT (Flat)

00_NYCCitibike_FLAT (PBI Service)

Total Size in Memory	Last Data Refresh	Analysis Date
18.49 GB	3/17/2024 5:49:58 PM +01:00	3/17/2024 10:14:04 PM +01:00

Compatibility	Tables	Columns	Server
1567	4	42	powerbi://api.powerbi.com/v1.0/myorg/BDJ_NYCCitibike_StarSchemaAllTheThings

Star Schema

00_NYCCitibike_STAR (PBI Service)

Total Size in Memory	Last Data Refresh	Analysis Date
3.09 GB	3/18/2024 12:11:00 AM +01:00	3/18/2024 6:14:07 AM +01:00

Compatibility	Tables	Columns	Server
1567	16	133	powerbi://api.powerbi.com/v1.0/myorg/BDJ_NYCCitibike_StarSchemaAllTheThings

Let’s talk about relationships..
(Why GUIDs and Business Keys do not work)

- Relationships need to be materialized
- We want to fit as much as possible into Memory (speed++)
  - Cardinality and Data Type impact this
  - This ..impacts large dimensions and fact to fact relationships to perform worse

- Business Keys can change over time
- How do you want your model to evolve?

https://www.sqlbi.com/articles/costs-of-relationships-in-dax/
https://www.kimballgroup.com/data-warehouse-business-intelligence-resources/kimball-techniques/dimensional-modeling-techniques/natural-durable-supernatural-key/
https://data-marc.com/2023/05/17/the-hidden-impact-of-keys-in-your-power-bi-data-model/
https://exceleratorbi.com.au/replace-guids-with-a-surrogate-key-for-better-performance/

Large Model Storage Format

- Default Segment Size goes from 1M to 8M
- Keep in mind you can no longer download .pbix

https://learn.microsoft.com/en-us/power-bi/enterprise/service-premium-large-models
https://learn.microsoft.com/en-us/power-bi/enterprise/service-premium-large-models#default-segment-size
https://www.sqlbi.com/tv/explaining-segment-size-in-power-bi-premium-unplugged-29/
https://www.sqlbi.com/blog/marco/2021/06/29/choosing-azure-analysis-services-or-power-bi-premium-for-large-datasets/

(Re)Usability

(Re)Usability

- Which column do I use?
- Hello, Auto Date/Time!
- Need more columns for Time Analysis
- Solution needed for base columns for Measures
  - Added Duration, Customer Age to Table
- Any logic I add to the Model, will be hard to reuse
- Also the space for a discussion about Implicit vs. Explicit measures

https://data-mozart.com/understanding-explicit-vs-implicit-measures-in-power-bi/

Performance + DAX Complexity

Trips Taken	Time Taken	Dur AVG
20M	435M	21.91

Start Station	Trips Started
1 Ave & E 68 St	100,753
West St & Chambers St	99,364
W 21 St & 6 Ave	99,191
12 Ave & W 40 St	97,415
Broadway & W 60 St	91,855

Stop Station	Trips Ended
West St & Chambers St	101,768
W 21 St & 6 Ave	100,314
1 Ave & E 68 St	100,260
12 Ave & W 40 St	99,334
E 17 St & Broadway	93,967







Date
Last 1 Select
No filters applied

Hour
All

Region
All

Start Station
All

Stop Station
All

User Type
All

Ride Type
All

Clear all slicers
Apply all slicers

Star Schema (2020)



Flat Table (2020)



Trips Taken	Time Taken	Dur AVG
213M	4bn	16.90

Start Station	Trips Started
W 21 St & 6 Ave	1,141,210
West St & Chambers St	1,047,019
E 17 St & Broadway	1,042,618
Pershing Square North	1,019,837
Broadway & E 14 St	937,139

Stop Station	Trips Ended
W 21 St & 6 Ave	1,148,298
West St & Chambers St	1,086,118
E 17 St & Broadway	1,085,619
Pershing Square North	976,465
Broadway & E 14 St	935,530







Date
Last 1 Select
No filters applied

Hour
All

Region
All

Start Station
All

Stop Station
All

User Type
All

Ride Type
All

Clear all slicers
Apply all slicers

Star Schema (Full)



Flat Table (Full)



Throughout Time - Graph

Star Schema (Full)



Flat Table (Full)



Map per Start Station - Graph

Star Schema (Full)

Total	SE CPU
1,016 ms	13,813 ms x14.5
FE	SE
63 ms 6.2%	953 ms 93.8%
SE Queries	SE Cache
4	0 0.0%

Line	Subclass	Duration	CPU	Par.	Rows	KB	Timeline	Query
2	Scan	0	0		2,805	11		SELECT 'StartStation'[StartStationLatitude], 'StartStation'[StartSt
4	Scan	0	0		2,804	11		**SELECT 'StartStation'[StartStationLatitude], 'StartStation'[S**
6	Scan	953	13,813	x14.5	2,994	36		SELECT 'Region'[Region], 'StartStation'[StartStationLatitude], 'St
8	Scan	0	0		2,799	33		**SELECT 'StartStation'[StartStationLatitude], 'StartStation'[S**

Flat Table (Full)



Total	SE CPU
181,563 ms	50,859 ms x2.9
FE	SE
163,766 ms 90.2%	17,797 ms 9.8%
SE Queries	SE Cache
1	0 0.0%

Line	Subclass	Duration	CPU	Par.	Rows	KB	Timeline	Query
2	Scan	17,797	50,859	x2.9	0,382,926	477,725		**SELECT 'Trips'[start_station_latitude], 'Trips'[start_station_l**

Cost

Cost

- Full Refresh for Flat Table exceeds P1 allowance
- Consistently, the Star Schema consumes less CPU
  - During Refresh
  - During Ad-hoc queries
  - During Reporting

Bringing it all together

Overview of Metrics

	Star Schema	Flat Table
Refresh Time		
Model Size		
(Re)Usability		
Performance		
DAX Complexity		
Cost		

What about Lucky Number Seven?

Correct Results

Have you heard about ‘AutoExists’?

- Applies to SUMMARIZECOLUMNS only
  - Implicit Measures often use it ..
- When using multiple Filters on a single table
- AutoExists will treat it as a single Filter
- Can lead to WRONG results!

https://www.sqlbi.com/articles/the-importance-of-star-schemas-in-power-bi/
https://www.sqlbi.com/articles/understanding-dax-auto-exist/
https://www.sqlbi.com/tv/auto-exist-on-clusters-or-numbers-unplugged-22/

Data

Year	Developer	Language
2016	Alberto	C#
2017	Daniele	C#
2017	Alberto	DAX
2017	Marco	DAX
2017	Daniele	Python
2018	Daniele	C#
2018	Marco	C#
2018	Alberto	DAX
2018	Marco	DAX

Credits: https://www.sqlbi.com/articles/understanding-dax-auto-exist/

```
1  # Projects = COUNTROWS ( Projects )
2
3  # Projects All Time = CALCULATE (
4      [# Projects],
5      ALL ( Projects[Year] )
6  )
```

COPY CONVENTIONS #2 DAX FORMATTER

Credits: https://www.sqlbi.com/articles/understanding-dax-auto-exist/

Data

Year	Developer	Language
2016	Alberto	C#
2017	Daniele	C#
2017	Alberto	DAX
2017	Marco	DAX
2017	Daniele	Python
2018	Daniele	C#
2018	Marco	C#
2018	Alberto	DAX
2018	Marco	DAX

Credits: https://www.sqlbi.com/articles/understanding-dax-auto-exist/

BONUS: What about a Galaxy?



Dealing with multiple Fact Tables

- Relationships between large tables do not scale well
  - Especially if they are considered Many to Many and Bi-Directional
  - Be cautious of surprising results
- Look for an approach with Conformed dimensions

Wrap Up

Thanks, @KoVer!

Resources

- https://learn.microsoft.com/en-us/power-bi/guidance/star-schema
- https://guyinacube.com/2021/02/24/why-power-bi-loves-a-star-schema/
- https://data-goblins.com/checklists
- https://www.sqlbi.com/articles/measuring-the-dictionary-size-of-a-column-correctly/
- https://www.sqlbi.com/articles/the-importance-of-star-schemas-in-power-bi/
- https://www.sqlbi.com/articles/power-bi-star-schema-or-single-table/

Slides can be found at :

https://github.com/BenniDeJagere/Presentations/{Year}/{Date}_{Event}

Thank you