EDS Database - Views Documentation

Views Reference

EDS Universal Requisition System

Generated: January 22, 2026

Generated: 2026-01-09 09:48:55

Summary

Metric	Count
Total Views	474
Total Columns	6847
Views with Dependencies	474

By Schema

Schema	Views
EDSIQEndUser	1
EDSIQWebUser	11
VMS	2
dbo	460

Table of Contents

Schema: dbo

- [BidAnalysisDetail](#dbo-bidanalysisdetail)
- [BidAnalysisDetailReq](#dbo-bidanalysisdetailreq)
- [BidHeadersView](#dbo-bidheadersview)
- [bidinfolookup](#dbo-bidinfolookup)
- [BidItemsView](#dbo-biditemsview)
- [BidItemView](#dbo-biditemview)

- [BidMgrBidRankingMSRPView](#dbo-bidmgrbidrankingmsrpview)
- [BidMgrBidRequestAndWriteInMSRPView](#dbo-bidmgrbidrequestandwriteinmsrpview)
- [BidMgrBidRequestDetail](#dbo-bidmgrbidrequestdetail)
- [BidMgrBidRequestMSRPView](#dbo-bidmgrbidrequestmsrpview)
- [BidMgrBidResultsMSRPView](#dbo-bidmgrbidresultsmsrpview)
- [BidMgrBidTradeCountiesView](#dbo-bidmgrbidtradecountiesview)
- [BidMgrBidTradeCountyTotals](#dbo-bidmgrbidtradecountytotals)
- [BidMgrBidTradeLowBidder](#dbo-bidmgrbidtradelowbidder)
- [BidMgrMSRP2ResultsView](#dbo-bidmgrmsrp2resultsview)
- [BidMgrMSRP2VendorReportView](#dbo-bidmgrmsrp2vendorreportview)
- [BidMgrMSRP2VendorReportViewTemp](#dbo-bidmgrmsrp2vendorreportviewtemp)
- [BidMgrMSRPVendorBidsView](#dbo-bidmgrmsrpvendorbidsview)
- [BidMgrView](#dbo-bidmgrview)
- [BidMgrView2](#dbo-bidmgrview2)
- [BidMgrWeightView](#dbo-bidmgrweightview)
- [BidProjectAveragePO](#dbo-bidprojectaveragepo)
- [BidRequestDetail](#dbo-bidrequestdetail)
- [BidRequestDetail1](#dbo-bidrequestdetail1)
- [BidRequestDetail2](#dbo-bidrequestdetail2)
- [BidRequestItemsCrossRefsView](#dbo-bidrequestitemscrossrefsview)
- [BidRequestItemsView](#dbo-bidrequestitemsview)
- [BidRequestItemsView1](#dbo-bidrequestitemsview1)
- [BidRequestItemsView1Original](#dbo-bidrequestitemsview1original)
- [BidRequestItemsWeightView](#dbo-bidrequestitemsweightview)
- [BidResultsView](#dbo-bidresultsview)
- [BidsView](#dbo-bidsview)
- [BudgetsView](#dbo-budgetsview)
- [cfv_Districts](#dbo-cfv-districts)
- [cfv_Schools](#dbo-cfv-schools)
- [cfv_Users](#dbo-cfv-users)
- [CoverViewNew](#dbo-coverviewnew)
- [CoverViewNewSave](#dbo-coverviewnewsave)
- [CoverViewNewTest](#dbo-coverviewnewtest)
- [CoverViewNewTest1](#dbo-coverviewnewtest1)
- [cvw_NJSavings](#dbo-cvw-njsavings)
- [cvw_NYSavings](#dbo-cvw-nysavings)
- [cvw_Savings](#dbo-cvw-savings)

- [DetailView](#dbo-detailview)
- [DistrictContactProblemView](#dbo-districtcontactproblemview)
- [DistrictUsersView](#dbo-districtusersview)
- [InstructionBookCalendar](#dbo-instructionbookcalendar)
- [InstructionBookView](#dbo-instructionbookview)
- [InstructionBookView09](#dbo-instructionbookview09)
- [InstructionBookViewCF](#dbo-instructionbookviewcf)
- [InstructionBookViewCF2013](#dbo-instructionbookviewcf2013)
- [InstructionBookViewwork](#dbo-instructionbookviewwork)
- [ItemsBidHeaderView](#dbo-itemsbidheaderview)
- [Keywords1](#dbo-keywords1)
- [NewFF1](#dbo-newff1)
- [OrderBookDetailView](#dbo-orderbookdetailview)
- [OrderBookView](#dbo-orderbookview)
- [pa_Accounts](#dbo-pa-accounts)
- [pa_Budgets](#dbo-pa-budgets)
- [pa_Category](#dbo-pa-category)
- [pa_ReqList](#dbo-pa-reqlist)
- [pa_School](#dbo-pa-school)
- [pa_Status](#dbo-pa-status)
- [pa_Users](#dbo-pa-users)
- [POAttentionList](#dbo-poattentionlist)
- [PODetail](#dbo-podetail)
- [PODetail_old](#dbo-podetail-old)
- [PODetail_Orig](#dbo-podetail-orig)
- [PODetailExport](#dbo-podetailexport)
- [PODetailExport_old](#dbo-podetailexport-old)
- [PODetailJavaExport](#dbo-podetailjavaexport)
- [PODetailJavaExportNew](#dbo-podetailjavaexportnew)
- [PODetailTest](#dbo-podetailtest)
- [POHeader](#dbo-poheader)
- [POHeader_Test](#dbo-poheader-test)
- [POHeaderSummary](#dbo-poheadersummary)
- [POHeaderSummary_04232018](#dbo-poheadersummary-04232018)
- [POHeaderTest](#dbo-poheadertest)
- [PPCategoryView](#dbo-ppcategoryview)
- [PricePlanView](#dbo-priceplanview)
- [ReqDetail](#dbo-reqdetail)

- [RequisitionsView](#dbo-requisitionsview)
- [rs_DistrictSummary](#dbo-rs-districtsummary)
- [rs_DistrictSummaryAwardLetter](#dbo-rs-districtsummaryawardletter)
- [rs_DistrictSummaryVendors](#dbo-rs-districtsummaryvendors)
- [rsSBSAccountRecap_District](#dbo-rs-sbs-accountrecap-district)
- [rsSBSAccountRecap_School](#dbo-rs-sbs-accountrecap-school)
- [rsSBSSchoolSummary](#dbo-rs-sbs-schoolsummary)
- [rsSBSSchoolSummary_Detail](#dbo-rs-sbs-schoolsummary-detail)
- [rsSBSUserRecap_District](#dbo-rs-sbs-userrecap-district)
- [rsSBSUserRecap_School](#dbo-rs-sbs-userrecap-school)
- [rsSBSVendorRecap_District](#dbo-rs-sbs-vendorrecap-district)
- [rsSBSVendorRecap_School](#dbo-rs-sbs-vendorrecap-school)
- [rsSBSVendorRecap_User](#dbo-rs-sbs-vendorrecap-user)
- [rsSBSVendorUserRecap_District](#dbo-rs-sbs-vendoruserrecap-district)
- [rsSBSVendorUserRecap_School](#dbo-rs-sbs-vendoruserrecap-school)
- [rs_SBSDetailRecap](#dbo-rs-sbsdetailrecap)
- [rs_SBSReqRecap](#dbo-rs-sbsreqrecap)
- [rs_SBSVendorRecap](#dbo-rs-sbsvendorrecap)
- [rs_VendorRecap](#dbo-rs-vendorrecap)
- [RTKItemStructureView](#dbo-rtk-item-structureview)
- [SearchItemsHeadingsView](#dbo-searchitemsheadingsview)
- [SearchItemsKeywordsView](#dbo-searchitemskeywordsview)
- [SearchItemsView](#dbo-searchitemsview)
- [TestAllFF](#dbo-testallff)
- [TestFF](#dbo-testff)
- [TMDistrictInfo](#dbo-tmdistrictinfo)
- [UploadView](#dbo-uploadview)
- [UserContactProblemView](#dbo-usercontactproblemview)
- [UserListView](#dbo-userlistview)
- [UsersApprovees](#dbo-usersapprovees)
- [UserTreeView](#dbo-usertreeview)
- [VendorBidLookup](#dbo-vendorbidlookup)
- [VendorContactProblemView](#dbo-vendorcontactproblemview)
- [vw_ActiveBids](#dbo-vw-activebids)
- [vw_ActiveCatalogs](#dbo-vw-activecatalogs)
- [vw_ActiveDistrictList](#dbo-vw-activedistrictlist)
- [vw_ActiveVendors](#dbo-vw-activevendors)
- [vw_ApprovalsHistory](#dbo-vw-approvalshistory)

- [vw_ApproveRequisitions](#dbo-vw-approverequisitions)
- [vw_ApproveRequisitionsBySession](#dbo-vw-approverequisitionsbysession)
- [vwApproveRequisitionsBySessionTest](#dbo-vw-approverequisitionsbysession-test)
- [vw_ApproveRequisitionsTest](#dbo-vw-approverequisitionstest)
- [vw_ARAccounts](#dbo-vw-araccounts)
- [vw_ARBudgets](#dbo-vw-arbudgets)
- [vw_ARCategories](#dbo-vw-arcategories)
- [vw_ARSchools](#dbo-vw-arschools)
- [vw_ARStatuses](#dbo-vw-arstatuses)
- [vw_ARUsers](#dbo-vw-arusers)
- [vw_AtAGlance](#dbo-vw-ataglance)
- [vw_AvailableReqBids](#dbo-vw-availablereqbids)
- [vw_AvailableUserAccounts](#dbo-vw-availableuseraccounts)
- [vw_AVBidsVendorsCategoriesBySession](#dbo-vw-avbidsvendorscategoriesbysession)
- [vw_AVCategoriesBySession](#dbo-vw-avcategoriesbysession)
- [vw_AVVendorsBySession](#dbo-vw-avvendorsbysession)
- [vw_AVVendorsExport](#dbo-vw-avvendorsexport)
- [vw_AwardedBidResults](#dbo-vw-awardedbidresults)
- [vw_AwardedVendorsAllCurrentAndFutureBids](#dbo-vw-awardedvendorsallcurrentandfuturebids)
- [vw_AwardedVendorsAllCurrentBids](#dbo-vw-awardedvendorsallcurrentbids)
- [vw_BAPCBG](#dbo-vw-bapcbg)
- [vw_BidAnalysisDetail](#dbo-vw-bidanalysisdetail)
- [vw_BidAnalysisVendorSummary](#dbo-vw-bidanalysisvendorsummary)
- [vw_BidAnalysisVendorSummaryByDistrict](#dbo-vw-bidanalysisvendorsummarybydistrict)
- [vw_BidAnalysisVendorSummaryTest](#dbo-vw-bidanalysisvendorsummarytest)
- [vw_BidAncillaryBySession](#dbo-vw-bidancillarybysession)
- [vw_BidAnswers](#dbo-vw-bidanswers)
- [vw_BidComplianceBySession](#dbo-vw-bidcompliancebysession)
- [vw_BidContactsVendorList](#dbo-vw-bidcontactsvendorlist)
- [vw_BidDescriptions](#dbo-vw-biddescriptions)
- [vw_BidDocumentsList](#dbo-vw-biddocumentslist)
- [vw_BidDocumentTypeNames](#dbo-vw-biddocumenttypenames)
- [vw_BidDuplicateIdentifiers](#dbo-vw-bidduplicateidentifiers)
- [vw_BidGrouper](#dbo-vw-bidgrouper)
- [vw_BidHeadersList](#dbo-vw-bidheaderslist)

- [vw_BidImportMostRecentContactInfo](#dbo-vw-bidimportmostrecentcontactinfo)
- [vw_BidItemDescription](#dbo-vw-biditemdescription)
- [vw_BidItemLongDescription](#dbo-vw-biditemlongdescription)
- [vw_BidLeadComplianceBySession](#dbo-vw-bidleadcompliancebysession)
- [vw_BidLines](#dbo-vw-bidlines)
- [vw_BidManufacturerPartNumbers](#dbo-vw-bidmanufacturerpartnumbers)
- [vw_BidMgrBidderDocs](#dbo-vw-bidmgrbidderdocs)
- [vw_BidMSRPManufacturerProductLinePrices](#dbo-vw-bidmsrpmanufacturerproductlineprices)
- [vw_BidMSRPRankedManufacturerProductLines](#dbo-vw-bidmsrprankedmanufacturerproductlines)
- [vw_BidMSRPRankedManufacturerProductLinesOrdered](#dbo-vw-bidmsrprankedmanufacturerproductlinesordered)
- [vw_BidMSRPRankedManufacturerProductLinesOrderedNew](#dbo-vw-bidmsrprankedmanufacturerproductlinesorderednew)
- [vw_BidMSRPRankedManufacturerProductLinesOrderedSaved](#dbo-vw-bidmsrprankedmanufacturerproductlinesorderedsaved)
- [vw_BidMSRPRankedManufacturers](#dbo-vw-bidmsrprankedmanufacturers)
- [vw_BidMSRPResultsPriceRanges](#dbo-vw-bidmsrpresultspriceranges)
- [vw_BidMSRPResultsPrices](#dbo-vw-bidmsrpresultsprices)
- [vw_BidPricing](#dbo-vw-bidpricing)
- [vw_BidProductLinePrices](#dbo-vw-bidproductlineprices)
- [vw_BidProjectAveragePO](#dbo-vw-bidprojectaveragepo)
- [vw_BidRequestItemMergeDetail](#dbo-vw-bidrequestitemmergedetail)
- [vw_BidRequestItemMergeHeader](#dbo-vw-bidrequestitemmergeheader)
- [vw_BidRequestItemsBidMgr](#dbo-vw-bidrequestitemsbidmgr)
- [vw_BidResults](#dbo-vw-bidresults)
- [vw_BidTabReadyNotifications](#dbo-vw-bidtabreadynotifications)
- [vw_BidTrades](#dbo-vw-bidtrades)
- [vw_BidTradesBySession](#dbo-vw-bidtradesbysession)
- [vwBidTradesBySessionTest](#dbo-vw-bidtradesbysession-test)
- [vw_BidTradesVendorDetailForReports](#dbo-vw-bidtradesvendordetailforreports)
- [vw_BidTradesVendors](#dbo-vw-bidtradesvendors)
- [vw_BidTradesVendorsAnswers](#dbo-vw-bidtradesvendorsanswers)
- [vw_BidTradesVendorsAnswersBySession](#dbo-vw-bidtradesvendorsanswersbysession)
- [vw_BidTradesVendorsBySession](#dbo-vw-bidtradesvendorsbysession)
- [vw_BidTradesVendorsForReports](#dbo-vw-bidtradesvendorsforreports)

- [vw_BidType](#dbo-vw-bidtype)
- [vw_BidUPCs](#dbo-vw-bidupcs)
- [vw_BidVendor](#dbo-vw-bidvendor)
- [vw_BidVendorItemCodes](#dbo-vw-bidvendoritemcodes)
- [vw_BidVendorList](#dbo-vw-bidvendorlist)
- [vw_BidVendorsBySession](#dbo-vw-bidvendorsbysession)
- [vw_BidVendorsSinceLastYear](#dbo-vw-bidvendorssincelastyear)
- [vw_BidYears](#dbo-vw-bidyears)
- [vw_BillingStatus](#dbo-vw-billingstatus)
- [vw_BrowseDistrictBidHeaders](#dbo-vw-browsedistrictbidheaders)
- [vw_BudgetDistrictBySession](#dbo-vw-budgetdistrictbysession)
- [vw_BudgetPrice](#dbo-vw-budgetprice)
- [vw_BudgetsFilter](#dbo-vw-budgetsfilter)
- [vw_CatalogCompare](#dbo-vw-catalogcompare)
- [vw_CatalogImport](#dbo-vw-catalogimport)
- [vw_CatalogImporter1](#dbo-vw-catalogimporter1)
- [vw_CatalogImporter1Dtl](#dbo-vw-catalogimporter1dtl)
- [vw_CatalogImporterCat](#dbo-vw-catalogimportercat)
- [vw_CatalogImporterVen](#dbo-vw-catalogimporterven)
- [vw_CatalogImports](#dbo-vw-catalogimports)
- [vw_CatalogPages](#dbo-vw-catalogpages)
- [vwCatalogPagesOrig](#dbo-vw-catalogpages-orig)
- [vw_CatalogPages1](#dbo-vw-catalogpages1)
- [vw_CatalogPricing](#dbo-vw-catalogpricing)
- [vw_CatalogRefsItemTest](#dbo-vw-catalogrefsitemtest)
- [vw_CatalogRequestStatus](#dbo-vw-catalogrequeststatus)
- [vw_CatalogsAttachedToBids](#dbo-vw-catalogsattachedtobids)
- [vw_Categories](#dbo-vw-categories)
- [vw_CategoriesAndVendors](#dbo-vw-categoriesandvendors)
- [vw_ContinuanceCharges](#dbo-vw-continuancecharges)
- [vw_ContinuanceSection0Charges](#dbo-vw-continuancesection0charges)
- [vw_ContinuanceSection1Charges](#dbo-vw-continuancesection1charges)
- [vw_CrossRefsDescription](#dbo-vw-crossrefsdescription)
- [vw_CrossRefsLongDescription](#dbo-vw-crossrefslongdescription)
- [vw_CSReps](#dbo-vw-csreps)
- [vw_DetailDescription](#dbo-vw-detaildescription)
- [vwDetailDescriptionold](#dbo-vw-detaildescription-old)
- [vw_DetailDescriptionPrint](#dbo-vw-detaildescriptionprint)

- [vw_DetailDescriptionSBS](#dbo-vw-detaildescriptionsbs)
- [vw_DetailDescriptionTest](#dbo-vw-detaildescriptiontest)
- [vw_DetailNotifications](#dbo-vw-detailnotifications)
- [vw_DetailOnBid](#dbo-vw-detailonbid)
- [vw_DetailView](#dbo-vw-detailview)
- [vw_DistrictBudgetList](#dbo-vw-districtbudgetlist)
- [vw_DistrictBudgetPP](#dbo-vw-districtbudgetpp)
- [vw_DistrictContactsList](#dbo-vw-districtcontactslist)
- [vwDistrictCountiesBidMgr](#dbo-vw-districtcounties-bidmgr)
- [vw_DistrictList](#dbo-vw-districtlist)
- [vw_DistrictPaymentSchedule](#dbo-vw-districtpaymentschedule)
- [vw_DistrictPOInfo](#dbo-vw-districtpoinfo)
- [vwDistrictsAssocWithBid](#dbo-vw-districts-assoc-with-bid)
- [vw_DistrictSchools](#dbo-vw-districtschools)
- [vw_DistrictsNeedingReview](#dbo-vw-districtsneedingreview)
- [vwDistrictStatesBidMgr](#dbo-vw-districtstates-bidmgr)
- [vw_DMSAllDocuments](#dbo-vw-dmsalldocuments)
- [vw_DMSBidDocuments](#dbo-vw-dmsbiddocuments)
- [vwDMSBidDocumentsView](#dbo-vw-dmsbiddocuments-view)
- [vw_DMSRTKDocuments](#dbo-vw-dmsrtkdocuments)
- [vw_DMSRTKSurveys](#dbo-vw-dmsrtksurveys)
- [vw_DMSSDSDocuments](#dbo-vw-dmssdsdocuments)
- [vwDMSSDSDocumentsView](#dbo-vw-dmssdsdocuments-view)
- [vw_DMSVendorBidDocuments](#dbo-vw-dmsvendorbiddocuments)
- [vwDMSVendorBidDocuments04232018](#dbo-vw-dmsvendorbiddocuments-04232018)
- [vwDMSVendorBidDocumentsView](#dbo-vw-dmsvendorbiddocuments-view)
- [vwDMSVendorBidDocumentsViewTest](#dbo-vw-dmsvendorbiddocuments-viewtest)
- [vw_DMSVendorBidDocumentsTest](#dbo-vw-dmsvendorbiddocumentstest)
- [vw_DMSVendorDocuments](#dbo-vw-dmsvendordocuments)
- [vwDMSVendorDocumentsView](#dbo-vw-dmsvendordocuments-view)
- [vw_DocumentTypes](#dbo-vw-documenttypes)
- [vwEmailBlastChangeNotificationHTMLTableApproverNotUsed](#dbo-vw-emailblastchangenotificationhtmltableapprover-notused)
- [vwEmailBlastChangeNotificationHTMLTableRequisitionerNotUsed](#dbo-vw-emailblastchangenotificationhtmltablerequisitioner-notused)
- [vw_ExistingRequisitions](#dbo-vw-existingrequisitions)

- [vw_ExistingUserAccounts](#dbo-vw-existinguseraccounts)
- [vwExistingUserAccountsNEW](#dbo-vw-existinguseraccounts-new)
- [vwFAALLBudgetAccounts](#dbo-vw-fa-allbudgetaccounts)
- [vwFAALLUserAccounts](#dbo-vw-fa-alluseraccounts)
- [vwFABudgetAccounts](#dbo-vw-fa-budgetaccounts)
- [vwFABudgetsView](#dbo-vw-fa-budgetsview)
- [vwFACategoriesAndVendors](#dbo-vw-fa-categoriesandvendors)
- [vwFAEDSUser](#dbo-vw-fa-edsuser)
- [vwFAReqCategories](#dbo-vw-fa-reqcategories)
- [vwFARequisitions](#dbo-vw-fa-requisitions)
- [vwFAUserAccounts](#dbo-vw-fa-useraccounts)
- [vwFAUserDisplayName](#dbo-vw-fa-userdisplayname)
- [vwFAUserList](#dbo-vw-fa-userlist)
- [vwFAUserLogin](#dbo-vw-fa-userlogin)
- [vw_Financials](#dbo-vw-financials)
- [vw_FormattedDetailDescription](#dbo-vw-formatteddetaildescription)
- [vw_GetMSDSInfo](#dbo-vw-getmsdsinfo)
- [vw_HeadingsByBid](#dbo-vw-headingsbybid)
- [vw_HeadingsByReq](#dbo-vw-headingsbyreq)
- [vw_HeadingsByReqTest](#dbo-vw-headingsbyreqtest)
- [vw_HeadingsKeywordsByBid](#dbo-vw-headingskeywordsbybid)
- [vw_IncidentalOrderDownloads](#dbo-vw-incidentalorderdownloads)
- [vw_IncidentalOrderDownloadsDetail](#dbo-vw-incidentalorderdownloadsdetail)
- [vw_InstructionBookCalendar](#dbo-vw-instructionbookcalendar)
- [vw_InstructionBookContents](#dbo-vw-instructionbookcontents)
- [vw_IsRequisitionLocked](#dbo-vw-isrequisitionlocked)
- [vw_ItemDescription](#dbo-vw-itemdescription)
- [vw_ItemDescriptionNoExtra](#dbo-vw-itemdescriptionnoextra)
- [vw_ItemDescriptionNoExtraNH](#dbo-vw-itemdescriptionnoextranh)
- [vw_ItemPricing](#dbo-vw-itempricing)
- [vw_ItemsByBid](#dbo-vw-itemsbybid)
- [vw_JavaReqDetail](#dbo-vw-javareqdetail)
- [vw_KeywordsByBid](#dbo-vw-keywordsbybid)
- [vw_KeywordsByReqHeading](#dbo-vw-keywordsbyreqheading)
- [vw_LastBidAwardDate](#dbo-vw-lastbidawarddate)
- [vw_LatestCrossRef](#dbo-vw-latestcrossref)
- [vw_LowestPrice](#dbo-vw-lowestprice)
- [vw_MPIHeadings](#dbo-vw-mpiheadings)

- [vw_MSRPBidReqManufacturer](#dbo-vw-msrpbidreqmanufacturer)
- [vw_MSRPBidReqManufacturerWriteIn](#dbo-vw-msrpbidreqmanufacturerwritein)
- [vw_MSRPBidReqProdLineAndOption](#dbo-vw-msrpbidreqprodlineandoption)
- [vw_MSRPBidReqProdLineAndOptionWriteIn](#dbo-vw-msrpbidreqprodlineandoption writein)
- [vw_MSRPBidReqProductLine](#dbo-vw-msrpbidreqproductline)
- [vw_MSRPBidResultsManufRev2](#dbo-vw-msrpbidresultsmanufrev2)
- [vw_MSRPBidResultsProdLines](#dbo-vw-msrpbidresultsprodlines)
- [vw_MSRPCategoriesBySession](#dbo-vw-msrpcategoriesbysession)
- [vw_MSRPManufacturersBySession](#dbo-vw-msrpmanufacturersbysession)
- [vw_MSRPMPLVendorsCategoriesBySession](#dbo-vw-msrpmplvendorscategoriesby session)
- [vw_MSRPMPLVendorsCategoriesReport](#dbo-vw-msrpmplvendorscategoriesreport)
- [vw_MSRPMPLVendorsCategoriesReportBC](#dbo-vw-msrpmplvendorscategoriesrep ortbc)
- [vw_MSRPProductLineExceptions](#dbo-vw-msrpproductlineexceptions)
- [vw_MSRPRankManufacturerAWD](#dbo-vw-msrprankmanufacturerawd)
- [vw_MSRPRankOptionAWD](#dbo-vw-msrprankoptionawd)
- [vw_MSRPRankProductLineAWD](#dbo-vw-msrprankproductlineawd)
- [vw_MSRPRankRequirements](#dbo-vw-msrprankrequirements)
- [vw_MSRPRankTieBreaker](#dbo-vw-msrpranktiebreaker)
- [vw_MSRPVendorsAndManufacturersByReq](#dbo-vw-msrpvendorsandmanufacture rsbyreq)
- [vw_MSRPVendorsBidHeaderBySession](#dbo-vw-msrpvendorsbidheaderbysession)
- [vw_MSRPVendorsCategoriesBySession](#dbo-vw-msrpvendorscategoriesbysession)
- [vw_MultiVendorPODistrictsAndBudgets](#dbo-vw-multivendorpodistrictsandbudget s)
- [vw_NJDistricts](#dbo-vw-njdistricts)
- [vwNYTM_Districts](#dbo-vw-ny-tm-districts)
- [vwNYTMDistrictsMailing](#dbo-vw-ny-tm-districts-mailing)
- [vw_OverrideReferences](#dbo-vw-overridereferences)
- [vw_OverrideVendorBidders](#dbo-vw-overridevendorbidders)
- [vw_PendingDetailChangeNotifications](#dbo-vw-pendingdetailchangenotifications)
- [vw_PLBidItems](#dbo-vw-plbiditems)
- [vw_PLCatalog](#dbo-vw-plcatalog)
- [vw_POHeaderBidImports](#dbo-vw-poheaderbidimports)
- [vw_POStatus](#dbo-vw-postatus)

- [vwPOStatusTest](#dbo-vw-postatus-test)
- [vw_PricePlanFilter](#dbo-vw-priceplanfilter)
- [vw_RefList](#dbo-vw-reflist)
- [vw_RepsDistricts](#dbo-vw-repsdistricts)
- [vw_ReqBidReview](#dbo-vw-reqbidreview)
- [vw_ReqCategories](#dbo-vw-reqcategories)
- [vw_ReqDetail](#dbo-vw-reqdetail)
- [vwReqDetailBK20241205](#dbo-vw-reqdetail-bk20241205)
- [vwReqDetailBK20241227](#dbo-vw-reqdetail-bk20241227)
- [vw_ReqDetail1](#dbo-vw-reqdetail1)
- [vw_ReqDetailAsp1](#dbo-vw-reqdetailasp1)
- [vw_ReqDetailPrint](#dbo-vw-reqdetailprint)
- [vw_ReqDetailPrintTest](#dbo-vw-reqdetailprinttest)
- [vw_ReqDetail-removed 12082010](#dbo-vw-reqdetail-removed 12082010)
- [vw_ReqDetailSummary](#dbo-vw-reqdetailsummary)
- [vw_ReqDetailTab](#dbo-vw-reqdetailtab)
- [vwReqsAssocWithBid](#dbo-vw-reqs-assoc-with-bid)
- [vw_ReqTotalsByVendor](#dbo-vw-reqtotalsbyvendor)
- [vw_ReqTotalsByVendorTest](#dbo-vw-reqtotalsbyvendortest)
- [vw_RequisitionAccountBalance](#dbo-vw-requisitionaccountbalance)
- [vw_RequisitionCatalogList](#dbo-vw-requisitioncataloglist)
- [vw_RequisitionIsVisible](#dbo-vw-requisitionisvisible)
- [vw_RequisitionList](#dbo-vw-requisitionlist)
- [vw_Requisitions](#dbo-vw-requisitions)
- [vw_RequisitionsAccounts](#dbo-vw-requisitionsaccounts)
- [vw_RequisitionsCategories](#dbo-vw-requisitionscategories)
- [vw_RequisitionShippingCosts](#dbo-vw-requisitionshippingcosts)
- [vw_RequisitionShippingCostsTest](#dbo-vw-requisitionshippingcoststest)
- [vw_RequisitionsPrint](#dbo-vw-requisitionsprint)
- [vw_RequisitionsShippingLocations](#dbo-vw-requisitionsshippinglocations)
- [vw_RequisitionStatus](#dbo-vw-requisitionstatus)
- [vwRequisitionStatusorig](#dbo-vw-requisitionstatus-orig)
- [vw_RequisitionStatusBySession](#dbo-vw-requisitionstatusbysession)
- [vw_ReqVendors](#dbo-vw-reqvendors)
- [vw_RptExpireDateBidDocs](#dbo-vw-rptexpiredatebiddocs)
- [vw_RptExpireDateBidDocsAndMore](#dbo-vw-rptexpiredatebiddocsandmore)
- [vw_RptMarkedReadyEmailBlastStats](#dbo-vw-rptmarkedreadyemailblaststats)
- [vw_RptMissingURLsByBidAndVendor](#dbo-vw-rptmissingurlsbybidandvendor)

- [vwRTKMSDSandCC](#dbo-vw-rtk-msdsandcc)
- [vwRTKSites](#dbo-vw-rtk-sites)
- [vw_RTKContentCentralMSDS](#dbo-vw-rtkcontentcentralmsds)
- [vw_RTKDefaultMSDSLocation](#dbo-vw-rtkdefaultmsdslocation)
- [vw_RTKInfo](#dbo-vw-rtkinfo)
- [vw_RTKInfoAnnual](#dbo-vw-rtkinfoannual)
- [vw_RTKItems](#dbo-vw-rtkitems)
- [vw_RTKItems2](#dbo-vw-rtkitems2)
- [vw_RTKItemsAnnual](#dbo-vw-rtkitemsannual)
- [vw_RTKItemsRev2](#dbo-vw-rtkitemsrev2)
- [vw_RTKReportItems](#dbo-vw-rtkreportitems)
- [vw_Savings1](#dbo-vw-savings1)
- [vw_Savings5](#dbo-vw-savings5)
- [vw_SavingsDetail1](#dbo-vw-savingsdetail1)
- [vw_SavingsDetail1NonFiltered](#dbo-vw-savingsdetail1nonfiltered)
- [vw_SavingsDetail2](#dbo-vw-savingsdetail2)
- [vw_SavingsDetail2NonFiltered](#dbo-vw-savingsdetail2nonfiltered)
- [vw_SavingsTotals](#dbo-vw-savingstotals)
- [vw_SavingsTotals5](#dbo-vw-savingstotals5)
- [vw_SavingsTotals5NJ](#dbo-vw-savingstotals5nj)
- [vw_SavingsTotals5NonFiltered](#dbo-vw-savingstotals5nonfiltered)
- [vw_SavingsTotals5Test](#dbo-vw-savingstotals5test)
- [vw_ScanDocLookupFields](#dbo-vw-scandoclookupfields)
- [vw_ScanDocLookups](#dbo-vw-scandoclookups)
- [vw_ScanDocLookupTargets](#dbo-vw-scandoclookuptargets)
- [vw_ScannedDocumentDataMSDS](#dbo-vw-scanneddocumentdatamsds)
- [vw_ScannedDocumentDataMSDSCategories](#dbo-vw-scanneddocumentdatamsdscategories)
- [vw_ScannedDocumentDataMSDSManufacturers](#dbo-vw-scanneddocumentdatamsdsmanufacturers)
- [vw_scARCategories](#dbo-vw-scarcategories)
- [vw_SchoolUsers](#dbo-vw-schoolusers)
- [vw_SDSImportView](#dbo-vw-sdsimportview)
- [vw_SDSItems](#dbo-vw-sdsitems)
- [vw_SDSItemsAll](#dbo-vw-sdsitemsall)
- [vw_SDSReferencedURLs](#dbo-vw-sdsreferencedurls)
- [vw_SearchDescription](#dbo-vw-searchdescription)
- [vw_SearchItemsDetail](#dbo-vw-searchitemsdetail)

- [vw_SearchItemsHeadings](#dbo-vw-searchitemsheadings)
- [vw_SearchItemsKeywords](#dbo-vw-searchitemskeywords)
- [vw_SessionCategories](#dbo-vw-sessioncategories)
- [vw_SessionCategoryVendors](#dbo-vw-sessioncategoryvendors)
- [vw_SessionTableBudgets](#dbo-vw-sessiontablebudgets)
- [vw_ShortDescription](#dbo-vw-shortdescription)
- [vw_StatusDetailed](#dbo-vw-statusdetailed)
- [vw_StatusHistory](#dbo-vw-statushistory)
- [vw_TMAwardedVendors](#dbo-vw-tmawardedvendors)
- [vw_TMCountyTrades](#dbo-vw-tmcountytrades)
- [vw_TMLineItems](#dbo-vw-tmlineitems)
- [vw_TMSurveyData](#dbo-vw-tmsurveydata)
- [vw_TMSurveys](#dbo-vw-tmsurveys)
- [vw_TMTrades](#dbo-vw-tmtrades)
- [vw_TMTradesAwardedVendors](#dbo-vw-tmtradesawardedvendors)
- [vw_TMTradesSummary](#dbo-vw-tmtradessummary)
- [vw_TMUsers](#dbo-vw-tmusers)
- [vw_TMVendorsForReports](#dbo-vw-tmvendorsforreports)
- [vw_UsedAccountData](#dbo-vw-usedaccountdata)
- [vw_UserNotificationOptions](#dbo-vw-usernotificationoptions)
- [vwUsersAssocWithBid](#dbo-vw-users-assoc-with-bid)
- [vw_ValidLogins](#dbo-vw-validlogins)
- [vw_Vendor0528Items](#dbo-vw-vendor0528items)
- [vw_VendorBidDocumentsList](#dbo-vw-vendorbiddocumentslist)
- [vw_VendorBidInfoStats](#dbo-vw-vendorbidinfostats)
- [vw_VendorBlast](#dbo-vw-vendorblast)
- [vwVendorBlastAwardedByBid](#dbo-vw-vendorblast-awardedbybid)
- [vwVendorBlastDownloadedBySchedule](#dbo-vw-vendorblast-downloadedbyschedule)
- [vwVendorBlastRegisteredByBid](#dbo-vw-vendorblast-registeredbybid)
- [vwVendorBlastRegisteredByCategory](#dbo-vw-vendorblast-registeredbycategory)
- [vwVendorBlastRegisteredBySchedule](#dbo-vw-vendorblast-registeredbyschedule)
- [vwVendorBlastSubmittedByBid](#dbo-vw-vendorblast-submittedbybid)
- [vw_VendorCategoryBids](#dbo-vw-vendorcategorybids)
- [vwVendorCategoryBidsCats](#dbo-vw-vendorcategorybids-cats)
- [vwVendorCategoryBidsVendors](#dbo-vw-vendorcategorybids-vendors)
- [vw_VendorDocRequestStatus](#dbo-vw-vendordocrequeststatus)
- [vw_VendorDocumentsList](#dbo-vw-vendordocumentslist)

- [vw_VendorPODistrictList](#dbo-vw-vendorpodistrictlist)
- [vw_VendorPODistricts](#dbo-vw-vendorpodistricts)
- [vw_VendorPODistrictsAndBudgets](#dbo-vw-vendorpodistrictsandbudgets)
- [vw_VendorPODistrictsAndBudgetsCF](#dbo-vw-vendorpodistrictsandbudgetscf)
- [vw_VendorPODistrictsAndBudgetsOld](#dbo-vw-vendorpodistrictsandbudgetsold)
- [vw_VendorPODistrictsAndBudgetsTest](#dbo-vw-vendorpodistrictsandbudgetstest)
- [vw_VendorPOView](#dbo-vw-vendorpoview)
- [vw_VendorPOView1](#dbo-vw-vendorpoview1)
- [vw_VendorPOView2](#dbo-vw-vendorpoview2)
- [vw_VendorQueryMSRPStatus](#dbo-vw-vendorquerymsrpstatus)
- [vw_VendorQueryStatus](#dbo-vw-vendorquerystatus)
- [vw_VendorQueryTandMStatus](#dbo-vw-vendorquerytandmstatus)
- [vw_Vendors](#dbo-vw-vendors)
- [vw_VendorsByBid](#dbo-vw-vendorsbybid)
- [vw_VendorsTable](#dbo-vw-vendorstable)
- [vw_VPOLoginCheck](#dbo-vw-vpologincheck)
- [vw_VPOVendors](#dbo-vw-vpovendors)
- [vw_WincapVendors](#dbo-vw-wincapvendors)
- [vw_WincapVendorsMaster](#dbo-vw-wincapvendorsmaster)
- [vw_WinningMSRPEntryPrices](#dbo-vw-winningmsrpentryprices)
- [vw_ZonalItems](#dbo-vw-zonalitems)

Schema: EDSIQEndUser

- [Sessions](#edsiqenduser-sessions)

Schema: EDSIQWebUser

- [CategoryPP](#edsiqwebuser-categorypp)
- [CoverView](#edsiqwebuser-coverview)
- [CoverViewSrc](#edsiqwebuser-coverviewsrc)
- [MissingCoverView](#edsiqwebuser-missingcoverview)
- [OrderBookDetailView](#edsiqwebuser-orderbookdetailview)
- [OrderBookView](#edsiqwebuser-orderbookview)
- [POAccountList](#edsiqwebuser-poaccountlist)
- [POAccountsUsed](#edsiqwebuser-poaccountsused)
- [ScheduledByPricePlanCategory](#edsiqwebuser-scheduledbypriceplancategory)
- [ScheduledByPricePlanCategoryRep](#edsiqwebuser-scheduledbypriceplancategory rep)

- [ScheduledDistrictsByPricePlanCategory](#edsiqwebuser-scheduleddistrictsbypriceplancategory)

Schema: VMS

- [vw_BidsByVendor](#vms-vw-bidsbyvendor)
- [vw_Login](#vms-vw-login)

View Definitions

Schema: dbo

BidAnalysisDetail {dbo-bidanalysisdetail}

Property	Value
Schema	dbo
Created	2008-09-19 15:58:33.990000
Modified	2018-01-21 20:26:47.137000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	PricePlanName	varchar(278)	No
3	BidHeaderId	int	Yes
4	BidRequestItemId	int	No
5	DistrictId	int	Yes
6	DistrictName	varchar(50)	No

7	ItemCode	varchar(50)	Yes
8	Description	varchar(1024)	Yes
9	UnitCode	varchar(20)	Yes
10	VendorName	varchar(50)	No
11	VendorCode	varchar(16)	No
12	BidUnits	varchar(16)	Yes
13	BidRequest	int	Yes
14	BidType	varchar(13)	Yes
15	QuantityBid	int	Yes
16	UnitPrice	decimal(34,13)	Yes
17	ExtendedCost	decimal(38,6)	Yes
18	Alternate	varchar(MAX)	Yes
19	VendorItemCode	varchar(50)	Yes
20	BidRequestStatus	varchar(50)	Yes
21	Status	varchar(51)	Yes
22	ResultsStatus	int	No
23	BidResultsId	int	Yes
24	Comments	varchar(1024)	Yes
25	ItemComments	varchar(1024)	Yes
26	PriceVarianceLevel	decimal(9,5)	Yes
27	FirstPrice	decimal(34,13)	Yes
28	FirstPriceBidResultsId	int	Yes
29	SecondPrice	decimal(34,13)	Yes
30	SecondPriceBidResultsId	int	Yes
31	Compliant1st	int	Yes
32	SortKey	varchar(124)	Yes
33	Variance	decimal(38,6)	Yes
34	ItemStatus	varchar(MAX)	Yes
35	PageNo	int	Yes
36	BidResultsItemsPerUnit	varchar(50)	Yes
37	ItemsItemsPerUnit	varchar(50)	Yes

Dependencies

Object	Type
dbo.uf_BidAnalysisDetail	Other

SQL Definition

```
create   view  [dbo].[BidAnalysisDetail]

AS

SELECT     CategoryName, PricePlanName, BidHeaderId, BidRequestItemId, DistrictId, Dist...

                      BidUnits, BidRequest, BidType, QuantityBid, UnitPrice, ExtendedCo...

                      BidResultsId, Comments, ItemComments, PriceVarianceLevel, FirstPr...

                      Compliant1st, SortKey, Variance, ItemStatus, PageNo, BidResultsIt...

FROM         dbo.uf_BidAnalysisDetail(0) AS uf_BidAnalysisDetail
```

BidAnalysisDetailReq {dbo-bidanalysisdetailreq}

Property	Value
Schema	dbo
Created	2004-12-21 17:19:47.267000
Modified	2018-01-21 20:26:47.140000

Columns

#	Column	Type	Nullable

1	CategoryName	varchar(50)	Yes
2	PricePlanName	varchar(278)	No
3	BidHeaderId	int	Yes
4	BidRequestItemId	int	No
5	DistrictId	int	Yes
6	DistrictName	varchar(50)	No
7	ItemCode	varchar(50)	Yes
8	Description	varchar(1024)	Yes
9	UnitCode	varchar(20)	Yes
10	VendorName	varchar(50)	No
11	VendorCode	varchar(16)	No
12	BidUnits	varchar(16)	Yes
13	BidRequest	int	Yes
14	BidType	varchar(13)	Yes
15	QuantityBid	int	Yes
16	UnitPrice	decimal(34,13)	Yes
17	ExtendedCost	decimal(38,6)	Yes
18	Alternate	varchar(MAX)	Yes
19	VendorItemCode	varchar(50)	Yes
20	BidRequestStatus	varchar(50)	Yes
21	Status	varchar(51)	Yes
22	BidResultsId	int	Yes
23	Comments	varchar(1024)	Yes
24	ItemComments	varchar(1024)	Yes
25	PriceVarianceLevel	decimal(9,5)	Yes
26	FirstPrice	decimal(34,13)	Yes
27	FirstPriceBidResultsId	int	Yes
28	SecondPrice	decimal(34,13)	Yes
29	SecondPriceBidResultsId	int	Yes
30	Compliant1st	int	Yes
31	OtherReqs	int	No
32	SortKey	varchar(124)	Yes
33	Variance	decimal(38,6)	Yes

34	ItemStatus	varchar(MAX)	Yes

Dependencies

Object	Type
dbo.uf_BidAnalysisDetailReq	Other

SQL Definition

```
create   view  [dbo].[BidAnalysisDetailReq] as

select *

  from dbo.uf_BidAnalysisDetailReq(705, 94554)
```

BidHeadersView {dbo-bidheadersview}

Property	Value
Schema	dbo
Created	2002-06-06 01:42:34.983000
Modified	2018-01-21 20:26:47.147000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes

2	Active	tinyint	Yes
3	CategoryName	varchar(50)	Yes
4	PricePlanCode	varchar(20)	Yes
5	PricePlanName	varchar(255)	Yes
6	DistrictCode	varchar(4)	Yes
7	DistrictName	varchar(50)	Yes
8	BidDate	datetime	Yes
9	BidAwardDate	datetime	Yes
10	BidMessage	varchar(1024)	Yes
11	BidReportName	varchar(27)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Category	Table
dbo.District	Table
dbo.PricePlans	Table

SQL Definition

```
create   view  [dbo].[BidHeadersView]

AS

select dbo.BidHeaders.BidHeaderId, dbo.BidHeaders.Active, dbo.Category.Name CategoryName,

       dbo.PricePlans.Code PricePlanCode, dbo.PricePlans.Description PricePlanName,

       dbo.District.DistrictCode, dbo.District.Name DistrictName,

       dbo.BidHeaders.BidDate, dbo.BidHeaders.BidAwardDate, dbo.BidHeaders.BidMessage,

       case Category.Type when 2 then 'Textbook Bid Sheet' else case when isnull(BidHea...

  from dbo.BidHeaders with (nolock)

  join dbo.Category on dbo.Category.CategoryId = dbo.BidHeaders.CategoryId

  join dbo.PricePlans on dbo.PricePlans.PricePlanId = dbo.BidHeaders.PricePlanId

  left outer join dbo.District on dbo.District.DistrictId = dbo.BidHeaders.DistrictId
```

bidinfolookup {dbo-bidinfolookup}

Property	Value
Schema	dbo
Created	2011-08-13 15:20:57.437000
Modified	2020-05-19 17:41:08.173000

Columns

#	Column	Type	Nullable
1	BidHeaderId	varchar(50)	Yes
2	CategoryName	varchar(50)	Yes
3	PriceplanCode	varchar(20)	Yes
4	PricePlanDescription	varchar(278)	Yes
5	BidType	varchar(30)	No
6	BidYears	varchar(11)	Yes
7	BidAdDate	datetime	Yes
8	BidHeaderKey	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Category	Table
dbo.PricePlans	Table

SQL Definition

```
CREATE   view  [dbo].[bidinfolookup] as

select cast(BidHeaders.BidHeaderId as varchar(50)) BidHeaderId, Category.Name CategoryN...

       case ISNULL(category.type,0)

         when 2 then 'TextBooks'

         when 3 then 'Time and Materials'

         when 4 then 'Time and Materials'

         when 5 then 'MSRP'

         else

           case isnull(BidHeaders.BidType,0)

             when 1 then 'Pre-Bid'

             when 2 then 'Supplemental'

             when 3 then 'Time and Materials'

             when 4 then 'Time and Materials - Line Item'

             when 5 then 'MSRP'

             else 'Unknown'

           end

       end BidType,

       case

         when BidHeaders.BidAwardDate is not null then

           case ISNULL(Category.type,0)

             when 2 then

    case
```

```
when month(BidHeaders.BidAwardDate) < 12 then CAST(year(BidHeaders.BidAwardDate)-1...

else CAST(year(BidHeaders.BidAwardDate) as CHAR(4)) + ' - ' + CAST(year(BidHeaders...

... (truncated)
```

BidItemsView {dbo-biditemsview}

Property	Value
Schema	dbo
Created	2002-06-06 01:42:36.327000
Modified	2018-01-21 20:26:47.150000

Columns

#	Column	Type	Nullable
1	BidItemId	int	No
2	BidId	int	Yes
3	ItemCode	varchar(50)	Yes
4	ItemDescription	varchar(512)	Yes
5	Price	money	Yes
6	Alternate	varchar(512)	Yes
7	BidQuantity	int	Yes
8	AwardId	int	Yes
9	VendorItemCode	varchar(50)	Yes
10	SortSeq	varchar(64)	Yes

Dependencies

Object	Type
dbo.BidItems	Table
dbo.Items	Table

SQL Definition

```
create   view  [dbo].[BidItemsView]

as

select dbo.BidItems.BidItemId, dbo.BidItems.BidId, dbo.Items.ItemCode,

       dbo.Items.Description ItemDescription, dbo.BidItems.Price, dbo.BidItems.Alternate,

       dbo.BidItems.BidQuantity, dbo.BidItems.AwardId, dbo.BidItems.VendorItemCode,

       dbo.Items.SortSeq

  from dbo.BidItems with (nolock)

  join dbo.Items on dbo.Items.ItemId = dbo.BidItems.ItemId
```

BidItemView {dbo-biditemview}

Property	Value
Schema	dbo
Created	2004-10-11 11:45:13.633000

Modified	2018-01-21 20:26:47.157000

Columns

#	Column	Type	Nullable
1	Title	varchar(255)	Yes
2	Keyword	varchar(50)	Yes
3	ItemCode	varchar(50)	Yes
4	Description	varchar(1024)	Yes
5	UnitCode	varchar(20)	Yes
6	Alternate	varchar(512)	Yes
7	VendorItemCode	varchar(50)	Yes
8	SortSeq	varchar(64)	Yes
9	HeadingId	int	Yes
10	KeywordId	int	Yes
11	ItemId	int	No
12	BidHeaderId	int	Yes
13	BidPrice	decimal(29,9)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.CrossRefs	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.uf_ItemDescription	Other
dbo.Units	Table

SQL Definition

```
create   view  [dbo].[BidItemView] as

select Headings.Title, Keywords.Keyword, Items.ItemCode, dbo.uf_ItemDescription(Items.I...
  from BidHeaders with (nolock)
  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId
           and Bids.Active = 1
  join BidItems on BidItems.BidId = Bids.BidId
  join Items on Items.ItemId = BidItems.ItemId
  join Units on Units.UnitId = Items.UnitId
  left outer join CrossRefs on CrossRefs.CrossRefId = BidItems.CrossRefId
  left outer join Headings on Headings.HeadingId = Items.HeadingId
  left outer join dbo.Keywords Keywords on Keywords.KeywordId = Items.KeywordId
```

BidMgrBidRankingMSRPView {dbo-bidmgrbidrankingmsrpview}

Property	Value
Schema	dbo
Created	2012-10-04 18:20:52.340000
Modified	2018-01-21 20:26:45.840000

Columns

#	Column	Type	Nullable
1	ActiveBid	int	No
2	VendorName	varchar(50)	Yes
3	DiscountRate	decimal(9,5)	Yes
4	DiscountRateString	char(10)	Yes
5	ManufacturerId	int	No
6	ManufacturerName	varchar(100)	No
7	WriteInFlag	tinyint	Yes
8	WriteInManufacturer	varchar(100)	No
9	BidHeaderId	int	No
10	BidImportId	int	No
11	BidMSRPResultsId	int	No
12	WinningBidFlag	int	No
13	TieBid	int	No
14	VendorNotes	varchar(1000)	Yes
15	VendorId	int	No
16	VendorCode	varchar(16)	Yes
17	WinningBidOverride	tinyint	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMgrBidResultsMSRPView	View
dbo.BidMSRPResults	Table
dbo.Manufacturers	Table

dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[BidMgrBidRankingMSRPView]

AS

SELECT Case When Isnull(BidMSRPResults.Active,0)=0 or Isnull(BidImports.Active,0)=0 The...

       Vendors.[Name] VendorName, BidMSRPResults.DiscountRate,

        --BidMSRPResults.Weight,

       BidMSRPResults.DiscountRateString,

       Isnull(BidMSRPResults.ManufacturerId,0) ManufacturerId,

       Isnull(Manufacturers.Name,'** Missing Manufacturer / Unresolved Write-In **') Ma...
```

```
        BidMSRPResults.WriteInFlag, Isnull(BidMSRPResults.WriteInManufacturer,'') WriteI...

        BidMSRPResults.BidHeaderId, BidMSRPResults.BidImportId,

        BidMSRPResults.BidMSRPResultsId,

        BidMgrBidResultsMSRPView.WinningBidFlag,

        CASE WHEN

  ... (truncated)
```

BidMgrBidRequestAndWriteInMSRPView {dbo-bidmgrbidrequestandwriteinmsrpview}

Property	Value
Schema	dbo
Created	2012-10-04 17:20:27.853000
Modified	2018-01-21 20:26:47.160000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	WriteIn	int	No
3	ManufacturerName	varchar(100)	No
4	ManufacturerId	int	Yes
5	BidRequestManufacturer	int	No
6	SequenceNumber	int	Yes
7	UniqueIdString	varchar(60)	Yes

Dependencies

Object	Type
dbo.BidMSRPResults	Table

dbo.BidRequestManufacturer	Table
dbo.Manufacturers	Table

SQL Definition

```
create   view  [dbo].[BidMgrBidRequestAndWriteInMSRPView]

AS

-- Upper Union = All manufacturers that were bid

SELECT dbo.BidRequestManufacturer.BidHeaderId, 0 WriteIn,

       -- dbo.BidRequestManufacturer.Active,  -- removed - problematic for write-in por...

       dbo.Manufacturers.Name ManufacturerName,

       dbo.BidRequestManufacturer.ManufacturerId, dbo.BidRequestManufacturer.BidRequest...

       Cast(dbo.BidRequestManufacturer.BidRequestManufacturerId as Varchar) + Cast(dbo....

FROM dbo.BidRequestManufacturer

JOIN dbo.Manufacturers ON dbo.Manufacturers.ManufacturerId = dbo.BidRequestManufacturer...

Where Isnull(dbo.BidRequestManufacturer.Active,0)=1

--      and dbo.BidRequestManufacturer.BidHeaderId=4932
```

```
UNION

-- Lower Union = All (unique) write-in manufacturers
```

```
SELECT dbo.BidMSRPResults.BidHeaderId, 1 WriteIn,

        --dbo.BidMSRPResults.Active,

... (truncated)
```

BidMgrBidRequestDetail {dbo-bidmgrbidrequestdetail}

Property	Value
Schema	dbo
Created	2008-05-01 15:41:19.483000
Modified	2018-01-21 20:26:46.973000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidRequestItemId	int	No
3	Active	tinyint	Yes
4	CategoryId	int	Yes
5	DistrictId	int	Yes
6	RequisitionCount	int	Yes
7	ItemId	int	No
8	ItemCode	varchar(50)	Yes
9	ItemDescription	varchar(512)	Yes
10	UnitCode	varchar(20)	Yes
11	CrossReferencesText	varchar(1024)	Yes
12	BidRequest	int	Yes
13	BrandName	varchar(50)	Yes
14	ManufacturorNumber	varchar(50)	Yes
15	VendorName	varchar(50)	Yes
16	VendorPartNumber	varchar(50)	Yes
17	Keyword	varchar(50)	Yes

18	Title	varchar(255)	Yes
19	ExtraDetail	varchar(1024)	Yes
20	ItemsPerUnit	varchar(50)	Yes
21	SortSeq	varchar(64)	Yes
22	Status	varchar(50)	Yes
23	Comments	varchar(1024)	Yes
24	FullDescription	varchar(1156)	Yes
25	DistrictName	varchar(50)	Yes
26	CategoryType	int	Yes
27	Weight	real	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.Category	Table
dbo.District	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.PricePlans	Table
dbo.uf_CrossRefs2Text	Other
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_ItemDescription	View

SQL Definition

```
--select * from BidRequestDetail where BidHeaderId = 1988 -- 4011

--select * from BidREquestDetail where BidHeaderId = 2207 -- 218

--select BidRequestItemId from BidRequestDetail where BidHeaderId = 1478




create   view  [dbo].[BidMgrBidRequestDetail]

  as

select BidHeaders.BidHeaderId, BidRequestItems.BidRequestItemId, BidRequestItems.Active,

       BidHeaders.CategoryId, Items.DistrictId, BidRequestItems.RequisitionCount,

       Items.ItemId, Items.ItemCode, Items.Description ItemDescription,

       Units.Code UnitCode,

       dbo.uf_CrossRefs2Text(Items.ItemId) CrossReferencesText,

       BidRequestItems.BidRequest, Items.BrandName, Items.ManufacturorNumber,

       Vendors.Name VendorName, Items.VendorPartNumber, Keywords.Keyword, Headings.Title,

       Items.ExtraDetail, Items.ItemsPerUnit, Items.SortSeq, BidRequestItems.Status,

       BidRequestItems.Comments,

/* Added to Fix Intermittent problem of Extra Info not showing */

      vw_ItemDescription.Itemdescription as FullDescription,
```

```
        District.Name DistrictName, Category.Type CategoryType,

        convert(real, RequisitionCount) * convert(real, RequisitionCount) * convert(real...

... (truncated)
```

BidMgrBidRequestMSRPView {dbo-bidmgrbidrequestmsrpview}

Property	Value
Schema	dbo
Created	2012-09-24 15:02:21.510000
Modified	2018-01-21 20:26:47.167000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	Active	tinyint	Yes
3	ManufacturerName	varchar(100)	No
4	ManufacturerId	int	Yes
5	BidRequestManufacturer	int	No
6	SequenceNumber	int	Yes

Dependencies

Object	Type
dbo.BidRequestManufacturer	Table
dbo.Manufacturers	Table

SQL Definition

```
create   view  [dbo].[BidMgrBidRequestMSRPView]

AS

SELECT dbo.BidRequestManufacturer.BidHeaderId, dbo.BidRequestManufacturer.Active, dbo.M...

       dbo.BidRequestManufacturer.ManufacturerId, dbo.BidRequestManufacturer.BidRequest...

       dbo.BidRequestManufacturer.SequenceNumber

FROM dbo.BidRequestManufacturer

JOIN dbo.Manufacturers ON dbo.Manufacturers.ManufacturerId = dbo.BidRequestManufacturer...
```

BidMgrBidResultsMSRPView {dbo-bidmgrbidresultsmsrpview}

Property	Value
Schema	dbo
Created	2012-09-24 16:17:29.973000
Modified	2018-01-21 20:26:45.830000

Columns

#	Column	Type	Nullable
1	ManufacturerName	varchar(100)	No
2	ActiveBid	int	No
3	BidHeaderId	int	No
4	BidImportId	int	No
5	ManufacturerId	int	Yes
6	DiscountRate	decimal(9,5)	Yes
7	DiscountRateString	char(10)	Yes
8	WriteInFlag	tinyint	Yes
9	WriteInManufacturer	varchar(100)	Yes
10	Modified	datetime	No
11	BidMSRPResultsId	int	No
12	WinningBidFlag	int	No
13	BidRequestManufacturer	int	Yes
14	WinningBidOverride	tinyint	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.BidRequestManufacturer	Table
dbo.Manufacturers	Table

SQL Definition

```
create   view  [dbo].[BidMgrBidResultsMSRPView]
AS

SELECT Isnull(dbo.Manufacturers.Name,'') ManufacturerName,
       Case When Isnull(dbo.BidMSRPResults.Active,0)=1 and Isnull(BidImports.Active,0)=...
       dbo.BidMSRPResults.BidHeaderId, dbo.BidMSRPResults.BidImportId,
       dbo.BidMSRPResults.ManufacturerId, dbo.BidMSRPResults.DiscountRate, dbo.BidMSRPR...
       dbo.BidMSRPResults.WriteInFlag, dbo.BidMSRPResults.WriteInManufacturer,
       --Isnull(dbo.BidMSRPResults.[Weight],0) [Weight],
       dbo.BidMSRPResults.Modified, dbo.BidMSRPResults.BidMSRPResultsId,
       -- note: may need to consider "Weight" when finding the winning bid
       (Case
        When (SELECT Count(*)
              FROM dbo.BidMSRPResults BR
              JOIN dbo.BidImports BI ON BI.BidImportId = BR.BidImportId
              where Isnull(BR.Active,0)=1 and Isnull(BI.Active,0)=1
```

```
                    and BR.BidHeaderId=dbo.BidMSRPResults.BidHeaderId

                    and Isnull(BR.ManufacturerId,0) <> 0 and Isnull(BR.ManufacturerId,0...

... (truncated)
```

BidMgrBidTradeCountiesView {dbo-bidmgrbidtradecountiesview}

Property	Value
Schema	dbo
Created	2011-12-28 17:09:48.983000
Modified	2018-01-21 20:26:47.170000

Columns

#	Column	Type	Nullable
1	CountyName	varchar(50)	No
2	State	char(2)	No
3	BidTradeCountyId	int	No
4	BidTradeId	int	No
5	CountyId	int	No
6	StateId	int	Yes

Dependencies

Object	Type
dbo.BidTradeCounties	Table
dbo.Counties	Table

SQL Definition

```
create   view  [dbo].[BidMgrBidTradeCountiesView]

AS

SELECT C.Name CountyName, C.State, B.BidTradeCountyId, B.BidTradeId, B.CountyId, C.StateId

FROM [EDS].[dbo].[BidTradeCounties] B with (nolock)

join [EDS].[dbo].[Counties] C ON C.CountyId = B.CountyId
```

BidMgrBidTradeCountyTotals {dbo-bidmgrbidtradecountytotals}

Property	Value
Schema	dbo
Created	2012-02-03 18:14:49.147000
Modified	2018-01-21 20:26:46.137000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	BidTradeId	int	No
4	CountyId	int	No
5	Name	varchar(50)	No

6	State	char(2)	No
7	CountyTotalUsedInAwar	money	Yes
8	ActiveBidImport	tinyint	Yes
9	ActiveCounty	tinyint	Yes
10	BidImportCountyId	int	No
11	ActiveBidAndCounty	tinyint	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.BidQuestions	Table
dbo.BidTradeCounties	Table
dbo.Counties	Table
dbo.vw_BidAnswers	View

SQL Definition

```
create   view  [dbo].[BidMgrBidTradeCountyTotals]
AS
SELECT BH.BidHeaderId, BA.BidImportId, BA.BidTradeId, BA.CountyId, C.Name, C.State,
       SUM(CASE
           WHEN ISNUMERIC(BA.BidAnswerExtended) = 1 AND IsNull(BQ.UseInCalculation, 0) ...
           THEN CAST(Isnull(BA.BidAnswerExtended, 0) as money)
           ELSE 0
           END) AS CountyTotalUsedInAward,
       BI.Active ActiveBidImport,
       bic.Active ActiveCounty,
       bic.BidImportCountyId,
       (BI.Active & bic.Active) ActiveBidAndCounty
FROM dbo.vw_BidAnswers  BA
JOIN dbo.BidImports BI ON BI.BidImportId = BA.BidImportId
JOIN dbo.BidHeaders BH ON BH.BidHeaderId = BI.BidHeaderId
JOIN dbo.Counties AS C ON C.CountyId = BA.CountyId
```

```
JOIN dbo.BidQuestions AS BQ ON BQ.BidQuestionId = BA.BidQuestionId

join dbo.BidTradeCounties btc on btc.BidTradeId = BA.BidTradeId             -- add stat...

... (truncated)
```

BidMgrBidTradeLowBidder {dbo-bidmgrbidtradelowbidder}

Property	Value
Schema	dbo
Created	2012-02-07 19:16:51.023000
Modified	2018-01-21 20:26:46.140000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidTradeId	int	No
3	CountyId	int	No
4	BidImportId	int	No
5	CountyTotalUsedInAwar	money	Yes
6	VendorId	int	Yes
7	VendorName	varchar(50)	Yes
8	CountyName	varchar(50)	No
9	VendorCode	varchar(16)	Yes
10	State	char(2)	No
11	Active	tinyint	Yes
12	Comments	varchar(1024)	Yes
13	ActiveCounty	tinyint	Yes
14	BidImportCountyId	int	No
15	ActiveBidAndCounty	tinyint	Yes

16	CommentsCounty	varchar(4096)	Yes

Dependencies

Object	Type
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.BidMgrBidTradeCountyTotals	View
dbo.BidTradeCounties	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[BidMgrBidTradeLowBidder]

AS

SELECT A.BidHeaderId, A.BidTradeId, A.CountyId, A.BidImportId, A.CountyTotalUsedInAward...

       B.Active & bic.Active ActiveBidAndCounty, bic.Comments CommentsCounty

FROM dbo.BidMgrBidTradeCountyTotals AS A

JOIN dbo.BidImports AS B ON B.BidImportId = A.BidImportId  --and b.Active = 1  -- note:...

join dbo.BidTradeCounties btc on btc.BidTradeId = a.BidTradeId

                             and btc.CountyId = a.CountyId

join dbo.BidImportCounties bic on bic.BidImportId = B.BidImportId

                              and bic.BidTradeCountyId = btc.BidTradeCountyId

JOIN dbo.Vendors AS V ON V.VendorId = B.VendorId
```

```
... (truncated)
```

BidMgrMSRP2ResultsView {dbo-bidmgrmsrp2resultsview}

Property	Value
Schema	dbo
Created	2013-12-16 14:05:10.050000
Modified	2018-01-21 20:26:46.333000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ManufacturerId	int	Yes
3	ManufacturerName	varchar(100)	No
4	ManufacturerProductLine	int	No
5	ProductLineName	varchar(100)	No
6	MSRPOptionId	int	No
7	OptionName	varchar(50)	No
8	BidMSRPResultsId	int	Yes
9	BidMSRPResultsProductL	int	Yes
10	WriteInManufacturer	varchar(100)	Yes
11	WriteInFlag	tinyint	Yes
12	WinningBidOverride	tinyint	Yes
13	DiscountRate	decimal(38,6)	Yes
14	PriceListTypeId	int	Yes
15	TotalAward	tinyint	Yes

16	TotalAwardDiscount	decimal(9,5)	Yes
17	ProductLineWeight	decimal(9,5)	Yes
18	TotalAwardManufacturer	decimal(38,6)	Yes
19	TotalAwardProductLineW	decimal(38,6)	Yes
20	SortKey	varchar(15)	Yes
21	PriceListType	varchar(50)	Yes
22	VendorId	int	Yes
23	VendorName	varchar(50)	Yes
24	PriceListWarning	varchar(28)	No
25	WinningBidFlag	int	No
26	AllFlag	int	No

Dependencies

Object	Type
dbo.vw_BidMSRPRankedManufacturerProductLine	View

SQL Definition

```
create   view  [dbo].[BidMgrMSRP2ResultsView]

AS

SELECT BidHeaderId, ManufacturerId, ManufacturerName, ManufacturerProductLineId, Produc...

       BidMSRPResultsId, BidMSRPResultsProductLineId, WriteInManufacturer, WriteInFlag,...

       PriceListTypeId, TotalAward, TotalAwardDiscount, ProductLineWeight, TotalAwardMa...

       TotalAwardProductLineWeight, SortKey, PriceListType, VendorId, VendorName, Price...

       CASE WHEN A.BIDMSRPRESULTSID =

       (SELECT TOP 1 WINNER.BIDMSRPRESULTSID

        FROM [vw_BidMSRPRankedManufacturerProductLinesOrdered] WINNER

        WHERE WINNER.BIDHEADERID = A.BIDHEADERID

          AND WINNER.MANUFACTURERPRODUCTLINEID = A.MANUFACTURERPRODUCTLINEID

          AND WINNER.MSRPOPTIONID = A.MSRPOPTIONID

        ORDER BY WINNER.SORTKEY

        ) THEN 1 ELSE 0 END AS WinningBidFlag,

        CASE WHEN Upper(Ltrim(Rtrim(A.ProductLineName)))='ALL' THEN 1 ELSE 0 END AllFlag

FROM dbo.vw_BidMSRPRankedManufacturerProductLinesOrdered AS A

--WHERE (BidHeaderId = 5942)
```

BidMgrMSRP2VendorReportView {dbo-bidmgrmsrp2vendorreportview}

Property	Value
Schema	dbo
Created	2013-12-17 16:31:38.380000
Modified	2018-01-21 20:26:46.193000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	ActiveBidImport	tinyint	Yes
4	VendorsCode	varchar(16)	Yes
5	VendorsName	varchar(50)	Yes
6	VendorId	int	Yes
7	WriteInFlag	tinyint	No
8	ManufacturerName	varchar(100)	No
9	ActiveManufBid	int	No
10	AuthorizationLetter	tinyint	No
11	SubmittedExcel	tinyint	No
12	ProductCatalog	tinyint	No
13	TotalAward	tinyint	No
14	VendorPriceFile	tinyint	No
15	TotalAwardString	varchar(20)	Yes
16	TotalAwardDiscount	decimal(9,5)	Yes
17	BidMSRPResultsId	int	No

18	BidRequestManufacturer	int	Yes
19	ManufacturerId	int	Yes
20	PriceListTypeId	int	No
21	PriceListType	varchar(50)	No
22	WriteInManufacturer	varchar(100)	Yes
23	BidMSRPResultsProductL	int	No
24	ActiveProdLine	tinyint	Yes
25	ProdLineOrWriteIn	varchar(100)	No
26	WriteInProductLineFlag	tinyint	Yes
27	BidRequestProductLineId	int	Yes
28	BidRequestOptionId	int	Yes
29	MSRPOptionId	int	Yes
30	OptionName	varchar(50)	Yes
31	WeightedDiscount	decimal(9,5)	Yes
32	ProdLineSortKey	varchar(512)	Yes
33	ManufacturerProductLine	int	No
34	AllActive	int	No
35	WinningBidFlag	int	No
36	AllProductLine	int	No
37	FakeRecord	int	No
38	VendorALLWinner	int	No

Dependencies

Object	Type
dbo.BidMgrMSRPVendorBidsView	View
dbo.PriceListTypes	Table
dbo.vw_BidMSRPRankedManufacturerProductLine	View
dbo.vw_MSRPBidResultsManufRev2	View
dbo.vw_MSRPBidResultsProdLines	View

SQL Definition

```
create   view  [dbo].[BidMgrMSRP2VendorReportView]
AS
-- proposed new version - to be tested
SELECT VenBid.BidHeaderId, VenBid.BidImportId, VenBid.Active ActiveBidImport, VenBid.Ve...
       Manuf.WriteInFlag, Manuf.ManufacturerName, Manuf.Active ActiveManufBid,
       Manuf.AuthorizationLetter, Manuf.SubmittedExcel, Manuf.ProductCatalog, Manuf.Tot...
       Manuf.VendorPriceFile, Manuf.TotalAwardString, Manuf.TotalAwardDiscount,
       Manuf.BidMSRPResultsId, Manuf.BidRequestManufacturerId,
       Manuf.ManufacturerId, Manuf.PriceListTypeId, Isnull(PLT.Name,'') PriceListType, ...
       ProdLine.BidMSRPResultsProductLineId, ProdLine.Active ActiveProdLine,
       RankedProdLine.ProductLineName ProdLineOrWriteIn, --ProdLine.ProdLineOrWriteIn, ...
       ProdLine.WriteInProductLineFlag, ProdLine.BidRequestProductLineId, ProdLine.BidR...
```

```
        ProdLine.MSRPOptionId, ProdLine.OptionName, ProdLine.WeightedDiscount,

        --ProdLine.SortKey ProdLineSortKey,  -- 4/25/14

... (truncated)
```

BidMgrMSRP2VendorReportViewTemp {dbo-bidmgrmsrp2vendorreportviewtemp}

Property	Value
Schema	dbo
Created	2014-04-14 16:13:16.263000
Modified	2018-01-21 20:26:46.117000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	ActiveBidImport	tinyint	Yes
4	VendorsCode	varchar(16)	Yes
5	VendorsName	varchar(50)	Yes
6	VendorId	int	Yes
7	WriteInFlag	tinyint	No
8	ManufacturerName	varchar(100)	No
9	ActiveManufBid	int	No
10	AuthorizationLetter	tinyint	No
11	SubmittedExcel	tinyint	No
12	ProductCatalog	tinyint	No
13	TotalAward	tinyint	No
14	VendorPriceFile	tinyint	No
15	TotalAwardString	varchar(20)	Yes

16	TotalAwardDiscount	decimal(9,5)	Yes
17	BidMSRPResultsId	int	No
18	BidRequestManufacturer	int	Yes
19	ManufacturerId	int	Yes
20	PriceListTypeId	int	No
21	PriceListType	varchar(50)	No
22	WriteInManufacturer	varchar(100)	Yes
23	BidMSRPResultsProductL	int	No
24	ActiveProdLine	tinyint	Yes
25	ProdLineOrWriteIn	varchar(100)	No
26	WriteInProductLineFlag	tinyint	Yes
27	BidRequestProductLineId	int	Yes
28	BidRequestOptionId	int	Yes
29	MSRPOptionId	int	Yes
30	OptionName	varchar(50)	Yes
31	WeightedDiscount	decimal(9,5)	Yes
32	ProdLineSortKey	varchar(512)	Yes
33	ManufacturerProductLine	int	No
34	AllActive	int	No
35	WinningBidFlag	int	No
36	AllProductLine	int	No
37	TotalAwardManufacturer	decimal(38,6)	Yes

Dependencies

Object	Type
dbo.BidMgrMSRPVendorBidsView	View
dbo.PriceListTypes	Table
dbo.vw_BidMSRPRankedManufacturerProductLine	View
dbo.vw_MSRPBidResultsManufRev2	View
dbo.vw_MSRPBidResultsProdLines	View

SQL Definition

```
create   view  [dbo].[BidMgrMSRP2VendorReportViewTemp]

AS

SELECT VenBid.BidHeaderId, VenBid.BidImportId, VenBid.Active ActiveBidImport, VenBid.Ve...

       Manuf.WriteInFlag, Manuf.ManufacturerName, Manuf.Active ActiveManufBid,

       Manuf.AuthorizationLetter, Manuf.SubmittedExcel, Manuf.ProductCatalog, Manuf.Tot...

       Manuf.VendorPriceFile, Manuf.TotalAwardString, Manuf.TotalAwardDiscount,

       Manuf.BidMSRPResultsId, Manuf.BidRequestManufacturerId,

       Manuf.ManufacturerId, Manuf.PriceListTypeId, Isnull(PLT.Name,'') PriceListType, ...
```

```
        ProdLine.BidMSRPResultsProductLineId, ProdLine.Active ActiveProdLine, ProdLine.P...

        ProdLine.WriteInProductLineFlag, ProdLine.BidRequestProductLineId, ProdLine.BidR...

... (truncated)
```

BidMgrMSRPVendorBidsView {dbo-bidmgrmsrpvendorbidsview}

Property	Value
Schema	dbo
Created	2012-11-15 17:19:45.503000
Modified	2018-01-21 20:26:46.097000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	Active	tinyint	Yes
4	VendorsCode	varchar(16)	Yes
5	VendorsName	varchar(50)	Yes
6	VendorId	int	Yes

Dependencies

Object	Type
dbo.BidImports	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[BidMgrMSRPVendorBidsView]

AS

SELECT dbo.BidImports.BidHeaderId, dbo.BidImports.BidImportId, dbo.BidImports.Active,

       dbo.Vendors.Code VendorsCode, dbo.Vendors.Name VendorsName, dbo.Vendors.VendorId

FROM dbo.BidImports

left JOIN dbo.Vendors ON dbo.Vendors.VendorId = dbo.BidImports.VendorId

-- where BidImports.BidHeaderId =
```

BidMgrView {dbo-bidmgrview}

Property	Value
Schema	dbo
Created	2007-11-26 17:24:37.840000
Modified	2018-01-21 20:26:47.173000

Columns

#	Column	Type	Nullable
1	BidResultsId	int	No
2	BidHeaderId	int	Yes
3	BidRequestItemId	int	Yes
4	BidImportId	int	Yes
5	VendorName	varchar(50)	Yes
6	Quantity	int	Yes
7	QuantityBid	int	Yes
8	UnitPrice	money	Yes
9	Cost	money	Yes
10	VendorItemCode	varchar(50)	Yes
11	Alternate	varchar(512)	Yes
12	ItemsPerUnit	varchar(50)	Yes
13	Status	varchar(51)	Yes
14	ItemBidType	char(1)	Yes
15	PageNo	int	Yes
16	BidResultsActive	int	Yes
17	BidImportsActive	tinyint	Yes
18	SortStatus	int	Yes
19	Compliance	varchar(18)	No

Dependencies

Object	Type

dbo.BidImports	Table
dbo.BidResults	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[BidMgrView]

AS

SELECT     dbo.BidResults.BidResultsId, dbo.BidResults.BidHeaderId, dbo.BidResults.BidR...

                       dbo.BidResults.VendorItemCode, dbo.BidResults.Alternate, dbo.Bid...

                      dbo.BidResults.ItemBidType, dbo.BidResults.PageNo, dbo.BidResults...

                      CASE BidResults.ItemBidType WHEN 'S' THEN 'As Specified' WHEN 'C'...

FROM         dbo.BidResults INNER JOIN

                      dbo.BidImports ON dbo.BidResults.BidImportId = dbo.BidImports.Bid...

                      dbo.Vendors ON dbo.BidImports.VendorId = dbo.Vendors.VendorId
```

BidMgrView2 {dbo-bidmgrview2}

Property	Value
Schema	dbo
Created	2007-11-26 17:28:16.140000
Modified	2018-01-21 20:26:47.177000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	Active	tinyint	Yes
4	BidItemDiscountRate	decimal(9,5)	Yes
5	VendorBidNumber	varchar(50)	Yes
6	ItemsBid	int	Yes
7	AmountBid	money	Yes
8	VendorsCode	varchar(16)	Yes
9	VendorsName	varchar(50)	Yes
10	CatalogName	varchar(50)	Yes
11	BidId	int	Yes
12	AwardId	int	Yes
13	CalculatedItems	int	No
14	CalculatedAmount	int	No
15	CalculatedItemsBid	int	No
16	CalculatedAmountBid	int	No
17	PercentBid	int	No
18	CatalogDiscountRate	int	No
19	ItemsWon	int	No
20	PercentWon	int	No
21	POCount	int	No
22	TotalPOs	int	No
23	AveragePO	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.Catalog	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[BidMgrView2]
AS
SELECT     dbo.BidImports.BidHeaderId, dbo.BidImports.BidImportId, dbo.BidImports.Activ...
                      dbo.BidImports.AmountBid, dbo.Vendors.Code VendorsCode, dbo.Vendo...
                          (SELECT     TOP 1 Bids.BidId
                            FROM          Bids
                            WHERE      Bids.BidHeaderId = BidImports.BidHeaderId AND Bi...
                            ORDER BY Bids.BidId DESC) AS BidId,
                          (SELECT     TOP 1 Awards.AwardId
                            FROM          Awards LEFT OUTER JOIN
                                                    Bids ON Bids.BidId = Awards.BidId AN...
                                                    Bids.Active = 1
                            ORDER BY Awards.AwardId DESC) AS AwardId,
                          -- Note: the following fields are dynamically built in BidMgr...
                           0 CalculatedItems, 0 CalculatedAmount, 0 CalculatedItemsBid,...
FROM         dbo.BidImports INNER JOIN
                      dbo.Vendors ON dbo.Vendors.VendorId = dbo.BidImports.VendorId LEF...
                      dbo.Catalog ON dbo.Catalog.CatalogId = dbo.BidImports.CatalogId
-- where BidImports.BidHeaderId =
```

```
... (truncated)
```

BidMgrWeightView {dbo-bidmgrweightview}

Property	Value
Schema	dbo
Created	2011-10-26 13:36:12.207000
Modified	2018-01-21 20:26:47.183000

Columns

#	Column	Type	Nullable
1	BidRequestItemId	int	No
2	BidHeaderId	int	Yes
3	weight	decimal(20,0)	Yes

Dependencies

Object	Type
dbo.BidRequestItems	Table

SQL Definition

```
create   view  [dbo].[BidMgrWeightView]

AS

select dbo.BidRequestItems.BidRequestItemId, dbo.BidRequestItems.BidHeaderId,

       cast(

       cast(dbo.BidRequestItems.RequisitionCount as bigint) * cast(dbo.BidRequestItems....

       as decimal(20,0) ) weight

  from dbo.BidRequestItems with (nolock)

--where BidHeaderId=xxxx and BidRequestItemId=yyyy
```

BidProjectAveragePO {dbo-bidprojectaveragepo}

Property	Value
Schema	dbo
Created	2004-12-22 13:52:32.337000
Modified	2018-01-21 20:26:47.187000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorId	int	No
3	VendorCode	varchar(16)	Yes
4	VendorName	varchar(50)	Yes
5	VendorInfo	varchar(376)	Yes
6	Items	int	No
7	Total	money	No
8	POCount	int	No
9	TotalQuantity	int	No
10	AvgPO	money	No

Dependencies

Object	Type
dbo.uf_BidProjectAveragePOReq	Other

SQL Definition

```
create   view  [dbo].[BidProjectAveragePO] as

select * from dbo.uf_BidProjectAveragePOReq(705,94554)
```

BidRequestDetail {dbo-bidrequestdetail}

Property	Value
Schema	dbo
Created	2003-06-03 23:23:57.217000
Modified	2018-08-20 14:56:07.650000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidRequestItemId	int	No
3	Active	tinyint	Yes
4	CategoryId	int	Yes
5	DistrictId	int	Yes
6	RequisitionCount	int	Yes
7	ItemId	int	No
8	ItemCode	varchar(50)	Yes
9	ItemDescription	varchar(512)	Yes

10	UnitCode	varchar(20)	Yes
11	CrossReferencesText	varchar(1024)	No
12	BidRequest	int	Yes
13	BrandName	varchar(50)	Yes
14	ManufacturorNumber	varchar(50)	Yes
15	VendorName	varchar(50)	Yes
16	VendorPartNumber	varchar(50)	Yes
17	Keyword	varchar(50)	No
18	Title	varchar(255)	No
19	ExtraDetail	varchar(1153)	No
20	ItemsPerUnit	varchar(50)	Yes
21	SortSeq	varchar(64)	Yes
22	Status	varchar(50)	Yes
23	Comments	varchar(1024)	Yes
24	FullDescription	varchar(1024)	Yes
25	DistrictName	varchar(50)	Yes
26	CategoryType	int	Yes
27	Weight	real	Yes
28	HeadingDescription	varchar(4096)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.Category	Table
dbo.District	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.PricePlans	Table
dbo.uf_CrossRefs2Text	Other
dbo.Units	Table

dbo.Vendors	Table
dbo.vw_BidDescriptions	View
dbo.vw_ItemDescription	View

SQL Definition

```
--select * from BidRequestDetail where BidHeaderId = 1988 -- 4011

--select * from BidREquestDetail where BidHeaderId = 2207 -- 218

--select BidRequestItemId from BidRequestDetail where BidHeaderId = 1478

create     view  [dbo].[BidRequestDetail]

  as

select BidHeaders.BidHeaderId, BidRequestItems.BidRequestItemId, BidRequestItems.Active,

       BidHeaders.CategoryId, Items.DistrictId, BidRequestItems.RequisitionCount,

       Items.ItemId, Items.ItemCode, Items.Description ItemDescription,

       Units.Code UnitCode, isnull(dbo.uf_CrossRefs2Text(Items.ItemId),'') CrossReferen...

       BidRequestItems.BidRequest,

       case when isnull(Category.AllowAddenda,0) = 0 and SUBSTRING(SortSeq,1,8) != 'EDS...

       case when isnull(Category.AllowAddenda,0) = 0 and SUBSTRING(SortSeq,1,8) != 'EDS...

       Vendors.Name VendorName, Items.VendorPartNumber, isnull(Keywords.Keyword,'') Key...

       case isnull(vw_BidDescriptions.ExtraDescription,'')

         when '' then ''

         else

           case isnull(Category.ExtraTitle,'')

             when '' then 'Extra Information: '

             else isnull(Category.ExtraTitle,'')

           end + ' ' + isnull(vw_BidDescriptions.ExtraDescription,'')
```

```
        end as ExtraDetail,   -- ****** changed to fix problem of intermitant extra deta...

        Items.ItemsPerUnit, Items.SortSeq, BidRequestItems.Status,

... (truncated)
```

BidRequestDetail1 {dbo-bidrequestdetail1}

Property	Value
Schema	dbo
Created	2009-01-05 10:17:37.810000
Modified	2018-01-21 20:26:46.220000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidRequestItemId	int	No
3	Active	tinyint	Yes
4	CategoryId	int	Yes
5	DistrictId	int	Yes
6	RequisitionCount	int	Yes
7	ItemId	int	No
8	ItemCode	varchar(50)	Yes
9	ItemDescription	varchar(512)	Yes
10	UnitCode	varchar(20)	Yes
11	CrossReferencesText	varchar(1024)	Yes
12	BidRequest	int	Yes
13	BrandName	varchar(50)	Yes
14	ManufacturorNumber	varchar(50)	Yes
15	VendorName	varchar(50)	Yes
16	VendorPartNumber	varchar(50)	Yes
17	Keyword	varchar(50)	Yes

18	Title	varchar(255)	Yes
19	ExtraDetail	varchar(1153)	No
20	ItemsPerUnit	varchar(50)	Yes
21	SortSeq	varchar(64)	Yes
22	Status	varchar(50)	Yes
23	Comments	varchar(1024)	Yes
24	FullDescription	varchar(1024)	Yes
25	DistrictName	varchar(50)	Yes
26	CategoryType	int	Yes
27	Weight	real	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.Category	Table
dbo.District	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.PricePlans	Table
dbo.uf_CrossRefs2Text	Other
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_BidDescriptions	View
dbo.vw_ItemDescription	View

SQL Definition

```
--select * from BidRequestDetail where BidHeaderId = 1988 -- 4011

--select * from BidREquestDetail where BidHeaderId = 2207 -- 218

--select BidRequestItemId from BidRequestDetail where BidHeaderId = 1478

CREATE     view [dbo].[BidRequestDetail1]

  as

select BidHeaders.BidHeaderId, BidRequestItems.BidRequestItemId, BidRequestItems.Active,

       BidHeaders.CategoryId, Items.DistrictId, BidRequestItems.RequisitionCount,

       Items.ItemId, Items.ItemCode, Items.Description ItemDescription,

       Units.Code UnitCode, dbo.uf_CrossRefs2Text(Items.ItemId) CrossReferencesText,

       BidRequestItems.BidRequest, Items.BrandName, Items.ManufacturorNumber,

       Vendors.Name VendorName, Items.VendorPartNumber, Keywords.Keyword, Headings.Title,

       case isnull(vw_BidDescriptions.ExtraDescription,'')
```

```
            when '' then ''

            else

  ... (truncated)
```

BidRequestDetail2 {dbo-bidrequestdetail2}

Property	Value
Schema	dbo
Created	2009-01-02 12:32:45.983000
Modified	2018-01-21 20:26:46.210000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidRequestItemId	int	No
3	Active	tinyint	Yes
4	CategoryId	int	Yes
5	DistrictId	int	Yes
6	RequisitionCount	int	Yes
7	ItemId	int	No
8	ItemCode	varchar(50)	Yes
9	ItemDescription	varchar(512)	Yes
10	UnitCode	varchar(20)	Yes
11	CrossReferencesText	varchar(1024)	Yes
12	BidRequest	int	Yes
13	BrandName	varchar(50)	Yes
14	ManufacturorNumber	varchar(50)	Yes
15	VendorName	varchar(50)	Yes
16	VendorPartNumber	varchar(50)	Yes
17	Keyword	varchar(50)	Yes

18	Title	varchar(255)	Yes
19	ExtraDetail	varchar(1153)	No
20	ItemsPerUnit	varchar(50)	Yes
21	SortSeq	varchar(64)	Yes
22	Status	varchar(50)	Yes
23	Comments	varchar(1024)	Yes
24	FullDescription	varchar(3650)	Yes
25	DistrictName	varchar(50)	Yes
26	CategoryType	int	Yes
27	Weight	real	Yes

Dependencies

Object	Type
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.PricePlans	Table
dbo.Requisitions	Table
dbo.uf_CrossRefs2Text	Other
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View
dbo.vw_ItemDescription	View

SQL Definition

```
--select * from BidRequestDetail2 where BidHeaderId = 2862 -- 4011

--select * from BidREquestDetail where BidHeaderId = 2207 -- 218

--select BidRequestItemId from BidRequestDetail where BidHeaderId = 1478




CREATE     view [dbo].[BidRequestDetail2]  as

select BidHeaders.BidHeaderId, BidRequestItems.BidRequestItemId, BidRequestItems.Active,

       BidHeaders.CategoryId, Items.DistrictId, BidRequestItems.RequisitionCount,

       Items.ItemId, Items.ItemCode, Items.Description ItemDescription,

       Units.Code UnitCode, dbo.uf_CrossRefs2Text(Items.ItemId) CrossReferencesText,

       BidRequestItems.BidRequest, Items.BrandName, Items.ManufacturorNumber,

       Vendors.Name VendorName, Items.VendorPartNumber, Keywords.Keyword, Headings.Title,

       case isnull(ss.ExtraDescription,'')

         when '' then ''

         else

           case isnull(Category.ExtraTitle,'')

             when '' then 'Extra Information: '

             else isnull(Category.ExtraTitle,'')

           end + ' ' + isnull(ss.ExtraDescription,'')
```

```
        end as ExtraDetail,   -- ****** changed to fix problem of intermitant extra deta...

        Items.ItemsPerUnit, Items.SortSeq, BidRequestItems.Status,

... (truncated)
```

BidRequestItemsCrossRefsView {dbo-bidrequestitemscrossrefsview}

Property	Value
Schema	dbo
Created	2010-06-03 19:20:38.780000
Modified	2018-01-21 20:26:47.190000

Columns

#	Column	Type	Nullable
1	BidRequestItemId	int	No
2	BidHeaderId	int	Yes
3	CrossReferencesText	varchar(1024)	Yes

Dependencies

Object	Type
dbo.BidRequestItems	Table
dbo.uf_CrossRefs2Text	Other

SQL Definition

```
create   view  [dbo].[BidRequestItemsCrossRefsView]

AS

select dbo.BidRequestItems.BidRequestItemId, dbo.BidRequestItems.BidHeaderId,

       dbo.uf_CrossRefs2Text(BidRequestItems.ItemId) CrossReferencesText

  from dbo.BidRequestItems with (nolock)

--where BidHeaderId=3609 and BidRequestItemId=8257086
```

BidRequestItemsView {dbo-bidrequestitemsview}

Property	Value
Schema	dbo
Created	2002-06-06 01:42:35.310000
Modified	2018-01-21 20:26:47.193000

Columns

#	Column	Type	Nullable
1	BidRequestItemId	int	No
2	BidHeaderId	int	Yes
3	ItemId	int	No
4	ItemCode	varchar(50)	Yes
5	Description	varchar(512)	Yes
6	UnitCode	varchar(20)	Yes
7	BidRequest	int	Yes
8	RequisitionCount	int	Yes
9	Active	tinyint	Yes
10	SortSeq	varchar(64)	Yes

Dependencies

Object	Type
dbo.BidRequestItems	Table
dbo.Items	Table
dbo.Units	Table

SQL Definition

```
create   view  [dbo].[BidRequestItemsView]

AS

select dbo.BidRequestItems.BidRequestItemId, dbo.BidRequestItems.BidHeaderId,

       dbo.Items.ItemId, dbo.Items.ItemCode, dbo.Items.Description,

       dbo.Units.Code UnitCode, dbo.BidRequestItems.BidRequest,

       dbo.BidRequestItems.RequisitionCount, dbo.BidRequestItems.Active, dbo.Items.SortSeq

  from dbo.BidRequestItems with (nolock)

  join dbo.Items on dbo.Items.ItemId = dbo.BidRequestItems.ItemId

  join dbo.Units on dbo.Units.UnitId = dbo.Items.UnitId
```

BidRequestItemsView1 {dbo-bidrequestitemsview1}

Property	Value
Schema	dbo

Created	2008-12-11 11:43:54.887000
Modified	2018-01-21 20:26:46.187000

Columns

#	Column	Type	Nullable
1	BidRequestItemId	int	No
2	BidHeaderId	int	Yes
3	ItemId	int	No
4	ItemCode	varchar(50)	Yes
5	Description	varchar(1665)	Yes
6	UnitCode	varchar(20)	Yes
7	BidRequest	int	Yes
8	RequisitionCount	int	Yes
9	Active	tinyint	Yes
10	SortSeq	varchar(64)	Yes
11	Heading	varchar(308)	Yes
12	DistrictName	varchar(50)	Yes
13	CrossRefText	varchar(1024)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.Category	Table
dbo.District	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.PricePlans	Table
dbo.uf_CrossRefs2Text	Other
dbo.Units	Table

dbo.Vendors	Table
dbo.vw_BidDescriptions	View
dbo.vw_ItemDescription	View

SQL Definition

```
create   view  [dbo].[BidRequestItemsView1]
AS

/* original code
select dbo.BidRequestItems.BidRequestItemId, dbo.BidRequestItems.BidHeaderId,
       dbo.Items.ItemId, dbo.Items.ItemCode, dbo.Items.Description,
       dbo.Units.Code UnitCode, dbo.BidRequestItems.BidRequest,
       dbo.BidRequestItems.RequisitionCount, dbo.BidRequestItems.Active, dbo.Items.Sort...
       isnull(dbo.Headings.Title,'') + case isnull(rtrim(dbo.Keywords.Keyword),'') when...
       isnull(dbo.District.Name,'') as DistrictName,
       dbo.uf_CrossRefs2Text(Items.ItemId) as CrossRefText
  from dbo.BidRequestItems with (nolock)
  join dbo.Items on dbo.Items.ItemId = dbo.BidRequestItems.ItemId
  join dbo.Units on dbo.Units.UnitId = dbo.Items.UnitId
  left outer join dbo.District on dbo.District.DistrictId = Items.DistrictId
  left outer join dbo.Headings on dbo.Headings.HeadingId = Items.HeadingId
  left outer join dbo.Keywords on dbo.Keywords.KeywordId = Items.KeywordId
*/

-- modified to mimic the view used by the desktop version: BidRequestDetail
```

```
-- may want to eliminate this view and use BidRequestDetail

select BidRequestItems.BidRequestItemId, BidHeaders.BidHeaderId,

... (truncated)
```

BidRequestItemsView1Original {dbo-bidrequestitemsview1original}

Property	Value
Schema	dbo
Created	2010-09-13 14:00:13.877000
Modified	2018-01-21 20:26:47.207000

Columns

#	Column	Type	Nullable
1	BidRequestItemId	int	No
2	BidHeaderId	int	Yes
3	ItemId	int	No
4	ItemCode	varchar(50)	Yes
5	Description	varchar(512)	Yes
6	UnitCode	varchar(20)	Yes
7	BidRequest	int	Yes
8	RequisitionCount	int	Yes
9	Active	tinyint	Yes
10	SortSeq	varchar(64)	Yes
11	Heading	varchar(308)	Yes
12	DistrictName	varchar(50)	No
13	CrossRefText	varchar(1024)	Yes

Dependencies

Object	Type
dbo.BidRequestItems	Table
dbo.District	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.uf_CrossRefs2Text	Other
dbo.Units	Table

SQL Definition

```
create   view  [dbo].[BidRequestItemsView1Original]
AS
select dbo.BidRequestItems.BidRequestItemId, dbo.BidRequestItems.BidHeaderId,
       dbo.Items.ItemId, dbo.Items.ItemCode, dbo.Items.Description,
       dbo.Units.Code UnitCode, dbo.BidRequestItems.BidRequest,
       dbo.BidRequestItems.RequisitionCount, dbo.BidRequestItems.Active, dbo.Items.Sort...
       isnull(dbo.Headings.Title,'') + case isnull(rtrim(dbo.Keywords.Keyword),'') when...
       isnull(dbo.District.Name,'') as DistrictName,
       dbo.uf_CrossRefs2Text(Items.ItemId) as CrossRefText
  from dbo.BidRequestItems with (nolock)
  join dbo.Items on dbo.Items.ItemId = dbo.BidRequestItems.ItemId
  join dbo.Units on dbo.Units.UnitId = dbo.Items.UnitId
  left outer join dbo.District on dbo.District.DistrictId = Items.DistrictId
  left outer join dbo.Headings on dbo.Headings.HeadingId = Items.HeadingId
  left outer join dbo.Keywords on dbo.Keywords.KeywordId = Items.KeywordId
```

BidRequestItemsWeightView

{dbo-bidrequestitemsweightview}

Property	Value
Schema	dbo
Created	2010-05-18 19:09:18.157000
Modified	2018-01-21 20:26:47.210000

Columns

#	Column	Type	Nullable
1	BidRequestItemId	int	No
2	BidHeaderId	int	Yes
3	Weight	real	Yes

Dependencies

Object	Type
dbo.BidRequestItems	Table

SQL Definition

```
create   view  [dbo].[BidRequestItemsWeightView]

AS

select dbo.BidRequestItems.BidRequestItemId, dbo.BidRequestItems.BidHeaderId,

       convert(real, dbo.BidRequestItems.RequisitionCount) * convert(real, dbo.BidReque...

  from dbo.BidRequestItems with (nolock)

--where BidHeaderId=xxxx and BidRequestItemId=yyyy
```

BidResultsView {dbo-bidresultsview}

Property	Value
Schema	dbo

Created	2004-03-23 22:52:47.440000
Modified	2018-01-21 20:26:47.213000

Columns

#	Column	Type	Nullable
1	BidResultsId	int	No
2	BidImportId	int	Yes
3	BidHeaderId	int	Yes
4	BidRequestItemId	int	Yes
5	CategoryId	int	Yes
6	DistrictId	int	Yes
7	ItemId	int	Yes
8	ItemCode	varchar(50)	Yes
9	Units	varchar(16)	Yes
10	Alternate	varchar(512)	Yes
11	Quantity	int	Yes
12	ItemBidType	char(1)	Yes
13	UnitPrice	money	Yes
14	Cost	money	Yes
15	VendorItemCode	varchar(50)	Yes
16	QuantityBid	int	Yes
17	ItemsPerUnit	varchar(50)	Yes
18	UnitId	int	Yes
19	Status	varchar(51)	Yes
20	Comments	varchar(1024)	Yes
21	Active	int	Yes
22	ItemDescription	varchar(1024)	Yes
23	SortSeq	varchar(64)	Yes

Dependencies

Object	Type

dbo.BidResults	Table
dbo.Items	Table
dbo.uf_ItemDescription	Other

SQL Definition

```
create   view  [dbo].[BidResultsView] as

select BidResults.BidResultsId, BidResults.BidImportId, BidResults.BidHeaderId, BidResu...

BidResults.ItemCode, BidResults.Units, BidResults.Alternate, BidResults.Quantity, BidRe...

BidResults.QuantityBid, BidResults.ItemsPerUnit, BidResults.UnitId,Status, BidResults.C...

  from BidResults with (nolock)

  join Items on Items.ItemId = BidResults.ItemId
```

BidsView {dbo-bidsview}

Property	Value
Schema	dbo
Created	2002-06-06 01:44:22.403000
Modified	2018-01-21 20:26:47.220000

Columns

#	Column	Type	Nullable
1	BidId	int	No
2	BidHeaderId	int	Yes
3	Active	tinyint	Yes
4	EffectiveFrom	datetime	Yes
5	EffectiveUntil	datetime	Yes
6	BidName	varchar(255)	Yes
7	PricePlanId	int	No
8	PricePlanCode	varchar(20)	Yes
9	PricePlanDescription	varchar(255)	Yes
10	CategoryId	int	No
11	CategoryName	varchar(50)	Yes
12	VendorId	int	No
13	VendorCode	varchar(16)	Yes
14	VendorName	varchar(50)	Yes
15	BidDiscountRate	decimal(8,5)	Yes
16	VendorBidNumber	varchar(50)	Yes
17	DistrictId	int	No
18	DistrictCode	varchar(4)	Yes
19	DistrictName	varchar(50)	Yes
20	ItemsBid	int	Yes
21	AmountBid	money	Yes
22	CatalogId	int	No
23	CatalogName	varchar(50)	Yes
24	BidDescription	varchar(511)	Yes

Dependencies

Object	Type
dbo.Bids	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.District	Table

dbo.PricePlans	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[BidsView]
as
select dbo.Bids.BidId, dbo.Bids.BidHeaderId, dbo.Bids.Active, dbo.Bids.EffectiveFrom,
       dbo.Bids.EffectiveUntil, dbo.Bids.Name BidName, isnull(dbo.Bids.PricePlanId,0) P...
       dbo.PricePlans.Code PricePlanCode, dbo.PricePlans.Description PricePlanDescription,
       isnull(dbo.Bids.CategoryId,0) CategoryId, dbo.Category.Name CategoryName, isnull...
       dbo.Vendors.Code VendorCode, dbo.Vendors.Name VendorName, dbo.Bids.BidDiscountRa...
       dbo.Bids.VendorBidNumber, isnull(dbo.Bids.DistrictId,0) DistrictId, dbo.District...
       dbo.District.Name DistrictName, dbo.Bids.ItemsBid, dbo.Bids.AmountBid,
       isnull(dbo.Bids.CatalogId,0) CatalogId, dbo.Catalog.Name CatalogName, dbo.Bids.D...
  from dbo.Bids with (nolock)
  join dbo.PricePlans on dbo.PricePlans.PricePlanId = dbo.Bids.PricePlanId
  join dbo.Category on dbo.Category.CategoryId = dbo.Bids.CategoryId
  join dbo.Vendors on dbo.Vendors.VendorId = dbo.Bids.VendorId
  left outer join dbo.District on dbo.District.DistrictId = dbo.Bids.DistrictId
  left outer join dbo.Catalog on dbo.Catalog.CatalogId = dbo.Bids.CatalogId
 where Bids.Active = 1
```

BudgetsView {dbo-budgetsview}

Property	Value
Schema	dbo
Created	2005-11-15 10:02:04.540000
Modified	2018-01-21 20:26:47.227000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	BudgetId	int	No
3	Name	varchar(30)	Yes
4	EndDate	datetime	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[BudgetsView] as

select SessionTable.SessionId, Budgets.BudgetId, Budgets.Name, Budgets.EndDate

  from SessionTable with (nolock)

  left outer join Users on Users.UserId = SessionTable.UserId

  join Budgets on Budgets.DistrictId = SessionTable.DistrictId

               and GETDATE() between dateadd(year,case when isnull(SessionTable.Approval...

               and Budgets.Active = 1

 where SessionTable.SessionEnd is null
```

cfv_Districts {dbo-cfv-districts}

Property	Value
Schema	dbo
Created	2012-02-12 21:59:51.050000
Modified	2018-01-21 20:26:47.230000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	DistrictId	int	No
3	DistrictName	varchar(50)	Yes
4	DistrictCode	varchar(4)	Yes

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[cfv_Districts] as

select SessionTable.SessionId, District.DistrictId, District.Name DistrictName, Distric...

  from SessionTable with (nolock)

  join CSRep on CSRep.CSRepId = case

                                  when isnull((select ApprovalLevel

                                                 from Users u with (nolock)

                                                where u.UserId = SessionTable.RepUserId...

                                  else SessionTable.CSRepId

                                end

  join District on isnull(District.CSRepId,CSRep.CSRepId) = CSRep.CSRepId

               and District.Active = 1

 where SessionTable.SessionEnd is null
```

cfv_Schools {dbo-cfv-schools}

Property	Value

Schema	dbo
Created	2012-02-12 21:59:51.207000
Modified	2018-01-21 20:26:47.233000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	DistrictId	int	No
3	SchoolId	int	No
4	SchoolName	varchar(50)	Yes

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[cfv_Schools] as

select SessionTable.SessionId, District.DistrictId, School.SchoolId, School.Name School...

  from SessionTable with (nolock)

  join CSRep on CSRep.CSRepId = case

                                  when isnull((select ApprovalLevel

                                                 from Users u with (nolock)

                                                where u.UserId = SessionTable.RepUserId...

                                  else SessionTable.CSRepId

                                end

  join District on isnull(District.CSRepId,CSRep.CSRepId) = CSRep.CSRepId

               and District.Active = 1

  join School on School.DistrictId = District.DistrictId

             and School.Active = 1

 where SessionTable.SessionEnd is null
```

cfv_Users {dbo-cfv-users}

Property	Value
Schema	dbo
Created	2012-02-12 22:01:46.917000

Modified	2018-01-21 20:26:47.237000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	DistrictId	int	No
3	SchoolId	int	No
4	UserId	int	No
5	UserName	varchar(56)	Yes

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[cfv_Users] as

select SessionTable.SessionId, District.DistrictId, School.SchoolId, Users.UserId, righ...

  from SessionTable with (nolock)

  join CSRep on CSRep.CSRepId = case

                                  when isnull((select ApprovalLevel

                                                 from Users u with (nolock)

                                                where u.UserId = SessionTable.RepUserId...

                                  else SessionTable.CSRepId

                                end

  join District on isnull(District.CSRepId,CSRep.CSRepId) = CSRep.CSRepId

               and District.Active = 1

  join School on School.DistrictId = District.DistrictId

             and School.Active = 1

  join Users on Users.DistrictId = District.DistrictId

            and Users.SchoolId = School.SchoolId

            and Users.Active = 1

 where SessionTable.SessionEnd is null
```

CoverViewNew {dbo-coverviewnew}

Property	Value
Schema	dbo
Created	2003-08-22 09:07:53.047000
Modified	2022-11-29 16:31:09.513000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	Yes
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes
18	UserId	int	Yes
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes

26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(255)	Yes
29	PricePlanDescription	varchar(255)	Yes
30	UsesBooklet	int	Yes
31	UsesOnline	int	Yes
32	RepMsg	varchar(237)	Yes
33	IBTypeId	int	No
34	BookType	varchar(50)	No
35	ScheduleGroup	varchar(50)	No
36	StateName	varchar(50)	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.DistrictTypes	Table
dbo.InstructionBookTypes	Table
dbo.OrderBooks	Table
dbo.OrderBookTypes	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table
dbo.School	Table
dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (11,788 characters). First 8000 shown:

```
create   view  [dbo].[CoverViewNew]   AS



select null DistrictId,

       '  ' DistrictCode,

       '' DistrictName,

       '' DistrictAddress1,

       '' DistrictAddress2,

       '' DistrictAddress3,

       '' DistrictCity,

       '' DistrictState,

       '' DistrictZipcode,

       null SchoolId,

       '' SchoolName,

       '' SchoolAddress1,

       '' SchoolAddress2,

       '' SchoolAddress3,

       '' SchoolCity,

       '' SchoolState,

       '' SchoolZipcode,
```

```
        null UserId,

        '' UserName,

        0 CometId,

        '' AccountCode,

... (truncated)
```

CoverViewNewSave {dbo-coverviewnewsave}

Property	Value
Schema	dbo
Created	2003-09-15 19:20:24.437000
Modified	2018-01-21 20:26:47.260000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	Yes
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes

15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes
18	UserId	int	Yes
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(255)	Yes
29	PricePlanDescription	varchar(255)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.DistrictTypes	Table
dbo.OrderBooks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[CoverViewNewSave]   AS

select null DistrictId,
       '  ' DistrictCode,
       '' DistrictName,
       '' DistrictAddress1,
       '' DistrictAddress2,
       '' DistrictAddress3,
       '' DistrictCity,
       '' DistrictState,
       '' DistrictZipcode,
       null SchoolId,
       '' SchoolName,
       '' SchoolAddress1,
       '' SchoolAddress2,
       '' SchoolAddress3,
       '' SchoolCity,
       '' SchoolState,
       '' SchoolZipcode,
```

```
        null UserId,

        '' UserName,

... (truncated)
```

CoverViewNewTest {dbo-coverviewnewtest}

Property	Value
Schema	dbo
Created	2022-11-29 14:37:46.650000
Modified	2022-11-29 14:43:10.010000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	Yes
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes

18	UserId	int	Yes
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(255)	Yes
29	PricePlanDescription	varchar(255)	Yes
30	UsesBooklet	int	Yes
31	UsesOnline	int	Yes
32	RepMsg	varchar(237)	Yes
33	IBTypeId	int	No
34	BookType	varchar(50)	No
35	ScheduleGroup	varchar(50)	No
36	StateName	varchar(50)	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.DistrictTypes	Table
dbo.InstructionBookTypes	Table
dbo.OrderBooks	Table

dbo.OrderBookTypes	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table
dbo.School	Table
dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (11,629 characters). First 8000 shown:

```
create   view  [dbo].[CoverViewNewTest]   AS

select null DistrictId,
       '  ' DistrictCode,
       '' DistrictName,
       '' DistrictAddress1,
       '' DistrictAddress2,
       '' DistrictAddress3,
       '' DistrictCity,
       '' DistrictState,
       '' DistrictZipcode,
       null SchoolId,
       '' SchoolName,
       '' SchoolAddress1,
       '' SchoolAddress2,
       '' SchoolAddress3,
       '' SchoolCity,
       '' SchoolState,
       '' SchoolZipcode,
       null UserId,
       '' UserName,
```

```
        0 CometId,

        '' AccountCode,

  ... (truncated)
```

CoverViewNewTest1 {dbo-coverviewnewtest1}

Property	Value
Schema	dbo
Created	2022-11-29 15:53:52.133000
Modified	2022-11-29 16:01:23.983000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	Yes
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes

18	UserId	int	Yes
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(255)	Yes
29	PricePlanDescription	varchar(255)	Yes
30	UsesBooklet	int	Yes
31	UsesOnline	int	Yes
32	RepMsg	varchar(237)	Yes
33	IBTypeId	int	No
34	BookType	varchar(50)	No
35	ScheduleGroup	varchar(50)	No
36	StateName	varchar(50)	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.DistrictTypes	Table
dbo.InstructionBookTypes	Table
dbo.OrderBooks	Table

dbo.OrderBookTypes	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table
dbo.School	Table
dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (11,793 characters). First 8000 shown:

```
create   view  [dbo].[CoverViewNewTest1]   AS

select null DistrictId,
       '  ' DistrictCode,
       '' DistrictName,
       '' DistrictAddress1,
       '' DistrictAddress2,
       '' DistrictAddress3,
       '' DistrictCity,
       '' DistrictState,
       '' DistrictZipcode,
       null SchoolId,
       '' SchoolName,
       '' SchoolAddress1,
       '' SchoolAddress2,
       '' SchoolAddress3,
       '' SchoolCity,
       '' SchoolState,
       '' SchoolZipcode,
       null UserId,
       '' UserName,
```

```
        0 CometId,

        '' AccountCode,

... (truncated)
```

cvw_NJSavings {dbo-cvw-njsavings}

Property	Value
Schema	dbo
Created	2012-02-07 22:22:06.287000
Modified	2018-01-21 20:26:47.270000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	BudgetName	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	CYDollars	varchar(30)	Yes
6	CYIncludedDollars	varchar(30)	Yes
7	CYIncludedPercent	int	Yes
8	CYExcludedDollars	varchar(30)	Yes
9	GTDollars	varchar(30)	Yes
10	GTYears	int	No
11	PricePlanCode	varchar(20)	Yes
12	County	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.Budgets	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.YearlyTotals	Table

SQL Definition

```
create   view  [dbo].[cvw_NJSavings] as
select BudgetId, Name as BudgetName, DistrictId, DistrictName,
       left(CONVERT(varchar,CYDollars,1),LEN(CONVERT(varchar,CYDollars,1))-3) CYDollars,
       LEFT(convert(varchar,CYIncludedDollars,1),LEN(convert(varchar,CYIncludedDollars,...
       CYIncludedPercent,
       LEFT(convert(varchar,CYExcludedDollars,1),LEN(convert(varchar,CYExcludedDollars,...
       LEFT(convert(varchar,GTDollars,1),len(convert(varchar,GTDollars,1))-3) GTDollars,
       GTYears,
       (select top 1 PricePlans.Code
          from PricePlans with (nolock)
          join DistrictPP on DistrictPP.PricePlanId = PricePlans.PricePlanId
                         and DistrictPP.DistrictId = s1.DistrictId
          join BidHeaders on BidHeaders.PricePlanId = PricePlans.PricePlanId
                         and BidHeaders.Active = 1
                         and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders....
                         and BidHeaders.CategoryId = 4
         order by PricePlans.PricePlanId) PricePlanCode,
       s1.County
  from (
select yt.*,
   cast(cast(isnull(yt.OverallSavings,0) as int) as money) CYDollars,
```

```
    cast(cast(isnull(yt.IncludedSavings,0) as int) as money) CYIncludedDollars,

    cast(isnull(yt.IncludedDiscount,0) * 100 as int) CYIncludedPercent,

... (truncated)
```

cvw_NYSavings {dbo-cvw-nysavings}

Property	Value
Schema	dbo
Created	2012-02-16 14:11:41.673000
Modified	2018-01-21 20:26:47.273000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	Name	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	CYDollars	varchar(30)	Yes
6	CYIncludedDollars	varchar(30)	Yes
7	CYIncludedPercent	int	Yes
8	CYExcludedDollars	varchar(30)	Yes
9	GTDollars	varchar(30)	Yes
10	GTYears	int	No
11	PricePlanCode	varchar(20)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Budgets	Table

dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.YearlyTotals	Table

SQL Definition

```
create   view  [dbo].[cvw_NYSavings] as

select BudgetId, Name, DistrictId, DistrictName,

       left(CONVERT(varchar,CYDollars,1),LEN(CONVERT(varchar,CYDollars,1))-3) CYDollars,

       LEFT(convert(varchar,CYIncludedDollars,1),LEN(convert(varchar,CYIncludedDollars,...

       CYIncludedPercent,

       LEFT(convert(varchar,CYExcludedDollars,1),LEN(convert(varchar,CYExcludedDollars,...

       LEFT(convert(varchar,GTDollars,1),len(convert(varchar,GTDollars,1))-3) GTDollars,

       GTYears,

       (select top 1 PricePlans.Code

          from PricePlans with (nolock)

          join DistrictPP on DistrictPP.PricePlanId = PricePlans.PricePlanId

                         and DistrictPP.DistrictId = s1.DistrictId

          join BidHeaders on BidHeaders.PricePlanId = PricePlans.PricePlanId

                         and BidHeaders.Active = 1

                         and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders....

                         and BidHeaders.CategoryId = 4

         order by PricePlans.PricePlanId) PricePlanCode

  from (

select yt.*,

   cast(cast(isnull(yt.OverallSavings,0) as int) as money) CYDollars,

   cast(cast(isnull(yt.IncludedSavings,0) as int) as money) CYIncludedDollars,

   cast(isnull(yt.IncludedDiscount,0) * 100 as int) CYIncludedPercent,
```

```
    cast(CAST(isnull(yt.ExcludedSavings,0) as int) as money) CYExcludedDollars,

    cast(cast(isnull((select sum(yt5.OverallSavings)

... (truncated)
```

cvw_Savings {dbo-cvw-savings}

Property	Value
Schema	dbo
Created	2014-01-28 12:20:34.997000
Modified	2018-01-21 20:26:47.280000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	BudgetName	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	CYDollars	varchar(30)	Yes
6	CYIncludedDollars	varchar(30)	Yes
7	CYIncludedPercent	int	Yes
8	CYExcludedDollars	varchar(30)	Yes
9	GTDollars	varchar(30)	Yes
10	GTYears	int	No
11	PricePlanCode	varchar(20)	Yes
12	County	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.Budgets	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.YearlyTotals	Table

SQL Definition

```
create   view  [dbo].[cvw_Savings] as
select BudgetId, Name as BudgetName, DistrictId, DistrictName,
       left(CONVERT(varchar,CYDollars,1),LEN(CONVERT(varchar,CYDollars,1))-3) CYDollars,
       LEFT(convert(varchar,CYIncludedDollars,1),LEN(convert(varchar,CYIncludedDollars,...
       CYIncludedPercent,
       LEFT(convert(varchar,CYExcludedDollars,1),LEN(convert(varchar,CYExcludedDollars,...
       LEFT(convert(varchar,GTDollars,1),len(convert(varchar,GTDollars,1))-3) GTDollars,
       GTYears,
       (select top 1 PricePlans.Code
          from PricePlans with (nolock)
          join DistrictPP on DistrictPP.PricePlanId = PricePlans.PricePlanId
                         and DistrictPP.DistrictId = s1.DistrictId
          join BidHeaders on BidHeaders.PricePlanId = PricePlans.PricePlanId
                         and BidHeaders.Active = 1
                         and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders....
                         and BidHeaders.CategoryId = 4
         order by PricePlans.PricePlanId) PricePlanCode,
       s1.County
  from (
select yt.*,
```

```
    cast(cast(isnull(yt.OverallSavings,0) as int) as money) CYDollars,

    cast(cast(isnull(yt.IncludedSavings,0) as int) as money) CYIncludedDollars,

... (truncated)
```

DetailView {dbo-detailview}

Property	Value
Schema	dbo
Created	2009-05-26 15:00:20.280000
Modified	2018-01-21 20:26:47.287000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	RequisitionId	int	Yes
3	CatalogId	int	Yes
4	ItemId	int	Yes
5	AddendumItem	tinyint	Yes
6	ItemCode	varchar(50)	Yes
7	Quantity	int	Yes
8	LastYearsQuantity	int	Yes
9	Description	varchar(1024)	Yes
10	UnitId	int	Yes
11	UnitCode	varchar(20)	Yes
12	BidPrice	money	Yes
13	CatalogPrice	money	Yes
14	GrossPrice	money	Yes
15	DiscountRate	decimal(9,5)	Yes
16	CatalogPage	char(4)	Yes
17	PricePlanId	int	Yes

18	PriceId	int	Yes
19	AwardId	int	Yes
20	VendorId	int	Yes
21	VendorItemCode	varchar(50)	Yes
22	Alternate	varchar(1024)	Yes
23	POId	int	Yes
24	BatchDetailId	int	Yes
25	Modified	datetime	Yes
26	ModifiedById	int	Yes
27	SourceId	int	Yes
28	SortSeq	varchar(64)	Yes
29	BidItemId	int	Yes
30	ExtraDescription	varchar(1024)	Yes
31	ReProc	tinyint	Yes
32	UseGrossPrices	tinyint	Yes
33	BidHeaderId	int	Yes
34	DistrictRequisitionNumb	varchar(50)	Yes
35	HeadingTitle	varchar(255)	Yes
36	Keyword	varchar(50)	Yes
37	SectionId	int	Yes
38	SectionName	varchar(255)	Yes
39	OriginalItemId	int	Yes
40	HeadingId	int	Yes
41	KeywordId	int	Yes
42	ItemMustBeBid	int	Yes
43	SessionId	int	Yes
44	Active	tinyint	Yes
45	RTK_MSDSId	int	Yes

Dependencies

Object	Type
dbo.Detail	Table

SQL Definition

```
create   view  [dbo].[DetailView]

WITH  VIEW_METADATA

AS

SELECT     DetailId, RequisitionId, CatalogId, ItemId, AddendumItem, ItemCode, Quantity...

                      GrossPrice, DiscountRate, CatalogPage, PricePlanId, PriceId, Awar...

                      ModifiedById, SourceId, SortSeq, BidItemId, ExtraDescription, ReP...

                      Keyword, SectionId, SectionName, OriginalItemId, HeadingId, Keywo...

FROM         dbo.Detail
```

DistrictContactProblemView {dbo-districtcontactproblemview}

Property	Value
Schema	dbo
Created	2012-04-20 16:04:43.977000
Modified	2018-01-21 20:26:47.290000

Columns

#	Column	Type	Nullable
1	District	varchar(50)	Yes
2	ContactType	varchar(50)	No
3	MissingContact	int	No
4	MissingEmail	int	No

5	ErrorMessage	varchar(270)	No
6	DistrictId	int	No
7	DistrictContactId	int	Yes
8	DistrictContactTypeId	int	No
9	CSRepId	int	Yes
10	RepName	varchar(30)	Yes

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictContacts	Table
dbo.DistrictContactTypes	Table
dbo.isValidEmail	Other

SQL Definition

```
/*order by D.Name, DCT.Description*/

create   view  [dbo].[DistrictContactProblemView]

AS

Select D.Name District, DCT.Description ContactType,

       case when DC.DistrictContactId is null then 1 else 0 end MissingContact,

       case when isnull(DC.eMail,'')='' then 1 else 0 end MissingEmail,

       case

       when DC.DistrictContactId is null

       then 'Missing Contact'

       else

         case

         when isnull(DC.eMail,'')=''

         then 'Missing email'

         when dbo.IsValidEmail(DC.eMail)!= 1

         then 'Invalid email: ' + isnull(DC.eMail,'')

         else ''

         end

       end ErrorMessage,

       D.DistrictId, DC.DistrictContactId, DCT.DistrictContactTypeId, D.CSRepId, REP.Na...

from District D
```

```
left outer join CSRep REP ON REP.CSRepId = D.CSRepId

cross join DistrictContactTypes DCT

... (truncated)
```

DistrictUsersView {dbo-districtusersview}

Property	Value
Schema	dbo
Created	2004-01-21 12:59:33.153000
Modified	2018-01-21 20:26:47.297000

Columns

#	Column	Type	Nullable
1	DistrictCode	varchar(4)	Yes
2	DistrictName	varchar(50)	Yes
3	SchoolName	varchar(50)	Yes
4	UserName	varchar(10)	Yes
5	CometCode	varchar(5)	Yes
6	Attention	varchar(50)	Yes
7	ApprovalLevel	tinyint	Yes
8	ApproveeCount	int	Yes
9	ApproverName	varchar(50)	Yes
10	PriorReqs	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.Requisitions	Table

dbo.School	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[DistrictUsersView] as

select District.DistrictCode, District.Name DistrictName, School.Name SchoolName, Users...

       right('00000' + convert(varchar(16),Users.CometId),5) CometCode, rtrim(Users.Att...

       (select count(*) from Users u1 with (nolock) where u1.ApproverId = Users.Approve...

       (select u1.Attention from Users u1 with (nolock) where u1.UserId = Users.Approve...

       (select isnull(count(*),0) from Requisitions with (nolock) join Users on Users.U...

  from District with (nolock)

  join School on School.DistrictId = District.DistrictId

             and School.Active = 1

  join Users on Users.SchoolId = School.SchoolId

            and Users.Active = 1
```

InstructionBookCalendar {dbo-instructionbookcalendar}

Property	Value
Schema	dbo
Created	2009-10-30 13:45:54.530000
Modified	2018-01-21 20:26:47.300000

Columns

#	Column	Type	Nullable
1	IBTypeId	int	No
2	StateId	int	Yes
3	GroupId	int	No
4	IBYear	int	No
5	EventDescription	varchar(50)	Yes
6	EventDate	datetime	No

Dependencies

Object	Type
dbo.CalendarDates	Table
dbo.CalendarIB	Table
dbo.Calendars	Table
dbo.Control	Table
dbo.InstructionBookTypes	Table
dbo.ScheduleTypes	Table

SQL Definition

```
create   view  [dbo].[InstructionBookCalendar] as

select InstructionBookTypes.IBTypeId, ScheduleTypes.StateId, ScheduleTypes.ScheduleId G...

  from InstructionBookTypes

  join CalendarIB on CalendarIB.IBTypeId = InstructionBookTypes.IBTypeId

  join ScheduleTypes on ScheduleTypes.ScheduleId = CalendarIB.ScheduleId

  join Calendars on Calendars.CalendarId = CalendarIB.CalendarId

                and Calendars.BudgetYear = (select top 1 Control.ControlYear from Contr...

  join CalendarDates on CalendarDates.CalendarId = Calendars.CalendarId
```

InstructionBookView {dbo-instructionbookview}

Property	Value
Schema	dbo
Created	2009-10-20 22:49:07.090000
Modified	2018-06-01 14:30:17.740000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	No
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes
18	UserId	int	No
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(14)	Yes
29	PricePlanDescription	int	Yes
30	UsesBooklet	int	No
31	UsesOnline	int	No
32	RepMsg	varchar(237)	Yes

33	IBTypeId	int	No
34	BookType	varchar(50)	No
35	StateName	varchar(50)	No
36	ScheduleGroup	varchar(50)	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictTypes	Table
dbo.InstructionBookTypes	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table
dbo.School	Table
dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (14,700 characters). First 8000 shown:

```
--select * from InstructionBookView where DistrictName like 'Salem%'




CREATE      view [dbo].[InstructionBookView]   AS

/*

select null DistrictId,

       '  ' DistrictCode,

       '' DistrictName,

       '' DistrictAddress1,

       '' DistrictAddress2,
```

```
        '' DistrictAddress3,

        '' DistrictCity,

... (truncated)
```

InstructionBookView09 {dbo-instructionbookview09}

Property	Value
Schema	dbo
Created	2009-09-10 15:37:07.427000
Modified	2018-01-21 20:26:47.313000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	No
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes

18	UserId	int	No
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(15)	Yes
29	PricePlanDescription	int	Yes
30	UsesBooklet	int	No
31	UsesOnline	int	No
32	RepMsg	varchar(237)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictTypes	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (14,893 characters). First 8000 shown:

```
--select * from InstructionBookView where DistrictName like 'Salem%'



create   view  [dbo].[InstructionBookView09]   AS

/*

select null DistrictId,

       '  ' DistrictCode,

       '' DistrictName,

       '' DistrictAddress1,

       '' DistrictAddress2,

       '' DistrictAddress3,

       '' DistrictCity,

       '' DistrictState,

       '' DistrictZipcode,

       null SchoolId,

       '' SchoolName,

       '' SchoolAddress1,

       '' SchoolAddress2,
```

```
        '' SchoolAddress3,

        '' SchoolCity,

... (truncated)
```

InstructionBookViewCF {dbo-instructionbookviewcf}

Property	Value
Schema	dbo
Created	2013-03-04 23:27:54.410000
Modified	2018-01-21 20:26:47.330000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	No
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes

18	UserId	int	No
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(14)	Yes
29	PricePlanDescription	int	Yes
30	UsesBooklet	int	No
31	UsesOnline	int	No
32	RepMsg	varchar(305)	Yes
33	IBTypeId	int	No
34	BookType	varchar(50)	No
35	StateName	varchar(50)	No
36	ScheduleGroup	varchar(50)	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictTypes	Table
dbo.InstructionBookTypes	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table
dbo.School	Table

dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (16,054 characters). First 8000 shown:

```
--select * from InstructionBookView where DistrictName like 'Salem%'



create   view  [dbo].[InstructionBookViewCF]   AS

/*

select null DistrictId,

       '  ' DistrictCode,

       '' DistrictName,

       '' DistrictAddress1,

       '' DistrictAddress2,

       '' DistrictAddress3,

       '' DistrictCity,

       '' DistrictState,

       '' DistrictZipcode,

       null SchoolId,

       '' SchoolName,

       '' SchoolAddress1,

       '' SchoolAddress2,

       '' SchoolAddress3,

       '' SchoolCity,
```

```
        '' SchoolState,

        '' SchoolZipcode,

... (truncated)
```

InstructionBookViewCF2013 {dbo-instructionbookviewcf2013}

Property	Value
Schema	dbo
Created	2013-09-26 10:36:41.810000
Modified	2019-10-21 17:51:53.500000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	No
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes

16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes
18	UserId	int	No
19	UserName	varchar(50)	Yes
20	CometId	varchar(5)	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(14)	Yes
29	PricePlanDescription	int	Yes
30	UsesBooklet	int	No
31	UsesOnline	int	No
32	RepMsg	varchar(305)	Yes
33	IBTypeId	int	No
34	BookType	varchar(50)	No
35	StateName	varchar(50)	No
36	ScheduleGroup	varchar(50)	No
37	AllowAddenda	bit	No
38	AllowVendorChanges	int	No
39	BudgetId	int	No
40	AllowAccountCodeMgmt	tinyint	No
41	HasAdminAccess	bit	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table

dbo.CSRep	Table
dbo.District	Table
dbo.DistrictTypes	Table
dbo.InstructionBookTypes	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table
dbo.School	Table
dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (14,018 characters). First 8000 shown:

```
--select * from InstructionBookView where DistrictName like 'Salem%'



CREATE     view  [dbo].[InstructionBookViewCF2013]   AS

/*

select null DistrictId,

       '  ' DistrictCode,

       '' DistrictName,

       '' DistrictAddress1,

       '' DistrictAddress2,

       '' DistrictAddress3,

       '' DistrictCity,

       '' DistrictState,
```

```
        '' DistrictZipcode,

        null SchoolId,

... (truncated)
```

InstructionBookViewwork {dbo-instructionbookviewwork}

Property	Value
Schema	dbo
Created	2004-10-07 22:26:42.057000
Modified	2018-01-21 20:26:47.363000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	No
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes

16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes
18	UserId	int	No
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(15)	Yes
29	PricePlanDescription	int	Yes
30	UsesBooklet	int	No
31	UsesOnline	int	No
32	RepMsg	varchar(237)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictTypes	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.States	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

Definition truncated (14,899 characters). First 8000 shown:

```
--select * from InstructionBookView where DistrictName like 'Salem%'




create   view  [dbo].[InstructionBookViewwork]   AS

/*

select null DistrictId,

       '  ' DistrictCode,

       '' DistrictName,

       '' DistrictAddress1,

       '' DistrictAddress2,

       '' DistrictAddress3,

       '' DistrictCity,

       '' DistrictState,

       '' DistrictZipcode,

       null SchoolId,
```

```
        '' SchoolName,

        '' SchoolAddress1,

        '' SchoolAddress2,

        '' SchoolAddress3,

... (truncated)
```

ItemsBidHeaderView {dbo-itemsbidheaderview}

Property	Value
Schema	dbo
Created	2002-06-06 13:49:42.780000
Modified	2018-01-21 20:26:47.370000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemId	int	No
3	ItemCode	varchar(565)	Yes
4	SortSeq	varchar(64)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Items	Table

SQL Definition

```
create   view  [dbo].[ItemsBidHeaderView]

as

select dbo.BidHeaders.BidHeaderId, dbo.Items.ItemId, dbo.Items.ItemCode + ' - ' + dbo.I...

from dbo.Items with (nolock)

join dbo.BidHeaders on dbo.BidHeaders.CategoryId = dbo.Items.CategoryId
```

Keywords1 {dbo-keywords1}

Property	Value
Schema	dbo
Created	2006-11-14 21:09:45.773000
Modified	2018-01-21 20:26:47.373000

Columns

#	Column	Type	Nullable
1	KeywordId	int	No
2	Active	int	Yes
3	CategoryId	int	Yes
4	HeadingId	int	Yes

5	DistrictId	int	Yes
6	Keyword	varchar(50)	Yes
7	rowguid	uniqueidentifier	No

Dependencies

Object	Type
dbo.Keywords	Table

SQL Definition

```
create   view  [dbo].[Keywords1] as

select * from dbo.Keywords with (nolock)
```

NewFF1 {dbo-newff1}

Property	Value
Schema	dbo
Created	2006-11-14 21:09:46.163000
Modified	2018-01-21 20:26:47.380000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	ItemCode	varchar(50)	Yes
3	Description	varchar(512)	Yes
4	UnitId	int	Yes
5	Code	varchar(20)	Yes
6	CrossRefId	int	No
7	CatalogPrice	money	Yes
8	VendorItemCode	varchar(50)	Yes
9	Page	char(4)	Yes
10	BidPrice	decimal(34,13)	Yes
11	CatalogId	int	Yes
12	Name	varchar(50)	Yes
13	CategoryId	int	Yes
14	VendorId	int	No
15	VendorName	varchar(50)	Yes
16	PricePlanId	int	Yes
17	AwardId	int	No
18	DistrictId	int	Yes
19	DiscountRate	decimal(9,5)	Yes
20	PriceId	uniqueidentifier	No
21	PricesDescription	varchar(1024)	Yes
22	ParentCatalogId	int	Yes
23	GrossPrice	money	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.DistrictPP	Table
dbo.Items	Table
dbo.PPCatalogs	Table
dbo.Prices	Table
dbo.Units	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[NewFF1]

AS
SELECT     dbo.Items.ItemId, dbo.Items.ItemCode, dbo.Items.Description, dbo.Items.UnitI...
                      dbo.CrossRefs.CatalogPrice, dbo.prices.VendorItemCode, dbo.CrossR...
                      dbo.Items.CategoryId, dbo.prices.VendorId, dbo.Vendors.Name AS Ve...
                      dbo.Awards.DiscountRate, dbo.prices.PriceId, dbo.prices.Descripti...
FROM        dbo.Awards with (nolock) inner join
                      dbo.DistrictPP ON dbo.DistrictPP.PricePlanId = dbo.Awards.PricePl...
                      dbo.Category ON dbo.Category.CategoryId = dbo.Awards.CategoryId I...
                      dbo.prices ON dbo.Prices.AwardId = dbo.Awards.AwardId INNER JOIN
      dbo.Items on dbo.Items.ItemId = dbo.prices.ItemId  INNER JOIN
                      dbo.CrossRefs ON dbo.CrossRefs.CrossRefId = dbo.prices.CrossRefId...
                      dbo.Vendors ON dbo.Vendors.VendorId = dbo.prices.VendorId INNER JOIN
                      dbo.Catalog ON dbo.Catalog.CatalogId = dbo.CrossRefs.CatalogId IN...
                      dbo.Units ON dbo.Units.UnitId = dbo.Items.UnitId
INNER JOIN   dbo.PPCatalogs on dbo.PPCatalogs.CategoryId = dbo.Category.CategoryId
                           and dbo.PPCatalogs.CatalogId = dbo.Catalog.CatalogId
                           and dbo.PPCatalogs.PricePlanId = dbo.Prices.PricePlanId
```

```
... (truncated)
```

OrderBookDetailView {dbo-orderbookdetailview}

Property	Value
Schema	dbo
Created	2017-11-07 12:39:48.150000
Modified	2018-01-21 20:26:47.383000

Columns

#	Column	Type	Nullable
1	OrderBookDetailId	int	No
2	OrderBookId	int	No
3	ItemCode	varchar(50)	Yes
4	UnitCode	varchar(20)	Yes
5	GrossPrice	money	Yes
6	CatalogPage	varchar(4)	Yes
7	CatalogYear	varchar(2)	Yes
8	VendorName	varchar(255)	Yes
9	VendorItemCode	varchar(50)	Yes
10	TotalQuantity	int	No
11	TotalRequisitions	int	No
12	ExpandAll	tinyint	Yes
13	Weight	int	No
14	SortSeq	varchar(64)	Yes
15	Active	tinyint	Yes
16	Alternate	varchar(1024)	Yes
17	VendorId	int	Yes

18	VendorCode	varchar(16)	Yes
19	ItemDescription	varchar(512)	Yes
20	HeadingId	int	Yes
21	HeadingCode	varchar(16)	Yes
22	HeadingTitle	varchar(255)	Yes
23	HeadingDescription	varchar(4096)	Yes

Dependencies

Object	Type
dbo.Headings	Table
dbo.Items	Table
dbo.OrderBookDetail	Table
dbo.OrderBooks	Table
dbo.Units	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[OrderBookDetailView] as

SELECT OrderBookDetailId, OrderBooks.OrderBookId, Items.ItemCode AS ItemCode, Units.Cod...
FROM dbo.OrderBookDetail OrderBookDetail with (nolock)
join dbo.OrderBooks OrderBooks on OrderBooks.OrderBookId = OrderBookDetail.OrderBookId
LEFT JOIN Items ON OrderBookDetail.ItemId = Items.ItemId
LEFT JOIN Units on Units.UnitId = Items.UnitId
LEFT JOIN Headings ON Items.HeadingId = Headings.HeadingId
left outer join Vendors on Vendors.VendorId = OrderBookDetail.VendorId
```

OrderBookView {dbo-orderbookview}

Property	Value
Schema	dbo
Created	2017-11-07 12:36:08.113000

Modified	2018-01-21 20:26:47.390000

Columns

#	Column	Type	Nullable
1	OrderBookId	int	No
2	PricePlanDescription	varchar(255)	Yes
3	Category	varchar(255)	Yes
4	PricePlanId	int	Yes
5	CategoryId	int	Yes
6	AwardId	int	Yes
7	BookType	varchar(11)	No
8	Active	int	Yes
9	BidHeaderId	int	Yes
10	DistrictId	int	Yes

Dependencies

Object	Type
dbo.OrderBooks	Table

SQL Definition

```
create   view  [dbo].[OrderBookView] as

select OrderBookId, PricePlanDescription, Category, PricePlanId, CategoryId, AwardId,

case Type

  when 'O' then 'Order Book'

  when 'B' then 'Budget Book'

  else 'Unknown' end BookType,

Active, BidHeaderId, DistrictId

from dbo.OrderBooks with (nolock)
```

pa_Accounts {dbo-pa-accounts}

Property	Value
Schema	dbo
Created	2006-01-05 13:10:14.960000
Modified	2018-01-21 20:26:47.393000

Columns

#	Column	Type	Nullable
1	SessionId	int	Yes
2	AccountId	int	Yes
3	Code	varchar(50)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.PendingApprovals	Table

SQL Definition

```
create   view  [dbo].[pa_Accounts] as

select PendingApprovals.SessionId, PendingApprovals.AccountId, Accounts.Code

  from PendingApprovals with (nolock)

  join Accounts on Accounts.AccountId = PendingApprovals.AccountId

 group by PendingApprovals.SessionId, PendingApprovals.AccountId, Accounts.Code
```

pa_Budgets {dbo-pa-budgets}

Property	Value
Schema	dbo
Created	2006-01-05 13:10:14.757000
Modified	2018-01-21 20:26:47.397000

Columns

#	Column	Type	Nullable
1	SessionId	int	Yes
2	BudgetId	int	Yes
3	Name	varchar(30)	Yes

Dependencies

Object	Type
dbo.Budgets	Table

dbo.PendingApprovals	Table

SQL Definition

```
create   view  [dbo].[pa_Budgets] as

select PendingApprovals.SessionId, PendingApprovals.BudgetId, Budgets.Name

  from PendingApprovals with (nolock)

  join Budgets on Budgets.BudgetId = PendingApprovals.BudgetId

 group by PendingApprovals.SessionId, PendingApprovals.BudgetId, Budgets.Name
```

pa_Category {dbo-pa-category}

Property	Value
Schema	dbo
Created	2006-01-05 13:10:14.443000
Modified	2018-01-21 20:26:47.400000

Columns

#	Column	Type	Nullable
1	SessionId	int	Yes
2	CategoryId	int	Yes
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.Category	Table
dbo.PendingApprovals	Table

SQL Definition

```
create   view  [dbo].[pa_Category] as

select PendingApprovals.SessionId, PendingApprovals.CategoryId, Category.Name

  from PendingApprovals with (nolock)

  join Category on Category.CategoryId = PendingApprovals.CategoryId

 group by PendingApprovals.SessionId, PendingApprovals.CategoryId, Category.Name
```

pa_ReqList {dbo-pa-reqlist}

Property	Value
Schema	dbo
Created	2006-01-05 13:55:03.713000
Modified	2018-01-21 20:26:47.403000

Columns

#	Column	Type	Nullable

1	Accounts_Code	varchar(50)	Yes
2	ApprovalDescription	varchar(50)	Yes
3	ApprovalDate	datetime	Yes
4	CategoryName	varchar(50)	Yes
5	CometId	int	Yes
6	RequisitionNumber	varchar(24)	Yes
7	Requisitions_Attention	varchar(50)	Yes
8	AccountCode	varchar(50)	Yes
9	DateEntered	datetime	Yes
10	TotalRequisitionCost	money	Yes
11	BidHeaderId	int	Yes
12	PendingApprovals_Schoo	int	Yes
13	PendingApprovals_UserI	int	Yes
14	PendingApprovals_Budg	int	Yes
15	PendingApprovals_Accou	int	Yes
16	PendingApprovals_Categ	int	Yes
17	PendingApprovals_Statu	int	Yes
18	PendingApprovals_Appro	datetime	Yes
19	PendingApprovals_Appro	tinyint	Yes
20	SessionId	int	Yes
21	Tagged	int	No
22	RequisitionId	int	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.ApprovalLevels	Table
dbo.Approvals	Table
dbo.Category	Table
dbo.PendingApprovals	Table
dbo.Requisitions	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[pa_ReqList]

AS

SELECT     dbo.Accounts.Code AS Accounts_Code, dbo.ApprovalLevels.Description AS Approv...

                      dbo.Category.Name AS CategoryName, dbo.Users.CometId, dbo.Requisi...

                       dbo.Requisitions.AccountCode, dbo.Requisitions.DateEntered, dbo....

                      dbo.PendingApprovals.SchoolId AS PendingApprovals_SchoolId, dbo.P...

                      dbo.PendingApprovals.BudgetId AS PendingApprovals_BudgetId, dbo.P...

                      dbo.PendingApprovals.CategoryId AS PendingApprovals_CategoryId, d...

                      dbo.PendingApprovals.ApprovalDate AS PendingApprovals_ApprovalDat...

                      dbo.PendingApprovals.SessionId, 0 AS Tagged, dbo.PendingApprovals...

FROM         dbo.PendingApprovals with (nolock) INNER JOIN

                      dbo.Requisitions ON dbo.Requisitions.RequisitionId = dbo.PendingA...

                      dbo.Category ON dbo.Category.CategoryId = dbo.PendingApprovals.Ca...

                      dbo.Accounts ON dbo.Accounts.AccountId = dbo.PendingApprovals.Acc...

                      dbo.ApprovalLevels ON dbo.ApprovalLevels.ApprovalLevel = dbo.Pend...

                      dbo.Users ON dbo.Users.UserId = dbo.PendingApprovals.UserId LEFT ...

                      dbo.Approvals ON dbo.Approvals.ApprovalId = dbo.PendingApprovals....
```

pa_School {dbo-pa-school}

Property	Value
Schema	dbo
Created	2006-01-05 13:10:14.867000
Modified	2018-01-21 20:26:47.410000

Columns

#	Column	Type	Nullable
1	SessionId	int	Yes
2	SchoolId	int	Yes
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.PendingApprovals	Table
dbo.School	Table

SQL Definition

```
create   view  [dbo].[pa_School] as

select PendingApprovals.SessionId, PendingApprovals.SchoolId, School.Name

  from PendingApprovals with (nolock)

  join School on School.SchoolId = PendingApprovals.SchoolId

 group by PendingApprovals.SessionId, PendingApprovals.SchoolId, School.Name
```

pa_Status {dbo-pa-status}

Property	Value
Schema	dbo
Created	2006-01-05 13:10:15.163000
Modified	2018-01-21 20:26:47.410000

Columns

#	Column	Type	Nullable
1	SessionId	int	Yes
2	StatusId	int	Yes
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.PendingApprovals	Table

dbo.StatusTable	Table

SQL Definition

```
create   view  [dbo].[pa_Status] as

select PendingApprovals.SessionId, PendingApprovals.StatusId, StatusTable.Name

  from PendingApprovals with (nolock)

  join StatusTable on StatusTable.StatusId = PendingApprovals.StatusId

 group by PendingApprovals.SessionId, PendingApprovals.StatusId, StatusTable.Name
```

pa_Users {dbo-pa-users}

Property	Value
Schema	dbo
Created	2006-01-05 13:10:15.053000
Modified	2018-01-21 20:26:47.413000

Columns

#	Column	Type	Nullable
1	SessionId	int	Yes
2	UserId	int	Yes
3	Attention	varchar(50)	Yes

Dependencies

Object	Type
dbo.PendingApprovals	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[pa_Users] as

select PendingApprovals.SessionId, PendingApprovals.UserId, Users.Attention

  from PendingApprovals with (nolock)

  join Users on Users.UserId = PendingApprovals.UserId

 group by PendingApprovals.SessionId, PendingApprovals.UserId, Users.Attention
```

POAttentionList {dbo-poattentionlist}

Property	Value
Schema	dbo
Created	2007-04-16 14:58:19.607000
Modified	2018-01-21 20:26:47.420000

Columns

#	Column	Type	Nullable

1	DistrictId	int	Yes
2	PONumber	varchar(24)	Yes
3	AttentionName	varchar(50)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[POAttentionList]

AS SELECT Budgets.DistrictId, PO.PONumber, Requisitions.Attention As AttentionName

FROM PO WITH(nolock)

JOIN Requisitions ON Requisitions.RequisitionId = PO.RequisitionId

JOIN Budgets ON Budgets.BudgetId = Requisitions.BudgetId

JOIN Users ON Users.UserId = Requisitions.UserId

JOIN UserAccounts ON UserAccounts.UserId = Users.UserId

JOIN Accounts ON Accounts.AccountId = UserAccounts.AccountId

GROUP BY Budgets.DistrictId, PO.PONumber, Requisitions.Attention
```

PODetail {dbo-podetail}

Property	Value
Schema	dbo
Created	2016-03-29 22:07:00.377000
Modified	2020-05-04 11:53:09.703000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	varchar(8000)	Yes

5	Quantity	int	Yes
6	UnitCode	varchar(20)	Yes
7	GrossPrice	money	Yes
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(68)	No
12	Alternate	varchar(17)	No
13	VendorItemCode	varchar(50)	No
14	POId	int	No
15	PONumber	varchar(24)	Yes
16	POTotal	money	Yes
17	POItemCount	int	Yes
18	DiscountRate	decimal(9,5)	Yes
19	TotalGross	money	Yes
20	DiscountAmount	money	Yes
21	VendorNameAddress	varchar(320)	Yes
22	VendorPhone	varchar(25)	Yes
23	VendorFax	varchar(20)	Yes
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	Yes
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	Yes
29	DistrictUseGross	tinyint	Yes
30	AccountCode	varchar(50)	Yes
31	Attention	varchar(50)	Yes
32	CategoryName	varchar(50)	Yes
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	Yes
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	Yes

38	ShippingAmount	money	Yes
39	VendorId	int	No
40	DistrictVendorCode	varchar(20)	Yes
41	BidAwardDate	datetime	Yes
42	BidHeaderId	int	Yes
43	VendorName	varchar(50)	Yes
44	VendorInfo	varchar(249)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (9,659 characters). First 8000 shown:

```
--946254790.0508
--select sum(ExtendedBid) from PODetail_04272018

CREATE   view  [dbo].[PODetail]   as
select PODetailItems.PODetailItemId, Detail.DetailId,
       case isnull(Detail.ItemMustBeBid,0)
         when 1 then isnull(Detail.ItemCode,'')
         else
           case isnull(Detail.BidItemId,0)
             when 0 then isnull(Detail.VendorItemCode,isnull(Detail.ItemCode,''))
             else ISNULL(Detail.ItemCode,'')
           end
       end ItemCode,
       /*dbo.uf_DetailDescription(Detail.DetailId)*/ /*dd.ItemDescription*/ coalesce(dd...
       PODetailItems.Quantity,
       Detail.UnitCode, PODetailItems.GrossPrice, (isnull(PODetailItems.Quantity,0) * i...
       case isnull(Detail.UseGrossPrices,0) when 0 then round(isnull(PODetailItems.BidP...
       (case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price ' else 'Bid Item...
--       (case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(P...
       case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else '' end Alte...
```

```
--       case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(PO...

   isnull(PODetailItems.VendorItemCode,'') VendorItemCode,

... (truncated)
```

PODetail_old {dbo-podetail-old}

Property	Value
Schema	dbo
Created	2009-06-25 11:44:21.713000
Modified	2018-01-21 20:26:47.427000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	varchar(1024)	Yes
5	Quantity	int	Yes
6	UnitCode	varchar(20)	Yes
7	GrossPrice	money	Yes
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(1075)	No
12	Alternate	varchar(1024)	No
13	VendorItemCode	varchar(50)	No
14	POId	int	No
15	PONumber	varchar(24)	Yes
16	POTotal	money	Yes
17	POItemCount	int	Yes

18	DiscountRate	decimal(9,5)	Yes
19	TotalGross	money	Yes
20	DiscountAmount	money	Yes
21	VendorNameAddress	varchar(249)	Yes
22	VendorPhone	varchar(20)	Yes
23	VendorFax	varchar(20)	Yes
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	Yes
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	Yes
29	DistrictUseGross	tinyint	Yes
30	AccountCode	varchar(50)	Yes
31	Attention	varchar(50)	Yes
32	CategoryName	varchar(50)	Yes
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	Yes
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	Yes
38	ShippingAmount	money	Yes
39	VendorId	int	No
40	DistrictVendorCode	varchar(20)	Yes
41	BidAwardDate	datetime	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table

dbo.DistrictVendor	Table
dbo.Items	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.uf_DetailDescription	Other
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[PODetail_old]   as
select PODetailItems.PODetailItemId, Detail.DetailId,
       case isnull(Detail.ItemMustBeBid,0)
         when 1 then isnull(Detail.ItemCode,'')
         else
           case isnull(Detail.BidItemId,0)
             when 0 then isnull(Detail.VendorItemCode,isnull(Detail.ItemCode,''))
             else ISNULL(Detail.ItemCode,'')
           end
       end ItemCode,
       dbo.uf_DetailDescription(Detail.DetailId) Description,
       PODetailItems.Quantity,
       Detail.UnitCode, PODetailItems.GrossPrice, (isnull(PODetailItems.Quantity,0) * i...
       case isnull(Detail.UseGrossPrices,0) when 0 then round(isnull(PODetailItems.BidP...
       (case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(POD...
       case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(PODe...
       PO.POId, PO.PONumber, PO.Amount POTotal, PO.ItemCount POItemCount,
       PO.DiscountRate, PO.TotalGross, PO.DiscountAmount,
       (Vendors.[Name] + case isnull(Vendors.Address1,'') when '' then '' else char(13)...
```

```
        Vendors.Phone VendorPhone, Vendors.Fax VendorFax,

        Awards.VendorBidNumber VendorBidNumber, Awards.UseGrossPrices VendorUseGross,

... (truncated)
```

PODetail_Orig {dbo-podetail-orig}

Property	Value
Schema	dbo
Created	2002-03-28 12:50:19.543000
Modified	2018-01-21 20:26:46.790000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	varchar(3650)	Yes
5	Quantity	int	Yes
6	UnitCode	varchar(20)	Yes
7	GrossPrice	money	Yes
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(1075)	No
12	Alternate	varchar(1024)	No
13	VendorItemCode	varchar(50)	No
14	POId	int	No
15	PONumber	varchar(24)	Yes
16	POTotal	money	Yes
17	POItemCount	int	Yes

18	DiscountRate	decimal(9,5)	Yes
19	TotalGross	money	Yes
20	DiscountAmount	money	Yes
21	VendorNameAddress	varchar(320)	Yes
22	VendorPhone	varchar(25)	Yes
23	VendorFax	varchar(20)	Yes
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	Yes
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	Yes
29	DistrictUseGross	tinyint	Yes
30	AccountCode	varchar(50)	Yes
31	Attention	varchar(50)	Yes
32	CategoryName	varchar(50)	Yes
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	Yes
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	Yes
38	ShippingAmount	money	Yes
39	VendorId	int	No
40	DistrictVendorCode	varchar(20)	Yes
41	BidAwardDate	datetime	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.Bids	Table

dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (8,558 characters). First 8000 shown:

```
create   view  [dbo].[PODetail_Orig]   as
select PODetailItems.PODetailItemId, Detail.DetailId,
       case isnull(Detail.ItemMustBeBid,0)
         when 1 then isnull(Detail.ItemCode,'')
         else
           case isnull(Detail.BidItemId,0)
             when 0 then isnull(Detail.VendorItemCode,isnull(Detail.ItemCode,''))
             else ISNULL(Detail.ItemCode,'')
           end
       end ItemCode,
       /*dbo.uf_DetailDescription(Detail.DetailId)*/ dd.ItemDescription  Description,
       PODetailItems.Quantity,
       Detail.UnitCode, PODetailItems.GrossPrice, (isnull(PODetailItems.Quantity,0) * i...
       case isnull(Detail.UseGrossPrices,0) when 0 then round(isnull(PODetailItems.BidP...
       (case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(POD...
```

```
        case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(PODe...

        PO.POId, PO.PONumber, PO.Amount POTotal, PO.ItemCount POItemCount,

... (truncated)
```

PODetailExport {dbo-podetailexport}

Property	Value
Schema	dbo
Created	2005-02-24 12:38:28.057000
Modified	2018-01-21 20:26:46.427000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	varchar(3650)	Yes
5	Quantity	int	Yes
6	UnitCode	varchar(20)	Yes
7	GrossPrice	money	Yes
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(1075)	No
12	Alternate	varchar(1024)	No
13	VendorItemCode	varchar(50)	Yes
14	POId	int	No
15	PONumber	varchar(24)	Yes
16	POTotal	money	Yes
17	POItemCount	int	Yes

18	DiscountRate	decimal(9,5)	Yes
19	TotalGross	money	Yes
20	DiscountAmount	money	Yes
21	VendorNameAddress	varchar(249)	Yes
22	VendorPhone	varchar(25)	Yes
23	VendorFax	varchar(20)	Yes
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	Yes
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	Yes
29	DistrictUseGross	tinyint	Yes
30	AccountCode	varchar(50)	Yes
31	Attention	varchar(50)	Yes
32	CategoryName	varchar(50)	Yes
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	Yes
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	Yes
38	ShippingAmount	money	Yes
39	PODate	datetime	Yes
40	VendorId	int	No
41	DistrictName	varchar(50)	Yes
42	DistrictAddress1	varchar(30)	Yes
43	DistrictAddress2	varchar(30)	Yes
44	DistrictAddress3	varchar(30)	Yes
45	DistrictCity	varchar(25)	Yes
46	DistrictState	varchar(2)	Yes
47	DistrictZip	varchar(10)	Yes
48	DistrictPhone	varchar(20)	Yes
49	DistrictFax	varchar(20)	Yes
50	DistrictEMail	varchar(255)	Yes

51	ShippingName	varchar(50)	Yes
52	ShippingAddress1	varchar(30)	Yes
53	ShippingAddress2	varchar(30)	Yes
54	ShippingAddress3	varchar(30)	Yes
55	ShippingCity	varchar(25)	Yes
56	ShippingState	varchar(2)	Yes
57	ShippingZipCode	varchar(10)	Yes
58	ShippingPhone	varchar(20)	Yes
59	ShippingFax	varchar(14)	Yes
60	ShippingEMail	varchar(255)	Yes
61	VendorsAccountCode	varchar(50)	Yes
62	CometId	int	Yes
63	ShippingId	int	No
64	BusinessUnit	varchar(17)	Yes
65	UploadType	int	Yes
66	DistrictId	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table

dbo.ShipLocations	Table
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (10,229 characters). First 8000 shown:

```
CREATE     VIEW [dbo].[PODetailExport]

AS

SELECT     dbo.PODetailItems.PODetailItemId, dbo.Detail.DetailId,

           CASE isnull(Detail.ItemMustBeBid, 0)

             WHEN 1 THEN isnull(Detail.ItemCode, '')

             ELSE CASE isnull(Detail.BidItemId, 0)

                     WHEN 0 THEN isnull(Detail.VendorItemCode, isnull(Detail.ItemCode, '...

                     ELSE ISNULL(Detail.ItemCode, '')

                   END END AS ItemCode,

           dd.ItemDescription AS Description,

           dbo.PODetailItems.Quantity,

           dbo.Detail.UnitCode,

           dbo.PODetailItems.GrossPrice,

           ISNULL(dbo.PODetailItems.Quantity, 0) * ISNULL(dbo.PODetailItems.GrossPrice,...

           CASE isnull(Detail.UseGrossPrices, 0)

             WHEN 0 THEN round(isnull(PODetailItems.BidPrice, 0), 2)

             ELSE round(isnull(PODetailItems.BidPrice, 0), 2)

           END AS BidPrice,

           ISNULL(dbo.PODetailItems.Quantity, 0) * CASE isnull(Detail.UseGrossPrices, 0)

                                                     WHEN 0 THEN round(isnull(PODetailI...
```

```
                                                    ELSE isnull(PODetailItems.BidPrice...

                                                  END AS ExtendedBid,

  ... (truncated)
```

PODetailExport_old {dbo-podetailexport-old}

Property	Value
Schema	dbo
Created	2009-06-25 11:44:46.400000
Modified	2018-01-21 20:26:47.440000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	varchar(1024)	Yes
5	Quantity	int	Yes
6	UnitCode	varchar(20)	Yes
7	GrossPrice	money	Yes
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(1075)	No
12	Alternate	varchar(1024)	No
13	VendorItemCode	varchar(50)	Yes
14	POId	int	No
15	PONumber	varchar(24)	Yes
16	POTotal	money	Yes
17	POItemCount	int	Yes

18	DiscountRate	decimal(9,5)	Yes
19	TotalGross	money	Yes
20	DiscountAmount	money	Yes
21	VendorNameAddress	varchar(249)	Yes
22	VendorPhone	varchar(20)	Yes
23	VendorFax	varchar(20)	Yes
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	Yes
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	Yes
29	DistrictUseGross	tinyint	Yes
30	AccountCode	varchar(50)	Yes
31	Attention	varchar(50)	Yes
32	CategoryName	varchar(50)	Yes
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	Yes
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	Yes
38	ShippingAmount	money	Yes
39	PODate	datetime	Yes
40	VendorId	int	No
41	DistrictName	varchar(50)	Yes
42	DistrictAddress1	varchar(30)	Yes
43	DistrictAddress2	varchar(30)	Yes
44	DistrictAddress3	varchar(30)	Yes
45	DistrictCity	varchar(25)	Yes
46	DistrictState	varchar(2)	Yes
47	DistrictZip	varchar(10)	Yes
48	DistrictPhone	varchar(20)	Yes
49	DistrictFax	varchar(20)	Yes
50	DistrictEMail	varchar(255)	Yes

51	ShippingName	varchar(50)	Yes
52	ShippingAddress1	varchar(30)	Yes
53	ShippingAddress2	varchar(30)	Yes
54	ShippingAddress3	varchar(30)	Yes
55	ShippingCity	varchar(25)	Yes
56	ShippingState	varchar(2)	Yes
57	ShippingZipCode	varchar(10)	Yes
58	ShippingPhone	varchar(20)	Yes
59	ShippingFax	varchar(14)	Yes
60	ShippingEMail	varchar(255)	Yes
61	VendorsAccountCode	varchar(50)	Yes
62	CometId	int	Yes
63	ShippingId	int	No
64	BusinessUnit	varchar(17)	Yes
65	UploadType	int	Yes
66	DistrictId	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table

dbo.ShipLocations	Table
dbo.uf_DetailDescription	Other
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

Definition truncated (8,710 characters). First 8000 shown:

```
create   view  [dbo].[PODetailExport_old]
AS
SELECT     dbo.PODetailItems.PODetailItemId, dbo.Detail.DetailId, CASE isnull(Detail.It...
                      ELSE CASE isnull(Detail.BidItemId, 0) WHEN 0 THEN isnull(Detail.V...
                      END END AS ItemCode, dbo.uf_DetailDescription(dbo.Detail.DetailId...
                      dbo.PODetailItems.GrossPrice, ISNULL(dbo.PODetailItems.Quantity, ...
                      CASE isnull(Detail.UseGrossPrices, 0) WHEN 0 THEN round(isnull(PO...
                      END AS BidPrice, ISNULL(dbo.PODetailItems.Quantity, 0) * CASE isn...
                      0), 2) ELSE isnull(PODetailItems.BidPrice, 0) END AS ExtendedBid,...
                      WHEN 0 THEN 'Catalog Bid Price' ELSE isnull(PODetailItems.Alterna...
                      CASE isnull(Detail.BidItemId, 0) WHEN 0 THEN 'Catalog Bid Price' ...
                      CASE isnull(PODetailItems.VendorItemCode, '') WHEN '' THEN isnull
                          ((SELECT     TOP 1 VendorItemCode
                                  FROM         CrossRefs with (nolock) JOIN
                                                          Catalog ON Catalog.CatalogId = Cros...
                                  WHERE     CrossRefs.ItemId = Detail.ItemId
```

```
                                ORDER BY Catalog.CatalogYear DESC, Catalog.CatalogId DESC...

                          ELSE PODetailItems.VendorItemCode END AS VendorItemCode, dbo.PO.P...

  ... (truncated)
```

PODetailJavaExport {dbo-podetailjavaexport}

Property	Value
Schema	dbo
Created	2009-04-06 15:11:25.843000
Modified	2025-12-30 10:54:54.407000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	nvarchar(MAX)	Yes
5	Quantity	int	No
6	UnitCode	varchar(20)	Yes
7	GrossPrice	money	No
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(1075)	No
12	Alternate	varchar(1024)	No
13	VendorItemCode	varchar(255)	Yes
14	POId	int	No
15	PONumber	varchar(24)	No
16	POTotal	money	No
17	POItemCount	int	No

18	DiscountRate	decimal(9,5)	No
19	TotalGross	money	No
20	DiscountAmount	money	No
21	VendorNameAddress	varchar(249)	Yes
22	VendorPhone	varchar(25)	No
23	VendorFax	varchar(20)	No
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	No
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	No
29	DistrictUseGross	tinyint	No
30	AccountCode	varchar(50)	No
31	Attention	varchar(50)	No
32	CategoryName	varchar(50)	No
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	No
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	No
38	ShippingAmount	money	No
39	PODate	datetime	Yes
40	VendorId	int	No
41	DistrictName	varchar(50)	No
42	DistrictAddress1	varchar(50)	No
43	DistrictAddress2	varchar(50)	No
44	DistrictAddress3	varchar(1)	No
45	DistrictCity	varchar(50)	No
46	DistrictState	varchar(2)	No
47	DistrictZip	varchar(10)	No
48	DistrictPhone	nvarchar(MAX)	Yes
49	DistrictFax	nvarchar(MAX)	Yes
50	DistrictEMail	varchar(255)	No

51	ShippingName	varchar(50)	No
52	ShippingAddress1	varchar(61)	Yes
53	ShippingAddress2	varchar(30)	No
54	ShippingAddress3	varchar(30)	No
55	ShippingCity	varchar(25)	No
56	ShippingState	varchar(2)	No
57	ShippingZipCode	varchar(10)	No
58	ShippingPhone	nvarchar(MAX)	Yes
59	ShippingFax	nvarchar(MAX)	Yes
60	ShippingEMail	varchar(255)	Yes
61	VendorsAccountCode	varchar(50)	Yes
62	CometId	int	Yes
63	ShippingId	varchar(50)	Yes
64	BusinessUnit	varchar(17)	No
65	UploadType	int	Yes
66	DistrictId	int	No
67	cXMLAddress	varchar(255)	No
68	UploadEmailList	varchar(4096)	No
69	cXMLFromDomain	varchar(50)	No
70	cXMLFromIdentity	varchar(50)	No
71	cXMLToDomain	varchar(50)	No
72	cXMLToIdentity	varchar(50)	No
73	cXMLSenderDomain	varchar(50)	No
74	cXMLSenderIdentity	varchar(50)	No
75	cXMLSenderSharedSecre	varchar(50)	No
76	dateSubmitted	datetime	No
77	isActualNumber	tinyint	No
78	hostUserName	varchar(255)	No
79	hostPassword	varchar(255)	No
80	RequestedDeliveryDate	date	Yes
81	DistrictContactId	int	Yes
82	PerishableItem	bit	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Awards	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictContacts	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.NextNumber	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.ShippingVendor	Table
dbo.uf_PackCodeExport	Other
dbo.ufn_RegExReplace	Other
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (19,633 characters). First 8000 shown:

```
--select * from Vendors where VendorId = 29


--select * from PODetailJavaExport where POId = 715003772
CREATE             VIEW [dbo].[PODetailJavaExport]
AS
SELECT dbo.PODetailItems.PODetailItemId,
       dbo.Detail.DetailId,
       CASE isnull(Detail.ItemMustBeBid, 0)
         WHEN 1 THEN isnull(Detail.ItemCode, '')
         ELSE CASE isnull(Detail.BidItemId, 0)
                WHEN 0 THEN isnull(Detail.VendorItemCode, isnull(Detail.ItemCode, ''))
                ELSE ISNULL(Detail.ItemCode, '')
              END
       END AS ItemCode,
       coalesce(dd.ShortDescription, dd.ItemDescription) AS Description,
       ISNULL(dbo.PODetailItems.Quantity, 0) AS Quantity,
       coalesce(case when trim(CrossRefs.UOM) = '' then null else CrossRefs.UOM end, db...
       ISNULL(dbo.Detail.GrossPrice, 0) AS GrossPrice,
       ISNULL(dbo.PODetailItems.Quantity, 0) * ISNULL(dbo.PODetailItems.GrossPrice, 0) ...
       CASE isnull(Detail.UseGrossPrices, 0)
         WHEN 0 THEN round(isnull(PODetailItems.BidPrice, 0), 2)
```

```
            ELSE round(isnull(PODetailItems.BidPrice, 0), 2)

          END AS BidPrice,

  ... (truncated)
```

PODetailJavaExportNew {dbo-podetailjavaexportnew}

Property	Value
Schema	dbo
Created	2012-03-20 10:40:29.500000
Modified	2018-01-21 20:26:46.320000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	varchar(3650)	Yes
5	Quantity	int	No
6	UnitCode	varchar(20)	No
7	GrossPrice	money	No
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(1075)	No
12	Alternate	varchar(1024)	No
13	VendorItemCode	varchar(255)	Yes
14	POId	int	No
15	PONumber	varchar(24)	No
16	POTotal	money	No
17	POItemCount	int	No

18	DiscountRate	decimal(9,5)	No
19	TotalGross	money	No
20	DiscountAmount	money	No
21	VendorNameAddress	varchar(249)	Yes
22	VendorPhone	varchar(25)	No
23	VendorFax	varchar(20)	No
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	No
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	No
29	DistrictUseGross	tinyint	No
30	AccountCode	varchar(50)	No
31	Attention	varchar(50)	No
32	CategoryName	varchar(50)	No
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	No
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	No
38	ShippingAmount	money	No
39	PODate	datetime	Yes
40	VendorId	int	No
41	DistrictName	varchar(50)	No
42	DistrictAddress1	varchar(30)	No
43	DistrictAddress2	varchar(30)	No
44	DistrictAddress3	varchar(30)	No
45	DistrictCity	varchar(25)	No
46	DistrictState	varchar(2)	No
47	DistrictZip	varchar(10)	No
48	DistrictPhone	varchar(20)	No
49	DistrictFax	varchar(20)	No
50	DistrictEMail	varchar(255)	No

51	ShippingName	varchar(50)	No
52	ShippingAddress1	varchar(30)	No
53	ShippingAddress2	varchar(30)	No
54	ShippingAddress3	varchar(30)	No
55	ShippingCity	varchar(25)	No
56	ShippingState	varchar(2)	No
57	ShippingZipCode	varchar(10)	No
58	ShippingPhone	varchar(20)	No
59	ShippingFax	varchar(14)	No
60	ShippingEMail	varchar(255)	No
61	VendorsAccountCode	varchar(50)	No
62	CometId	int	Yes
63	ShippingId	int	No
64	BusinessUnit	varchar(17)	No
65	UploadType	int	Yes
66	DistrictId	int	No
67	cXMLAddress	varchar(255)	No
68	UploadEmailList	varchar(4096)	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.PO	Table

dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.uf_PackCodeExport	Other
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (10,747 characters). First 8000 shown:

```
create   view  [dbo].[PODetailJavaExportNew]
AS
SELECT dbo.PODetailItems.PODetailItemId,
       dbo.Detail.DetailId,
       CASE isnull(Detail.ItemMustBeBid, 0)
         WHEN 1 THEN isnull(Detail.ItemCode, '')
         ELSE CASE isnull(Detail.BidItemId, 0)
                WHEN 0 THEN isnull(Detail.VendorItemCode, isnull(Detail.ItemCode, ''))
                ELSE ISNULL(Detail.ItemCode, '')
              END
       END AS ItemCode,
       dd.ItemDescription AS Description,
       ISNULL(dbo.PODetailItems.Quantity, 0) AS Quantity,
       ISNULL(dbo.Detail.UnitCode, '') AS UnitCode,
       ISNULL(dbo.Detail.GrossPrice, 0) AS GrossPrice,
       ISNULL(dbo.PODetailItems.Quantity, 0) * ISNULL(dbo.PODetailItems.GrossPrice, 0) ...
       CASE isnull(Detail.UseGrossPrices, 0)
         WHEN 0 THEN round(isnull(PODetailItems.BidPrice, 0), 2)
         ELSE round(isnull(PODetailItems.BidPrice, 0), 2)
       END AS BidPrice,
       ISNULL(dbo.PODetailItems.Quantity, 0) * CASE isnull(Detail.UseGrossPrices, 0)
```

```
                                                    WHEN 0 THEN round(isnull(PODetailItems...

                                                    ELSE isnull(PODetailItems.BidPrice, 0)

  ... (truncated)
```

PODetailTest {dbo-podetailtest}

Property	Value
Schema	dbo
Created	2016-03-29 21:08:10.923000
Modified	2018-01-21 20:26:45.923000

Columns

#	Column	Type	Nullable
1	PODetailItemId	int	No
2	DetailId	int	No
3	ItemCode	varchar(50)	No
4	Description	varchar(3650)	Yes
5	Quantity	int	Yes
6	UnitCode	varchar(20)	Yes
7	GrossPrice	money	Yes
8	ExtendedGross	money	Yes
9	BidPrice	money	No
10	ExtendedBid	money	Yes
11	VendorData	varchar(1075)	No
12	Alternate	varchar(1024)	No
13	VendorItemCode	varchar(50)	No
14	POId	int	No
15	PONumber	varchar(24)	Yes
16	POTotal	money	Yes
17	POItemCount	int	Yes

18	DiscountRate	decimal(9,5)	Yes
19	TotalGross	money	Yes
20	DiscountAmount	money	Yes
21	VendorNameAddress	varchar(320)	Yes
22	VendorPhone	varchar(25)	Yes
23	VendorFax	varchar(20)	Yes
24	VendorBidNumber	varchar(50)	Yes
25	VendorUseGross	int	Yes
26	SchoolNameAddress	varchar(189)	Yes
27	DistrictNameAddress	varchar(189)	Yes
28	DistrictCode	varchar(4)	Yes
29	DistrictUseGross	tinyint	Yes
30	AccountCode	varchar(50)	Yes
31	Attention	varchar(50)	Yes
32	CategoryName	varchar(50)	Yes
33	CategoryCode	char(1)	Yes
34	LocationCode	varchar(32)	No
35	SortSeq	varchar(64)	Yes
36	ShippingNameAddress	varchar(189)	Yes
37	ShippingPercentage	decimal(9,5)	Yes
38	ShippingAmount	money	Yes
39	VendorId	int	No
40	DistrictVendorCode	varchar(20)	Yes
41	BidAwardDate	datetime	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.Bids	Table

dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

```
create   view  [dbo].[PODetailTest]   as
select PODetailItems.PODetailItemId, Detail.DetailId,
       case isnull(Detail.ItemMustBeBid,0)
         when 1 then isnull(Detail.ItemCode,'')
         else
           case isnull(Detail.BidItemId,0)
             when 0 then isnull(Detail.VendorItemCode,isnull(Detail.ItemCode,''))
             else ISNULL(Detail.ItemCode,'')
           end
       end ItemCode,
       /*dbo.uf_DetailDescription(Detail.DetailId)*/ dd.ItemDescription  Description,
       PODetailItems.Quantity,
       Detail.UnitCode, PODetailItems.GrossPrice, (isnull(PODetailItems.Quantity,0) * i...
       case isnull(Detail.UseGrossPrices,0) when 0 then round(isnull(PODetailItems.BidP...
       (case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(POD...
       case isnull(Detail.BidItemId,0) when 0 then 'Catalog Bid Price' else isnull(PODe...
       PO.POId, PO.PONumber, PO.Amount POTotal, PO.ItemCount POItemCount,
       PO.DiscountRate, PO.TotalGross, PO.DiscountAmount,
       Vendors.[Name] +
       case
         when VendorContacts.VendorContactId is null then
```

```
      case isnull(Vendors.Address1,'')

    when '' then ''

   ... (truncated)
```

POHeader {dbo-poheader}

Property	Value
Schema	dbo
Created	2002-03-25 01:00:29.123000
Modified	2025-06-04 15:31:10.653000

Columns

#	Column	Type	Nullable
1	POId	int	No
2	PONumber	varchar(24)	Yes
3	ItemCount	int	Yes
4	Amount	money	Yes
5	BudgetName	varchar(30)	Yes
6	RequisitionNumber	varchar(24)	Yes
7	AccountCode	varchar(50)	Yes
8	Attention	varchar(50)	Yes
9	CometId	int	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	DistrictNameAddress	varchar(237)	Yes
13	SchoolName	varchar(50)	Yes
14	SchoolNameAddress	varchar(189)	Yes
15	VendorCode	varchar(16)	Yes
16	VendorPhone	varchar(25)	Yes
17	DistrictVendorCode	varchar(20)	Yes

18	VendorName	varchar(50)	Yes
19	VendorNameAddress	varchar(249)	Yes
20	PODate	datetime	Yes
21	DatePrinted	datetime	Yes
22	DatePrintedDetail	datetime	Yes
23	DateExported	datetime	Yes
24	DistrictId	int	Yes
25	CategoryId	int	Yes
26	BudgetId	int	Yes
27	AccountId	int	No
28	VendorId	int	Yes
29	UserId	int	Yes
30	SchoolId	int	No
31	VendorBidNumber	varchar(50)	Yes
32	VendorBidComments	varchar(606)	Yes
33	CategoryCode	char(1)	Yes
34	CategoryName	varchar(50)	Yes
35	DiscountRate	decimal(9,5)	Yes
36	DiscountAmount	money	Yes
37	TotalGross	money	Yes
38	LocationCode	varchar(32)	No
39	ShippingAmount	money	Yes
40	ShippingPercentage	decimal(9,5)	Yes
41	ShippingNameAddress	varchar(189)	Yes
42	DistrictAddress1	varchar(30)	Yes
43	DistrictAddress2	varchar(30)	Yes
44	DistrictAddress3	varchar(30)	Yes
45	DistrictCity	varchar(25)	Yes
46	DistrictState	varchar(2)	Yes
47	DistrictZipcode	varchar(10)	Yes
48	SchoolAddress1	varchar(30)	Yes
49	SchoolAddress2	varchar(30)	Yes
50	SchoolAddress3	varchar(30)	Yes

51	SchoolCity	varchar(25)	Yes
52	SchoolState	varchar(2)	Yes
53	SchoolZipcode	varchar(10)	Yes
54	VendorsAddress1	varchar(50)	Yes
55	VendorsAddress2	varchar(50)	Yes
56	VendorsAddress3	varchar(50)	Yes
57	VendorsCity	varchar(50)	Yes
58	VendorsState	varchar(2)	Yes
59	VendorsZipcode	varchar(10)	Yes
60	ShipLocationsAddress1	varchar(30)	Yes
61	ShipLocationsAddress2	varchar(30)	Yes
62	ShipLocationsAddress3	varchar(30)	Yes
63	ShipLocationsCity	varchar(25)	Yes
64	ShipLocationsState	varchar(2)	Yes
65	ShipLocationsZipcode	varchar(10)	Yes
66	ShipLocationsName	varchar(50)	Yes
67	DistrictMessage	varchar(4096)	Yes
68	BidDate	datetime	Yes
69	UsersDistrictAcctgCode	varchar(20)	Yes
70	AwardsBidHeaderId	int	Yes
71	ExportedToVendor	datetime	Yes
72	ePOSuppressed	tinyint	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table

dbo.DistrictVendor	Table
dbo.NextNumber	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_POHeaderBidImports	View

SQL Definition

Definition truncated (12,114 characters). First 8000 shown:

```
CREATE               view  [dbo].[POHeader] AS

select PO.POId,
       PO.PONumber,
       PO.ItemCount,
       PO.Amount,
       Budgets.[Name] BudgetName,
       Requisitions.RequisitionNumber,
       (select top 1 Code from Accounts with (nolock) join UserAccounts on UserAccounts...
       Requisitions.Attention,
       Users.CometId,
       District.DistrictCode,
       District.[Name] DistrictName,
       District.[Name] + case isnull(District.Address1,'') when '' then '' else char(13...
       School.[Name] SchoolName,
```

```
        School.[Name] + case isnull(School.Address1,'') when '' then '' else char(13) + ...

        Vendors.Code VendorCode,

... (truncated)
```

POHeader_Test {dbo-poheader-test}

Property	Value
Schema	dbo
Created	2022-05-17 13:14:56.730000
Modified	2022-05-18 14:47:42.593000

Columns

#	Column	Type	Nullable
1	POId	int	No
2	PONumber	varchar(24)	Yes
3	ItemCount	int	Yes
4	Amount	money	Yes
5	BudgetName	varchar(30)	Yes
6	RequisitionNumber	varchar(24)	Yes
7	AccountCode	varchar(50)	Yes
8	Attention	varchar(50)	Yes
9	CometId	int	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	DistrictNameAddress	varchar(237)	Yes
13	SchoolName	varchar(50)	Yes
14	SchoolNameAddress	varchar(189)	Yes
15	VendorCode	varchar(16)	Yes
16	VendorPhone	varchar(25)	Yes
17	DistrictVendorCode	varchar(20)	Yes

18	VendorName	varchar(50)	Yes
19	VendorNameAddress	varchar(249)	Yes
20	PODate	datetime	Yes
21	DatePrinted	datetime	Yes
22	DatePrintedDetail	datetime	Yes
23	DateExported	datetime	Yes
24	DistrictId	int	Yes
25	CategoryId	int	Yes
26	BudgetId	int	Yes
27	AccountId	int	Yes
28	VendorId	int	Yes
29	UserId	int	Yes
30	SchoolId	int	No
31	VendorBidNumber	varchar(50)	Yes
32	VendorBidComments	varchar(540)	Yes
33	CategoryCode	char(1)	Yes
34	CategoryName	varchar(50)	Yes
35	DiscountRate	decimal(9,5)	Yes
36	DiscountAmount	money	Yes
37	TotalGross	money	Yes
38	LocationCode	varchar(32)	No
39	ShippingAmount	money	Yes
40	ShippingPercentage	decimal(9,5)	Yes
41	ShippingNameAddress	varchar(189)	Yes
42	DistrictAddress1	varchar(30)	Yes
43	DistrictAddress2	varchar(30)	Yes
44	DistrictAddress3	varchar(30)	Yes
45	DistrictCity	varchar(25)	Yes
46	DistrictState	varchar(2)	Yes
47	DistrictZipcode	varchar(10)	Yes
48	SchoolAddress1	varchar(30)	Yes
49	SchoolAddress2	varchar(30)	Yes
50	SchoolAddress3	varchar(30)	Yes

51	SchoolCity	varchar(25)	Yes
52	SchoolState	varchar(2)	Yes
53	SchoolZipcode	varchar(10)	Yes
54	VendorsAddress1	varchar(50)	Yes
55	VendorsAddress2	varchar(50)	Yes
56	VendorsAddress3	varchar(50)	Yes
57	VendorsCity	varchar(50)	Yes
58	VendorsState	varchar(2)	Yes
59	VendorsZipcode	varchar(10)	Yes
60	ShipLocationsAddress1	varchar(30)	Yes
61	ShipLocationsAddress2	varchar(30)	Yes
62	ShipLocationsAddress3	varchar(30)	Yes
63	ShipLocationsCity	varchar(25)	Yes
64	ShipLocationsState	varchar(2)	Yes
65	ShipLocationsZipcode	varchar(10)	Yes
66	ShipLocationsName	varchar(50)	Yes
67	DistrictMessage	varchar(4096)	Yes
68	BidDate	datetime	Yes
69	UsersDistrictAcctgCode	varchar(20)	Yes
70	AwardsBidHeaderId	int	Yes
71	ExportedToVendor	datetime	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictVendor	Table

dbo.NextNumber	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_POHeaderBidImports	View

SQL Definition

Definition truncated (11,004 characters). First 8000 shown:

```
CREATE       view  [dbo].[POHeader_Test] AS

select PO.POId,
       PO.PONumber,
       PO.ItemCount,
       PO.Amount,
       Budgets.[Name] BudgetName,
       Requisitions.RequisitionNumber,
       (select top 1 Code from Accounts with (nolock) join UserAccounts on UserAccounts...
       Requisitions.Attention,
       Users.CometId,
       District.DistrictCode,
       District.[Name] DistrictName,
       District.[Name] + case isnull(District.Address1,'') when '' then '' else char(13...
       School.[Name] SchoolName,
       School.[Name] + case isnull(School.Address1,'') when '' then '' else char(13) + ...
       Vendors.Code VendorCode,
       case
         when VendorContacts.VendorContactId is null then Vendors.Phone
         else VendorContacts.Phone
       end VendorPhone,
```

```
        case ISNULL(District.UseEDSVendorCodes,0)

        when 0 then

... (truncated)
```

POHeaderSummary {dbo-poheadersummary}

Property	Value
Schema	dbo
Created	2003-06-30 12:55:46.187000
Modified	2025-11-24 19:09:05.147000

Columns

#	Column	Type	Nullable
1	POId	int	Yes
2	PONumber	varchar(24)	Yes
3	ItemCount	int	Yes
4	Amount	money	Yes
5	BudgetName	varchar(30)	Yes
6	RequisitionNumber	varchar(24)	Yes
7	AccountCode	varchar(50)	Yes
8	Attention	varchar(50)	Yes
9	CometId	int	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	DistrictNameAddress	varchar(189)	Yes
13	SchoolName	varchar(50)	Yes
14	SchoolNameAddress	varchar(189)	Yes
15	VendorCode	varchar(16)	Yes
16	VendorPhone	varchar(25)	Yes
17	VendorFax	varchar(20)	Yes

18	DistrictVendorCode	varchar(20)	Yes
19	VendorName	varchar(50)	Yes
20	VendorNameAddress	varchar(249)	Yes
21	PODate	datetime	Yes
22	DatePrinted	datetime	Yes
23	DatePrintedDetail	datetime	Yes
24	DateExported	datetime	Yes
25	DistrictId	int	No
26	CategoryId	int	Yes
27	BudgetId	int	No
28	AccountId	int	No
29	VendorId	int	Yes
30	UserId	int	Yes
31	SchoolId	int	Yes
32	VendorBidNumber	varchar(50)	No
33	VendorBidComments	varchar(606)	Yes
34	CategoryCode	varchar(16)	Yes
35	CategoryName	varchar(50)	Yes
36	DiscountRate	decimal(38,6)	Yes
37	DiscountAmount	money	Yes
38	TotalGross	money	Yes
39	LocationCode	varchar(32)	Yes
40	ShippingAmount	money	Yes
41	ShippingPercentage	decimal(9,5)	Yes
42	ShippingNameAddress	varchar(189)	Yes
43	DistrictAddress1	varchar(30)	Yes
44	DistrictAddress2	varchar(30)	Yes
45	DistrictAddress3	varchar(30)	Yes
46	DistrictCity	varchar(25)	Yes
47	DistrictState	varchar(2)	Yes
48	DistrictZipcode	varchar(10)	Yes
49	SchoolAddress1	varchar(30)	Yes
50	SchoolAddress2	varchar(30)	Yes

51	SchoolAddress3	varchar(30)	Yes
52	SchoolCity	varchar(25)	Yes
53	SchoolState	varchar(2)	Yes
54	SchoolZipcode	varchar(10)	Yes
55	VendorsAddress1	varchar(50)	Yes
56	VendorsAddress2	varchar(50)	Yes
57	VendorsAddress3	varchar(50)	Yes
58	VendorsCity	varchar(50)	Yes
59	VendorsState	varchar(2)	Yes
60	VendorsZipcode	varchar(10)	Yes
61	ShipLocationsAddress1	varchar(30)	Yes
62	ShipLocationsAddress2	varchar(30)	Yes
63	ShipLocationsAddress3	varchar(30)	Yes
64	ShipLocationsCity	varchar(25)	Yes
65	ShipLocationsState	varchar(2)	Yes
66	ShipLocationsZipcode	varchar(10)	Yes
67	ShipLocationsName	varchar(50)	Yes
68	DistrictMessage	varchar(4096)	Yes
69	BidDate	datetime	Yes
70	UsersDistrictAcctgCode	varchar(20)	Yes
71	AwardsBidHeaderId	int	Yes
72	ExportedToVendor	datetime	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table

dbo.DistrictVendor	Table
dbo.NextNumber	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_POHeaderBidImports	View

SQL Definition

Definition truncated (13,950 characters). First 8000 shown:

```
CREATE VIEW [dbo].[POHeaderSummary] AS select min(PO.POId) POId,

       PO.PONumber,

       sum(PO.ItemCount) ItemCount,

       sum(PO.Amount) Amount,

       Budgets.[Name] BudgetName,

       min(Requisitions.RequisitionNumber) RequisitionNumber,

       min(acc.Code) AccountCode,

       max(Requisitions.Attention) Attention,

       min(Users.CometId) CometId,

       min(District.DistrictCode) DistrictCode,

       min(District.[Name]) DistrictName,

       min(District.[Name] + case isnull(District.Address1,'') when '' then '' else cha...

       min(School.[Name]) SchoolName,

       min(School.[Name] + case isnull(School.Address1,'') when '' then '' else char(13...

       min(Vendors.Code) VendorCode,

       min(case

         when VendorContacts.VendorContactId is null then Vendors.Phone

         else VendorContacts.Phone

       end) VendorPhone,

 min(case

         when VendorContacts.VendorContactId is null then Vendors.Fax

         else VendorContacts.Fax

       end) VendorFax,
```

```
/*       DistrictVendor.Value DistrictVendorCode, -- changed 1/21/11 kjm */

       min(case ISNULL(District.UseEDSVendorCodes,0)

... (truncated)
```

POHeaderSummary_04232018 {dbo-poheadersummary-04232018}

Property	Value
Schema	dbo
Created	2018-04-23 15:43:38.080000
Modified	2018-04-23 15:43:38.080000

Columns

#	Column	Type	Nullable
1	POId	int	Yes
2	PONumber	varchar(24)	Yes
3	ItemCount	int	Yes
4	Amount	money	Yes
5	BudgetName	varchar(30)	Yes
6	RequisitionNumber	varchar(24)	Yes
7	AccountCode	varchar(50)	Yes
8	Attention	varchar(50)	Yes
9	CometId	int	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	DistrictNameAddress	varchar(189)	Yes
13	SchoolName	varchar(50)	Yes
14	SchoolNameAddress	varchar(189)	Yes
15	VendorCode	varchar(16)	Yes

16	VendorPhone	varchar(25)	Yes
17	DistrictVendorCode	varchar(20)	Yes
18	VendorName	varchar(50)	Yes
19	VendorNameAddress	varchar(249)	Yes
20	PODate	datetime	Yes
21	DatePrinted	datetime	Yes
22	DatePrintedDetail	datetime	Yes
23	DateExported	datetime	Yes
24	DistrictId	int	No
25	CategoryId	int	Yes
26	BudgetId	int	No
27	AccountId	int	Yes
28	VendorId	int	Yes
29	UserId	int	Yes
30	SchoolId	int	Yes
31	VendorBidNumber	varchar(50)	No
32	VendorBidComments	varchar(540)	Yes
33	CategoryCode	varchar(16)	Yes
34	CategoryName	varchar(50)	Yes
35	DiscountRate	decimal(38,6)	Yes
36	DiscountAmount	money	Yes
37	TotalGross	money	Yes
38	LocationCode	varchar(32)	Yes
39	ShippingAmount	money	Yes
40	ShippingPercentage	decimal(9,5)	Yes
41	ShippingNameAddress	varchar(189)	Yes
42	DistrictAddress1	varchar(30)	Yes
43	DistrictAddress2	varchar(30)	Yes
44	DistrictAddress3	varchar(30)	Yes
45	DistrictCity	varchar(25)	Yes
46	DistrictState	varchar(2)	Yes
47	DistrictZipcode	varchar(10)	Yes
48	SchoolAddress1	varchar(30)	Yes

49	SchoolAddress2	varchar(30)	Yes
50	SchoolAddress3	varchar(30)	Yes
51	SchoolCity	varchar(25)	Yes
52	SchoolState	varchar(2)	Yes
53	SchoolZipcode	varchar(10)	Yes
54	VendorsAddress1	varchar(50)	Yes
55	VendorsAddress2	varchar(50)	Yes
56	VendorsAddress3	varchar(50)	Yes
57	VendorsCity	varchar(50)	Yes
58	VendorsState	varchar(2)	Yes
59	VendorsZipcode	varchar(10)	Yes
60	ShipLocationsAddress1	varchar(30)	Yes
61	ShipLocationsAddress2	varchar(30)	Yes
62	ShipLocationsAddress3	varchar(30)	Yes
63	ShipLocationsCity	varchar(25)	Yes
64	ShipLocationsState	varchar(2)	Yes
65	ShipLocationsZipcode	varchar(10)	Yes
66	ShipLocationsName	varchar(50)	Yes
67	DistrictMessage	varchar(4096)	Yes
68	BidDate	datetime	Yes
69	UsersDistrictAcctgCode	varchar(20)	Yes
70	AwardsBidHeaderId	int	Yes
71	ExportedToVendor	datetime	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table

dbo.District	Table
dbo.DistrictVendor	Table
dbo.NextNumber	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_POHeaderBidImports	View

SQL Definition

Definition truncated (10,731 characters). First 8000 shown:

```
create   view  [dbo].[POHeaderSummary_04232018] /* with schemabinding */ AS


select min(PO.POId) POId,
       PO.PONumber,
       sum(PO.ItemCount) ItemCount,
       sum(PO.Amount) Amount,
       Budgets.[Name] BudgetName,
       min(Requisitions.RequisitionNumber) RequisitionNumber,
       min(Accounts.Code) AccountCode,
       max(Requisitions.Attention) Attention,
       min(Users.CometId) CometId,
       min(District.DistrictCode) DistrictCode,
       min(District.[Name]) DistrictName,
       min(District.[Name] + case isnull(District.Address1,'') when '' then '' else cha...
       min(School.[Name]) SchoolName,
       min(School.[Name] + case isnull(School.Address1,'') when '' then '' else char(13...
       min(Vendors.Code) VendorCode,
       min(case
```

```
            when VendorContacts.VendorContactId is null then Vendors.Phone

            else VendorContacts.Phone

  ... (truncated)
```

POHeaderTest {dbo-poheadertest}

Property	Value
Schema	dbo
Created	2021-04-22 14:48:22.460000
Modified	2021-04-22 14:48:22.460000

Columns

#	Column	Type	Nullable
1	POId	int	No
2	PONumber	varchar(24)	Yes
3	ItemCount	int	Yes
4	Amount	money	Yes
5	BudgetName	varchar(30)	Yes
6	RequisitionNumber	varchar(24)	Yes
7	AccountCode	varchar(50)	Yes
8	Attention	varchar(50)	Yes
9	CometId	int	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	DistrictNameAddress	varchar(237)	Yes
13	SchoolName	varchar(50)	Yes
14	SchoolNameAddress	varchar(189)	Yes
15	VendorCode	varchar(16)	Yes
16	VendorPhone	varchar(25)	Yes
17	DistrictVendorCode	varchar(20)	Yes

18	VendorName	varchar(50)	Yes
19	VendorNameAddress	varchar(249)	Yes
20	PODate	datetime	Yes
21	DatePrinted	datetime	Yes
22	DatePrintedDetail	datetime	Yes
23	DateExported	datetime	Yes
24	DistrictId	int	Yes
25	CategoryId	int	Yes
26	BudgetId	int	Yes
27	AccountId	int	Yes
28	VendorId	int	Yes
29	UserId	int	Yes
30	SchoolId	int	No
31	VendorBidNumber	varchar(50)	Yes
32	VendorBidComments	varchar(540)	Yes
33	CategoryCode	char(1)	Yes
34	CategoryName	varchar(50)	Yes
35	DiscountRate	decimal(9,5)	Yes
36	DiscountAmount	money	Yes
37	TotalGross	money	Yes
38	LocationCode	varchar(32)	No
39	ShippingAmount	money	Yes
40	ShippingPercentage	decimal(9,5)	Yes
41	ShippingNameAddress	varchar(189)	Yes
42	DistrictAddress1	varchar(30)	Yes
43	DistrictAddress2	varchar(30)	Yes
44	DistrictAddress3	varchar(30)	Yes
45	DistrictCity	varchar(25)	Yes
46	DistrictState	varchar(2)	Yes
47	DistrictZipcode	varchar(10)	Yes
48	SchoolAddress1	varchar(30)	Yes
49	SchoolAddress2	varchar(30)	Yes
50	SchoolAddress3	varchar(30)	Yes

51	SchoolCity	varchar(25)	Yes
52	SchoolState	varchar(2)	Yes
53	SchoolZipcode	varchar(10)	Yes
54	VendorsAddress1	varchar(50)	Yes
55	VendorsAddress2	varchar(50)	Yes
56	VendorsAddress3	varchar(50)	Yes
57	VendorsCity	varchar(50)	Yes
58	VendorsState	varchar(2)	Yes
59	VendorsZipcode	varchar(10)	Yes
60	ShipLocationsAddress1	varchar(30)	Yes
61	ShipLocationsAddress2	varchar(30)	Yes
62	ShipLocationsAddress3	varchar(30)	Yes
63	ShipLocationsCity	varchar(25)	Yes
64	ShipLocationsState	varchar(2)	Yes
65	ShipLocationsZipcode	varchar(10)	Yes
66	ShipLocationsName	varchar(50)	Yes
67	DistrictMessage	varchar(4096)	Yes
68	BidDate	datetime	Yes
69	UsersDistrictAcctgCode	varchar(20)	Yes
70	AwardsBidHeaderId	int	Yes
71	ExportedToVendor	datetime	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictVendor	Table

dbo.NextNumber	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_POHeaderBidImports	View

SQL Definition

Definition truncated (13,381 characters). First 8000 shown:

```
CREATE     view  [dbo].[POHeaderTest] AS

select PO.POId,
       PO.PONumber,
       PO.ItemCount,
       PO.Amount,
       Budgets.[Name] BudgetName,
       Requisitions.RequisitionNumber,
       (select top 1 Code from Accounts with (nolock) join UserAccounts on UserAccounts...
       Requisitions.Attention,
       Users.CometId,
       District.DistrictCode,
       District.[Name] DistrictName,
       District.[Name] + case isnull(District.Address1,'') when '' then '' else char(13...
```

```
        School.[Name] SchoolName,

        School.[Name] + case isnull(School.Address1,'') when '' then '' else char(13) + ...

... (truncated)
```

PPCategoryView {dbo-ppcategoryview}

Property	Value
Schema	dbo
Created	2003-03-15 14:15:09.623000
Modified	2018-01-21 20:26:47.450000

Columns

#	Column	Type	Nullable
1	PricePlanId	int	Yes
2	CategoryId	int	Yes

Dependencies

Object	Type
dbo.PPCatalogs	Table

SQL Definition

```
create   view  [dbo].[PPCategoryView] as

select distinct PricePlanId, CategoryId from dbo.PPCatalogs
```

PricePlanView {dbo-priceplanview}

Property	Value
Schema	dbo
Created	2006-01-11 18:29:06.960000
Modified	2025-10-27 20:02:29.210000

Columns

#	Column	Type	Nullable
1	PricePlanId	int	No
2	Code	varchar(20)	Yes

Dependencies

Object	Type
dbo.PricePlans	Table

SQL Definition

```
CREATE   view  [dbo].[PricePlanView] as

  select PricePlanId, Code

    from PricePlans with (nolock)

   where Active = 1
```

ReqDetail {dbo-reqdetail}

Property	Value
Schema	dbo
Created	2002-05-08 13:23:53.013000
Modified	2018-01-21 20:26:47.457000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	RequisitionNumber	varchar(24)	Yes

3	SchoolId	int	Yes
4	UserId	int	Yes
5	BudgetId	int	Yes
6	BudgetAccountId	int	Yes
7	UserAccountId	int	Yes
8	CategoryId	int	Yes
9	ShippingId	int	Yes
10	Attention	varchar(50)	Yes
11	AccountCode	varchar(50)	Yes
12	DateEntered	datetime	Yes
13	ShippingPercent	decimal(9,5)	Yes
14	DiscountPercent	decimal(9,5)	Yes
15	ShippingCost	money	Yes
16	TotalItemsCost	money	Yes
17	TotalRequisitionCost	money	Yes
18	Comments	varchar(1023)	Yes
19	ApprovalRequired	tinyint	Yes
20	ApprovalId	int	Yes
21	ApprovalLevel	tinyint	Yes
22	StatusId	int	Yes
23	OrderDate	datetime	Yes
24	BidId	int	Yes
25	DateExported	datetime	Yes
26	DetailId	int	No
27	CatalogId	int	Yes
28	ItemId	int	Yes
29	AddendumItem	tinyint	Yes
30	ItemCode	varchar(50)	Yes
31	Quantity	int	Yes
32	LastYearsQuantity	int	Yes
33	Description	varchar(1024)	Yes
34	UnitId	int	Yes
35	UnitCode	varchar(20)	Yes

36	BidPrice	money	Yes
37	CatalogPrice	money	Yes
38	GrossPrice	money	Yes
39	DiscountRate	decimal(9,5)	Yes
40	CatalogPage	char(4)	Yes
41	PricePlanId	int	Yes
42	PriceId	int	Yes
43	AwardId	int	Yes
44	VendorId	int	Yes
45	VendorItemCode	varchar(50)	Yes
46	Alternate	varchar(1024)	Yes
47	POId	int	Yes
48	BatchDetailId	int	Yes
49	Modified	datetime	Yes
50	ModifiedById	int	Yes
51	SortSeq	varchar(64)	Yes

Dependencies

Object	Type
dbo.Detail	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[ReqDetail]

AS

SELECT     dbo.Requisitions.RequisitionId, dbo.Requisitions.RequisitionNumber, dbo.Requ...

                      dbo.Requisitions.BudgetAccountId, dbo.Requisitions.UserAccountId,...

                      dbo.Requisitions.Attention, dbo.Requisitions.AccountCode, dbo.Req...

                      dbo.Requisitions.DiscountPercent, dbo.Requisitions.ShippingCost, ...

                      dbo.Requisitions.Comments, dbo.Requisitions.ApprovalRequired, dbo...

                      dbo.Requisitions.StatusId, dbo.Requisitions.OrderDate, dbo.Requis...

                      dbo.Detail.CatalogId, dbo.Detail.ItemId, dbo.Detail.AddendumItem,...

                      dbo.Detail.Description, dbo.Detail.UnitId, dbo.Detail.UnitCode, d...

                      dbo.Detail.DiscountRate, dbo.Detail.CatalogPage, dbo.Detail.Price...

                      dbo.Detail.VendorItemCode, dbo.Detail.Alternate, dbo.Detail.POId,...

                      dbo.Detail.SortSeq

FROM         dbo.Detail with (nolock) INNER JOIN

                      dbo.Requisitions ON dbo.Detail.RequisitionId = dbo.Requisitions.R...

WHERE     (dbo.Detail.POId IS NULL)
```

RequisitionsView {dbo-requisitionsview}

Property	Value
Schema	dbo
Created	2001-08-24 14:40:44.673000
Modified	2018-01-21 20:26:47.463000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	Active	tinyint	Yes
3	RequisitionNumber	varchar(24)	Yes
4	SchoolId	int	Yes
5	UserId	int	Yes
6	BudgetId	int	Yes
7	BudgetAccountId	int	Yes
8	UserAccountId	int	Yes
9	CategoryId	int	Yes
10	ShippingId	int	Yes
11	Attention	varchar(50)	Yes
12	DateEntered	datetime	Yes
13	ShippingPercent	decimal(9,5)	Yes
14	DiscountPercent	decimal(9,5)	Yes
15	ShippingCost	money	Yes
16	TotalItemsCost	money	Yes
17	TotalRequisitionCost	money	Yes
18	Comments	varchar(1023)	Yes
19	ApprovalRequired	tinyint	Yes
20	ApprovalId	int	Yes
21	OrderDate	datetime	Yes
22	DateExported	datetime	Yes
23	StatusId	int	Yes

Dependencies

Object	Type
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[RequisitionsView]

AS

SELECT     RequisitionId, Active, RequisitionNumber, SchoolId, UserId, BudgetId, Budget...

                      ShippingPercent, DiscountPercent, ShippingCost, TotalItemsCost, T...

                      DateExported, StatusId

FROM         dbo.Requisitions with (nolock)
```

rs_DistrictSummary {dbo-rs-districtsummary}

Property	Value
Schema	dbo
Created	2006-05-18 12:58:37.583000
Modified	2018-01-21 20:26:47.470000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	DistrictName	varchar(50)	Yes
3	ItemId	int	Yes
4	ItemCode	varchar(50)	Yes
5	SortSeq	varchar(50)	Yes
6	Description	varchar(1536)	Yes
7	UnitCode	varchar(16)	Yes
8	Quantity	int	Yes
9	VendorCode	varchar(10)	Yes
10	UnitPrice	money	Yes
11	ExtendedPrice	money	Yes
12	BidPrice	money	Yes
13	GrossPrice	money	Yes
14	DiscountRate	decimal(9,5)	Yes
15	UseGrossPrices	tinyint	Yes
16	VendorId	int	Yes
17	VendorItemCode	varchar(50)	Yes
18	Alternate	varchar(1024)	Yes
19	DistrictId	int	Yes
20	CategoryId	int	Yes
21	PricePlanId	int	Yes
22	AwardId	int	Yes
23	BudgetId	int	Yes
24	VendorTotal	money	Yes
25	VendorCount	int	Yes
26	CategoryTotal	money	Yes
27	CategoryCount	int	Yes
28	DistrictTotal	money	Yes
29	DistrictCount	int	Yes
30	ListId	int	Yes

31	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.uf_DistrictSummaryBid	Other

SQL Definition

```
create   view  [dbo].[rs_DistrictSummary] as

select * from dbo.uf_DistrictSummaryBid(1,1,1)
```

rs_DistrictSummaryAwardLetter {dbo-rs-districtsummaryawardletter}

Property	Value
Schema	dbo
Created	2006-05-18 17:02:39.057000
Modified	2018-01-21 20:26:47.473000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes

2	DistrictId	int	Yes
3	CategoryId	int	Yes
4	PricePlanId	int	Yes
5	VendorId	int	Yes
6	ItemsBid	int	Yes
7	AmountBid	money	Yes
8	ItemsAwarded	int	Yes
9	AmountAwarded	money	Yes
10	AwardId	int	Yes
11	BidDate	datetime	Yes
12	BidAwardDate	datetime	Yes
13	TotalItemsAwarded	int	Yes
14	TotalItemsBid	int	Yes
15	TotalAmountBid	money	Yes
16	TotalAmountAwarded	money	Yes
17	BidHeaderId	int	Yes
18	VendorCode	varchar(20)	Yes
19	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.uf_AwardLetterBid	Other

SQL Definition

```
create   view  [dbo].[rs_DistrictSummaryAwardLetter] as

select * from dbo.uf_AwardLetterBid(1,1,1)
```

rs_DistrictSummaryVendors {dbo-rs-districtsummaryvendors}

Property	Value
Schema	dbo
Created	2006-05-18 17:02:07.260000
Modified	2018-01-21 20:26:47.477000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	VendorId	int	Yes
3	CategoryId	int	Yes
4	BidHeaderId	int	Yes
5	LineCount	int	Yes
6	GrossCost	money	Yes
7	DiscountAmount	money	Yes
8	NetCost	money	Yes
9	TotalLineCount	int	Yes
10	TotalGrossCost	money	Yes

11	TotalDiscountAmount	money	Yes
12	TotalNetCost	money	Yes
13	VendorCode	varchar(20)	Yes
14	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.uf_DistrictSummaryVendorsBid	Other

SQL Definition

```
create   view  [dbo].[rs_DistrictSummaryVendors] as

select * from dbo.uf_DistrictSummaryVendorsBid(1,1,1)
```

rs_SBS_AccountRecap_District {dbo-rs-sbs-accountrecap-district}

Property	Value
Schema	dbo
Created	2007-11-14 16:13:53.420000
Modified	2018-01-21 20:26:47.483000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	ItemCount	int	Yes
3	GrossTotal	money	Yes
4	DiscountTotal	decimal(38,13)	Yes
5	NetTotal	decimal(38,13)	Yes
6	AccountCode	varchar(50)	Yes
7	CategoryCode	char(1)	Yes
8	CategoryName	varchar(50)	Yes
9	DistrictCode	varchar(4)	Yes
10	DistrictName	varchar(50)	Yes
11	UseGrossPrices	tinyint	Yes
12	SchoolId	int	No
13	SchoolName	varchar(50)	Yes
14	BudgetName	varchar(30)	Yes
15	CategoryId	int	No
16	DistrictId	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Added DistrictId to Select (needed in where clause by calling procedure)

create   view  [dbo].[rs_SBS_AccountRecap_District] as
select ReportSessionLinks.RSId,
count(Detail.DetailId) ItemCount, sum(isnull(Detail.Quantity,0) * isnull(case isnull(De...
from ReportSessionLinks with (nolock)
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join Awards on Awards.AwardId = Detail.AwardId
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
                                    and DistrictCategories.CategoryId = Category.CategoryId
```

```
--where ReportSessionLinks.RSId = {RSId} and School.SchoolId = {SchoolId} and Category....

group by ReportSessionLinks.RSId, Category.CategoryId, case isnull(rtrim(DistrictCatego...

--order by Category.Name, District.Name, Requisitions.AccountCode

... (truncated)
```

rs_SBS_AccountRecap_School {dbo-rs-sbs-accountrecap-school}

Property	Value
Schema	dbo
Created	2007-11-14 16:19:54.217000
Modified	2018-01-21 20:26:47.490000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	ItemCount	int	Yes
3	GrossTotal	money	Yes
4	DiscountTotal	decimal(38,13)	Yes
5	NetTotal	decimal(38,13)	Yes
6	AccountCode	varchar(50)	Yes
7	CategoryCode	char(1)	Yes
8	CategoryName	varchar(50)	Yes
9	DistrictCode	varchar(4)	Yes
10	DistrictName	varchar(50)	Yes
11	UseGrossPrices	tinyint	Yes
12	SchoolId	int	No
13	SchoolName	varchar(50)	Yes
14	BudgetName	varchar(30)	Yes

15	CategoryId	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view

create   view  [dbo].[rs_SBS_AccountRecap_School] as
select ReportSessionLinks.RSId, count(Detail.DetailId) ItemCount, sum(isnull(Detail.Qua...
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join Awards on Awards.AwardId = Detail.AwardId
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
                                    and DistrictCategories.CategoryId = Category.CategoryId
--where ReportSessionLinks.RSId = {RSId} and School.SchoolId = {SchoolId} and Category....
group by ReportSessionLinks.RSId, Category.CategoryId, case isnull(rtrim(DistrictCatego...
--order by Category.Name, District.Name, Requisitions.AccountCode
```

```
... (truncated)
```

rs_SBS_SchoolSummary {dbo-rs-sbs-schoolsummary}

Property	Value
Schema	dbo
Created	2007-11-14 15:50:27.750000
Modified	2018-01-21 20:26:47.493000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	CategoryCode	varchar(16)	Yes
3	CategoryName	varchar(50)	Yes
4	CategoryId	int	No
5	Attention	varchar(50)	Yes
6	AccountCode	varchar(50)	No
7	DistrictId	int	No
8	DistrictCode	varchar(4)	Yes
9	DistrictName	varchar(50)	Yes
10	SchoolId	int	No
11	SchoolName	varchar(50)	Yes
12	BudgetName	varchar(30)	Yes
13	CometId	int	Yes
14	UserId	int	No
15	RequisitionId	int	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view

create   view  [dbo].[rs_SBS_SchoolSummary] as
select ReportSessionLinks.RSId, Category.Code CategoryCode, case isnull(rtrim(DistrictC...
       Requisitions.Attention, isnull(Requisitions.AccountCode,'') AccountCode,
       District.DistrictId, District.DistrictCode, District.Name DistrictName,
       School.SchoolId, School.Name SchoolName, Budgets.Name BudgetName,
       Users.CometId, Users.UserId, Requisitions.RequisitionId
  from ReportSessionLinks
  join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
  join Users on Users.UserId = Requisitions.UserId
  join School on School.SchoolId = Requisitions.SchoolId
  join District on District.DistrictId = School.DistrictId
  join Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join Category on Category.CategoryId = Requisitions.CategoryId
  left outer join DistrictCategories on DistrictCategories.DistrictId = District.Distri...
                                     and DistrictCategories.CategoryId = Category.Catego...
```

rs_SBS_SchoolSummary_Detail {dbo-rs-sbs-schoolsummary-detail}

Property	Value
Schema	dbo
Created	2007-11-14 16:30:18.653000
Modified	2018-01-21 20:26:46.450000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	ItemCode	varchar(50)	Yes
3	Description	varchar(2880)	Yes
4	CatalogPage	char(4)	Yes
5	UnitCode	varchar(20)	Yes
6	Quantity	int	Yes
7	BidPrice	money	Yes
8	GrossPrice	money	Yes
9	CatalogPrice	money	Yes
10	BidTotal	money	Yes
11	VendorItemCode	varchar(50)	Yes
12	Alternate	varchar(1024)	Yes
13	DiscountRate	int	No
14	GrossTotal	money	Yes
15	NetTotal	decimal(34,13)	Yes
16	VendorCode	varchar(16)	Yes
17	VendorName	varchar(50)	Yes

18	CategoryCode	char(1)	Yes
19	CategoryName	varchar(50)	Yes
20	RequisitionId	int	No
21	Attention	varchar(50)	Yes
22	AccountCode	varchar(50)	Yes
23	DistrictId	int	No
24	DistrictCode	varchar(4)	Yes
25	DistrictName	varchar(50)	Yes
26	SchoolId	int	No
27	SchoolName	varchar(50)	Yes
28	BudgetName	varchar(30)	Yes
29	CometId	int	Yes
30	UserId	int	No
31	SortSeq	varchar(64)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table
dbo.vw_DetailDescriptionSBS	View

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Added Detail.SortSeq to select  (needed to duplicate order by when called as a view)


create   view  [dbo].[rs_SBS_SchoolSummary_Detail] as
select ReportSessionLinks.RSId, Detail.ItemCode, dd.ItemDescription [Description], Deta...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
join vw_DetailDescriptionSBS dd on dd.DetailId = Detail.DetailId
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
                                      and DistrictCategories.CategoryId = Category.CategoryId
```

```
--where ReportSessionLinks.RSId = {RSId} and Requisitions.RequisitionId = {RequisitionI...

--order by Category.Name, District.Name, School.Name, Users.CometId, Requisitions.Accou...

... (truncated)
```

rs_SBS_UserRecap_District {dbo-rs-sbs-userrecap-district}

Property	Value
Schema	dbo
Created	2007-11-14 16:33:40.420000
Modified	2018-01-21 20:26:47.500000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	ItemCount	int	Yes
3	GrossTotal	money	Yes
4	DiscountTotal	decimal(38,13)	Yes
5	NetTotal	decimal(38,13)	Yes
6	Attention	varchar(50)	Yes
7	AccountCode	varchar(50)	Yes
8	CategoryCode	char(1)	Yes
9	CategoryName	varchar(50)	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	UseGrossPrices	tinyint	Yes
13	SchoolName	varchar(50)	Yes
14	BudgetName	varchar(30)	Yes
15	CometId	int	Yes

16	CategoryId	int	No
17	DistrictId	int	No
18	SchoolId	int	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Added DistrictId and SchoolId to Select statement


create   view  [dbo].[rs_SBS_UserRecap_District] as
select ReportSessionLinks.RSId, count(Detail.DetailId) ItemCount, sum(isnull(Detail.Qua...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
                                    and DistrictCategories.CategoryId = Category.CategoryId
--where ReportSessionLinks.RSId = {RSId} and District.DistrictId = {DistrictId} and Cat...
group by ReportSessionLinks.RSId, Category.CategoryId, case isnull(rtrim(DistrictCatego...
--order by Category.Name, District.Name, School.Name, Users.CometId, Requisitions.Atten...
```

```
... (truncated)
```

rs_SBS_UserRecap_School {dbo-rs-sbs-userrecap-school}

Property	Value
Schema	dbo
Created	2007-11-14 16:38:25.263000
Modified	2018-01-21 20:26:47.507000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	ItemCount	int	Yes
3	GrossTotal	money	Yes
4	DiscountTotal	decimal(38,13)	Yes
5	NetTotal	decimal(38,13)	Yes
6	Attention	varchar(50)	Yes
7	AccountCode	varchar(50)	Yes
8	CategoryCode	char(1)	Yes
9	CategoryName	varchar(50)	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	UseGrossPrices	tinyint	Yes
13	SchoolName	varchar(50)	Yes
14	BudgetName	varchar(30)	Yes
15	CometId	int	Yes

16	CategoryId	int	No
17	SchoolId	int	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Added School.SchoolId to select (needed for where clause when called)


create   view  [dbo].[rs_SBS_UserRecap_School] as
select ReportSessionLinks.RSId, count(Detail.DetailId) ItemCount, sum(isnull(Detail.Qua...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
                                    and DistrictCategories.CategoryId = Category.CategoryId
--where ReportSessionLinks.RSId = {RSId} and Requisitions.SchoolId = {SchoolId} and Cat...
group by ReportSessionLinks.RSId, Category.CategoryId, case isnull(rtrim(DistrictCatego...
--order by Category.Name, District.Name, School.Name, Users.CometId, Requisitions.Atten...
```

```
... (truncated)
```

rs_SBS_VendorRecap_District {dbo-rs-sbs-vendorrecap-district}

Property	Value
Schema	dbo
Created	2007-11-14 17:29:59.263000
Modified	2018-01-21 20:26:47.513000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	VendorCode	varchar(16)	Yes
3	VendorName	varchar(50)	Yes
4	ItemCount	int	Yes
5	GrossTotal	money	Yes
6	DiscountTotal	decimal(38,13)	Yes
7	NetTotal	decimal(38,13)	Yes
8	CategoryCode	char(1)	Yes
9	CategoryName	varchar(50)	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	UseGrossPrices	tinyint	Yes
13	BudgetName	varchar(30)	Yes
14	DistrictId	int	No
15	CategoryId	int	No

16	DiscountRate	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Added to Select: DistrictId and CategoryId (for where clause from calling procedure)
-- Added to Group by: CategoryId
-- Removed DiscountRate from Groupby and Select

create   view  [dbo].[rs_SBS_VendorRecap_District] as
--select ReportSessionLinks.RSId, Vendors.Code VendorCode, Vendors.Name VendorName, cou...
select ReportSessionLinks.RSId, Vendors.Code VendorCode, Vendors.Name VendorName, count...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
```

```
                                    and DistrictCategories.CategoryId = Category.CategoryId

--where ReportSessionLinks.RSId = {RSId} and District.DistrictId = {DistrictId} and Cat...

... (truncated)
```

rs_SBS_VendorRecap_School {dbo-rs-sbs-vendorrecap-school}

Property	Value
Schema	dbo
Created	2007-11-14 17:35:53.233000
Modified	2018-01-21 20:26:47.530000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	VendorCode	varchar(16)	Yes
3	VendorName	varchar(50)	Yes
4	ItemCount	int	Yes
5	GrossTotal	money	Yes
6	DiscountTotal	decimal(38,13)	Yes
7	NetTotal	decimal(38,13)	Yes
8	CategoryCode	char(1)	Yes
9	CategoryName	varchar(50)	Yes
10	DistrictCode	varchar(4)	Yes
11	DistrictName	varchar(50)	Yes
12	UseGrossPrices	tinyint	Yes
13	SchoolName	varchar(50)	Yes
14	BudgetName	varchar(30)	Yes
15	SchoolId	int	No

16	CategoryId	int	No
17	DiscountRate	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Added to Select: SchoolId and CategoryId (for where clause from calling procedure)
-- Added to Group by: CategoryId
-- Removed DiscountRate from GroupBy and Select

create   view  [dbo].[rs_SBS_VendorRecap_School] as
--select ReportSessionLinks.RSId, Vendors.Code VendorCode, Vendors.Name VendorName, cou...
select ReportSessionLinks.RSId, Vendors.Code VendorCode, Vendors.Name VendorName, count...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
```

```
                                    and DistrictCategories.CategoryId = Category.CategoryId

--where ReportSessionLinks.RSId = {RSId} and School.SchoolId = {SchoolId} and Category....

... (truncated)
```

rs_SBS_VendorRecap_User {dbo-rs-sbs-vendorrecap-user}

Property	Value
Schema	dbo
Created	2007-11-14 17:38:43.263000
Modified	2018-01-21 20:26:47.537000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	VendorCode	varchar(16)	Yes
3	VendorName	varchar(50)	Yes
4	ItemCount	int	Yes
5	GrossTotal	money	Yes
6	DiscountTotal	decimal(38,13)	Yes
7	NetTotal	decimal(38,13)	Yes
8	CategoryCode	char(1)	Yes
9	CategoryName	varchar(50)	Yes
10	Attention	varchar(50)	Yes
11	DistrictCode	varchar(4)	Yes
12	DistrictName	varchar(50)	Yes
13	UseGrossPrices	tinyint	Yes
14	SchoolName	varchar(50)	Yes
15	BudgetName	varchar(30)	Yes

16	CometId	int	Yes
17	RequisitionId	int	No
18	DiscountRate	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Removed DiscountRate from GroupBy and Select


create   view  [dbo].[rs_SBS_VendorRecap_User] as
--select ReportSessionLinks.RSId, Vendors.Code VendorCode, Vendors.Name VendorName, cou...
select ReportSessionLinks.RSId, Vendors.Code VendorCode, Vendors.Name VendorName, count...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId
                                    and DistrictCategories.CategoryId = Category.CategoryId
--where ReportSessionLinks.RSId = {RSId} and Requisitions.RequisitionId = {RequisitionI...
```

```
--group by ReportSessionLinks.RSId, Requisitions.Attention, Category.Name, Category.EDS...

group by ReportSessionLinks.RSId, Requisitions.Attention, case isnull(rtrim(DistrictCat...

... (truncated)
```

rs_SBS_VendorUserRecap_District {dbo-rs-sbs-vendoruserrecap-district}

Property	Value
Schema	dbo
Created	2007-11-14 17:02:56.153000
Modified	2018-01-21 20:26:47.543000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	ItemCount	int	Yes
3	AwardId	int	Yes
4	GrossTotal	money	Yes
5	DiscountTotal	decimal(38,13)	Yes
6	NetTotal	decimal(38,13)	Yes
7	Attention	varchar(50)	Yes
8	AccountCode	varchar(50)	Yes
9	CategoryCode	char(1)	Yes
10	CategoryName	varchar(50)	Yes
11	DistrictCode	varchar(4)	Yes
12	DistrictName	varchar(50)	Yes
13	UseGrossPrices	tinyint	Yes
14	SchoolId	int	No
15	SchoolName	varchar(50)	Yes

16	BudgetName	varchar(30)	Yes
17	CometId	int	Yes
18	CategoryId	int	No
19	VendorId	int	No
20	VendorCode	varchar(16)	Yes
21	VendorName	varchar(50)	Yes
22	VendorPhone	varchar(20)	Yes
23	BidStartDate	datetime	Yes
24	BidEndDate	datetime	Yes
25	VendorBidNumber	varchar(50)	Yes
26	AwardDescription	varchar(511)	Yes
27	DistrictId	int	No
28	DiscountRate	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Added DistrictId to Select (for use by where clause from calling procedure)
-- Removed DiscountRate from Groupby and Select

create   view  [dbo].[rs_SBS_VendorUserRecap_District] as
--select ReportSessionLinks.RSId, count(Detail.DetailId) ItemCount, case isnull(Detail....
select ReportSessionLinks.RSId, count(Detail.DetailId) ItemCount, Awards.AwardId, sum(i...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join BidHeaders on BidHeaders.BidHeaderId = case ISNULL(Detail.BidHeaderId,0...
```

```
left outer join Awards on Awards.AwardId = Detail.AwardId

left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId

... (truncated)
```

rs_SBS_VendorUserRecap_School {dbo-rs-sbs-vendoruserrecap-school}

Property	Value
Schema	dbo
Created	2007-11-14 17:04:52.060000
Modified	2018-01-21 20:26:47.553000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	ItemCount	int	Yes
3	AwardId	int	Yes
4	GrossTotal	money	Yes
5	DiscountTotal	decimal(38,13)	Yes
6	NetTotal	decimal(38,13)	Yes
7	Attention	varchar(50)	Yes
8	AccountCode	varchar(50)	Yes
9	CategoryCode	char(1)	Yes
10	CategoryName	varchar(50)	Yes
11	DistrictCode	varchar(4)	Yes
12	DistrictName	varchar(50)	Yes
13	UseGrossPrices	tinyint	Yes
14	SchoolId	int	No
15	SchoolName	varchar(50)	Yes

16	BudgetName	varchar(30)	Yes
17	CometId	int	Yes
18	CategoryId	int	No
19	VendorId	int	No
20	VendorCode	varchar(16)	Yes
21	VendorName	varchar(50)	Yes
22	VendorPhone	varchar(20)	Yes
23	BidStartDate	datetime	Yes
24	BidEndDate	datetime	Yes
25	VendorBidNumber	varchar(50)	Yes
26	AwardDescription	varchar(511)	Yes
27	DiscountRate	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
-- Note: this was copied from the EDSIQ file SchoolSummary.xml
--           for report consistency, it should be modified to use this view
-- Removed DiscountRate from Groupby and Select


create   view  [dbo].[rs_SBS_VendorUserRecap_School] as
--select ReportSessionLinks.RSId, count(Detail.DetailId) ItemCount, case isnull(Detail....
select ReportSessionLinks.RSId, count(Detail.DetailId) ItemCount, Awards.AwardId, sum(i...
from ReportSessionLinks
join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId
join Detail on Detail.RequisitionId = Requisitions.RequisitionId
join Users on Users.UserId = Requisitions.UserId
join School on School.SchoolId = Requisitions.SchoolId
join District on District.DistrictId = School.DistrictId
join Budgets on Budgets.BudgetId = Requisitions.BudgetId
join Category on Category.CategoryId = Requisitions.CategoryId
join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)
left outer join BidHeaders on BidHeaders.BidHeaderId = case ISNULL(Detail.BidHeaderId,0...
```

```
left outer join Awards on Awards.AwardId = Detail.AwardId

left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId

... (truncated)
```

rs_SBSDetailRecap {dbo-rs-sbsdetailrecap}

Property	Value
Schema	dbo
Created	2006-05-03 15:49:53.447000
Modified	2018-01-21 20:26:47.560000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	RequisitionId	int	No
3	Attention	varchar(50)	Yes
4	AccountCode	varchar(50)	Yes
5	ItemCode	varchar(50)	Yes
6	Quantity	int	Yes
7	Description	varchar(1024)	Yes
8	UnitCode	varchar(20)	Yes
9	BidPrice	money	Yes
10	CatalogPrice	money	Yes
11	GrossPrice	money	Yes
12	DiscountRate	decimal(9,5)	No
13	CatalogPage	char(4)	Yes
14	BidTotal	money	Yes
15	VendorItemCode	varchar(50)	Yes
16	Alternate	varchar(1024)	Yes
17	GrossTotal	money	Yes

18	NetTotal	decimal(34,13)	Yes
19	VendorCode	varchar(16)	Yes
20	VendorName	varchar(50)	Yes
21	CategoryName	varchar(50)	Yes
22	CategoryCode	varchar(16)	Yes
23	BudgetName	varchar(30)	Yes
24	DistrictId	int	No
25	DistrictCode	varchar(4)	Yes
26	DistrictName	varchar(50)	Yes
27	SchoolId	int	No
28	SchoolName	varchar(50)	Yes
29	UserId	int	No
30	CometId	int	Yes
31	CategoryId	int	No
32	SortSeq	varchar(64)	Yes
33	BidType	tinyint	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.uf_DetailDescription	Other
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[rs_SBSDetailRecap] as

select ReportSessionLinks.RSId,

Requisitions.RequisitionId, Requisitions.Attention, Requisitions.AccountCode,

Detail.ItemCode, Detail.Quantity, dbo.uf_DetailDescription(Detail.DetailId) Description,

Detail.UnitCode, Detail.BidPrice, Detail.CatalogPrice,

case isnull(Detail.UseGrossPrices,0) when 0 then Detail.BidPrice else Detail.GrossPrice...

isnull(case isnull(Detail.UseGrossPrices,0) when 0 then 0 else Detail.DiscountRate end,...

Detail.CatalogPage,

(Detail.Quantity * Detail.BidPrice) BidTotal,

Detail.VendorItemCode,

case when isnull(Detail.VendorId,0) = 0 or isnull(Detail.VendorId,7691) = 7691 then '**...

(Detail.Quantity * case isnull(Detail.UseGrossPrices,0) when 0 then Detail.BidPrice els...

((isnull(Detail.Quantity,0) * isnull(Detail.GrossPrice,0)) - (isnull(Detail.Quantity,0)...

Vendors.Code VendorCode, Vendors.Name VendorName,

case isnull(rtrim(DistrictCategories.Title),'') when '' then Category.Name else Distric...

Budgets.Name BudgetName,
```

```
District.DistrictId, District.DistrictCode, District.Name DistrictName,

School.SchoolId, School.Name SchoolName,

Users.UserId, Users.CometId,

... (truncated)
```

rs_SBSReqRecap {dbo-rs-sbsreqrecap}

Property	Value
Schema	dbo
Created	2006-05-03 15:52:20.290000
Modified	2018-01-21 20:26:47.567000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	Attention	varchar(50)	Yes
3	AccountCode	varchar(50)	No
4	CategoryId	int	No
5	CategoryName	varchar(50)	Yes
6	CategoryCode	varchar(16)	Yes
7	BudgetName	varchar(30)	Yes
8	DistrictId	int	No
9	DistrictCode	varchar(4)	Yes
10	DistrictName	varchar(50)	Yes
11	SchoolId	int	No
12	SchoolName	varchar(50)	Yes
13	UserId	int	No
14	CometId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[rs_SBSReqRecap] as

select ReportSessionLinks.RSId,

Requisitions.Attention, isnull(Requisitions.AccountCode,'') AccountCode,

Category.CategoryId, case isnull(rtrim(DistrictCategories.Title),'') when '' then Categ...

Budgets.Name BudgetName,

District.DistrictId, District.DistrictCode, District.Name DistrictName,

School.SchoolId, School.Name SchoolName,

Users.UserId, Users.CometId

from ReportSessionLinks with (nolock)

join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId

join Users on Users.UserId = Requisitions.UserId

join School on School.SchoolId = Requisitions.SchoolId

join District on District.DistrictId = School.DistrictId

join Budgets on Budgets.BudgetId = Requisitions.BudgetId

join Category on Category.CategoryId = Requisitions.CategoryId

left outer join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId

                                    and DistrictCategories.CategoryId = Category.CategoryId

group by ReportSessionLinks.RSId, Category.Code, case isnull(rtrim(DistrictCategories.T...
```

rs_SBSVendorRecap {dbo-rs-sbsvendorrecap}

Property	Value
Schema	dbo
Created	2006-05-03 15:46:39.663000
Modified	2018-01-21 20:26:47.573000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	Attention	varchar(50)	Yes
3	CometId	int	Yes
4	ItemCount	int	Yes
5	GrossTotal	money	Yes
6	DiscountTotal	decimal(38,13)	Yes
7	NetTotal	decimal(38,13)	Yes
8	DiscountRate	varchar(16)	Yes
9	CategoryName	varchar(50)	Yes
10	CategoryCode	varchar(16)	Yes
11	BudgetName	varchar(30)	Yes
12	DistrictCode	varchar(4)	Yes
13	DistrictName	varchar(50)	Yes
14	UseGrossPrices	tinyint	Yes
15	SchoolName	varchar(50)	Yes
16	VendorCode	varchar(16)	Yes
17	VendorName	varchar(50)	Yes
18	CategoryId	int	No

19	UserId	int	No
20	AccountCode	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[rs_SBSVendorRecap] as
select ReportSessionLinks.RSId,
Requisitions.Attention,
Users.CometId,
count(Detail.DetailId) ItemCount,
sum(isnull(Detail.Quantity,0) * isnull(case isnull(Detail.UseGrossPrices,0) when 0 then...
case isnull(Detail.UseGrossPrices,0) when 0 then 0 else sum(isnull(Detail.Quantity,0) *...
case isnull(Detail.UseGrossPrices,0) when 0 then sum(isnull(Detail.Quantity,0) * isnull...
max(convert(varchar(16),convert(decimal(9,3),isnull(case isnull(Detail.UseGrossPrices,0...
case isnull(rtrim(DistrictCategories.Title),'') when '' then Category.Name else Distric...
Budgets.Name BudgetName,
District.DistrictCode, District.Name DistrictName, Detail.UseGrossPrices,
School.Name SchoolName,
Vendors.Code VendorCode, Vendors.Name VendorName,
```

```
Category.CategoryId,

Users.UserId,

... (truncated)
```

rs_VendorRecap {dbo-rs-vendorrecap}

Property	Value
Schema	dbo
Created	2006-05-03 10:46:47.913000
Modified	2018-01-21 20:26:47.580000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	Attention	varchar(50)	Yes
3	CometId	int	Yes
4	ItemCount	int	Yes
5	GrossTotal	money	Yes
6	DiscountTotal	decimal(38,13)	Yes
7	NetTotal	decimal(38,13)	Yes
8	DiscountRate	varchar(16)	Yes
9	CategoryName	varchar(50)	Yes
10	CategoryCode	varchar(16)	Yes
11	BudgetName	varchar(30)	Yes
12	DistrictCode	varchar(4)	Yes
13	DistrictName	varchar(50)	Yes
14	UseGrossPrices	tinyint	Yes
15	SchoolName	varchar(50)	Yes
16	VendorCode	varchar(16)	Yes
17	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[rs_VendorRecap] as

select ReportSessionLinks.RSId,

Requisitions.Attention,

Users.CometId,

count(Detail.DetailId) ItemCount,

sum(isnull(Detail.Quantity,0) * isnull(case isnull(Detail.UseGrossPrices,0) when 0 then...

case isnull(Detail.UseGrossPrices,0) when 0 then 0 else sum(isnull(Detail.Quantity,0) *...

case isnull(Detail.UseGrossPrices,0) when 0 then sum(isnull(Detail.Quantity,0) * isnull...

convert(varchar(16),convert(decimal(9,3),isnull(case isnull(Detail.UseGrossPrices,0) wh...

Category.Name CategoryName, Category.Code CategoryCode,

Budgets.Name BudgetName,

District.DistrictCode, District.Name DistrictName, Detail.UseGrossPrices,

School.Name SchoolName,

Vendors.Code VendorCode, Vendors.Name VendorName

from ReportSessionLinks with (nolock)

join Requisitions on Requisitions.RequisitionId = ReportSessionLinks.IntId

join Detail on Detail.RequisitionId = Requisitions.RequisitionId

join Users on Users.UserId = Requisitions.UserId

join School on School.SchoolId = Requisitions.SchoolId

join District on District.DistrictId = School.DistrictId

join Budgets on Budgets.BudgetId = Requisitions.BudgetId
```

```
join Category on Category.CategoryId = Requisitions.CategoryId

join Vendors on Vendors.VendorId = isnull(Detail.VendorId,7691)

... (truncated)
```

RTK_Item_StructureView {dbo-rtk-item-structureview}

Property	Value
Schema	dbo
Created	2013-08-09 16:16:59.090000
Modified	2018-01-21 20:26:47.583000

Columns

#	Column	Type	Nullable
1	RTK_ItemsId	int	No
2	AlternateDesc	varchar(60)	No
3	ItemDesc	varchar(512)	No
4	MSDSDetail	nvarchar(MAX)	No

Dependencies

Object	Type
dbo.Items	Table
dbo.RTK_Items	Table
dbo.RTK_MSDSDetail	Table

SQL Definition

```
create   view  [dbo].[RTK_Item_StructureView]

AS

SELECT RTK.RTK_ItemsId,

       Isnull(RTK.AlternateDesc,'') AlternateDesc,

       Case When Isnull(RTK.AlternateDesc,'')<>'' Then '' Else Isnull(Items.Description...

       Isnull( (SELECT Isnull(RTK_CASFileId,0) RTK_CASFileId, Isnull(MixturePercent,0) ...

                FROM RTK_MSDSDetail D

                Where D.RTK_ItemsID = RTK.RTK_ItemsId

                Order by D.RTK_CASFileId  -- this ensures entries ordered properly i.e....

                for xml path('')

               ), '' ) As MSDSDetail

FROM RTK_Items RTK

left outer Join Items ON Items.ItemId = RTK.ItemId
```

SearchItemsHeadingsView {dbo-searchitemsheadingsview}

Property	Value
Schema	dbo
Created	2004-10-25 12:38:26.780000
Modified	2018-01-21 20:26:47.590000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	Title	varchar(255)	No
3	Description	varchar(4096)	Yes
4	HeadingId	int	Yes
5	SearchLetter	varchar(1)	No

Dependencies

Object	Type
dbo.BidItems	Table
dbo.Bids	Table
dbo.Headings	Table
dbo.Items	Table

SQL Definition

```
create   view  [dbo].[SearchItemsHeadingsView] as

select Bids.BidHeaderId,

isnull(Headings.Title,'Last Year''s Addenda') Title, Headings.Description, Headings.Hea...

/*

 (select top 1 Headings.Title from Headings where Headings.HeadingId = Items.HeadingId ...

 (select top 1 Headings.Description from Headings where Headings.HeadingId = Items.Head...

(select top 1 Headings.HeadingId from Headings where Headings.HeadingId = Items.Heading...

isnull(substring( (select top 1 Headings.Title from Headings where Headings.HeadingId =...

dbo.uf_SearchKeywords( (select top 1 Headings.HeadingId from Headings where Headings.He...

*/

  from Items with (nolock)

  join BidItems on BidItems.ItemId = Items.ItemId

               and isnull(BidItems.Price,0) != 0

  join Bids on Bids.BidId = BidItems.BidId

           and Bids.Active = 1

--           and Bids.VendorId != 7691
```

```
    left outer join Headings on Headings.HeadingId = Items.HeadingId

                            and Headings.Active = 1

  ... (truncated)
```

SearchItemsKeywordsView {dbo-searchitemskeywordsview}

Property	Value
Schema	dbo
Created	2004-10-25 12:39:42.120000
Modified	2018-01-21 20:26:47.593000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	Title	varchar(255)	Yes
3	Description	varchar(4096)	Yes
4	HeadingId	int	Yes
5	Keyword	varchar(50)	Yes
6	KeywordId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table

SQL Definition

```
create   view  [dbo].[SearchItemsKeywordsView] as

select BidHeaders.BidHeaderId, Headings.Title, Headings.Description, Items.HeadingId, K...

  from BidHeaders with (nolock)

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

            and Bids.Active = 1

  join BidItems on BidItems.BidId = Bids.BidId

  join Items on Items.ItemId = BidItems.ItemId

             and Items.Active = 1

  join Headings on Headings.HeadingId = Items.HeadingId

                and Headings.Active = 1

  left outer join dbo.Keywords Keywords on Keywords.KeywordId = Items.KeywordId

                                                  and Keywords.Active = 1

 group by BidHeaders.BidHeaderId, Headings.Title, Headings.Description, Items.HeadingId...
```

SearchItemsView {dbo-searchitemsview}

Property	Value
Schema	dbo
Created	2004-10-25 10:18:32.500000
Modified	2018-01-21 20:26:47.600000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemId	int	No
3	ItemCode	varchar(50)	Yes
4	Description	varchar(512)	Yes
5	Code	varchar(20)	Yes
6	Title	varchar(255)	Yes
7	HeadingsDescription	varchar(4096)	Yes
8	Keyword	varchar(50)	Yes
9	SortSeq	varchar(64)	Yes
10	HeadingId	int	Yes
11	KeywordId	int	Yes
12	BidPrice	decimal(33,13)	Yes

Dependencies

Object	Type
dbo.BidItems	Table
dbo.Bids	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Units	Table

SQL Definition

```
create   view  [dbo].[SearchItemsView] as
select Bids.BidHeaderId,
       Items.ItemId, Items.ItemCode, Items.Description, Units.Code,
       Headings.Title, Headings.Description HeadingsDescription,
       Keywords.Keyword, Items.SortSeq,
       Items.HeadingId, Items.KeywordId,
       round((BidItems.Price - ((isnull(Bids.BidDiscountRate,0) * BidItems.Price) / 100...
  from Bids with (nolock)
  join BidItems on BidItems.BidId = Bids.BidId
               and isnull(BidItems.Price,0) != 0
  join Items on Items.ItemId = BidItems.ItemId
            and Items.Active = 1
  left outer join Units on Units.UnitId = Items.UnitId
  left outer join Headings on Headings.HeadingId = Items.HeadingId
                          and Headings.Active = 1
  left outer join dbo.Keywords Keywords on Keywords.KeywordId = Items.KeywordId
                                                and Keywords.Active = 1
 where Bids.Active = 1
 group by Bids.BidHeaderId, Items.ItemId, Items.ItemCode, Items.Description, Units.Code...
```

```
... (truncated)
```

TestAllFF {dbo-testallff}

Property	Value
Schema	dbo
Created	2006-11-14 21:09:48.227000
Modified	2018-01-21 20:26:47.607000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	ItemCode	varchar(50)	Yes
3	Description	varchar(512)	Yes
4	UnitId	int	Yes
5	Code	varchar(20)	Yes
6	CrossRefId	int	No
7	CatalogPrice	money	Yes
8	VendorItemCode	varchar(50)	Yes
9	CatalogId	int	Yes
10	Name	varchar(50)	Yes
11	CategoryId	int	Yes
12	VendorId	int	Yes
13	VendorName	varchar(50)	Yes
14	AwardId	int	No
15	DistrictId	int	Yes
16	PriceId	uniqueidentifier	No
17	PricesDescription	varchar(1024)	Yes

18	PricePlanId	int	Yes
19	DiscountRate	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.DistrictPP	Table
dbo.Items	Table
dbo.PricePlans	Table
dbo.Prices	Table
dbo.Units	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[TestAllFF]
AS
SELECT     TOP 100 PERCENT dbo.Items.ItemId, dbo.Items.ItemCode, dbo.Items.Description,...
                       dbo.CrossRefs.CatalogPrice, dbo.CrossRefs.VendorItemCode, dbo.Cro...
                       dbo.Catalog.VendorId, dbo.Vendors.Name AS VendorName, dbo.Awards....
                       dbo.prices.Description AS PricesDescription, dbo.Awards.PricePlan...
FROM         dbo.PricePlans with (nolock) INNER JOIN
                       dbo.DistrictPP ON dbo.PricePlans.PricePlanId = dbo.DistrictPP.Pri...
                       dbo.prices ON dbo.PricePlans.PricePlanId = dbo.prices.PricePlanId...
                       dbo.Category INNER JOIN
                       dbo.Catalog ON dbo.Category.CategoryId = dbo.Catalog.CategoryId I...
                       dbo.CrossRefs ON dbo.Catalog.CatalogId = dbo.CrossRefs.CatalogId ...
                       dbo.Items ON dbo.Category.CategoryId = dbo.Items.CategoryId AND d...
                       dbo.Awards INNER JOIN
                       dbo.BidItems ON dbo.Awards.AwardId = dbo.BidItems.AwardId INNER JOIN
                       dbo.Bids ON dbo.Awards.BidId = dbo.Bids.BidId AND dbo.BidItems.Bi...
                       dbo.prices.CrossRefId = dbo.CrossRefs.CrossRefId AND dbo.prices.I...
                       dbo.prices.AwardId = dbo.Awards.AwardId INNER JOIN
                       dbo.Units ON dbo.Items.UnitId = dbo.Units.UnitId INNER JOIN
                       dbo.Vendors ON dbo.prices.VendorId = dbo.Vendors.VendorId AND dbo...
```

```
                        dbo.Awards.VendorId = dbo.Vendors.VendorId AND dbo.Bids.VendorId ...

ORDER BY dbo.Items.ItemCode

... (truncated)
```

TestFF {dbo-testff}

Property	Value
Schema	dbo
Created	2006-11-14 21:09:48.303000
Modified	2018-01-21 20:26:47.613000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	ItemCode	varchar(50)	Yes
3	Description	varchar(512)	Yes
4	UnitId	int	Yes
5	Code	varchar(20)	Yes
6	CrossRefId	int	No
7	CatalogPrice	money	Yes
8	VendorItemCode	varchar(50)	Yes
9	CatalogId	int	Yes
10	Name	varchar(50)	Yes
11	CategoryId	int	Yes
12	VendorId	int	Yes
13	VendorName	varchar(50)	Yes
14	PricePlanId	int	Yes
15	AwardId	int	No
16	DistrictId	int	Yes
17	DiscountRate	decimal(5,2)	Yes

18	PriceId	uniqueidentifier	No
19	PricesDescription	varchar(1024)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.DistrictPP	Table
dbo.Items	Table
dbo.PPCatalogs	Table
dbo.PricePlans	Table
dbo.Prices	Table
dbo.Units	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[TestFF]
AS
SELECT     dbo.Items.ItemId, dbo.Items.ItemCode, dbo.Items.Description, dbo.Items.UnitI...
                      dbo.CrossRefs.CatalogPrice, dbo.CrossRefs.VendorItemCode, dbo.Cro...
                      dbo.[Catalog].VendorId, dbo.Vendors.Name AS VendorName, dbo.PPCat...
                      dbo.PPCatalogs.DiscountRate, dbo.prices.PriceId, dbo.prices.Descr...
FROM         dbo.PricePlans with (nolock) INNER JOIN
                      dbo.DistrictPP ON dbo.PricePlans.PricePlanId = dbo.DistrictPP.Pri...
                      dbo.prices ON dbo.PricePlans.PricePlanId = dbo.prices.PricePlanId...
                      dbo.Category INNER JOIN
                      dbo.[Catalog] ON dbo.Category.CategoryId = dbo.[Catalog].Category...
                      dbo.CrossRefs ON dbo.[Catalog].CatalogId = dbo.CrossRefs.CatalogI...
                      dbo.Items ON dbo.Category.CategoryId = dbo.Items.CategoryId AND d...
                      dbo.Awards INNER JOIN
                      dbo.BidItems ON dbo.Awards.AwardId = dbo.BidItems.AwardId INNER JOIN
                      dbo.Bids ON dbo.Awards.BidId = dbo.Bids.BidId AND dbo.BidItems.Bi...
                      dbo.prices.CrossRefId = dbo.CrossRefs.CrossRefId AND dbo.prices.I...
```

```
                      dbo.prices.AwardId = dbo.Awards.AwardId INNER JOIN
                      dbo.Units ON dbo.Items.UnitId = dbo.Units.UnitId INNER JOIN
                      dbo.Vendors ON dbo.prices.VendorId = dbo.Vendors.VendorId AND dbo...
```

```
                        dbo.Awards.VendorId = dbo.Vendors.VendorId AND dbo.Bids.VendorId ...

                        dbo.PPCatalogs ON dbo.PricePlans.PricePlanId = dbo.PPCatalogs.Pri...

  ... (truncated)
```

TMDistrictInfo {dbo-tmdistrictinfo}

Property	Value
Schema	dbo
Created	2011-10-27 17:07:40.987000
Modified	2018-01-21 20:26:47.617000

Columns

#	Column	Type	Nullable
1	TMSurveyId	int	No
2	Name	varchar(50)	Yes
3	County	varchar(50)	Yes

Dependencies

Object	Type
dbo.District	Table
dbo.TMSurvey	Table

SQL Definition

```
create   view  [dbo].[TMDistrictInfo] as

select TMSurvey.TMSurveyId, District.Name, District.County

  from TMSurvey with (nolock)

  join District on District.DistrictId = TMSurvey.DistrictId
```

UploadView {dbo-uploadview}

Property	Value
Schema	dbo
Created	2005-05-17 09:11:53.780000
Modified	2018-01-21 20:26:47.620000

Columns

#	Column	Type	Nullable
1	UploadId	int	No
2	FileName	varchar(255)	Yes
3	DateCreated	datetime	Yes
4	DateUploaded	datetime	No
5	Status	varchar(255)	Yes
6	VendorId	int	No
7	VendorName	varchar(50)	Yes
8	UploadEmailList	varchar(4096)	Yes
9	HostURL	varchar(255)	Yes
10	HostPort	int	Yes
11	HostDirectory	varchar(255)	Yes
12	HostUserName	varchar(255)	Yes

13	HostPassword	varchar(255)	Yes
14	DistrictId	int	No
15	DistrictName	varchar(50)	Yes
16	VendorAccountNumber	varchar(50)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.Vendors	Table
dbo.VendorUploads	Table

SQL Definition

```
create   view  [dbo].[UploadView] as

select VendorUploads.UploadId, VendorUploads.FileName, VendorUploads.DateCreated, isnul...

  from PO with (nolock)

  join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

  join VendorUploads on VendorUploads.UploadId = PO.UploadId

  join Vendors on Vendors.VendorId = PO.VendorId

              and Vendors.UploadType is not null

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

 where PO.ExportedToVendor >= dateadd(month,-3,getdate())

 group by Vendors.Name, Vendors.UploadEMailList, Vendors.HostURL, Vendors.HostPort, Ven...
```

UserContactProblemView {dbo-usercontactproblemview}

Property	Value
Schema	dbo
Created	2016-03-07 16:18:23.023000
Modified	2018-01-21 20:26:47.627000

Columns

#	Column	Type	Nullable
1	UserName	varchar(10)	Yes
2	Attention	varchar(50)	Yes
3	ErrorMessage	varchar(270)	No
4	DistrictName	varchar(50)	Yes
5	DistrictId	int	No
6	RepName	varchar(30)	Yes
7	CSRepId	int	No
8	Active	tinyint	Yes
9	SchoolId	int	Yes
10	UserId	int	No

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.isValidEmail	Other
dbo.Users	Table

SQL Definition

```
/*order by A.Name, B.Email */

create   view  [dbo].[UserContactProblemView]

AS

SELECT  A.UserName, A.Attention,

        CASE

        WHEN IsNull(A.EMAIL,'')='' THEN 'Missing Email'

        WHEN IsNull(A.EMAIL,'')<>'' AND dbo.IsValidEmail(IsNull(A.EMAIL,''))=0 THEN 'In...

        --WHEN IsNull(A.EMAIL,'') like 'one@test.com' AND dbo.IsValidEmail(IsNull(A.EMA...

        ELSE ''

        END ErrorMessage,

        B.Name DistrictName,

        B.DistrictId,
```

```
        C.Name RepName,

        C.CSRepId,

... (truncated)
```

UserListView {dbo-userlistview}

Property	Value
Schema	dbo
Created	2005-11-14 13:13:32.977000
Modified	2024-10-22 15:33:30.997000

Columns

#	Column	Type	Nullable
1	SchoolName	varchar(50)	Yes
2	UserNumber	int	Yes
3	UserName	varchar(50)	Yes
4	Password	varchar(11)	No
5	Attention	varchar(50)	Yes
6	DistrictAccountingCode	varchar(20)	No
7	ShipLocation	varchar(50)	No
8	LocationCode	varchar(32)	No
9	AccountCode	varchar(50)	No
10	AllocationAmount	money	No
11	AllocationAvailable	numeric(19,4)	No
12	UseAllocations	tinyint	No
13	ApproverName	varchar(50)	No
14	SessionId	int	No
15	SchoolId	int	No
16	Email	varchar(255)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
CREATE   view  [dbo].[UserListView] as

select School.Name SchoolName, Users.CometId UserNumber, Users.UserName, '<Encrypted>' ...

       isnull(UserAccounts.AllocationAmount,0) AllocationAmount,

       case isnull(UserAccounts.UseAllocations,0)

         when 0 then case

                        when isnull(BudgetAccounts.AmountAvailable,0) > 9999999.99  then...

                        else isnull(BudgetAccounts.AmountAvailable,0)

                      end

         else case isnull(BudgetAccounts.UseAllocations,0)

                when 0 then isnull(UserAccounts.AllocationAvailable,0)

                else case

                        when isnull(BudgetAccounts.AmountAvailable,0) > isnull(UserAccou...

                        else isnull(BudgetAccounts.AmountAvailable,0)

                      end

                end
```

```
        end AllocationAvailable,

        isnull(UserAccounts.UseAllocations,0) UseAllocations, isnull(Approvers.Attention...

... (truncated)
```

UsersApprovees {dbo-usersapprovees}

Property	Value
Schema	dbo
Created	2004-01-07 10:00:17.810000
Modified	2018-01-21 20:26:47.637000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	CometId	int	Yes
3	Attention	varchar(50)	Yes
4	DisableNewRequisition	tinyint	No
5	DistrictAcctgCode	varchar(20)	Yes
6	SchoolName	varchar(50)	Yes
7	ApprovalLevelDescriptio	varchar(50)	Yes
8	ApproverId	int	Yes

Dependencies

Object	Type
dbo.ApprovalLevels	Table
dbo.School	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[UsersApprovees] as

SELECT Users.UserId, Users.CometId, Users.Attention, isnull(DisableNewRequisition,0) Di...

FROM Users with (nolock)

JOIN School ON School.SchoolId = Users.SchoolId

left outer join ApprovalLevels on ApprovalLevels.ApprovalLevel = isnull(Users.ApprovalL...

WHERE Users.Active = 1
```

UserTreeView {dbo-usertreeview}

Property	Value
Schema	dbo
Created	2003-12-15 17:10:37.340000
Modified	2024-10-22 15:34:17.513000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	DistrictId	int	Yes
3	SchoolId	int	Yes
4	ShippingId	int	Yes

5	UserName	varchar(50)	Yes
6	Password	varchar(11)	No
7	Attention	varchar(50)	Yes
8	ApprovalLevel	tinyint	Yes
9	CometId	int	Yes
10	DisableNewRequisition	tinyint	Yes
11	DistrictAcctgCode	varchar(20)	Yes
12	ApproverId	int	Yes
13	Children	int	Yes

Dependencies

Object	Type
dbo.Users	Table

SQL Definition

```
CREATE     view  [dbo].[UserTreeView]

as

select UserId, DistrictId, SchoolId, ShippingId, UserName, '<Encrypted>' Password, Atte...

  from Users with (nolock)

 where Active = 1
```

VendorBidLookup {dbo-vendorbidlookup}

Property	Value
Schema	dbo
Created	2014-06-11 16:41:34.123000
Modified	2018-01-21 20:26:47.643000

Columns

#	Column	Type	Nullable
1	vendorbidid	varchar(50)	Yes
2	calendarid	int	Yes
3	code	varchar(16)	Yes
4	name	varchar(50)	Yes
5	priceplan	varchar(16)	Yes

6	categoryname	varchar(255)	Yes
7	state	char(2)	Yes

Dependencies

Object	Type
dbo.bidcalendar	Other
dbo.registrations	Other
dbo.vendorBids	Other

SQL Definition

```
create   view  [dbo].[VendorBidLookup] as

select cast(vendorbids.vendorbidid as varchar(50)) as vendorbidid, vendorbids.calendari...

  from VendorBids.dbo.registrations registrations with (nolock)

  left outer join VendorBids.dbo.vendorBids vendorBids on vendorbids.registrationid = r...

  left outer join VendorBids.dbo.bidcalendar bidcalendar on bidcalendar.calendarid = ve...

 where registrations.active = 1
```

VendorContactProblemView {dbo-vendorcontactproblemview}

Property	Value
Schema	dbo
Created	2012-05-10 14:24:45.887000
Modified	2018-01-21 20:26:47.650000

Columns

#	Column	Type	Nullable
1	VendorName	varchar(50)	Yes
2	CODE	varchar(16)	Yes
3	ErrorMessage	varchar(270)	No
4	BidContactCount	int	Yes
5	POContactCount	int	Yes
6	FULLNAME	varchar(150)	Yes
7	EMAIL	varchar(255)	Yes
8	BIDCONTACT	tinyint	Yes
9	POCONTACT	tinyint	Yes
10	VENDORID	int	No
11	VENDORCONTACTID	int	Yes
12	Active	tinyint	Yes

Dependencies

Object	Type
dbo.isValidEmail	Other
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
/*order by A.Name, B.Email */
create   view  [dbo].[VendorContactProblemView]
AS
SELECT  A.NAME VendorName, A.CODE,
        CASE
        WHEN VendorContactId IS NOT NULL THEN
          CASE
          WHEN IsNull(B.EMAIL,'')='' THEN 'Missing Email'
          WHEN IsNull(B.EMAIL,'')<>'' AND dbo.IsValidEmail(IsNull(B.EMAIL,''))=0 THEN '...
          ELSE ''
          END
        ELSE 'Missing Contact'
        END ErrorMessage,
       (SELECT COUNT(*)
        FROM dbo.VendorContacts VC1
        WHERE VC1.VendorId = A.VendorId  AND Isnull(VC1.Active,0)=1 AND Isnull(VC1.BidC...
        ) BidContactCount,
       (SELECT COUNT(*)
```

```
            FROM dbo.VendorContacts VC2

            WHERE VC2.VendorId = A.VendorId  AND Isnull(VC2.Active,0)=1 AND Isnull(VC2.POCo...

    ... (truncated)
```

vw_ActiveBids {dbo-vw-activebids}

Property	Value
Schema	dbo
Created	2025-03-11 10:58:23.027000
Modified	2025-03-11 10:59:36.903000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidId	int	No
3	VendorId	int	No
4	VendorName	varchar(50)	Yes
5	VendorCode	varchar(16)	Yes
6	CategoryId	int	No
7	CategoryName	varchar(50)	Yes
8	CategoryType	int	Yes
9	PricePlanId	int	No
10	PricePlan	varchar(20)	Yes
11	BidType	tinyint	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table

dbo.Category	Table
dbo.PricePlans	Table
dbo.Vendors	Table

SQL Definition

```
Create   view vw_ActiveBids as

select BidHeaders.BidHeaderId, Bids.BidId,

       Vendors.VendorId, Vendors.Name VendorName, Vendors.Code VendorCode,

   Category.CategoryId, Category.Name CategoryName, Category.Type CategoryType,

   PricePlans.PricePlanId, PricePlans.Code PricePlan, BidHeaders.BidType

  from BidHeaders

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1

   and Bids.VendorId != 7691

  join Vendors on Vendors.VendorId = Bids.VendorId

  join Category on Category.CategoryId = BidHeaders.CategoryId

  join PricePlans on PricePlans.PricePlanId = BidHeaders.PricePlanId

 where getdate() between BidHeaders.EffectiveFrom and BidHeaders.EffectiveUntil

   and BidHeaders.Active = 1
```

vw_ActiveCatalogs {dbo-vw-activecatalogs}

Property	Value

Schema	dbo
Created	2025-03-06 14:24:04.367000
Modified	2025-03-06 14:24:04.367000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes
4	CatalogId	int	No
5	CatalogName	varchar(50)	Yes
6	VendorId	int	No
7	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.Vendors	Table

SQL Definition

```
create view vw_ActiveCatalogs as

select BidHeaders.BidHeaderId, Category.CategoryId, Category.Name CategoryName, Catalog...

  from BidHeaders

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1

   and Bids.VendorId != 7691

  join Vendors on Vendors.VendorId = Bids.VendorId

  join Category on Category.CategoryId = BidHeaders.CategoryId

  join BidsCatalogList on BidsCatalogList.BidId = Bids.BidId

  join Catalog on Catalog.CatalogId = BidsCatalogList.CatalogId

 where getdate() between BidHeaders.EffectiveFrom and BidHeaders.EffectiveUntil
```

vw_ActiveDistrictList {dbo-vw-activedistrictlist}

Property	Value
Schema	dbo
Created	2010-02-03 15:15:55.473000
Modified	2018-01-21 20:26:47.653000

Columns

#	Column	Type	Nullable
1	Name	varchar(50)	Yes
2	Address	varchar(50)	Yes
3	City	varchar(50)	Yes
4	State	varchar(2)	Yes

5	Zipcode	varchar(10)	Yes
6	BAName	varchar(174)	Yes
7	RTK	int	Yes
8	CooperativeBids	int	Yes
9	TimeAndMaterialBids	int	Yes
10	DistrictId	int	No
11	RepName	varchar(30)	Yes
12	RepEmail	varchar(128)	Yes
13	RepPhone	varchar(20)	Yes

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictContacts	Table

SQL Definition

```
create   view  [dbo].[vw_ActiveDistrictList] as

select District.Name, case PATINDEX('%PAYABLE%',coalesce(DistrictContacts.Address1, Dis...

  from District with (nolock)

  left outer join CSRep on CSRep.CSRepId = District.CSRepId

  left outer join DistrictContacts on DistrictContacts.DistrictId = District.DistrictId

                                  and DistrictContacts.DistrictContactId =

     (select Top 1 dc.DistrictContactId

        from DistrictContacts dc

       where dc.DistrictId = District.DistrictId

         and coalesce(dc.Address1 + dc.City + dc.State + dc.Zipcode,'') != ''

       order by case dc.DistrictContactTypeId when 2 then 0 when 5 then 1 when 1 then 2...

  left outer join DistrictContacts BAContact on BAContact.DistrictId = District.DistrictId

                                             and BAContact.DistrictContactId =

     (select Top 1 badc.DistrictContactId

        from DistrictContacts badc

       where badc.DistrictId = District.DistrictId

         and badc.DistrictContactTypeId = 1)

 where isnull(District.State,'') != ''
```

```
    and ISNULL(District.DistrictCode,'') != ''

    and ISNULL(District.County,'') != 'TEST'

  ... (truncated)
```

vw_ActiveVendors {dbo-vw-activevendors}

Property	Value
Schema	dbo
Created	2011-07-14 11:30:29.520000
Modified	2018-01-21 20:26:47.660000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	Active	tinyint	Yes
3	Code	varchar(16)	Yes
4	Name	varchar(50)	Yes
5	Address1	varchar(50)	Yes
6	Address2	varchar(50)	Yes
7	Address3	varchar(50)	Yes
8	City	varchar(25)	Yes
9	State	varchar(2)	Yes
10	ZipCode	varchar(10)	Yes
11	Phone	varchar(20)	Yes
12	Fax	varchar(20)	Yes
13	EMail	varchar(255)	Yes
14	UseGrossPrices	tinyint	Yes
15	ShippingPercentage	decimal(9,5)	Yes
16	DistrictId	int	Yes
17	Password	varchar(50)	Yes

18	HostURL	varchar(255)	Yes
19	HostPort	int	Yes
20	HostDirectory	varchar(255)	Yes
21	HostUserName	varchar(255)	Yes
22	HostPassword	varchar(255)	Yes
23	UploadEMailList	varchar(4096)	Yes
24	UploadType	int	Yes
25	BusinessUnit	varchar(17)	Yes
26	POPassword	varchar(50)	Yes
27	cXMLAddress	varchar(255)	Yes
28	VendorLogo	varbinary(MAX)	Yes
29	cXMLFromDomain	varchar(50)	Yes
30	cXMLFromIdentity	varchar(50)	Yes
31	cXMLToDomain	varchar(50)	Yes
32	cXMLToIdentity	varchar(50)	Yes
33	cXMLSenderDomain	varchar(50)	Yes
34	cXMLSenderIdentity	varchar(50)	Yes
35	cXMLSenderSharedSecre	varchar(50)	Yes
36	rowguid	uniqueidentifier	No
37	Contact	varchar(50)	Yes

Dependencies

Object	Type
dbo.Category	Table
dbo.District	Table
dbo.VendorCategoryPP	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_ActiveVendors]

as

select *, case when Vendors.Address1 like 'Attn:%' then rtrim(ltrim(substring(Vendors.A...

  from Vendors with (nolock)

 where Vendors.Active = 1

   and isnull(Vendors.Code,'') != ''

   and Vendors.VendorId != 7691

   and substring(Vendors.Code,1,1) not in ('T','F')

   and Vendors.VendorId IN (select vc.VendorId

                              from VendorCategoryPP vc with (nolock)

                              join Category c on c.CategoryId = vc.CategoryId

                                              and c.Type != 2

                              join Vendors v on v.VendorId = vc.VendorId

                              join District on District.DistrictId = case isnull(vc.Dis...

                             group by vc.VendorId)
```

vw_ApprovalsHistory {dbo-vw-approvalshistory}

Property	Value
Schema	dbo

Created	2012-09-19 01:28:05.640000
Modified	2018-01-21 20:26:47.667000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	ApprovalDate	datetime	Yes
3	Submitter	varchar(56)	No
4	Approver	varchar(56)	No
5	StatusName	varchar(50)	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Requisitions	Table
dbo.StatusTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ApprovalsHistory] as

select Requisitions.RequisitionId,

       Approvals.ApprovalDate,

       isnull(right('00000' + isnull(cast(a1.CometId as varchar),''),5),'') + ' ' + isn...

       isnull(right('00000' + cast(a2.CometId as varchar),5),'') + ' ' + isnull(a2.Atte...

       isnull(StatusTable.Name,'') StatusName

  from Requisitions with (nolock)

  left outer join Approvals on Approvals.RequisitionId = Requisitions.RequisitionId

  left outer join Users a1 on a1.UserId = Approvals.ApprovalById

  left outer join Users a2 on a2.UserId = Approvals.ApproverId

  left outer join StatusTable on StatusTable.StatusId = Approvals.StatusId
```

vw_ApproveRequisitions {dbo-vw-approverequisitions}

Property	Value
Schema	dbo
Created	2012-09-12 23:44:13.643000
Modified	2023-03-21 14:27:41.520000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	RequisitionNumber	varchar(24)	Yes
3	StatusID	int	No
4	StatusName	varchar(50)	No
5	TotalRequisitionCost	money	No
6	ApprovalLevel	tinyint	No
7	Attention	varchar(50)	Yes
8	CometId	varchar(5)	Yes
9	DateUpdated	datetime	Yes
10	NotesCount	int	No
11	OrderType	tinyint	No
12	OrderTypeDisplay	varchar(10)	No
13	UserDisplayName	varchar(56)	Yes
14	CategoryID	int	No
15	CategoryName	varchar(50)	Yes
16	BudgetID	int	No
17	AccountID	int	No
18	AccountCode	varchar(50)	No
19	DistrictID	int	No
20	DistrictName	varchar(50)	No
21	SchoolID	int	No
22	SchoolName	varchar(50)	Yes
23	UserID	int	No
24	UserAccountId	int	No
25	SessionId	int	No
26	AllocationAvailable	money	Yes
27	REQ_UAID	int	Yes
28	UseBudgetAccountAlloca	tinyint	No
29	BudgetAmount	money	No
30	UseAllocations	tinyint	No
31	AllocationAmount	money	No
32	HistoryCount	int	No

33	StatusDesc	varchar(104)	No
34	AddendaTotal	money	Yes
35	LastAlteredSessionId	int	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Approvals	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.StatusTable	Table
dbo.uf_RequisitionIsVisible	Other
dbo.UserAccounts	Table
dbo.Users	Table
dbo.vw_FA_UserDisplayName	View
dbo.vw_RequisitionStatus	View
dbo.vw_StatusHistory	View

SQL Definition

```
CREATE   view  [dbo].[vw_ApproveRequisitions] as

SELECTRequisitions.RequisitionId,

Requisitions.RequisitionNumber,

ISNULL(Approvals.StatusID,cast(0 as int)) AS StatusID,

ISNULL(StatusTable.Name,'On Hold') AS StatusName,

isnull(Requisitions.TotalRequisitionCost,CAST(0 as money)) as TotalRequisitionCost,

isnull(Requisitions.ApprovalLevel,0) ApprovalLevel,

Requisitions.Attention,

RIGHT('00000' + convert(varchar(6),Users.CometId),5) as CometId,

Requisitions.DateUpdated,

ISNULL(Requisitions.NotesCount,0) AS NotesCount,

isnull(Requisitions.OrderType,0) as OrderType,

CASE Requisitions.OrderType

WHEN 1 THEN 'Annual'

WHEN 2 THEN 'Incidental'

ELSE ''
```

```
END AS OrderTypeDisplay,

vwFAUDN.UserDisplayName AS UserDisplayName,

isnull(Requisitions.CategoryId,0) AS CategoryID,
```

```
trim(coalesce(DistrictCategories.Title, Category.[Name])) as CategoryName,

isnull(Requisitions.BudgetId,0) AS BudgetID,

... (truncated)
```

vw_ApproveRequisitionsBySession {dbo-vw-approverequisitionsbysession}

Property	Value
Schema	dbo
Created	2013-12-03 12:32:35.270000
Modified	2025-05-19 12:27:19.020000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	RequisitionNumber	varchar(24)	Yes
3	StatusID	int	No
4	StatusName	varchar(50)	No
5	TotalRequisitionCost	money	No
6	ApprovalLevel	tinyint	No
7	Attention	varchar(50)	Yes
8	CometId	varchar(5)	Yes
9	DateUpdated	datetime	Yes
10	NotesCount	int	No
11	OrderType	tinyint	No
12	OrderTypeDisplay	varchar(10)	No
13	UserDisplayName	varchar(56)	Yes
14	CategoryID	int	No
15	CategoryName	varchar(50)	Yes

16	BudgetID	int	No
17	AccountID	int	No
18	AccountCode	varchar(62)	No
19	DistrictID	int	No
20	DistrictName	varchar(50)	No
21	SchoolID	int	No
22	SchoolName	varchar(103)	Yes
23	UserID	int	No
24	UserAccountId	int	No
25	SessionId	int	No
26	AllocationAvailable	money	Yes
27	REQ_UAID	int	Yes
28	UseBudgetAccountAlloca	tinyint	No
29	BudgetAmount	money	No
30	UseAllocations	tinyint	No
31	AllocationAmount	money	No
32	HistoryCount	int	No
33	StatusDesc	varchar(104)	No
34	AddendaTotal	money	No
35	LastAlteredSessionId	int	Yes
36	LowPOCount	int	Yes
37	DistrictPOMinimum	money	No
38	InactiveAccount	int	No
39	AdditionalShipping	int	Yes
40	AdditionalShippingCost	decimal(38,2)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Approvals	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table

dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.ShipLocations	Table
dbo.StatusTable	Table
dbo.uf_RequisitionIsVisible	Other
dbo.UserAccounts	Table
dbo.Users	Table
dbo.vw_FA_UserDisplayName	View
dbo.vw_RequisitionShippingCosts	View
dbo.vw_RequisitionStatusBySession	View
dbo.vw_StatusHistory	View

SQL Definition

```
--select * from vw_ApproveRequisitionsBySession where SessionId = 1784625165



CREATE       view  [dbo].[vw_ApproveRequisitionsBySession] as

SELECTRequisitions.RequisitionId,

Requisitions.RequisitionNumber,

ISNULL(vwRS.StatusID,cast(0 as int)) AS StatusID,

--ISNULL(Approvals.StatusID,cast(0 as int)) AS StatusID,

ISNULL(StatusTable.Name,'On Hold') AS StatusName,

isnull(Requisitions.TotalRequisitionCost,CAST(0 as money)) as TotalRequisitionCost,

isnull(Requisitions.ApprovalLevel,0) ApprovalLevel,

Requisitions.Attention,

RIGHT('00000' + convert(varchar(6),Users.CometId),5) as CometId,

Requisitions.DateUpdated,

ISNULL(Requisitions.NotesCount,0) AS NotesCount,

isnull(Requisitions.OrderType,0) as OrderType,

CASE Requisitions.OrderType

WHEN 1 THEN 'Annual'

WHEN 2 THEN 'Incidental'

ELSE ''

END AS OrderTypeDisplay,

vwFAUDN.UserDisplayName AS UserDisplayName,

isnull(Requisitions.CategoryId,0) AS CategoryID,

trim(coalesce(DistrictCategories.Title, Category.[Name])) as CategoryName,
```

```
isnull(Requisitions.BudgetId,0) AS BudgetID,

isnull(Accounts.AccountId,0) AS AccountID,

... (truncated)
```

vw_ApproveRequisitionsBySession_Test {dbo-vw-approverequisitionsbysession-test}

Property	Value
Schema	dbo
Created	2022-04-13 15:04:19.640000
Modified	2022-04-13 15:04:19.640000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	RequisitionNumber	varchar(24)	Yes
3	StatusID	int	No
4	StatusName	varchar(50)	No
5	TotalRequisitionCost	money	No
6	ApprovalLevel	tinyint	No
7	Attention	varchar(50)	Yes
8	CometId	varchar(5)	Yes
9	DateUpdated	datetime	Yes
10	NotesCount	int	No
11	OrderType	tinyint	No
12	OrderTypeDisplay	varchar(10)	No
13	UserDisplayName	varchar(56)	Yes
14	CategoryID	int	No
15	CategoryName	varchar(50)	Yes

16	BudgetID	int	No
17	AccountID	int	No
18	AccountCode	varchar(62)	No
19	DistrictID	int	No
20	DistrictName	varchar(50)	No
21	SchoolID	int	No
22	SchoolName	varchar(103)	Yes
23	UserID	int	No
24	UserAccountId	int	No
25	SessionId	int	No
26	AllocationAvailable	money	Yes
27	REQ_UAID	int	Yes
28	UseBudgetAccountAlloca	tinyint	No
29	BudgetAmount	money	No
30	UseAllocations	tinyint	No
31	AllocationAmount	money	No
32	HistoryCount	int	No
33	StatusDesc	varchar(104)	No
34	AddendaTotal	money	No
35	LastAlteredSessionId	int	Yes
36	LowPOCount	int	Yes
37	DistrictPOMinimum	money	No
38	InactiveAccount	int	No
39	AdditionalShipping	int	Yes
40	AdditionalShippingCost	decimal(38,2)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Approvals	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table

dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.ShipLocations	Table
dbo.StatusTable	Table
dbo.uf_RequisitionIsVisible	Other
dbo.UserAccounts	Table
dbo.Users	Table
dbo.vw_FA_UserDisplayName	View
dbo.vw_RequisitionStatusBySession	View
dbo.vw_StatusHistory	View

SQL Definition

```
--select * from vw_ApproveRequisitionsBySession where SessionId = 3877897


create     view  [dbo].[vw_ApproveRequisitionsBySession_Test] as

with MyUsers(UserId, ApproverId, ApprovalLevel, Level) as

(

select Users.UserId, Users.ApproverId, Users.ApprovalLevel, 0 as Level

  from Users

 where coalesce(Users.ApproverId,0) in (0, Users.UserId)

union all

select Users.UserId, Users.ApproverId, Users.ApprovalLevel, Level + 1 as Level

  from Users

  inner join MyUsers on MyUsers.ApproverId = Users.UserId

)

SELECTRequisitions.RequisitionId,

Requisitions.RequisitionNumber,

ISNULL(vwRS.StatusID,cast(0 as int)) AS StatusID,

--ISNULL(Approvals.StatusID,cast(0 as int)) AS StatusID,
```

```
ISNULL(StatusTable.Name,'On Hold') AS StatusName,

isnull(Requisitions.TotalRequisitionCost,CAST(0 as money)) as TotalRequisitionCost,

... (truncated)
```

vw_ApproveRequisitionsTest {dbo-vw-approverequisitionstest}

Property	Value
Schema	dbo
Created	2013-12-03 10:38:38.713000
Modified	2018-01-21 20:26:47.057000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	RequisitionNumber	varchar(24)	Yes
3	StatusID	int	No
4	StatusName	varchar(50)	No
5	TotalRequisitionCost	money	No
6	ApprovalLevel	tinyint	No
7	Attention	varchar(50)	Yes
8	CometId	varchar(5)	Yes
9	DateUpdated	datetime	Yes
10	NotesCount	int	No
11	OrderType	tinyint	No
12	OrderTypeDisplay	varchar(10)	No
13	UserDisplayName	varchar(56)	Yes
14	CategoryID	int	No
15	CategoryName	varchar(50)	Yes

16	BudgetID	int	No
17	AccountID	int	No
18	AccountCode	varchar(50)	No
19	DistrictID	int	No
20	DistrictName	varchar(50)	No
21	SchoolID	int	No
22	SchoolName	varchar(50)	Yes
23	UserID	int	No
24	UserAccountId	int	No
25	SessionId	int	No
26	AllocationAvailable	money	Yes
27	REQ_UAID	int	Yes
28	UseBudgetAccountAlloca	tinyint	No
29	BudgetAmount	money	No
30	UseAllocations	tinyint	No
31	AllocationAmount	money	No
32	HistoryCount	int	No
33	StatusDesc	varchar(104)	No
34	AddendaTotal	money	Yes
35	LastAlteredSessionId	int	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Approvals	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.SessionTable	Table

dbo.StatusTable	Table
dbo.uf_RequisitionIsVisible	Other
dbo.UserAccounts	Table
dbo.Users	Table
dbo.vw_FA_UserDisplayName	View
dbo.vw_RequisitionStatusBySession	View
dbo.vw_StatusHistory	View

SQL Definition

```
create   view  [dbo].[vw_ApproveRequisitionsTest] as

SELECTRequisitions.RequisitionId,

Requisitions.RequisitionNumber,

ISNULL(Approvals.StatusID,cast(0 as int)) AS StatusID,

ISNULL(StatusTable.Name,'On Hold') AS StatusName,

isnull(Requisitions.TotalRequisitionCost,CAST(0 as money)) as TotalRequisitionCost,

isnull(Requisitions.ApprovalLevel,0) ApprovalLevel,

Requisitions.Attention,

RIGHT('00000' + convert(varchar(6),Users.CometId),5) as CometId,

Requisitions.DateUpdated,

ISNULL(Requisitions.NotesCount,0) AS NotesCount,

isnull(Requisitions.OrderType,0) as OrderType,

CASE Requisitions.OrderType

WHEN 1 THEN 'Annual'

WHEN 2 THEN 'Incidental'

ELSE ''

END AS OrderTypeDisplay,

vwFAUDN.UserDisplayName AS UserDisplayName,

isnull(Requisitions.CategoryId,0) AS CategoryID,
```

```
Category.[Name] as CategoryName,

isnull(Requisitions.BudgetId,0) AS BudgetID,

... (truncated)
```

vw_ARAccounts {dbo-vw-araccounts}

Property	Value
Schema	dbo
Created	2010-02-10 11:49:23.407000
Modified	2018-01-21 20:26:47.670000

Columns

#	Column	Type	Nullable
1	Tagged	int	No
2	SessionId	int	No
3	AccountId	int	No
4	AccountCode	varchar(50)	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Requisitions	Table
dbo.SessionTable	Table
dbo.UserAccounts	Table

SQL Definition

```
create   view  [dbo].[vw_ARAccounts] as

select 1 Tagged, SessionTable.SessionId, Accounts.AccountId, isnull(Accounts.Code,'') A...

  from Accounts with (nolock)

  join SessionTable on SessionTable.DistrictId = Accounts.DistrictId

 where Accounts.Active = 1

   and exists(select Top 1 RequisitionId from Requisitions with (nolock) join UserAccou...
```

vw_ARBudgets {dbo-vw-arbudgets}

Property	Value
Schema	dbo
Created	2010-02-10 11:29:51.933000
Modified	2018-01-21 20:26:47.673000

Columns

#	Column	Type	Nullable
1	Tagged	int	No

2	SessionId	int	No
3	BudgetId	int	No
4	BudgetName	varchar(30)	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ARBudgets] as

select case when getdate() between case when ISNULL(Users.AllowEarlyAccess,0) = 1 or is...

  from Budgets with (nolock)

  join SessionTable on SessionTable.DistrictId = Budgets.DistrictId

  left outer join Users on Users.UserId = SessionTable.UserId

 where Budgets.Active = 1

   and getdate() between case when isnull(Users.ApprovalLevel,0) >= 5 then dateadd(year...

/* DCH 10/6/14 EarlyAccess

select case when Budgets.VisibleFrom <= getdate() and Budgets.VisibleUntil >= getdate()...

  from Budgets with (nolock)

  join SessionTable on SessionTable.DistrictId = Budgets.DistrictId

  left outer join Users on Users.UserId = SessionTable.UserId

 where Budgets.Active = 1

   and Budgets.VisibleFrom >= case when isnull(SessionTable.ApprovalLevel,0) >= 5 then ...

   and Budgets.VisibleUntil <= case when isnull(SessionTable.ApprovalLevel,0) >= 5 then...

*/
```

vw_ARCategories {dbo-vw-arcategories}

Property	Value
Schema	dbo
Created	2010-02-10 11:34:51.227000

Modified	2018-01-21 20:26:47.677000

Columns

#	Column	Type	Nullable
1	Tagged	int	No
2	SessionId	int	No
3	CategoryId	int	No
4	CategoryName	varchar(50)	Yes

Dependencies

Object	Type
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.SessionTable	Table

SQL Definition

```
create   view  [dbo].[vw_ARCategories] as

select 1 Tagged, SessionTable.SessionId, Category.CategoryId, case isnull(rtrim(Distric...

  from Category with (nolock)

  join DistrictCategories on DistrictCategories.CategoryId = Category.CategoryId

                          and DistrictCategories.Active = 1

  join SessionTable on SessionTable.DistrictId = DistrictCategories.DistrictId

 where Category.Active = 1
```

vw_ARSchools {dbo-vw-arschools}

Property	Value
Schema	dbo
Created	2010-02-10 11:43:07.897000
Modified	2018-01-21 20:26:47.680000

Columns

#	Column	Type	Nullable
1	Tagged	int	No
2	SessionId	int	No
3	SchoolId	int	No
4	SchoolName	varchar(50)	No

Dependencies

Object	Type
dbo.School	Table
dbo.SessionTable	Table

SQL Definition

```
create   view  [dbo].[vw_ARSchools] as

select 1 Tagged, SessionTable.SessionId, School.SchoolId, isnull(School.Name,'') School...

  from School with (nolock)

  join SessionTable on SessionTable.DistrictId = School.DistrictId

 where School.Active = 1
```

vw_ARStatuses {dbo-vw-arstatuses}

Property	Value
Schema	dbo
Created	2010-02-10 13:15:46.210000
Modified	2018-01-21 20:26:46.527000

Columns

#	Column	Type	Nullable
1	Tagged	int	No
2	SessionId	int	No

3	BudgetId	int	No
4	StatusId	int	No
5	StatusDesc	varchar(104)	No
6	StatusCode	int	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Requisitions	Table
dbo.SessionTable	Table
dbo.uf_UserInApprovalChain	Other
dbo.vw_RequisitionStatus	View

SQL Definition

```
create   view  [dbo].[vw_ARStatuses] as

select 1 Tagged, SessionTable.SessionId, Budgets.BudgetId, rs.StatusId, rs.StatusDesc, ...

  from Requisitions with (nolock)

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join SessionTable on SessionTable.DistrictId = Budgets.DistrictId

  join vw_RequisitionStatus rs on rs.RequisitionId = Requisitions.RequisitionId

 where case isnull(SessionTable.RepUserId,0) when 0 then dbo.uf_UserInApprovalChain(Ses...

 group by SessionTable.SessionId, Budgets.BudgetId, rs.StatusId, rs.StatusDesc, rs.Stat...
```

vw_ARUsers {dbo-vw-arusers}

Property	Value
Schema	dbo
Created	2010-02-10 12:32:26.713000
Modified	2018-01-21 20:26:47.683000

Columns

#	Column	Type	Nullable
1	Tagged	int	No

2	SessionId	int	No
3	UserId	int	No
4	UserNumber	int	No
5	Attention	varchar(50)	No

Dependencies

Object	Type
dbo.SessionTable	Table
dbo.uf_UserInApprovalChain	Other
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ARUsers] as

select 1 Tagged, SessionTable.SessionId, Users.UserId, isnull(Users.CometId,0) UserNumb...

  from Users with (nolock)

  join SessionTable on SessionTable.DistrictId = Users.DistrictId

 where Users.Active = 1

--   and exists(select Top 1 RequisitionId from Requisitions with (nolock) join UserAcc...

   and case isnull(SessionTable.RepUserId,0) when 0 then dbo.uf_UserInApprovalChain(Ses...
```

vw_AtAGlance {dbo-vw-ataglance}

Property	Value
Schema	dbo
Created	2010-01-25 11:26:15.163000
Modified	2019-06-27 13:17:44.167000

Columns

#	Column	Type	Nullable
1	CSRepId	int	No
2	CSRepName	varchar(30)	No

3	DistrictId	int	No
4	DistrictName	varchar(50)	No
5	BudgetId	int	No
6	BudgetName	varchar(30)	No
7	Schedule	varchar(50)	No
8	ReqCount	int	No
9	ProcessedReqCount	int	No
10	ReqPOCount	int	No
11	DownloadedCount	int	No
12	ManualPOCount	int	No
13	POCount	int	No
14	ReadyToBidCount	int	No
15	OutToBidCount	int	No
16	NeedingToBeBidCount	int	No
17	BAApprovals	int	No
18	ReqsOverBudget	int	No
19	ExcessiveReqs	int	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.Detail	Table
dbo.District	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create    view  [dbo].[vw_AtAGlance] as

select isnull(District.CSRepId,0) CSRepId, isnull(CSRep.Name,'') CSRepName, District.Di...

isnull((select COUNT(*)

   from Requisitions R1 with (nolock)

   join Budgets B1 on B1.BudgetId = R1.BudgetId

                  and B1.BudgetId = Budgets.BudgetId

  where isnull((select top 1 ap.StatusId

         from Approvals ap

        where ap.RequisitionId = R1.RequisitionId

        order by ap.ApprovalDate desc),0) != 4),0) ReqCount,

isnull((select COUNT(*)

   from Requisitions R1 with (nolock)

   join Budgets B1 on B1.BudgetId = R1.BudgetId

                  and B1.BudgetId = Budgets.BudgetId

  where exists(select ap.StatusId

         from Approvals ap

        where ap.RequisitionId = R1.RequisitionId

  and ap.StatusId in (6,35,45,49))),0) ProcessedReqCount,

isnull((select COUNT(*)
```

```
    from

    (select R1.RequisitionId, Detail.VendorId

     from Requisitions R1 with (nolock)

  ... (truncated)
```

vw_AvailableReqBids {dbo-vw-availablereqbids}

Property	Value
Schema	dbo
Created	2012-04-06 14:30:01.853000
Modified	2018-01-21 20:26:47.697000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	BidHeaderId	int	Yes
3	HeaderText	varchar(305)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCategory	Table
dbo.PricePlans	Table

dbo.Requisitions	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_AvailableReqBids] as

SELECT distinct Requisitions.RequisitionId, BidHeaders.BidHeaderId, convert(varchar(16)...

FROM Requisitions

join Budgets on Budgets.BudgetId = Requisitions.BudgetId

join DistrictPP on DistrictPP.DistrictId = Budgets.DistrictId

join PPCategory on PPCategory.PricePlanId = DistrictPP.PricePlanId

               and PPCategory.CategoryId = Requisitions.CategoryId

join Category on Category.CategoryId = PPCategory.CategoryId

join DistrictCategories on DistrictCategories.DistrictId = Budgets.DistrictId

                       and DistrictCategories.CategoryId = Requisitions.CategoryId

                       and DistrictCategories.Active = 1

join Users on Users.UserId = Requisitions.UserId

join BidHeaders on BidHeaders.PricePlanId = PPCategory.PricePlanId

               and BidHeaders.CategoryId = Requisitions.CategoryId

               and getdate() between case when (isnull(Users.AllowEarlyAccess,0) = 1 or...

               and getdate() between BidHeaders.EffectiveFrom and BidHeaders.EffectiveU...

               and BidHeaders.Active = 1

               and isnull(BidHeaders.DistrictId,0) = case isnull(Category.Type,1) when ...

join PricePlans on PricePlans.PricePlanId = BidHeaders.PricePlanId

join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

         and Bids.Active = 1
```

vw_AvailableUserAccounts {dbo-vw-availableuseraccounts}

Property	Value
Schema	dbo
Created	2012-08-24 10:19:29.640000
Modified	2018-01-21 20:26:47.700000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	BudgetId	int	No
3	BudgetAccountId	int	No
4	UseAllocations	tinyint	Yes
5	BudgetAmount	money	Yes
6	AmountAvailable	money	Yes
7	AccountId	int	No
8	Code	varchar(50)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_AvailableUserAccounts] as

select Users.UserId, Budgets.BudgetId, BudgetAccounts.BudgetAccountId, BudgetAccounts.U...

  from Users with (nolock)

  join Budgets on Budgets.DistrictId = Users.DistrictId

  join BudgetAccounts on BudgetAccounts.BudgetId = Budgets.BudgetId

                     and BudgetAccounts.Active = 1

  join Accounts on Accounts.AccountId = BudgetAccounts.AccountId

               and Accounts.Active = 1

  left outer join UserAccounts on UserAccounts.AccountId = Accounts.AccountId

                              and UserAccounts.BudgetAccountId = BudgetAccounts.BudgetA...

                              and UserAccounts.Active = 1

                              and UserAccounts.UserId = Users.UserId

 where Users.Active = 1

   and UserAccounts.UserAccountId is null
```

vw_AVBidsVendorsCategoriesBySession {dbo-vw-avbidsvendorscategoriesbysession}

Property	Value
Schema	dbo
Created	2012-04-17 13:30:29.570000
Modified	2025-09-18 15:12:44.350000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes
4	CategoryType	int	Yes
5	VendorId	int	No
6	VendorName	varchar(50)	Yes
7	VendorCode	varchar(16)	Yes
8	BidHeaderId	int	Yes
9	BidAdvertised	datetime	Yes
10	BidAwardDate	datetime	Yes
11	EffectiveFrom	datetime	Yes
12	EffectiveUntil	datetime	Yes
13	BidType	tinyint	No
14	VendorBidNumber	varchar(50)	Yes
15	Comments	varchar(1538)	Yes
16	Address1	varchar(50)	Yes
17	Address2	varchar(50)	Yes
18	City	varchar(50)	Yes
19	State	char(2)	Yes
20	Zipcode	varchar(10)	Yes
21	VendorContactFullName	varchar(150)	Yes
22	VendorContactEMail	varchar(255)	Yes
23	VendorContactPhone	varchar(25)	Yes
24	VendorContactFax	varchar(20)	Yes
25	CatalogId	int	Yes
26	BidYears	varchar(11)	Yes
27	BidMessage	varchar(1024)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.bidinfolookup	View
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.Counties	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.DistrictVendor	Table
dbo.PPCategory	Table
dbo.Requisitions	Table
dbo.SessionTable	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_Vendors	View

SQL Definition

Definition truncated (15,033 characters). First 8000 shown:

```
CREATE     view  [dbo].[vw_AVBidsVendorsCategoriesBySession] as

select SessionTable.SessionId,

       Category.CategoryId, Category.Name CategoryName, Category.Type CategoryType,

       Vendors.VendorId, coalesce(Vendors.DisplayAs,Vendors.Name,'') VendorName, Vendor...

       BidHeaders.BidHeaderId, BidHeaders.BidDate BidAdvertised, BidHeaders.BidAwardDate,

       BidHeaders.EffectiveFrom, BidHeaders.EffectiveUntil, isnull(BidHeaders.BidType,2...

       Bids.VendorBidNumber, case isnull(rtrim(BidImports.Comments),'') when '' then ''...

       VendorContacts.Address1, VendorContacts.Address2,

       VendorContacts.City, VendorContacts.State, VendorContacts.Zipcode,

       VendorContacts.FullName VendorContactFullName,

       VendorContacts.Email VendorContactEMail, VendorContacts.Phone VendorContactPhone...

       (select Top 1 Catalog.CatalogId

          from BidsCatalogList with (nolock)

          join Catalog on Catalog.CatalogId = BidsCatalogList.CatalogId

                      and Catalog.Active = 1

         where BidsCatalogList.BidId = Bids.BidId

         order by Catalog.CatalogYear desc, Catalog.CatalogId desc) CatalogId,

       bil.BidYears,

   coalesce(BidHeaders.BidMessage,'') BidMessage

  from SessionTable with (nolock)

  join District on District.DistrictId = SessionTable.DistrictId

  join DistrictPP on DistrictPP.DistrictId = District.DistrictId
```

```
    join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId

                            and DistrictCategories.Active = 1

  ... (truncated)
```

vw_AVCategoriesBySession {dbo-vw-avcategoriesbysession}

Property	Value
Schema	dbo
Created	2012-05-17 14:13:30.030000
Modified	2020-05-19 17:41:09.493000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes

Dependencies

Object	Type
dbo.vw_AVBidsVendorsCategoriesBySession	View

SQL Definition

```
CREATE   view  [dbo].[vw_AVCategoriesBySession] as

select SessionId, CategoryId, CategoryName

  from vw_AVBidsVendorsCategoriesBySession with (nolock)

 group by SessionId, CategoryId, CategoryName
```

vw_AVVendorsBySession {dbo-vw-avvendorsbysession}

Property	Value
Schema	dbo
Created	2012-05-17 14:15:02.220000
Modified	2020-05-19 17:41:09.897000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	VendorId	int	No
3	VendorName	varchar(50)	Yes
4	VendorCode	varchar(16)	Yes

Dependencies

Object	Type
dbo.vw_AVBidsVendorsCategoriesBySession	View

SQL Definition

```
CREATE   view  [dbo].[vw_AVVendorsBySession] as

select SessionId, VendorId, VendorName, VendorCode

  from vw_AVBidsVendorsCategoriesBySession with (nolock)

 group by SessionId, VendorId, VendorName, VendorCode
```

vw_AVVendorsExport {dbo-vw-avvendorsexport}

Property	Value
Schema	dbo
Created	2019-03-14 09:20:56.187000
Modified	2024-04-22 19:59:15.387000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	VendorId	int	No
3	VendorName	varchar(50)	No
4	ContactInfo	varchar(548)	Yes
5	CategoryId	int	No
6	CategoryName	varchar(308)	Yes
7	BidHeaderId	int	Yes
8	VendorBidNumber	varchar(50)	No
9	AdditionalHandlingAmou	money	No

10	FreeHandlingAmount	money	No
11	BidComments	varchar(512)	No
12	EMail	varchar(255)	No
13	VendorCode	varchar(16)	No
14	DistrictVendorCode	varchar(20)	No
15	VendorsAccountCode	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.DistrictVendor	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.vw_Vendors	View

SQL Definition

```
CREATE   view [dbo].[vw_AVVendorsExport] as

select Budgets.BudgetId, vw_Vendors.VendorId, vw_Vendors.Name VendorName, vw_Vendors.Co...

       isnull(vw_Vendors.EMail,'') EMail,

       isnull(vw_Vendors.Code,'') as VendorCode,

       ISNULL(DistrictVendor.Value,'') DistrictVendorCode,

       ISNULL(DistrictVendor.VendorsAccountCode,'') VendorsAccountCode

  from Budgets

  join DistrictPP on DistrictPP.DistrictId = Budgets.DistrictId

  join BidHeaders on BidHeaders.PricePlanId = DistrictPP.PricePlanId

                 and BidHeaders.Active = 1

                 and BidHeaders.BidType = 1

                 and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders.Effectiv...

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1

  join BidImports on BidImports.BidImportId = Bids.BidImportId

  join vw_Vendors on vw_Vendors.VendorId = Bids.VendorId

  join Category on Category.CategoryId = BidHeaders.CategoryId

                and Category.Type in (1,5)
```

```
    left outer join DistrictVendor on DistrictVendor.VendorId = Bids.VendorId
                                    and DistrictVendor.DistrictId = Budgets.DistrictId
  ... (truncated)
```

vw_AwardedBidResults {dbo-vw-awardedbidresults}

Property	Value
Schema	dbo
Created	2019-11-07 16:05:19.030000
Modified	2024-08-28 16:22:02.240000

Columns

#	Column	Type	Nullable
1	Item Code	varchar(50)	Yes
2	Vendor Item Code	varchar(50)	No
3	Bid Price	decimal(33,13)	Yes
4	Qty	int	Yes
5	Description	varchar(1156)	Yes
6	UOM	varchar(20)	No
7	Items Per Unit	varchar(50)	No
8	Item Bid Type	varchar(32)	No
9	Alternate	varchar(512)	No
10	Manufacturer	varchar(50)	No
11	Manufacturer Part Numb	varchar(50)	No
12	UPC / EAN / ISBN	varchar(20)	No
13	SDS URL	varchar(300)	No
14	Image URL	varchar(300)	No
15	Awarded Vendor Name	varchar(50)	No
16	Vendor Code	varchar(16)	No
17	UniqueId Do Not Modify	int	No

18	BidHeaderId	int	Yes
19	VendorId	int	Yes
20	SortSeq	varchar(64)	No
21	UNSPSC	varchar(50)	No
22	UniqueItemNumber	varchar(50)	No
23	PerishableItem	bit	No
24	PrescriptionRequired	bit	No
25	DigitallyDelivered	tinyint	No
26	MinimumOrderQuantity	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.Items	Table
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_ItemDescription	View

SQL Definition

```
CREATE   view [dbo].[vw_AwardedBidResults] as

select Items.ItemCode as [Item Code],

       isnull(BidItems.VendorItemCode,'') as [Vendor Item Code],

   isnull(BidItems.Price,0) - round(isnull(BidItems.Price,0) * (isnull(Bids.BidDiscoun...

   BidItems.BidRequest as [Qty],

   vw_ItemDescription.ItemDescription as [Description],

   isnull(Units.Code,'') as [UOM],

   isnull(BidResults.ItemsPerUnit,'') [Items Per Unit],

   isnull(BidItems.ItemBidType,'') [Item Bid Type],

   isnull(BidItems.Alternate,'') [Alternate],

   isnull(BidResults.ManufacturerBid,'') [Manufacturer],

   isnull(BidResults.ManufPartNoBid,'') [Manufacturer Part Number],

   isnull(BidResults.UPC_ISBN,'') as [UPC / EAN / ISBN],

   isnull(BidResults.SDS_URL,'') as [SDS URL],

   isnull(BidResults.ImageURL,'') as [Image URL],

   isnull(Vendors.Name,'') [Awarded Vendor Name],

   isnull(Vendors.Code,'') [Vendor Code],

   BidResults.BidResultsId as [UniqueId Do Not Modify],
```

```
        Bids.BidHeaderId,

        Bids.VendorId,

... (truncated)
```

vw_AwardedVendorsAllCurrentAndFutureBids {dbo-vw-awardedvendorsallcurrentandfuturebids}

Property	Value
Schema	dbo
Created	2022-10-31 14:47:05.873000
Modified	2023-01-09 13:38:16.640000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	BidImportId	int	No
3	VendorName	varchar(50)	No
4	ContactInfo	varchar(548)	Yes
5	CategoryId	int	No
6	CategoryName	varchar(308)	Yes
7	BidHeaderId	int	Yes
8	VendorBidNumber	varchar(50)	No
9	AdditionalHandlingAmou	money	No
10	FreeHandlingAmount	money	No
11	BidComments	varchar(512)	No
12	EMail	varchar(255)	No
13	VendorCode	varchar(16)	No
14	EffectiveFrom	datetime	Yes
15	EffectiveUntil	datetime	Yes

16	BidStateId	int	Yes
17	PricePlanId	int	Yes
18	CategoryType	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.vw_Vendors	View

SQL Definition

```
CREATE       view [dbo].[vw_AwardedVendorsAllCurrentAndFutureBids] as

select vw_Vendors.VendorId, BidImports.BidImportId, vw_Vendors.Name VendorName, vw_Vend...

       isnull(vw_Vendors.EMail,'') EMail,

       isnull(vw_Vendors.Code,'') as VendorCode,

   BidHeaders.EffectiveFrom,

      BidHeaders.EffectiveUntil,

   BidHeaders.StateId BidStateId,

   BidHeaders.PricePlanId,

   Category.Type CategoryType

  from BidHeaders

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId
```

```
            and Bids.Active = 1

    join BidImports on BidImports.BidImportId = Bids.BidImportId

  ... (truncated)
```

vw_AwardedVendorsAllCurrentBids {dbo-vw-awardedvendorsallcurrentbids}

Property	Value
Schema	dbo
Created	2021-09-21 10:36:16.147000
Modified	2023-01-09 13:32:53.213000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	BidImportId	int	No
3	VendorName	varchar(50)	No
4	ContactInfo	varchar(548)	Yes
5	CategoryId	int	No
6	CategoryName	varchar(308)	Yes
7	BidHeaderId	int	Yes
8	VendorBidNumber	varchar(50)	No
9	AdditionalHandlingAmou	money	No
10	FreeHandlingAmount	money	No
11	BidComments	varchar(512)	No
12	EMail	varchar(255)	No
13	VendorCode	varchar(16)	No
14	EffectiveFrom	datetime	Yes
15	EffectiveUntil	datetime	Yes

16	BidStateId	int	Yes
17	PricePlanId	int	Yes
18	CategoryType	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.vw_Vendors	View

SQL Definition

```
CREATE       view [dbo].[vw_AwardedVendorsAllCurrentBids] as

select vw_Vendors.VendorId, BidImports.BidImportId, vw_Vendors.Name VendorName, vw_Vend...

       isnull(vw_Vendors.EMail,'') EMail,

       isnull(vw_Vendors.Code,'') as VendorCode,

   BidHeaders.EffectiveFrom,

      BidHeaders.EffectiveUntil,

   BidHeaders.StateId BidStateId,

   BidHeaders.PricePlanId,

   Category.Type CategoryType

  from BidHeaders

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1
```

```
    join BidImports on BidImports.BidImportId = Bids.BidImportId

    join vw_Vendors on vw_Vendors.VendorId = Bids.VendorId

  ... (truncated)
```

vw_BAPCBG {dbo-vw-bapcbg}

Property	Value
Schema	dbo
Created	2011-08-30 13:10:57.127000
Modified	2018-01-21 20:26:47.720000

Columns

#	Column	Type	Nullable
1	RepName	varchar(30)	Yes
2	RepEmail	varchar(128)	Yes
3	DistrictName	varchar(50)	Yes
4	FullName	varchar(195)	Yes
5	Email	varchar(255)	No
6	FullAddress	varchar(170)	Yes

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictContacts	Table
dbo.isValidEmail	Other
dbo.Salutations	Table

SQL Definition

```
create   view  [dbo].[vw_BAPCBG] as

select CSRep.name RepName, CSRep.EMail RepEmail, District.Name DistrictName, ltrim(case...

  from DistrictContacts with (nolock)

  join District on District.DistrictId = DistrictContacts.DistrictId

               and District.Active = 1

  join CSRep on CSRep.CSRepId = District.CSRepId

  left outer join Salutations on Salutations.SalutationId = DistrictContacts.SalutationId

 where DistrictContacts.DistrictContactTypeId in (1,2,4)

   and dbo.isValidEmail(DistrictContacts.eMail) = 1

-- order by CSRep.Name, District.Name, DistrictContacts.FullName
```

vw_BidAnalysisDetail {dbo-vw-bidanalysisdetail}

Property	Value
Schema	dbo
Created	2009-09-01 10:39:12.877000
Modified	2018-04-02 10:45:52.140000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	PricePlanName	varchar(278)	No
3	BidHeaderId	int	Yes
4	BidRequestItemId	int	No

5	DistrictId	int	Yes
6	DistrictName	varchar(50)	No
7	ItemCode	varchar(50)	Yes
8	Description	varchar(1024)	Yes
9	UnitCode	varchar(20)	Yes
10	VendorName	varchar(50)	No
11	VendorCode	varchar(16)	No
12	BidUnits	varchar(16)	Yes
13	BidRequest	int	Yes
14	BidType	varchar(13)	Yes
15	QuantityBid	int	Yes
16	UnitPrice	decimal(34,13)	Yes
17	ExtendedCost	decimal(38,6)	Yes
18	Alternate	varchar(MAX)	Yes
19	VendorItemCode	varchar(50)	No
20	BidRequestStatus	varchar(50)	No
21	Status	varchar(51)	No
22	ResultsStatus	int	No
23	BidResultsId	int	Yes
24	Comments	varchar(1024)	No
25	ItemComments	varchar(1024)	No
26	PriceVarianceLevel	decimal(9,5)	Yes
27	FirstPrice	decimal(34,13)	Yes
28	FirstPriceBidResultsId	int	Yes
29	SecondPrice	decimal(34,13)	Yes
30	SecondPriceBidResultsId	int	Yes
31	Compliant1st	int	Yes
32	SortKey	varchar(124)	Yes
33	Variance	decimal(38,6)	Yes
34	ItemStatus	varchar(MAX)	Yes
35	PageNo	int	Yes
36	BidResultsItemsPerUnit	varchar(50)	Yes
37	ItemsItemsPerUnit	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Category	Table
dbo.District	Table
dbo.Items	Table
dbo.PricePlans	Table
dbo.uf_RemoveTrailingCRs	Other
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_BidDescriptions	View
dbo.vw_ItemDescription	View

SQL Definition

Definition truncated (16,740 characters). First 8000 shown:

```
create   view  [dbo].[vw_BidAnalysisDetail]
as
select *,
       case isnull(FirstPrice,0) when 0 then 0 else (isnull(SecondPrice,0) / isnull(Fir...
       dbo.uf_RemoveTrailingCRs(
       case isnull(BidResultsId,0)
         when 0 then '*** No Bids ***'  + char(13) + char(10)
         else
           case rtrim(isnull(BidRequestStatus,''))
             when '' then ''
             else isnull(BidRequestStatus,'') + char(13) + char(10)
           end
       end +
       case Compliant1st
         when 0 then ''
         when 1 then 'Winning Bid Item is Compliant' + char(13) + char(10)
```

```
        end +

        case isnull(FirstPrice,0)

... (truncated)
```

vw_BidAnalysisVendorSummary {dbo-vw-bidanalysisvendorsummary}

Property	Value
Schema	dbo
Created	2009-08-19 16:27:33.133000
Modified	2023-10-03 12:20:53.780000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	ItemsBid	int	Yes
4	AmountBid	money	Yes
5	VendorsCode	varchar(16)	Yes
6	VendorsName	varchar(50)	Yes
7	CalculatedAmount	money	Yes
8	ItemsWon	int	Yes
9	POCount	int	No
10	POTotal	money	No
11	AvgPO	money	No

Dependencies

Object	Type
dbo.BidHeaderDetail	Table

dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Detail	Table
dbo.Vendors	Table
dbo.vw_LowestPrice	View

SQL Definition

Definition truncated (8,329 characters). First 8000 shown:

```
--select * from vw_BidAnalysisVendorSummary vs where vs.BidHeaderId = 12332



CREATE         view  [dbo].[vw_BidAnalysisVendorSummary] as

SELECT BidHeaders.BidHeaderId, 0 BidImportId, 0 ItemsBid, 0 AmountBid, '0000' VendorsCo...

       '** No Bid **' VendorsName, 0 CalculatedAmount, count(*) ItemsWon, 0 POCount, 0 ...

  FROM BidHeaders with (nolock)

  join BidRequestItems A on A.BidHeaderId = BidHeaders.BidHeaderId

                        and A.Active = 1

--  JOIN Items I on I.ItemId = A.ItemId

  left outer join vw_LowestPrice as vlp on vlp.BidHeaderId = BidHeaders.BidHeaderId

                                        and vlp.BidRequestItemId = A.BidRequestItemId

 Where vlp.BidRequestItemId is null

 group by BidHeaders.BidHeaderId

UNION (

-- Second select is summary for all vendors

SELECT bh.BidHeaderId, BI.BIDIMPORTID, BI.ItemsBid, BI.AmountBid, V.Code VendorsCode, V...
```

```
        (SELECT SUM(BidResults.QuantityBid * BidResults.UnitPrice)

           from BidResults with (nolock)

... (truncated)
```

vw_BidAnalysisVendorSummaryByDistrict {dbo-vw-bidanalysisvendorsummarybydistrict}

Property	Value
Schema	dbo
Created	2009-08-20 13:44:35.830000
Modified	2018-01-21 20:26:46.880000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	ItemsBid	int	Yes
4	AmountBid	money	Yes
5	VendorsCode	varchar(16)	Yes
6	VendorsName	varchar(50)	Yes
7	CalculatedAmount	money	Yes
8	ItemsWon	int	No
9	POCount	int	No
10	POTotal	money	No
11	AvgPO	money	No
12	DistrictId	int	Yes

Dependencies

Object	Type

dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.DistrictPP	Table
dbo.Requisitions	Table
dbo.Vendors	Table
dbo.vw_LowestPrice	View

SQL Definition

```
create   view  [dbo].[vw_BidAnalysisVendorSummaryByDistrict] as

-- First select is of "NO BID" items.

SELECT BidHeaders.BidHeaderId, 0 BidImportId, 0 ItemsBid, 0 AmountBid, '0000' VendorsCo...

       '** No Bid **' VendorsName, 0 CalculatedAmount, isnull(DistNoBidList.NoBidItems,...

  FROM BidHeaders with (nolock)

  JOIN

  (select BH.BidHeaderId, B.DistrictId

   FROM BidHeaders BH WITH (nolock)

   JOIN BidRequestItems BRI on BRI.BidHeaderId = BH.BidHeaderId and BRI.Active = 1

   JOIN BidHeaderDetail BHD ON BHD.BidRequestItemId = BRI.BidRequestItemId and BHD.BidH...

   JOIN Detail D ON D.DetailId  = BHD.DetailId

   JOIN Requisitions R on R.RequisitionId = D.RequisitionId

   JOIN Budgets B on B.BudgetId = R.BudgetId

   JOIN DistrictPP DPP on DPP.DistrictId = B.DistrictId and DPP.PricePlanId = BH.PriceP...

   group by BH.BidHeaderId, B.DistrictId
```

```
    ) DistList ON DistList.BidHeaderId = BidHeaders.BidHeaderId

    LEFT OUTER JOIN

  ... (truncated)
```

vw_BidAnalysisVendorSummaryTest {dbo-vw-bidanalysisvendorsummarytest}

Property	Value
Schema	dbo
Created	2010-11-26 12:29:33.543000
Modified	2022-12-16 11:52:01.983000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	ItemsBid	int	Yes
4	AmountBid	money	Yes
5	VendorsCode	varchar(16)	Yes
6	VendorsName	varchar(50)	Yes
7	CalculatedAmount	money	Yes
8	ItemsWon	int	Yes
9	POCount	int	No
10	POTotal	money	No
11	AvgPO	money	No

Dependencies

Object	Type
dbo.BidHeaderDetail	Table

dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Detail	Table
dbo.Vendors	Table
dbo.vw_LowestPrice	View

SQL Definition

```
--select Vendors.Name, sum(Amount), avg(Amount), count(*) from (Select VendorId, sum(De...

--select * from vw_BidAnalysisVendorSummary where BidHeaderId = 11054 order by VendorsName

--select * from vw_BidAnalysisVendorSummaryTest where BidHeaderId = 11054 order by Vend...

CREATE     view  [dbo].[vw_BidAnalysisVendorSummaryTest] as

-- First select is of "NO BID" items.

SELECT BidHeaders.BidHeaderId, 0 BidImportId, 0 ItemsBid, 0 AmountBid, '0000' VendorsCo...

       '** No Bid **' VendorsName, 0 CalculatedAmount, count(*) ItemsWon, 0 POCount, 0 ...

  FROM BidHeaders with (nolock)

  join BidRequestItems A on A.BidHeaderId = BidHeaders.BidHeaderId

                        and A.Active = 1

--  JOIN Items I on I.ItemId = A.ItemId

  left outer join vw_LowestPrice as vlp on vlp.BidHeaderId = BidHeaders.BidHeaderId

                                        and vlp.BidRequestItemId = A.BidRequestItemId

 Where vlp.BidRequestItemId is null

 group by BidHeaders.BidHeaderId

UNION (

-- Second select is summary for all vendors

SELECT bh.BidHeaderId, BI.BIDIMPORTID, BI.ItemsBid, BI.AmountBid, V.Code VendorsCode, V...

       (SELECT SUM(BidResults.QuantityBid * BidResults.UnitPrice)

           from BidResults with (nolock)

          Where BidResults.BidImportId = BI.BidImportId ) As CalculatedAmount,

        (Select count(*)
```

```
            from BidResults with (nolock)

            join BidRequestItems ON BidRequestItems.BidHeaderId = bh.BidHeaderId

... (truncated)
```

vw_BidAncillaryBySession {dbo-vw-bidancillarybysession}

Property	Value
Schema	dbo
Created	2012-03-21 19:06:41.283000
Modified	2018-01-21 20:26:47.723000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryName	varchar(1077)	Yes
3	BidDate	datetime	Yes
4	BidAwardDate	datetime	Yes
5	EffectiveFrom	datetime	Yes
6	EffectiveUntil	datetime	Yes
7	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table

dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.SessionTable	Table
dbo.States	Table

SQL Definition

```
create   view  [dbo].[vw_BidAncillaryBySession] as
select SessionTable.SessionId,
       Category.Name +
       case isnull(Category.AppendBidMessage,0)
         when 0 then ''
         else ' - ' + isnull(BidHeaders.BidMessage,'')
       end CategoryName,
       BidHeaders.BidDate, BidHeaders.BidAwardDate,
       BidHeaders.EffectiveFrom, BidHeaders.EffectiveUntil,
       BidHeaders.BidHeaderId
  from SessionTable with (nolock)
  join Budgets on Budgets.BudgetId = SessionTable.BudgetId
  join District on District.DistrictId = Budgets.DistrictId
  join States on States.code = District.State
  join BidHeaders on BidHeaders.StateId = States.StateId
```

```
                    and BidHeaders.Active = 1

                    and GETDATE() between case when SessionTable.ApprovalLevel > 5 then DA...

... (truncated)
```

vw_BidAnswers {dbo-vw-bidanswers}

Property	Value
Schema	dbo
Created	2012-02-01 13:37:28.093000
Modified	2018-01-21 20:26:46.127000

Columns

#	Column	Type	Nullable
1	BidAnswerId	int	No
2	BidImportId	int	No
3	BidQuestionId	int	No
4	CountyId	int	No
5	BidTradeId	int	No
6	VendorBidTMAnswerId	int	Yes
7	BidAnswerJournalId	int	Yes
8	SessionId	int	Yes
9	DateModified	datetime	Yes
10	Sequence	int	Yes
11	BidAnswer	varchar(512)	Yes
12	BidAnswerExtended	varchar(512)	Yes
13	VendorBidTMAnswerJour	int	Yes
14	BidEntryDisplayLabel	varchar(255)	Yes
15	QuestionText	varchar(MAX)	No
16	QuestionQty	int	Yes
17	AnswerTypeId	int	Yes

18	AnswerTypeMask	varchar(50)	Yes
19	ExtdCalcMask	varchar(50)	Yes
20	UOM	varchar(50)	No
21	BidSection	varchar(255)	Yes
22	Weight	decimal(9,5)	Yes
23	ExtdCalcTypeId	int	Yes

Dependencies

Object	Type
dbo.BidAnswers	Table
dbo.BidAnswersJournal	Table
dbo.BidQuestions	Table
dbo.TM_UOM	Table

SQL Definition

```
create   view  [dbo].[vw_BidAnswers]
as
select BidAnswers.BidAnswerId, BidAnswers.BidImportId, BidAnswers.BidQuestionId, BidAns...
       BidAnswersJournal.BidAnswerJournalId, BidAnswersJournal.SessionId, BidAnswersJou...
       BidQuestions.BidEntryDisplayLabel, BidQuestions.QuestionText, BidQuestions.Quest...
       Isnull(TM_UOM.Description,'') UOM, BidQuestions.BidSection, BidQuestions.Weight,...
  from BidAnswers
  join BidQuestions on BidQuestions.BidQuestionId = BidAnswers.BidQuestionId
  left outer join TM_UOM on TM_UOM.TM_UOMId = BidQuestions.QuestionUOMId
  left outer join BidAnswersJournal on BidAnswersJournal.BidAnswerId = BidAnswers.BidAn...
                                  and BidAnswersJournal.BidAnswerJournalId =
    (select Top 1 baj.BidAnswerJournalId
       from BidAnswersJournal baj with (nolock)
      where baj.BidAnswerId = BidAnswers.BidAnswerId
      order by DateModified desc, baj.BidAnswerJournalId desc)
```

```
... (truncated)
```

vw_BidComplianceBySession {dbo-vw-bidcompliancebysession}

Property	Value
Schema	dbo
Created	2012-03-27 11:11:40.920000
Modified	2018-01-21 20:26:47.730000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	Description	varchar(255)	Yes
3	TradeTitle	varchar(255)	No
4	PackageNumber	int	Yes
5	BidTradeCountyId	int	No
6	BidDate	datetime	Yes
7	BidAwardDate	datetime	Yes
8	EffectiveFrom	datetime	Yes
9	EffectiveUntil	datetime	Yes
10	BidHeaderId	int	Yes
11	CategoryName	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.PricePlans	Table
dbo.SessionTable	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table

SQL Definition

```
create   view  [dbo].[vw_BidComplianceBySession] as

select SessionTable.SessionId, Trades.Description, BidTrades.Title TradeTitle, Trades.P...

  from SessionTable with (nolock)

  join Budgets on Budgets.BudgetId = SessionTable.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

  join States on States.code = District.State

  join BidHeaders on BidHeaders.StateId = States.StateId

                 and BidHeaders.Active = 1

                 and GETDATE() between case when Sessiontable.ApprovalLevel > 5 then da...

  join BidTrades on BidTrades.BidHeaderId = BidHeaders.BidHeaderId

  join BidTradeCounties on BidTradeCounties.BidTradeId = BidTrades.BidTradeId

  join Counties on Counties.CountyId = BidTradeCounties.CountyId

               and Counties.StateId = States.StateId

               and Counties.Name = District.County

  join Trades on Trades.TradeId = BidTrades.TradeId
```

```
                and Trades.Active = 1

    join Category on Category.CategoryId = BidHeaders.CategoryId

  ... (truncated)
```

vw_BidContactsVendorList {dbo-vw-bidcontactsvendorlist}

Property	Value
Schema	dbo
Created	2011-09-01 11:51:50.933000
Modified	2018-01-21 20:26:47.737000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorId	int	No
3	VendorCode	varchar(16)	Yes
4	VendorName	varchar(50)	No
5	FullName	varchar(143)	Yes
6	ContactFullAddress	varchar(170)	Yes
7	ContactAddress1	varchar(50)	No
8	ContactAddress2	varchar(50)	No
9	ContactCity	varchar(50)	No
10	ContactState	char(2)	No
11	ContactZipcode	varchar(10)	No
12	CategoryName	varchar(50)	Yes
13	Description	varchar(278)	No
14	DistrictName	varchar(57)	No

Dependencies

Object	Type
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.Items	Table
dbo.PricePlans	Table
dbo.Salutations	Table
dbo.VendorCategoryPP	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_BidContactsVendorList] as
select BidHeaders.BidHeaderId,
       Vendors.VendorId,
       Vendors.Code VendorCode,
       isnull(Vendors.Name,'') VendorName,
       case ISNULL(Salutations.Title,'')
         when '' then ''
         else Salutations.Title + ' '
       end +
       case isnull(VendorContacts.FirstName,'')
         when '' then ''
         else isnull(VendorContacts.FirstName,'') + ' '
       end +
       case ISNULL(VendorContacts.LastName,'')
         when '' then ''
         else VendorContacts.LastName + ' '
       end +
       ISNULL(VendorContacts.Suffix,'') FullName,
       case
         when ISNULL(VendorContacts.Address1,'') like '%PAY%' then ''
```

```
            when ISNULL(VendorContacts.Address1,'') = '' then ''

            else VendorContacts.Address1 + char(10) + char(13)

  ... (truncated)
```

vw_BidDescriptions {dbo-vw-biddescriptions}

Property	Value
Schema	dbo
Created	2009-01-05 10:13:44.220000
Modified	2019-10-07 12:13:25.573000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemId	int	Yes
3	BidRequestItemId	int	No
4	ItemDescription	varchar(1024)	Yes
5	ExtraDescription	varchar(1024)	No

Dependencies

Object	Type
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.Detail	Table
dbo.uf_DetailItemDescription	Other

SQL Definition

```
CREATE        view [dbo].[vw_BidDescriptions] as

    select BidHeaders.BidHeaderId, Detail.ItemId, BidRequestItems.BidRequestItemId, did...

/*

      from dbo.BidRequestItems with (nolock)

      join dbo.BidHeaderDetail on BidHeaderDetail.BidRequestItemId = BidRequestItems.Bi...

      join dbo.BidHeaders on BidHeaders.BidHeaderId = BidRequestItems.BidHeaderId

                          and BidHeaders.BidType = 2

      join dbo.Detail on Detail.DetailId = BidHeaderDetail.DetailId

*/

      from dbo.BidHeaderDetail with (nolock)

      join dbo.BidHeaders on BidHeaders.BidHeaderId = BidHeaderDetail.BidHeaderId

                          and BidHeaders.BidType = 2

      join dbo.BidRequestItems on BidRequestItems.BidRequestItemId = BidHeaderDetail.Bi...

      join dbo.Detail on Detail.DetailId = BidHeaderDetail.DetailId

 outer apply (select dbo.uf_DetailItemDescription(Detail.RequisitionId, Detail.ItemId)...

     group by BidHeaders.BidHeaderId, Detail.ItemId, BidRequestItems.BidRequestItemId, ...
```

vw_BidDocumentsList {dbo-vw-biddocumentslist}

Property	Value
Schema	dbo
Created	2012-12-28 11:08:24.020000
Modified	2018-01-21 20:26:47.740000

Columns

#	Column	Type	Nullable
1	Name	varchar(50)	No

Dependencies

Object	Type
dbo.BidDocumentTypes	Table

SQL Definition

```
create   view  [dbo].[vw_BidDocumentsList] as

select Name

  from BidDocumentTypes

 where isnull(VendorSpecific ,0) = 0

 group by Name
```

vw_BidDocumentTypeNames {dbo-vw-biddocumenttypenames}

Property	Value
Schema	dbo
Created	2012-07-18 15:36:23.193000
Modified	2018-01-21 20:26:47.743000

Columns

#	Column	Type	Nullable
1	DocumentName	varchar(50)	No
2	MinBidDocumentTypeId	int	Yes

Dependencies

Object	Type
dbo.BidDocumentTypes	Table

SQL Definition

```
create   view  [dbo].[vw_BidDocumentTypeNames]

AS

SELECT Name DocumentName, Min(BidDocumentTypeId) MinBidDocumentTypeId

FROM dbo.BidDocumentTypes

Group By Name
```

vw_BidDuplicateIdentifiers {dbo-vw-bidduplicateidentifiers}

Property	Value
Schema	dbo
Created	2015-08-21 17:15:56.767000
Modified	2018-01-21 20:26:47.750000

Columns

#	Column	Type	Nullable
1	CategoryId	int	Yes
2	ItemId	int	Yes
3	VendorId	int	Yes
4	VendorItemCode	varchar(50)	Yes
5	ManufacturerBid	varchar(50)	Yes
6	ManufPartNoBid	varchar(50)	Yes
7	BidHeaderId	int	Yes
8	PageNo	int	Yes
9	BidResultsId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidResults	Table

SQL Definition

```
create   view  [dbo].[vw_BidDuplicateIdentifiers] as

select BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.Vendor...

  from BidResults

  join BidImports on BidImports.BidImportId = BidResults.BidImportId

                 and BidImports.VendorId != 7691

  join BidHeaders on BidHeaders.BidHeaderId = BidImports.BidHeaderId

                 and BidHeaders.BidType = 1

                 and BidHeaders.EffectiveFrom > dateadd(year,-2,getdate())

 where BidResults.ItemBidType = 'S'

   and (   (    BidResults.ManufPartNoBid != ''

            and BidResults.ManufPartNoBid is not null)

         or (    BidResults.VendorItemCode != ''

            and BidResults.VendorItemCode is not null)

        )

-- group by BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.V...
```

vw_BidGrouper {dbo-vw-bidgrouper}

Property	Value
Schema	dbo
Created	2013-03-06 12:12:44.640000
Modified	2018-01-21 20:26:46.157000

Columns

#	Column	Type	Nullable
1	MainBidHeaderId	int	Yes
2	AltBidHeaderId	int	Yes
3	BidType	tinyint	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Category	Table

SQL Definition

```
create   view  [dbo].[vw_BidGrouper] as

select bh.BidHeaderId MainBidHeaderId, bcp.BidHeaderId AltBidHeaderId, bh.BidType

  from BidHeaders bh with (nolock)

  join Category on Category.CategoryId = bh.CategoryId

  join BidHeaders bcp on bcp.CategoryId = bh.CategoryId

 and bcp.PricePlanId = bh.PricePlanId

 and bcp.BidType = bh.BidType

 and bcp.BidHeaderId = case when Category.Type = 3 then bh.BidHeaderId else case w...

 and bcp.BidAwardDate = bh.BidAwardDate

 and bcp.Active = 1

 where bh.Active = 1

 group by bh.BidHeaderId, bcp.BidHeaderId, bh.BidType
```

vw_BidHeadersList {dbo-vw-bidheaderslist}

Property	Value
Schema	dbo
Created	2009-12-04 21:42:26.813000
Modified	2018-01-21 20:26:47.753000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	Active	tinyint	No
3	AllowTotalAward	tinyint	No
4	AlertLink	varchar(255)	No
5	AlertMsg	varchar(4096)	No
6	AwardMsg	varchar(1024)	No
7	BidAwardDate	datetime	Yes
8	BidDate	datetime	Yes
9	BidMessage	varchar(1024)	No
10	BidType	tinyint	No
11	BudgetYearOption	tinyint	No
12	CalendarId	int	No
13	CategoryId	int	No
14	DateCreated	datetime	Yes
15	Description	varchar(512)	No
16	DistrictId	int	No
17	EffectiveFrom	datetime	Yes
18	EffectiveUntil	datetime	Yes
19	HostDistrictId	int	No
20	ParentBidHeaderId	int	No
21	PricePlanId	int	No
22	ScheduledReaward	datetime	Yes
23	StateId	int	No
24	TotalAwardMinimumDisc	decimal(9,5)	No
25	SectionName	int	No

26	MarkAsOriginal	int	No
27	PriceVarianceLevel	decimal(9,5)	No
28	CategoryName	varchar(50)	No
29	PricePlanDescription	varchar(255)	No
30	StateName	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Category	Table
dbo.PricePlans	Table
dbo.States	Table

SQL Definition

```
create   view  [dbo].[vw_BidHeadersList] as

select bh.BidHeaderId, isnull(bh.Active,0) Active,

       isnull(bh.AllowTotalAward,0) AllowTotalAward,

       isnull(bh.AlertLink,'') AlertLink,

       isnull(bh.AlertMsg,'') AlertMsg,

       isnull(bh.AwardMsg,'') AwardMsg,

       bh.BidAwardDate,

       bh.BidDate,

       isnull(bh.BidMessage,'') BidMessage,

       isnull(bh.BidType,0) BidType,

       isnull(bh.BudgetYearOption,0) BudgetYearOption,

       isnull(bh.CalendarId,0) CalendarId,

       isnull(bh.CategoryId,0) CategoryId,

       bh.DateCreated,

       isnull(bh.Description,'') Description,

       isnull(bh.DistrictId,0) DistrictId,

       bh.EffectiveFrom,

       bh.EffectiveUntil,

       isnull(bh.HostDistrictId,0) HostDistrictId,

       isnull(bh.ParentBidHeaderId,0) ParentBidHeaderId,

       isnull(bh.PricePlanId,0) PricePlanId,

       bh.ScheduledReaward,
```

```
        isnull(bh.StateId,0) StateId,

        isnull(bh.TotalAwardMinimumDiscount,0) TotalAwardMinimumDiscount,

... (truncated)
```

vw_BidImportMostRecentContactInfo {dbo-vw-bidimportmostrecentcontactinfo}

Property	Value
Schema	dbo
Created	2011-07-21 16:59:34.187000
Modified	2018-01-21 20:26:47.760000

Columns

#	Column	Type	Nullable
1	BidImportId	int	No
2	UseVendorContactInfo	tinyint	Yes
3	VendorId	int	Yes
4	CategoryId	int	Yes
5	ContactEmail	varchar(255)	Yes
6	ContactName	varchar(50)	Yes
7	ContactPhone	varchar(20)	Yes
8	ContactFax	varchar(20)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table

SQL Definition

```
create   view  [dbo].[vw_BidImportMostRecentContactInfo] as

SELECT BidImports.BidImportId, BidImports.UseVendorContactInfo, BidImports.VendorId, Bi...

       BidImports.ContactEmail, BidImports.ContactName, BidImports.ContactPhone, BidImp...

FROM [EDS].[dbo].[BidImports]

Join BidHeaders ON BidHeaders.BidHeaderId = BidImports.BidHeaderId

--where isnull(BidImports.UseVendorContactInfo,1)=0 And BidImports.VendorId = 4436 And ...

--order by BidImportId desc
```

vw_BidItemDescription {dbo-vw-biditemdescription}

Property	Value
Schema	dbo
Created	2013-12-23 12:50:10.777000
Modified	2025-12-07 20:06:46.890000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	BidHeaderId	int	Yes

3	ItemDescription	nvarchar(4000)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Vendors	Table
dbo.vw_CrossRefsDescription	View
dbo.vw_ItemDescription	View
dbo.vw_ItemDescriptionNoExtraNH	View

SQL Definition

```
--select * from Items where ItemCode = 'EDS01016' and CategoryId = 3

--Select * from vw_BidItemDescription where ItemId = 497055453 and BidHeaderId = 13065

CREATE  view [dbo].[vw_BidItemDescription]

AS

    select Items.ItemId,

           BidHeaders.BidHeaderId,

           case

             when (BidItems.BidItemId is null or BidItems.BidItemId = 0)  then

   case

     when cxr.CrossrefId is not null and cxr.CrossRefId != 0 and xd.ItemDescription ...

 else id.ItemDescription

               end

             else

 /* dch removed 10/28/2025

   case isnull(Headings.HeadingId,0)

 when 0 then ''

 else

   ltrim(rtrim(isnull(Headings.Title,''))) +

   case isnull(Keywords.KeywordId,0)

 when 0 then ''

 else

   ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))
```

```
    end + ', '

end +*/

... (truncated)
```

vw_BidItemLongDescription {dbo-vw-biditemlongdescription}

Property	Value
Schema	dbo
Created	2020-12-23 19:11:01.880000
Modified	2021-01-24 21:56:47.747000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	BidHeaderId	int	Yes
3	ItemDescription	varchar(6035)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table

dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Vendors	Table
dbo.vw_CrossRefsLongDescription	View
dbo.vw_ItemDescription	View
dbo.vw_ItemDescriptionNoExtraNH	View

SQL Definition

```
CREATE     view [dbo].[vw_BidItemLongDescription]

AS

    select Items.ItemId,

           BidHeaders.BidHeaderId,

           case

             when (BidItems.BidItemId is null or BidItems.BidItemId = 0)  then

   case

     when xr.CrossRefId > 0 and xr.FullDescription > '' then xr.FullDescription

     when cxr.CrossrefId is not null and cxr.CrossRefId != 0 and xd.ItemDescription ...

 else id.ItemDescription

               end

             else

   case isnull(Headings.HeadingId,0)

 when 0 then ''

 else
```

```
    ltrim(rtrim(isnull(Headings.Title,''))) +

    case isnull(Keywords.KeywordId,0)

  ... (truncated)
```

vw_BidLeadComplianceBySession {dbo-vw-bidleadcompliancebysession}

Property	Value
Schema	dbo
Created	2016-09-15 12:15:10.227000
Modified	2018-01-21 20:26:47.763000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	Description	varchar(255)	Yes
3	TradeTitle	varchar(255)	No
4	PackageNumber	int	Yes
5	BidTradeCountyId	int	No
6	BidDate	datetime	Yes
7	BidAwardDate	datetime	Yes
8	EffectiveFrom	datetime	Yes
9	EffectiveUntil	datetime	Yes
10	BidHeaderId	int	Yes
11	CategoryName	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.PricePlans	Table
dbo.SessionTable	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table

SQL Definition

```
create   view  [dbo].[vw_BidLeadComplianceBySession] as

select SessionTable.SessionId, Trades.Description, BidTrades.Title TradeTitle, Trades.P...

  from SessionTable with (nolock)

  join Budgets on Budgets.BudgetId = SessionTable.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

  join States on States.code = District.State

  join BidHeaders on BidHeaders.StateId = States.StateId

                 and BidHeaders.Active = 1

                 and GETDATE() between case when Sessiontable.ApprovalLevel > 5 then da...

  join BidTrades on BidTrades.BidHeaderId = BidHeaders.BidHeaderId

  join BidTradeCounties on BidTradeCounties.BidTradeId = BidTrades.BidTradeId

  join Counties on Counties.CountyId = BidTradeCounties.CountyId

               and Counties.StateId = States.StateId
```

```
                and Counties.Name = District.County

    join Trades on Trades.TradeId = BidTrades.TradeId

  ... (truncated)
```

vw_BidLines {dbo-vw-bidlines}

Property	Value
Schema	dbo
Created	2012-03-22 17:56:34.327000
Modified	2018-01-21 20:26:47.770000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	VendorId	int	Yes
4	ItemCode	varchar(50)	Yes
5	Description	varchar(512)	Yes
6	Title	varchar(255)	Yes
7	Keyword	varchar(50)	Yes
8	UnitPrice	decimal(11,2)	Yes
9	UOM	varchar(20)	Yes
10	VendorItemCode	varchar(50)	Yes
11	Alternate	varchar(512)	Yes
12	HeadingId	int	No
13	KeywordId	int	No

Dependencies

Object	Type

dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Units	Table

SQL Definition

```
create   view  [dbo].[vw_BidLines] as

select BidHeaders.BidHeaderId, BidImports.BidImportId, BidImports.VendorId, Items.ItemC...

  from BidHeaders

  join BidImports on BidImports.BidHeaderId = BidHeaders.BidHeaderId

  join Bids on Bids.BidImportId = BidImports.BidImportId

            and Bids.Active = 1

  join BidItems on BidItems.BidId = Bids.BidId

  join Items on Items.ItemId = BidItems.ItemId

  left outer join Units on Units.UnitId = Items.UnitId

  left outer join Headings on Headings.HeadingId = Items.HeadingId

  left outer join Keywords on Keywords.KeywordId = Items.KeywordId
```

vw_BidManufacturerPartNumbers {dbo-vw-bidmanufacturerpartnumbers}

Property	Value
Schema	dbo
Created	2015-08-21 16:45:41.930000

Modified	2018-01-21 20:26:47.773000

Columns

#	Column	Type	Nullable
1	CategoryId	int	Yes
2	ItemId	int	Yes
3	VendorId	int	Yes
4	VendorItemCode	varchar(50)	Yes
5	ManufacturerBid	varchar(50)	Yes
6	ManufPartNoBid	varchar(50)	Yes
7	BidHeaderId	int	Yes
8	PageNo	int	Yes
9	BidResultsId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidResults	Table

SQL Definition

```
create   view  [dbo].[vw_BidManufacturerPartNumbers] as

select BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.Vendor...

  from BidResults

  join BidImports on BidImports.BidImportId = BidResults.BidImportId

                 and BidImports.VendorId != 7691

  join BidHeaders on BidHeaders.BidHeaderId = BidImports.BidHeaderId

                 and BidHeaders.BidType = 1

                 and BidHeaders.EffectiveFrom > dateadd(year,-2,getdate())

 where BidResults.ItemBidType = 'S'

   and BidResults.ManufPartNoBid != ''

   and BidResults.ManufPartNoBid is not null

-- group by BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.V...
```

vw_BidMgrBidderDocs {dbo-vw-bidmgrbidderdocs}

Property	Value
Schema	dbo
Created	2020-12-08 20:48:24.280000
Modified	2025-10-27 20:05:45.070000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes

2	BidImportId	int	No
3	VendorId	int	Yes
4	VendorBidNumber	varchar(50)	Yes
5	BidHeaderCheckListId	int	No
6	BidderCheckListId	int	Yes
7	DocumentUploadId	int	Yes
8	VendorCode	varchar(16)	Yes
9	VendorName	varchar(50)	Yes
10	DisplaySequence	int	Yes
11	DocumentName	varchar(50)	Yes
12	CheckListText	varchar(100)	Yes
13	UploadEligible	tinyint	No
14	UploadEligibleStr	varchar(3)	No
15	VendorUploadDateTime	datetime2	Yes
16	DocumentNumber	varchar(255)	Yes
17	DocumentExpiration	datetime	Yes
18	DocStatus	char(1)	No
19	StatusStr	varchar(9)	No
20	DocRejectReasonComme	varchar(1024)	No
21	InDMS	int	No
22	InDmsStr	varchar(12)	No
23	DocumentTypeId	int	Yes
24	ExpirationDateReqd	tinyint	No
25	DocNumberReqd	tinyint	No
26	DocNumberLabel	varchar(50)	Yes
27	OptionalDocument	tinyint	Yes
28	DMSCountOfDocType	int	Yes
29	BidDocsCountOfDocType	int	Yes

Dependencies

Object	Type
dbo.BidderCheckList	Table

dbo.BidHeaderCheckList	Table
dbo.BidImports	Table
dbo.DMSVendorBidDocuments	Table
dbo.Vendors	Table
dbo.vw_DocumentUploads	Other

SQL Definition

```
CREATE   view  [dbo].[vw_BidMgrBidderDocs]

AS



Select BI.BidHeaderId, BI.BidImportId, BI.VendorId, BI.VendorBidNumber, BHCL.BidHeaderC...

       V.Code VendorCode, V.Name VendorName,

   BHCL.DisplaySequence, BCL.DocumentName, BCL.CheckListText,

   Isnull(BCL.UploadEligible,0) UploadEligible, Case When Isnull(BCL.UploadEligible,0)...

   CAST(vwDU.CreatedAt AS DATETIME2(2)) VendorUploadDateTime,



   -- Isnull(vwDU.DocumentNumber,'') DocumentNumber,

   -- if dms document found and 1-to-1 relation, use dms as the master for document nu...

   Case

   When DMS.CountOfDocType = 1 and BidDocs.CountOfDocType = 1

   Then

     (Select IsNull(DMS.DocumentNumber,'')

          From dbo.DMSVendorBidDocuments DMS

  Where DMS.BidHeaderId = BI.BidHeaderId AND DMS.VendorCode = V.Code AND DMS.DocType ...
```

```
  )

    Else

... (truncated)
```

vw_BidMSRPManufacturerProductLinePrices {dbo-vw-bidmsrpmanufacturerproductlineprices}

Property	Value
Schema	dbo
Created	2013-12-05 14:23:27.553000
Modified	2018-01-21 20:26:47.780000

Columns

#	Column	Type	Nullable
1	BidMSRPResultsId	int	No
2	BidMSRPResultsProductL	int	Yes
3	ManufacturerProductLine	int	Yes
4	MSRPOptionId	int	Yes
5	OptionName	varchar(50)	No
6	TotalAwardDiscount	decimal(9,5)	Yes
7	TotalAward	tinyint	Yes
8	WeightedDiscount	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.BidRequestManufacturer	Table
dbo.BidRequestOptions	Table

dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_BidMSRPManufacturerProductLinePrices] as

select bmr.BidMSRPResultsId, bmrpl.BidMSRPResultsProductLineId, BidRequestProductLines....

       bmr.TotalAwardDiscount, bmr.TotalAward,

       case

         when bmrpl.BidMSRPResultsProductLineId is null then

           (select BidMSRPResultsProductLines.WeightedDiscount

              from BidMSRPResults

              join BidMSRPResultsProductLines on BidMSRPResultsProductLines.BidMSRPResu...

                                                 and BidMSRPResultsProductLines.OptionName ...

                                                 and BidMSRPResultsProductLines.Active = 1

              join ManufacturerProductLines on ManufacturerProductLines.ManufacturerPro...

                                               and ManufacturerProductLines.Name = 'ALL'

                                               and ManufacturerProductLines.Active = 1

             where BidMSRPResults.BidMSRPResultsId = bmr.BidMSRPResultsId

               and BidMSRPResults.Active = 1)

         else

           bmrpl.WeightedDiscount

       end WeightedDiscount

  from BidMSRPResults bmr

  join BidRequestManufacturer on BidRequestManufacturer.BidRequestManufacturerId = bmr....

  join BidRequestProductLines on BidRequestProductLines.BidRequestManufacturerId = bmr....

  join BidRequestOptions on BidRequestOptions.BidRequestManufacturerId = BidRequestProd...
```

```
                            and BidRequestOptions.BidRequestProductLineId = BidRequestProdu...

     left outer join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsId = bmr.BidM...

   ... (truncated)
```

vw_BidMSRPRankedManufacturerProductLines {dbo-vw-bidmsrprankedmanufacturerproductlines}

Property	Value
Schema	dbo
Created	2013-10-30 15:06:12.143000
Modified	2018-01-21 20:26:46.003000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ManufacturerId	int	Yes
3	ManufacturerName	varchar(100)	No
4	ManufacturerProductLine	int	No
5	ProductLineName	varchar(100)	No
6	MSRPOptionId	int	No
7	OptionName	varchar(50)	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.BidRequestManufacturer	Table
dbo.BidRequestOptions	Table

dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table
dbo.Manufacturers	Table
dbo.MSRPOptions	Table

SQL Definition

```
create   view  [dbo].[vw_BidMSRPRankedManufacturerProductLines] as

select bi.BidHeaderId, bmr.ManufacturerId, m.Name ManufacturerName, mpl.ManufacturerPro...

  from BidImports bi with (nolock)

  join BidMSRPResults bmr on bmr.BidImportId = bi.BidImportId

                         and bmr.Active = 1

  join Manufacturers m on m.ManufacturerId = bmr.ManufacturerId

                      and m.Active = 1

  join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsId = bmr.BidMSRPResultsId

  join ManufacturerProductLines mpl on mpl.ManufacturerProductLineId = bmrpl.Manufactur...

                                   and mpl.Active = 1

  join MSRPOptions mo on mo.MSRPOptionName = bmrpl.OptionName

                     and mo.Active = 1

 where bi.Active = 1

 group by bi.BidHeaderId, bmr.ManufacturerId, m.Name, mpl.ManufacturerProductLineId, mp...

union (

  select brm.BidHeaderId, brm.ManufacturerId, m.Name ManufacturerName, mpl.Manufacturer...

    from BidRequestManufacturer brm with (nolock)

    join Manufacturers m on m.ManufacturerId = brm.ManufacturerId

                        and m.Active = 1

    join BidRequestProductLines brpl on brpl.BidRequestManufacturerId = brm.BidRequestM...

                                    and brpl.Active = 1

    join ManufacturerProductLines mpl on mpl.ManufacturerProductLineId = brpl.Manufactu...
```

```
                                        and mpl.Active = 1

      join BidRequestOptions bro on bro.BidRequestManufacturerId = brm.BidRequestManufact...

  ... (truncated)
```

vw_BidMSRPRankedManufacturerProductLinesOrdered {dbo-vw-bidmsrprankedmanufacturerproductlinesordered

Property	Value
Schema	dbo
Created	2013-12-05 15:12:03.620000
Modified	2018-01-21 20:26:46.027000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ManufacturerId	int	Yes
3	ManufacturerName	varchar(100)	No
4	ManufacturerProductLine	int	No
5	ProductLineName	varchar(100)	No
6	MSRPOptionId	int	No
7	OptionName	varchar(50)	No
8	BidMSRPResultsId	int	Yes
9	BidMSRPResultsProductL	int	Yes
10	WriteInManufacturer	varchar(100)	Yes
11	WriteInFlag	tinyint	Yes
12	WinningBidOverride	tinyint	Yes
13	DiscountRate	decimal(38,6)	Yes
14	PriceListTypeId	int	Yes

15	TotalAward	tinyint	Yes
16	TotalAwardDiscount	decimal(9,5)	Yes
17	ProductLineWeight	decimal(9,5)	Yes
18	TotalAwardManufacturer	decimal(38,6)	Yes
19	TotalAwardProductLineW	decimal(38,6)	Yes
20	SortKey	varchar(15)	Yes
21	PriceListType	varchar(50)	Yes
22	VendorId	int	Yes
23	VendorName	varchar(50)	Yes
24	PriceListWarning	varchar(28)	No
25	AllFlag	int	No
26	AllActive	int	No
27	EntryFiltered	int	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.ManufacturerProductLines	Table
dbo.PriceListTypes	Table
dbo.Vendors	Table
dbo.vw_BidMSRPRankedManufacturerProductLine	View
dbo.vw_BidMSRPResultsPrices	View

SQL Definition

Definition truncated (11,864 characters). First 8000 shown:

```
/*
select *
  from [vw_BidMSRPRankedManufacturerProductLines] r with (nolock)
 where r.BidHeaderId = 5942
   and r.ManufacturerId = 716

select *
  from vw_BidMSRPRankedManufacturerProductLinesOrdered r
 where r.BidHeaderId = 5927
--   and r.ManufacturerId = 716
--   and r.ManufacturerName = 'SPARTAN CHEMICAL COMPANY, INC.'
--   and r.BidMSRPResultsId in ( 20065, 20094) -- 20065, 20094
 order by r.ManufacturerName, r.ProductLineName, r.SortKey

*/
create   view  [dbo].[vw_BidMSRPRankedManufacturerProductLinesOrdered] as
```

```
select plo.*, bmr.BidMSRPResultsId,

       case

... (truncated)
```

vw_BidMSRPRankedManufacturerProductLinesOrderedNew {dbo-vw-bidmsrprankedmanufacturerproductlinesorde

Property	Value
Schema	dbo
Created	2014-11-18 17:48:52.647000
Modified	2018-01-21 20:26:46.930000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ManufacturerId	int	Yes
3	ManufacturerName	varchar(100)	No
4	ManufacturerProductLine	int	No
5	ProductLineName	varchar(100)	No
6	MSRPOptionId	int	No
7	OptionName	varchar(50)	No
8	BidMSRPResultsId	int	Yes
9	BidMSRPResultsProductL	int	Yes
10	WriteInManufacturer	varchar(100)	Yes
11	WriteInFlag	tinyint	Yes
12	WinningBidOverride	tinyint	Yes
13	DiscountRate	decimal(38,6)	Yes
14	PriceListTypeId	int	Yes

15	TotalAward	tinyint	Yes
16	TotalAwardDiscount	decimal(9,5)	Yes
17	ProductLineWeight	decimal(9,5)	Yes
18	TotalAwardManufacturer	decimal(38,6)	Yes
19	TotalAwardProductLineW	decimal(38,6)	Yes
20	SortKey	varchar(20)	Yes
21	PriceListType	varchar(50)	Yes
22	VendorId	int	Yes
23	VendorName	varchar(50)	Yes
24	PriceListWarning	varchar(28)	No
25	AllFlag	int	No
26	AllActive	int	No
27	EntryFiltered	int	No
28	ManufacturerAverageWe	decimal(38,6)	Yes
29	ProductLineAverageWeig	decimal(38,6)	Yes
30	OptionAverageWeighted	decimal(38,6)	Yes
31	MRRSortKey	varchar(3)	Yes
32	MRTBSortKey	varchar(2)	Yes

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.ManufacturerProductLines	Table
dbo.PriceListTypes	Table
dbo.Vendors	Table
dbo.vw_BidMSRPRankedManufacturerProductLine	View
dbo.vw_BidMSRPResultsPrices	View
dbo.vw_MSRPRankManufacturerAWD	View
dbo.vw_MSRPRankOptionAWD	View
dbo.vw_MSRPRankProductLineAWD	View

dbo.vw_MSRPRankRequirements	View
dbo.vw_MSRPRankTieBreaker	View

SQL Definition

Definition truncated (11,938 characters). First 8000 shown:

```
/*
select * from BidHeaders where BidMessage like '%test%'


select *
  from [vw_BidMSRPRankedManufacturerProductLines] r with (nolock)
 where r.BidHeaderId = 6606
   and r.ManufacturerId = 716


select *
  from [vw_BidMSRPRankedManufacturerProductLines] plo with (nolock)
 where plo.BidHeaderId = 6595
   and plo.ManufacturerId = 4718


select *
  from BidRequestManufacturer brm
  join BidREquestProductLines on BidREquestProductLines.BidRequestManufacturerId = brm....
  join ManufacturerProductLines mpl on mpl.ManufacturerProductLineId = BidREquestProduc...
 where brm.BidHeaderId = 6595
   and brm.ManufacturerId = 4718


select *
```

```
    from BidMSRPResults brm

    join BidMSRPResultsProductLines brpl on brpl.BidMSRPResultsId = brm.BidMSRPResultsId

  ... (truncated)
```

vw_BidMSRPRankedManufacturerProductLinesOrderedSaved {dbo-vw-bidmsrprankedmanufacturerproductlinesor

Property	Value
Schema	dbo
Created	2013-10-30 16:25:48.123000
Modified	2018-01-21 20:26:46.967000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ManufacturerId	int	Yes
3	ManufacturerName	varchar(100)	No
4	ManufacturerProductLine	int	No
5	ProductLineName	varchar(100)	No
6	MSRPOptionId	int	No
7	OptionName	varchar(50)	No
8	BidMSRPResultsId	int	Yes
9	BidMSRPResultsProductL	int	Yes
10	WriteInManufacturer	varchar(100)	Yes
11	WriteInFlag	tinyint	Yes
12	WinningBidOverride	tinyint	Yes
13	DiscountRate	decimal(10,5)	No
14	PriceListTypeId	int	Yes

15	TotalAward	tinyint	Yes
16	TotalAwardDiscount	decimal(9,5)	Yes
17	ProductLineWeight	decimal(9,5)	Yes
18	TotalAwardManufacturer	decimal(38,6)	Yes
19	TotalAwardProductLineW	decimal(38,6)	Yes
20	SortKey	varchar(14)	Yes
21	PriceListType	varchar(50)	Yes
22	VendorId	int	Yes
23	VendorName	varchar(50)	Yes
24	PriceListWarning	varchar(28)	No
25	AllFlag	int	No
26	AllActive	int	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.ManufacturerProductLines	Table
dbo.PriceListTypes	Table
dbo.Vendors	Table
dbo.vw_BidMSRPRankedManufacturerProductLine	View
dbo.vw_BidMSRPResultsPrices	View

SQL Definition

Definition truncated (8,754 characters). First 8000 shown:

```
/*
select *
  from [vw_BidMSRPRankedManufacturerProductLines] r with (nolock)
 where r.BidHeaderId = 5942
   and r.ManufacturerId = 716


select *
  from vw_BidMSRPRankedManufacturerProductLinesOrdered r
 where r.BidHeaderId = 5927
--   and r.ManufacturerId = 716
--   and r.ManufacturerName = 'SPARTAN CHEMICAL COMPANY, INC.'
--   and r.BidMSRPResultsId in ( 20065, 20094) -- 20065, 20094
 order by r.ManufacturerName, r.ProductLineName, r.SortKey
```

```
*/

... (truncated)
```

vw_BidMSRPRankedManufacturers {dbo-vw-bidmsrprankedmanufacturers}

Property	Value
Schema	dbo
Created	2013-10-30 14:39:34.010000
Modified	2018-01-21 20:26:47.783000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ManufacturerId	int	Yes
3	ManufacturerName	varchar(100)	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.BidRequestManufacturer	Table
dbo.Manufacturers	Table

SQL Definition

```
create   view  [dbo].[vw_BidMSRPRankedManufacturers] as

select bi.BidHeaderId, bmr.ManufacturerId, m.Name ManufacturerName

  from BidImports bi with (nolock)

  join BidMSRPResults bmr on bmr.BidImportId = bi.BidImportId

                          and bmr.Active = 1

  join Manufacturers m on m.ManufacturerId = bmr.ManufacturerId

                       and m.Active = 1

 where bi.Active = 1

 group by bi.BidHeaderId, bmr.ManufacturerId, m.Name

union (

  select brm.BidHeaderId, brm.ManufacturerId, m.Name ManufacturerName

    from BidRequestManufacturer brm with (nolock)

    join Manufacturers m on m.ManufacturerId = brm.ManufacturerId

                         and m.Active = 1

   where brm.Active = 1 and m.Name != '(WRITEINS)'

   group by brm.BidHeaderId, brm.ManufacturerId, m.Name

)
```

vw_BidMSRPResultsPriceRanges

{dbo-vw-bidmsrpresultspriceranges}

Property	Value
Schema	dbo
Created	2015-11-14 21:15:02.613000
Modified	2018-01-21 20:26:47.787000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	No
2	BidImportId	int	No
3	BidMSRPResultsId	int	No
4	BidMSRPResultsProductL	int	Yes
5	ManufacturerProductLine	int	Yes
6	MSRPOptionId	int	Yes
7	OptionName	varchar(50)	Yes
8	TotalAwardDiscount	decimal(9,5)	Yes
9	TotalAward	tinyint	Yes
10	BidMSRPResultPricesId	int	Yes
11	ManufacturerId	int	Yes
12	RangeValue	decimal(9,5)	Yes
13	RangeBase	money	Yes
14	RangeWeight	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.BidMSRPResultPrices	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.BidRequestManufacturer	Table
dbo.BidRequestOptions	Table

dbo.BidRequestPriceRanges	Table
dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_BidMSRPResultsPriceRanges]
as

SELECT     bmr.BidHeaderId, bmr.BidImportId, bmr.BidMSRPResultsId, bmrpl.BidMSRPResults...
                      bmr.TotalAwardDiscount, bmr.TotalAward, bmrp.BidMSRPResultPricesI...
                      THEN bmrpa.RangeValue ELSE bmrp.RangeValue END AS RangeValue, bmr...
                      THEN bmrpa.RangeWeight ELSE bmrp.RangeWeight END AS RangeWeight
FROM         (SELECT     bmr1.BidHeaderId, bmr1.ManufacturerId, bmrpl1.ManufacturerProd...
                       FROM          dbo.BidMSRPResults AS bmr1 INNER JOIN
                                              dbo.BidMSRPResultsProductLines AS bmrpl1 ...
                                              dbo.BidMSRPResultPrices AS bmrp1 ON bmrp1...
                                              bmrp1.Active = 1
                       WHERE      (bmr1.Active = 1)
                       UNION
                       SELECT     brm.BidHeaderId, brm.ManufacturerId, brpl.Manufacture...
                       FROM         dbo.BidRequestManufacturer AS brm INNER JOIN
                                                dbo.BidRequestProductLines AS brpl ON brpl...
                                                dbo.BidRequestOptions AS bro ON bro.BidReq...
                                                dbo.BidRequestPriceRanges AS brpr ON brpr....
                       WHERE     (brm.Active = 1)) AS bmrs INNER JOIN
```

```
                        dbo.BidMSRPResults AS bmr ON bmr.BidHeaderId = bmrs.BidHeaderId A...

                        dbo.BidMSRPResultsProductLines AS bmrpl ON bmrpl.BidMSRPResultsId...

... (truncated)
```

vw_BidMSRPResultsPrices {dbo-vw-bidmsrpresultsprices}

Property	Value
Schema	dbo
Created	2013-12-09 21:41:32.503000
Modified	2018-01-21 20:26:46.013000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	No
2	BidImportId	int	No
3	BidMSRPResultsId	int	No
4	BidMSRPResultsProductL	int	Yes
5	ManufacturerProductLine	int	Yes
6	ProductLineName	varchar(100)	Yes
7	MSRPOptionId	int	Yes
8	OptionName	varchar(50)	Yes
9	TotalAwardDiscount	decimal(9,5)	Yes
10	TotalAward	tinyint	Yes
11	ManufacturerId	int	Yes
12	WeightedDiscount	decimal(9,5)	Yes
13	TotalWeights	decimal(38,5)	Yes

Dependencies

Object	Type
dbo.BidMSRPResultPrices	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.BidRequestManufacturer	Table
dbo.BidRequestOptions	Table
dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table

SQL Definition

Definition truncated (8,422 characters). First 8000 shown:

```
create   view  [dbo].[vw_BidMSRPResultsPrices] as

select bmr.BidHeaderId, bmr.BidImportId, bmr.BidMSRPResultsId,

       case

         when bmrpl.BidMSRPResultsProductLineId is null or upper(bmrs.ProductLineName) ...

           bmrpla.BidMSRPResultsProductLineId

         else

           bmrpl.BidMSRPResultsProductLineId

         end

       BidMSRPResultsProductLineId,

--       bmrpl.BidMSRPResultsProductLineId,

       bmrs.ManufacturerProductLineId,

       bmrs.ProductLineName,

       bmrs.MSRPOptionId, bmrs.OptionName, bmr.TotalAwardDiscount, bmr.TotalAward, bmr....

       case

         when bmrpl.WeightedDiscount is null then

           isnull(bmrpla.WeightedDiscount,0)              -- change 12/18/13 kjm
```

```
            else

              bmrpl.WeightedDiscount

  ... (truncated)
```

vw_BidPricing {dbo-vw-bidpricing}

Property	Value
Schema	dbo
Created	2011-10-24 14:32:20.260000
Modified	2018-01-21 20:26:47.103000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemId	int	No
3	ItemCode	varchar(50)	Yes
4	ItemDescription	varchar(1156)	Yes
5	UOM	varchar(20)	Yes
6	VendorItemCode	varchar(50)	No
7	ItemBidType	varchar(32)	No
8	Alternate	varchar(512)	No
9	PageNo	int	No
10	NetPrice	decimal(33,13)	No
11	SortSeq	varchar(64)	Yes
12	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.BidItems	Table
dbo.Bids	Table
dbo.Items	Table
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_ItemDescription	View

SQL Definition

```
create   view  [dbo].[vw_BidPricing] as

select BidHeaders.BidHeaderId, Items.ItemId, Items.ItemCode, id.ItemDescription, Units....

  from BidHeaders with (nolock)

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1

  join BidItems on BidItems.BidId = Bids.BidId

  join Items on Items.ItemId = BidItems.ItemId

            and Items.Active = 1

  join Units on Units.UnitId = Items.UnitId

  join Vendors on Vendors.VendorId = Bids.VendorId

  join vw_ItemDescription id on id.ItemId = Items.ItemId
```

vw_BidProductLinePrices {dbo-vw-bidproductlineprices}

Property	Value
Schema	dbo
Created	2014-05-07 11:45:08.427000
Modified	2018-01-21 20:26:46.390000

Columns

#	Column	Type	Nullable
1	BidProductLineId	int	No
2	RangeBase	money	Yes
3	RangeTop	numeric(20,4)	Yes
4	DiscountRate	decimal(9,5)	Yes

Dependencies

Object	Type
dbo.BidProductLinePrices	Table

SQL Definition

```
--select * from vw_BidProductLinePrices where BidProductLineId = 6427 order by RangeBase

create   view  [dbo].[vw_BidProductLinePrices] as

select bpl.BidProductLineId, bpl.RangeBase, bpl1.RangeBase - .01 RangeTop, bpl.Discoun...
  from BidProductLinePrices bpl
  left outer join BidProductLinePrices bpl1 on bpl1.BidProductLineId = bpl.BidProductL...
                                              and bpl1.BidProductLinePriceId =
(select top 1 bpl2.BidProductLinePriceId
   from BidProductLinePrices bpl2
  where bpl2.BidProductLineId = bpl.BidProductLineId
    and bpl2.RangeBase > bpl.RangeBase
    and bpl2.DiscountRate != bpl.DiscountRate
  order by bpl2.RangeBase)
 where bpl.BidProductLinePriceId not in (select bpl3.BidProductLinePriceId
                                              from BidProductLinePrices bpl3
                                             where bpl3.BidProductLineId = bpl.BidProduct...
                                               and bpl3.RangeBase between (select Top 1 b...
                                                                                from BidProd...
                                                                               where bpl4.Bi...
```

```
                                                                                and bpl4.Di...

                                                                              Order by bpl4...

  ... (truncated)
```

vw_BidProjectAveragePO {dbo-vw-bidprojectaveragepo}

Property	Value
Schema	dbo
Created	2007-08-17 14:54:13.810000
Modified	2018-01-21 20:26:47.797000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorId	int	No
3	VendorCode	varchar(16)	Yes
4	VendorName	varchar(50)	Yes
5	VendorInfo	varchar(376)	Yes
6	Items	int	No
7	Total	money	No
8	POCount	int	No
9	TotalQuantity	int	No
10	AvgPO	money	No

Dependencies

Object	Type
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table

dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_BidProjectAveragePO] as
  select BidImports.BidHeaderId, Vendors.VendorId, Vendors.Code VendorCode, Vendors.Nam...
         isnull(Vendors.Name,'') + case isnull(rtrim(Vendors.Address1),'') when '' then...
         isnull(s3.Items,0) Items, isnull(s3.Total,0) Total, isnull(s3.POCount,0) POCou...
    from BidImports
    join Vendors on Vendors.VendorId = BidImports.VendorId
    left outer join (
      select ss.BidHeaderId, ss.VendorId, s2.ItemCount Items, sum(Cost) Total, count(*)...
        from (
          select BidHeaderId, RequisitionId, VendorId, sum(Cost) Cost, sum(Quantity) Qu...
            from (
              select BidHeaders.BidHeaderId, BidRequestItems.BidRequestItemId, Detail.R...
                     (select top 1 VendorId from BidResults br with (nolock) join BidIm...
                     (select top 1 br.UnitPrice from BidResults br with (nolock) join B...
                     sum(BidHeaderDetail.Quantity) Quantity
                from BidHeaders
                join BidRequestItems on BidRequestItems.BidHeaderId = BidHeaders.BidHea...
                                     and BidRequestItems.Active = 1
                join BidHeaderDetail on BidHeaderDetail.BidHeaderId = BidHeaders.BidHea...
                                     and BidHeaderDetail.BidRequestItemId = BidRequestIt...
                join Detail on Detail.DetailId = BidHeaderDetail.DetailId
```

```
                    join Requisitions on Requisitions.RequisitionId = Detail.RequisitionId

                    join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  ... (truncated)
```

vw_BidRequestItemMergeDetail {dbo-vw-bidrequestitemmergedetail}

Property	Value
Schema	dbo
Created	2015-08-05 15:26:34.347000
Modified	2018-01-21 20:26:47.807000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemCode	varchar(50)	Yes
3	ItemDesc	varchar(512)	Yes
4	BidRequestItemId	int	No
5	ItemId	int	Yes
6	BidRequest	int	Yes
7	Active	tinyint	Yes
8	RequisitionCount	int	Yes
9	BidRequestAmount	money	Yes
10	Checksum	int	Yes
11	UnitCode	varchar(20)	Yes
12	SortSeq	varchar(64)	Yes
13	DistrictName	varchar(50)	Yes
14	Heading	varchar(308)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.District	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Units	Table

SQL Definition

```
-- Temporary View created by Kevin 8-5-15

--  this view defines the fields for import to clarion of the corresponding sproc


create   view  [dbo].[vw_BidRequestItemMergeDetail]

AS


SELECT BRI.BidHeaderId

  ,I.ItemCode

  ,I.[Description] as ItemDesc

  ,BRI.BidRequestItemId

      ,BRI.ItemId

      ,BidRequest

      ,BRI.Active

      ,RequisitionCount

      ,BidRequestAmount

      ,[Checksum]

  ,U.Code as UnitCode
```

```
    ,I.SortSeq

    ,D.Name as DistrictName

  ... (truncated)
```

vw_BidRequestItemMergeHeader {dbo-vw-bidrequestitemmergeheader}

Property	Value
Schema	dbo
Created	2015-08-07 13:44:05.750000
Modified	2019-08-27 06:57:01.940000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemCode	varchar(50)	Yes
3	ItemDesc	varchar(512)	Yes
4	BidRequestItemId	int	No
5	ItemId	int	Yes
6	BidRequest	int	Yes
7	Active	tinyint	Yes
8	RequisitionCount	int	Yes
9	BidRequestAmount	money	Yes
10	Checksum	int	Yes
11	ExcludeFlag	int	No
12	MergedFlag	int	No
13	MasterItemFlag	int	No
14	MasterItemCode	varchar(50)	No
15	UnitCode	varchar(20)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItemMergeActions	Table
dbo.BidRequestItems	Table
dbo.Items	Table
dbo.Units	Table

SQL Definition

```
CREATE     view  [dbo].[vw_BidRequestItemMergeHeader]
AS



-- The MasterItemFlag is really a Super Item Flag
SELECT BRI.BidHeaderId, I.ItemCode, I.Description AS ItemDesc, BRI.BidRequestItemId, BR...
       CASE WHEN ISNULL(MA.Merged,1)=0 AND ISNULL(BRI.Active,0)=1 THEN 1 ELSE 0 END as ...
       CASE WHEN ISNULL(MA.Merged,0)=1 THEN 1 ELSE 0 END as MergedFlag,
       CASE
         WHEN len(i.ItemCode) = 8 and i.ItemCode like 'EDS%' THEN 1
         WHEN (select count(*)
                 from BidRequestItemMergeActions MA2
                where isnull(MA2.Merged,0) = 1
                  and MA2.DestinationBidRequestItemId = BRI.BidRequestItemId) > 1 THEN 1
         ELSE 0
       END As MasterItemFlag,
       ISNULL(ma.ItemCode,'') MasterItemCode,
       U.Code UnitCode
FROM dbo.BidRequestItems AS BRI WITH (nolock)
INNER JOIN dbo.BidHeaders AS BH WITH (nolock) ON BRI.BidHeaderId = BH.BidHeaderId
INNER JOIN dbo.Items AS I WITH (nolock) ON I.ItemId = BRI.ItemId
INNER JOIN dbo.Units U WITH (nolock) ON U.UnitId = I.UnitId
outer apply (select top 1 brima.*, i2.ItemCode
               from BidRequestItemMergeActions brima
               join BidRequestItems newbri on newbri.BidRequestItemId = brima.Destinati...
               join Items i2 on i2.ItemId = newbri.ItemId
              where brima.BidRequestItemId = bri.BidRequestItemId
              order by BidRequestItemMergeActionsId desc
              ) ma
--LEFT OUTER JOIN BidRequestItemMergeActions MA on MA.BidRequestItemId = BRI.BidRequest...
--left outer join BidRequestItems NewBRI on NewBRI.BidRequestItemId = MA.DestinationBid...
--left outer join dbo.Items I2 ON I2.ItemId = NewBRI.ItemId
--where BRI.BidHeaderId=4898
```

vw_BidRequestItemsBidMgr {dbo-vw-bidrequestitemsbidmgr}

Property	Value

Schema	dbo
Created	2016-08-30 13:10:04.910000
Modified	2018-01-21 20:26:47.817000

Columns

#	Column	Type	Nullable
1	BidRequestItemId	int	No
2	BidHeaderId	int	Yes
3	ItemId	int	Yes
4	BidRequest	int	Yes
5	Active	tinyint	Yes
6	RequisitionCount	int	Yes
7	Status	varchar(50)	No
8	Comments	varchar(1024)	No
9	CrossReferencesText	varchar(1024)	No
10	ItemCode	varchar(50)	Yes
11	SortSeq	varchar(64)	Yes
12	Description	varchar(512)	Yes
13	UnitId	int	No
14	Code	varchar(20)	Yes
15	BIDMGRTAGFILEID	int	No
16	TAGUSR	int	Yes
17	TAGTBL	int	Yes
18	TAGPTR	int	Yes
19	TAGVAL	char(10)	Yes
20	WEIGHT	real	Yes

Dependencies

Object	Type
dbo.BidMgrTagFile	Table
dbo.BidRequestItems	Table

dbo.Items	Table
dbo.uf_CrossRefs2Text	Other
dbo.Units	Table

SQL Definition

```
create   view  [dbo].[vw_BidRequestItemsBidMgr]
AS
select BRI.BidRequestItemId
       ,BRI.BidHeaderId
       ,BRI.ItemId
       ,BRI.BidRequest
       ,BRI.Active
       ,BRI.RequisitionCount
       ,ISNULL(BRI.Status,'') Status
       ,ISNULL(BRI.Comments,'') Comments
       ,ISNULL(dbo.uf_CrossRefs2Text(BRI.ItemId),'') CrossReferencesText
       ,Items.ItemCode, Items.SortSeq, Items.Description
       ,Units.UnitId, Units.Code
       ,TAG.BIDMGRTAGFILEID, TAG.USR TAGUSR, TAG.TBL TAGTBL, TAG.PTR TAGPTR, TAG.VAL TA...
       ,convert(real, BRI.RequisitionCount) * convert(real, BRI.RequisitionCount) * con...
```

```
from dbo.BidRequestItems BRI with (nolock)

join dbo.Items ON Items.ItemId=BRI.ItemId

... (truncated)
```

vw_BidResults {dbo-vw-bidresults}

Property	Value
Schema	dbo
Created	2010-04-01 22:24:22.633000
Modified	2018-01-21 20:26:46.993000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidId	int	No
3	ItemId	int	Yes
4	UnitPrice	money	Yes
5	Alternate	varchar(512)	Yes
6	QuantityBid	int	Yes
7	BidRequest	int	Yes
8	AwardId	int	No
9	VendorItemCode	varchar(50)	Yes
10	CrossRefId	int	Yes
11	ItemBidType	varchar(13)	No
12	PackedItemCode	varchar(50)	Yes
13	PackedVendorItemCode	varchar(50)	Yes
14	PageNo	int	Yes
15	ContractNumber	varchar(50)	Yes
16	DateModified	datetime	No
17	BidResultsId	int	Yes

18	VendorId	int	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidImportCatalogList	Table
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.Catalog	Table
dbo.CrossRefs	Table
dbo.Items	Table
dbo.vw_BidAnalysisDetail	View

SQL Definition

```
create   view  [dbo].[vw_BidResults] as

    select BidHeaders.BidHeaderId,

           Bids.BidId,

           BidRequestItems.ItemId,

           case isnull(BidImports.VendorId,0)

             when 0 then 0

             when 7691 then 0

             else BidResults.UnitPrice

           end UnitPrice,

           BidResults.Alternate,

           BidResults.QuantityBid,

           BidRequestItems.BidRequest,

           Awards.AwardId,

           case isnull(BidResults.VendorItemCode,'')

             when '' then

               (select top 1 CrossRefs.VendorItemCode

                  from CrossRefs with (nolock)

                  join Catalog on Catalog.CatalogId = CrossRefs.CatalogId

                              and Catalog.Active = 1

                  join BidImportCatalogList on BidImportCatalogList.BidImportId = BidIm...

                                           and BidImportCatalogList.CatalogId = Catalog...
```

```
                    where CrossRefs.ItemId = BidRequestItems.ItemId

                      and CrossRefs.Active = 1

  ... (truncated)
```

vw_BidTabReadyNotifications {dbo-vw-bidtabreadynotifications}

Property	Value
Schema	dbo
Created	2016-08-16 23:40:15.420000
Modified	2017-02-22 16:28:34.447000

Columns

#	Column	Type	Nullable
1	DistrictNotificationId	int	Yes
2	DistrictId	int	No
3	DistrictName	varchar(50)	Yes
4	CategoryId	int	No
5	CategoryName	varchar(50)	Yes
6	NotifyUser	int	Yes
7	NotifyApprover	int	Yes
8	NotifyBA	int	Yes
9	NotifyPrimary	int	Yes
10	NotifyAD	int	Yes
11	NotifyBG	int	Yes
12	OtherNotify	varchar(4096)	Yes

Dependencies

Object	Type

dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictNotifications	Table
dbo.RegExpMatch	Other

SQL Definition

```
CREATE view [dbo].[vw_BidTabReadyNotifications]

as

select DistrictNotifications.DistrictNotificationId, District.DistrictId, District.Name...

case when DistrictNotifications.DistrictNotificationId is null then 1 else coalesce(m...

case when DistrictNotifications.DistrictNotificationId is null then 1 else coalesce(m...

case when DistrictNotifications.DistrictNotificationId is null then 1 else coalesce(m...

case when DistrictNotifications.DistrictNotificationId is null then 1 else coalesce(m...

case when DistrictNotifications.DistrictNotificationId is null then 1 else coalesce(m...

case when DistrictNotifications.DistrictNotificationId is null then 1 else coalesce(m...

coalesce(OtherNotify,'') OtherNotify

  from DistrictCategories

  join Category on Category.CategoryId = DistrictCategories.CategoryId

               and Category.Active = 1

  join District on District.DistrictId = DistrictCategories.DistrictId

  left outer join DistrictNotifications on DistrictNotifications.DistrictId = District....

                                          and DistrictNotifications.CategoryId = Category....

                                          and DistrictNotifications.NotificationType = 'Bi...

 where DistrictCategories.Active = 1

   and DistrictCategories.AllowAddenda = 1

-- order by District.Name, Category.Name
```

vw_BidTrades {dbo-vw-bidtrades}

Property	Value
Schema	dbo
Created	2012-03-05 12:51:40.580000
Modified	2018-01-21 20:26:47.827000

Columns

#	Column	Type	Nullable
1	StateCode	char(2)	Yes
2	StateName	varchar(50)	Yes
3	CountyName	varchar(50)	No
4	TradeName	varchar(255)	Yes
5	BidTradeCountyId	int	No
6	BidDate	datetime	Yes
7	BidAwardDate	datetime	Yes
8	EffectiveFrom	datetime	Yes
9	EffectiveUntil	datetime	Yes
10	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.PricePlans	Table
dbo.States	Table
dbo.Trades	Table

SQL Definition

```
create   view  [dbo].[vw_BidTrades] as

select States.code StateCode, States.Name StateName, Counties.Name CountyName, Trades.D...

  from States with (nolock)

  join BidHeaders on BidHeaders.StateId = States.StateId

                 and BidHeaders.Active = 1

--                 and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders.Effect...

  join BidTrades on BidTrades.BidHeaderId = BidHeaders.BidHeaderId

  join BidTradeCounties on BidTradeCounties.BidTradeId = BidTrades.BidTradeId

  join Counties on Counties.CountyId = BidTradeCounties.CountyId

               and Counties.StateId = States.StateId

  join Trades on Trades.TradeId = BidTrades.TradeId

             and Trades.Active = 1

  join Category on Category.CategoryId = BidHeaders.CategoryId

               and Category.Type in (3,4)

  join PricePlans on PricePlans.PricePlanId = BidHeaders.PricePlanId
```

vw_BidTradesBySession {dbo-vw-bidtradesbysession}

Property	Value
Schema	dbo
Created	2012-03-01 15:14:00.163000
Modified	2024-12-17 10:41:41.850000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	Description	varchar(255)	Yes
3	TradeTitle	varchar(255)	No
4	PackageNumber	int	No
5	BidTradeCountyId	int	No
6	BidDate	datetime	Yes
7	BidAwardDate	datetime	Yes
8	EffectiveFrom	datetime	Yes
9	EffectiveUntil	datetime	Yes
10	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.PricePlans	Table
dbo.SessionTable	Table

dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table

SQL Definition

```
CREATE   view  [dbo].[vw_BidTradesBySession] as

select SessionTable.SessionId, Trades.Description, BidTrades.Title TradeTitle, /*Trades...

  from SessionTable with (nolock)

  join Budgets on Budgets.BudgetId = SessionTable.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

  join States on States.code = District.State

  join BidHeaders on BidHeaders.StateId = States.StateId

                 and BidHeaders.Active = 1

                 and GETDATE() between case when Sessiontable.ApprovalLevel > 5 then da...

  join BidTrades on BidTrades.BidHeaderId = BidHeaders.BidHeaderId

  join BidTradeCounties on BidTradeCounties.BidTradeId = BidTrades.BidTradeId

  join Counties on Counties.CountyId = BidTradeCounties.CountyId

               and Counties.StateId = States.StateId

               and (Counties.Name = District.County

         or Counties.Name = 'Statewide')

  join Trades on Trades.TradeId = BidTrades.TradeId

             and Trades.Active = 1

  join Category on Category.CategoryId = BidHeaders.CategoryId

               and Category.Type in (3,4)

               and Category.Grouping = 'Trades'

  join PricePlans on PricePlans.PricePlanId = BidHeaders.PricePlanId

 where exists(select TMAwards.TMAwardId
```

```
                    from TMAwards with (nolock)

                  where TMAwards.BidHeaderId = BidHeaders.BidHeaderId

... (truncated)
```

vw_BidTradesBySession_Test {dbo-vw-bidtradesbysession-test}

Property	Value
Schema	dbo
Created	2016-05-17 12:27:55.450000
Modified	2024-12-17 10:35:12.680000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	Description	varchar(255)	Yes
3	TradeTitle	varchar(255)	No
4	PackageNumber	int	No
5	BidTradeCountyId	int	No
6	BidDate	datetime	Yes
7	BidAwardDate	datetime	Yes
8	EffectiveFrom	datetime	Yes
9	EffectiveUntil	datetime	Yes
10	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidTradeCounties	Table

dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.PricePlans	Table
dbo.SessionTable	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table

SQL Definition

```
CREATE   view  [dbo].[vw_BidTradesBySession_Test] as

select SessionTable.SessionId, Trades.Description, BidTrades.Title TradeTitle, /*Trades...

  from SessionTable with (nolock)

  join Budgets on Budgets.BudgetId = SessionTable.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

  join States on States.code = District.State

  join BidHeaders on BidHeaders.StateId = States.StateId

                 and BidHeaders.Active = 1

                 and GETDATE() between case when Sessiontable.ApprovalLevel > 5 then da...

  join BidTrades on BidTrades.BidHeaderId = BidHeaders.BidHeaderId

  join BidTradeCounties on BidTradeCounties.BidTradeId = BidTrades.BidTradeId

  join Counties on Counties.CountyId = BidTradeCounties.CountyId

               and Counties.StateId = States.StateId

               and (Counties.Name = District.County

         or Counties.Name = 'Statewide')

  join Trades on Trades.TradeId = BidTrades.TradeId

             and Trades.Active = 1

  join Category on Category.CategoryId = BidHeaders.CategoryId

               and Category.Type in (3,4)

               and Category.Grouping = 'Trades'

  join PricePlans on PricePlans.PricePlanId = BidHeaders.PricePlanId

 where exists(select TMAwards.TMAwardId
```

```
                    from TMAwards with (nolock)

                  where TMAwards.BidHeaderId = BidHeaders.BidHeaderId

  ... (truncated)
```

vw_BidTradesVendorDetailForReports {dbo-vw-bidtradesvendordetailforreports}

Property	Value
Schema	dbo
Created	2012-03-05 21:25:51.227000
Modified	2018-01-21 20:26:46.230000

Columns

#	Column	Type	Nullable
1	BidTradeCountyId	int	No
2	BidImportId	int	Yes
3	BidHeaderId	int	Yes
4	BidCounty	varchar(50)	No
5	BidState	varchar(50)	Yes
6	TradeName	varchar(255)	No
7	AwardType	varchar(50)	Yes
8	BidDate	datetime	Yes
9	BidAwardDate	datetime	Yes
10	VendorCode	varchar(16)	No
11	VendorName	varchar(50)	No
12	ContactName	varchar(150)	No
13	ContactPhone	varchar(25)	No
14	ContactFax	varchar(20)	No
15	ContactEmail	varchar(255)	No

16	Address1	varchar(50)	No
17	Address2	varchar(50)	No
18	City	varchar(50)	No
19	State	char(2)	No
20	Zipcode	varchar(10)	No
21	HostName	varchar(50)	Yes
22	HostNameAndAddress	varchar(222)	Yes
23	BidEntryDisplayLabel	varchar(255)	Yes
24	BidAnswer	varchar(4096)	Yes
25	UOM	varchar(51)	No
26	Sequence	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidQuestions	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.DistrictContacts	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.uf_FormatData	Other
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_BidAnswers	View

SQL Definition

```
create   view  [dbo].[vw_BidTradesVendorDetailForReports] as

select BidTradeCounties.BidTradeCountyId, BidImports.BidImportId, BidHeaders.BidHeaderI...

       BidTrades.Title TradeName, TMAwards.AwardType,

       BidHeaders.BidDate, BidHeaders.BidAwardDate,

       isnull(Vendors.Code,'') VendorCode, isnull(Vendors.Name,'') VendorName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactName

                else VendorContacts.FullName

              end,'') ContactName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactPhone

                else VendorContacts.Phone

              end,'') ContactPhone,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactFax

                else VendorContacts.Fax

              end,'') ContactFax,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactEmail
```

```
                    else VendorContacts.EMail

                end,'') ContactEmail,

  ... (truncated)
```

vw_BidTradesVendors {dbo-vw-bidtradesvendors}

Property	Value
Schema	dbo
Created	2012-03-02 09:45:55.433000
Modified	2018-01-21 20:26:46.150000

Columns

#	Column	Type	Nullable
1	BidTradeCountyId	int	No
2	BidImportId	int	Yes
3	BidHeaderId	int	Yes
4	VendorId	int	No
5	BidCounty	varchar(50)	No
6	BidState	varchar(50)	Yes
7	TradeName	varchar(255)	Yes
8	VendorCode	varchar(16)	No
9	VendorName	varchar(50)	No
10	ContactName	varchar(150)	No
11	ContactPhone	varchar(25)	No
12	ContactFax	varchar(20)	No
13	ContactEmail	varchar(255)	No
14	Address1	varchar(50)	No
15	Address2	varchar(50)	No
16	City	varchar(50)	No
17	State	char(2)	No

18	Zipcode	varchar(10)	No
19	AwardAmount	numeric(19,4)	No

Dependencies

Object	Type
dbo.BidAnswers	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidMgrBidTradeLowBidder	View
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.States	Table
dbo.Trades	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_BidTradesVendors] as

select BidTradeCounties.BidTradeCountyId, BidImports.BidImportId, BidHeaders.BidHeaderI...

       Counties.Name BidCounty, States.Name BidState, Trades.Description TradeName,

       isnull(Vendors.Code,'') VendorCode, isnull(Vendors.Name,'') VendorName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactName

                else VendorContacts.FullName

              end,'') ContactName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactPhone

                else VendorContacts.Phone

              end,'') ContactPhone,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactFax

                else VendorContacts.Fax
```

```
                end,'') ContactFax,

        isnull(case isnull(BidImports.UseVendorContactInfo,0)

... (truncated)
```

vw_BidTradesVendorsAnswers {dbo-vw-bidtradesvendorsanswers}

Property	Value
Schema	dbo
Created	2012-03-02 17:02:33.493000
Modified	2018-01-21 20:26:46.217000

Columns

#	Column	Type	Nullable
1	BidImportId	int	No
2	BidTradeCountyId	int	No
3	Sequence	int	Yes
4	BidEntryDisplayLabel	varchar(255)	Yes
5	BidAnswer	varchar(4148)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidQuestions	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table

dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.uf_FormatData	Other
dbo.Vendors	Table
dbo.vw_BidAnswers	View

SQL Definition

```
create   view  [dbo].[vw_BidTradesVendorsAnswers] as

select BidImports.BidImportId, BidTradeCounties.BidTradeCountyId, ba.Sequence, ba.BidEn...

  from States with (nolock)

  join Counties on Counties.StateId = States.StateId

  join BidTradeCounties on BidTradeCounties.CountyId = Counties.CountyId

  join BidTrades on BidTrades.BidTradeId = BidTradeCounties.BidTradeId

  join Trades on Trades.TradeId = BidTrades.TradeId

  join BidHeaders on BidHeaders.StateId = States.StateId

                 and BidTrades.BidHeaderId = BidHeaders.BidHeaderId

  join Category on Category.CategoryId = BidHeaders.CategoryId

               and Category.Type in (3, 4)

  join TMAwards on TMAwards.BidHeaderId = BidHeaders.BidHeaderId

               and TMAwards.BidTradeCountyId = BidTradeCounties.BidTradeCountyId

               and TMAwards.Active = 1

  join Vendors on Vendors.VendorId = TMAwards.VendorId

  join BidImports on BidImports.BidImportId = TMAwards.BidImportId

  join vw_BidAnswers ba on ba.BidImportId = BidImports.BidImportId

                        and ba.BidTradeId = BidTrades.BidTradeId

                        and ba.CountyId = Counties.CountyId
```

```
    join BidQuestions bq on bq.BidQuestionId = ba.BidQuestionId

                        and bq.ExtdCalcTypeId not in (4,5,6)

  ... (truncated)
```

vw_BidTradesVendorsAnswersBySession {dbo-vw-bidtradesvendorsanswersbysession}

Property	Value
Schema	dbo
Created	2012-03-02 16:57:36.080000
Modified	2018-01-21 20:26:46.200000

Columns

#	Column	Type	Nullable
1	BidImportId	int	No
2	BidTradeCountyId	int	No
3	Sequence	int	Yes
4	QuestionText	varchar(MAX)	No
5	BidAnswer	varchar(512)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidQuestions	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Category	Table

dbo.Counties	Table
dbo.District	Table
dbo.SessionTable	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.Vendors	Table
dbo.vw_BidAnswers	View

SQL Definition

```
create   view  [dbo].[vw_BidTradesVendorsAnswersBySession] as

select BidImports.BidImportId, BidTradeCounties.BidTradeCountyId, ba.Sequence, ba.Quest...

  from SessionTable with (nolock)

  join Budgets on Budgets.BudgetId = SessionTable.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

  join States on States.code = District.State

  join Counties on Counties.Name = District.County

               and Counties.StateId = States.StateId

  join BidTradeCounties on BidTradeCounties.CountyId = Counties.CountyId

  join BidTrades on BidTrades.BidTradeId = BidTradeCounties.BidTradeId

  join Trades on Trades.TradeId = BidTrades.TradeId

  join BidHeaders on BidHeaders.StateId = States.StateId

                 and BidTrades.BidHeaderId = BidHeaders.BidHeaderId

  join Category on Category.CategoryId = BidHeaders.CategoryId

               and Category.Type in (3, 4)

  join TMAwards on TMAwards.BidHeaderId = BidHeaders.BidHeaderId

               and TMAwards.BidTradeCountyId = BidTradeCounties.BidTradeCountyId

               and TMAwards.Active = 1

  join Vendors on Vendors.VendorId = TMAwards.VendorId

  join BidImports on BidImports.BidImportId = TMAwards.BidImportId

  join vw_BidAnswers ba on ba.BidImportId = BidImports.BidImportId

                        and ba.BidTradeId = BidTrades.BidTradeId
```

```
                        and ba.CountyId = Counties.CountyId

    join BidQuestions bq on bq.BidQuestionId = ba.BidQuestionId

  ... (truncated)
```

vw_BidTradesVendorsBySession {dbo-vw-bidtradesvendorsbysession}

Property	Value
Schema	dbo
Created	2012-03-01 17:09:17.177000
Modified	2025-09-18 15:12:44.807000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	BidTradeCountyId	int	No
3	BidImportId	int	Yes
4	VendorBidComments	varchar(1024)	No
5	VendorCountyBidCommen	varchar(4096)	No
6	BidHeaderId	int	Yes
7	BidCounty	varchar(50)	No
8	BidState	varchar(50)	Yes
9	AwardType	varchar(50)	Yes
10	VendorCode	varchar(16)	No
11	VendorName	varchar(50)	Yes
12	ContactName	varchar(150)	No
13	ContactPhone	varchar(25)	No
14	ContactFax	varchar(20)	No
15	ContactEmail	varchar(255)	No

16	Address1	varchar(50)	No
17	Address2	varchar(50)	No
18	City	varchar(50)	No
19	State	char(2)	No
20	Zipcode	varchar(10)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.SessionTable	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
--select * from [vw_BidTradesVendorsBySession] bt where bt.SessionId = 1784488957 and b...

CREATE     view  [dbo].[vw_BidTradesVendorsBySession] as

select SessionTable.SessionId, BidTradeCounties.BidTradeCountyId,

       BidImports.BidImportId, isnull(BidImports.Comments,'') VendorBidComments,

       isnull(BidImportCounties.Comments,'') VendorCountyBidComments,

       BidHeaders.BidHeaderId, Counties.Name BidCounty, States.Name BidState,

       TMAwards.AwardType,

       isnull(Vendors.Code,'') VendorCode, coalesce(Vendors.DisplayAs,Vendors.Name,'') ...

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactName

                else VendorContacts.FullName

              end,'') ContactName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactPhone

                else VendorContacts.Phone

              end,'') ContactPhone,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactFax

                else VendorContacts.Fax

              end,'') ContactFax,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactEmail
```

```
                  else VendorContacts.EMail

                end,'') ContactEmail,

  ... (truncated)
```

vw_BidTradesVendorsForReports {dbo-vw-bidtradesvendorsforreports}

Property	Value
Schema	dbo
Created	2012-03-05 13:16:04.243000
Modified	2023-07-19 12:25:25.667000

Columns

#	Column	Type	Nullable
1	BidTradeCountyId	int	No
2	BidImportId	int	Yes
3	BidHeaderId	int	Yes
4	BidCounty	varchar(50)	No
5	BidState	varchar(50)	Yes
6	TradeName	varchar(255)	No
7	PackageNumber	int	Yes
8	TradeDescription	varchar(255)	Yes
9	AwardType	varchar(50)	Yes
10	BidDate	datetime	Yes
11	BidAwardDate	datetime	Yes
12	EffectiveFrom	datetime	Yes
13	EffectiveUntil	datetime	Yes
14	VendorCode	varchar(16)	No
15	VendorName	varchar(50)	No

16	ContactName	varchar(150)	No
17	ContactPhone	varchar(25)	No
18	ContactFax	varchar(20)	No
19	ContactEmail	varchar(255)	No
20	Address1	varchar(50)	No
21	Address2	varchar(50)	No
22	City	varchar(50)	No
23	State	char(2)	No
24	Zipcode	varchar(10)	No
25	VendorContactInfo	varchar(5824)	Yes
26	HostName	varchar(50)	Yes
27	HostNameAndAddress	varchar(222)	Yes
28	CategoryType	int	Yes
29	CategoryName	varchar(1074)	Yes
30	Grouping	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.DistrictContacts	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

Definition truncated (8,434 characters). First 8000 shown:

```
CREATE   view  [dbo].[vw_BidTradesVendorsForReports] as

select BidTradeCounties.BidTradeCountyId, BidImports.BidImportId, BidHeaders.BidHeaderI...

       BidTrades.Title TradeName, Trades.PackageNumber, Trades.Description TradeDescrip...

       BidHeaders.BidDate, BidHeaders.BidAwardDate,

       BidHeaders.EffectiveFrom, BidHeaders.EffectiveUntil,

       isnull(Vendors.Code,'') VendorCode, isnull(Vendors.Name,'') VendorName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactName

                else VendorContacts.FullName

              end,'') ContactName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactPhone

                else VendorContacts.Phone

              end,'') ContactPhone,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactFax

                else VendorContacts.Fax

              end,'') ContactFax,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)
```

```
                    when 0 then BidImports.ContactEmail

                    else VendorContacts.EMail

                  end,'') ContactEmail,

          isnull(VendorContacts.Address1,'') Address1,

   ... (truncated)
```

vw_BidType {dbo-vw-bidtype}

Property	Value
Schema	dbo
Created	2012-03-21 20:20:49.127000
Modified	2018-01-21 20:26:47.870000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	CategoryType	int	Yes
3	Grouping	varchar(50)	Yes
4	TradeCount	int	Yes
5	ItemCount	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.BidTrades	Table
dbo.Category	Table

SQL Definition

```
create   view  [dbo].[vw_BidType] as

select BidHeaderId, Category.Type CategoryType, Category.Grouping,

       (select COUNT(*)

          from BidTrades with (nolock)

         where BidTrades.BidHeaderId = BidHeaders.BidHeaderId) TradeCount,

       (select COUNT(*)

          from BidRequestItems with (nolock)

         where BidRequestItems.BidHeaderId = BidHeaders.BidHeaderId

           and BidRequestItems.Active = 1) ItemCount

  from BidHeaders with (nolock)

  join Category on Category.CategoryId = BidHeaders.CategoryId

 where BidHeaders.Active = 1
```

vw_BidUPCs {dbo-vw-bidupcs}

Property	Value

Schema	dbo
Created	2019-08-15 15:41:18.930000
Modified	2019-08-20 15:00:35.193000

Columns

#	Column	Type	Nullable
1	CategoryId	int	Yes
2	ItemId	int	Yes
3	VendorId	int	Yes
4	VendorItemCode	varchar(50)	Yes
5	BidHeaderId	int	Yes
6	PageNo	int	Yes
7	BidResultsId	int	No
8	UPC_ISBN	varchar(20)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidResults	Table

SQL Definition

```
CREATE     view  [dbo].[vw_BidUPCs] as

select BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.Vendor...

  from BidResults

  join BidImports on BidImports.BidImportId = BidResults.BidImportId

                 and BidImports.VendorId != 7691

  join BidHeaders on BidHeaders.BidHeaderId = BidImports.BidHeaderId

                 and BidHeaders.BidType = 1

                 and BidHeaders.EffectiveFrom > dateadd(year,-2,getdate())

 where BidResults.ItemBidType = 'S'

   and BidResults.UPC_ISBN != ''

   and BidResults.UPC_ISBN is not null

-- group by BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.V...
```

vw_BidVendor {dbo-vw-bidvendor}

Property	Value
Schema	dbo
Created	2015-03-17 16:39:17.100000
Modified	2018-01-21 20:26:47.873000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	CategoryId	int	Yes
3	VendorId	int	Yes
4	Description	varchar(512)	Yes
5	BidMessage	varchar(1024)	Yes
6	EffectiveFrom	datetime	Yes
7	EffectiveUntil	datetime	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table

SQL Definition

```
create   view  [dbo].[vw_BidVendor] as

-- View created for use with Catalog Importer Clarion Program

SELECT BH.BidHeaderId, BH.CategoryId, BIDS.VendorId, BH.Description, BH.BidMessage, BH....

FROM BidHeaders BH with (nolock)

JOIN Bids ON Bids.BidHeaderId = BH.BidHeaderId and Bids.Active = 1

where GETDATE() between BH.EffectiveFrom and BH.EffectiveUntil and BH.Active=1

-- and Bids.VendorId = 317
```

vw_BidVendorItemCodes {dbo-vw-bidvendoritemcodes}

Property	Value
Schema	dbo
Created	2015-08-21 13:23:20.317000
Modified	2018-01-21 20:26:47.877000

Columns

#	Column	Type	Nullable
1	CategoryId	int	Yes
2	ItemId	int	Yes
3	VendorId	int	Yes
4	VendorItemCode	varchar(50)	Yes
5	ManufacturerBid	varchar(50)	Yes
6	ManufPartNoBid	varchar(50)	Yes
7	BidHeaderId	int	Yes
8	PageNo	int	Yes
9	BidResultsId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidResults	Table

SQL Definition

```
create   view  [dbo].[vw_BidVendorItemCodes] as

select BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.Vendor...

  from BidResults

  join BidImports on BidImports.BidImportId = BidResults.BidImportId

 and BidImports.VendorId != 7691

  join BidHeaders on BidHeaders.BidHeaderId = BidImports.BidHeaderId

                 and BidHeaders.BidType = 1

                 and BidHeaders.EffectiveFrom > dateadd(year,-2,getdate())

 where BidResults.ItemBidType = 'S'

   and BidResults.VendorItemCode != ''

   and BidResults.VendorItemCode is not null

-- group by BidHeaders.CategoryId, BidResults.ItemId, BidImports.VendorId, BidResults.V...
```

vw_BidVendorList {dbo-vw-bidvendorlist}

Property	Value
Schema	dbo
Created	2011-09-01 11:37:28.133000
Modified	2021-05-28 11:32:49.657000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes

2	VendorId	int	Yes
3	VendorCode	varchar(16)	Yes
4	VendorName	varchar(MAX)	Yes
5	CategoryName	varchar(50)	Yes
6	CategoryId	int	No
7	Description	varchar(278)	No
8	DistrictName	varchar(57)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Category	Table
dbo.District	Table
dbo.PricePlans	Table
dbo.uf_VendorBidContacts	Other
dbo.Vendors	Table
dbo.vw_BidVendorsSinceLastYear	View

SQL Definition

```
--select * from vw_BidVendorList where BidHeaderId = 10903




CREATE   view  [dbo].[vw_BidVendorList] as

--set rowcount 1000

select BidHeaders.BidHeaderId,

       Vendors.VendorId,

       Vendors.Code VendorCode,

       isnull(Vendors.Name,'') + char(13) + char(10) + isnull(dbo.uf_VendorBidContacts(...

--       case rtrim(isnull(Vendors.Address1,'')) when '' then '' else char(13) + char(1...

       Category.Name CategoryName,

       Category.CategoryId,

       case isnull(PricePlans.PricePlanId,0) when 0 then 'All Price Plans' else isnull(...

       case isnull(District.DistrictId,0) when 0 then 'All Districts' else isnull(Distr...

  from BidHeaders with (nolock)

  join Category on Category.CategoryId = BidHeaders.CategoryId

  join PricePlans on PricePlans.PricePlanId = BidHeaders.PricePlanId

  left outer join vw_BidVendorsSinceLastYear vcp on vcp.CategoryId = BidHeaders.CategoryId

                                                 and vcp.BidHeaderId = BidHeaders.BidHea...

  left outer join Vendors on Vendors.VendorId = vcp.VendorId
```

```
                                and Vendors.Active = 1

     left outer join District on District.DistrictId = BidHeaders.DistrictId

   ... (truncated)
```

vw_BidVendorsBySession {dbo-vw-bidvendorsbysession}

Property	Value
Schema	dbo
Created	2012-03-22 16:07:28.020000
Modified	2025-09-18 15:12:44.933000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	BidImportId	int	Yes
3	VendorBidComments	varchar(1541)	No
4	VendorCountyBidComme	varchar(1)	No
5	BidHeaderId	int	Yes
6	BidCounty	varchar(50)	No
7	BidState	varchar(50)	Yes
8	AwardType	varchar(15)	No
9	VendorCode	varchar(16)	No
10	VendorName	varchar(50)	Yes
11	ContactName	varchar(150)	No
12	ContactPhone	varchar(25)	No
13	ContactFax	varchar(20)	No
14	ContactEmail	varchar(255)	No
15	Address1	varchar(50)	No

16	Address2	varchar(50)	No
17	City	varchar(50)	No
18	State	char(2)	No
19	Zipcode	varchar(10)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.SessionTable	Table
dbo.States	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_BidVendorsBySession] as

select SessionTable.SessionId, BidImports.BidImportId,

       isnull(BidImports.Comments,'') +

       case

         when isnull(BidImports.Comments,'') != '' and isnull(BidImports.CatalogDiscoun...

         else ''

       end + isnull(BidImports.CatalogDiscountComments,'') VendorBidComments,

       '' VendorCountyBidComments,

       BidHeaders.BidHeaderId, Counties.Name BidCounty, States.Name BidState,

       case (select count(*) from Bids b with (nolock) where b.BidHeaderId = BidHeaders...

       isnull(Vendors.Code,'') VendorCode, coalesce(Vendors.DisplayAs,Vendors.Name,'') ...

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactName

                else VendorContacts.FullName

              end,'') ContactName,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactPhone

                else VendorContacts.Phone

              end,'') ContactPhone,

       isnull(case isnull(BidImports.UseVendorContactInfo,0)

                when 0 then BidImports.ContactFax

                else VendorContacts.Fax
```

```
                end,'') ContactFax,

        isnull(case isnull(BidImports.UseVendorContactInfo,0)

... (truncated)
```

vw_BidVendorsSinceLastYear {dbo-vw-bidvendorssincelastyear}

Property	Value
Schema	dbo
Created	2012-10-25 14:07:51.353000
Modified	2018-01-21 20:26:46.267000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorId	int	No
3	CategoryId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.DistrictPP	Table
dbo.Items	Table
dbo.VendorCategoryPP	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_BidVendorsSinceLastYear] as

    select bh1.BidHeaderId, Vendors.VendorId, Items.CategoryId

      from BidHeaders bh1 with (nolock)

/*      join BidHeaderDetail on BidHeaderDetail.BidHeaderId = bh1.BidHeaderId

      join Detail on Detail.DetailId = BidHeaderDetail.DetailId

*/

      join BidRequestItems on BidRequestItems.BidHeaderId = bh1.BidHeaderId

/*      join Items on Items.ItemId = Detail.ItemId*/

      join Items on Items.ItemId = BidRequestItems.ItemId

      join Vendors on Vendors.VendorId = Items.VendorId

                  and Vendors.Active = 1

     where bh1.BidAwardDate > DATEADD(year,-1,getdate())

       and bh1.Active = 1

/*     group by BidHeaderDetail.BidHeaderId, Vendors.VendorId, Items.CategoryId */

     group by bh1.BidHeaderId, Vendors.VendorId, Items.CategoryId

   union (

    select bh.BidHeaderId, VendorCategoryPP.VendorId, VendorCategoryPP.CategoryId

      from BidHeaders bh with (nolock)

      join DistrictPP on DistrictPP.PricePlanId = bh.PricePlanId

      join VendorCategoryPP on VendorCategoryPP.CategoryId = bh.CategoryId

                              and case isnull(VendorCategoryPP.PricePlanId,0) when 0 then ...

                              and case isnull(VendorCategoryPP.DistrictId,0) when 0 then c...
```

```
        join Vendors on Vendors.VendorId = VendorCategoryPP.VendorId

                    and Vendors.Active = 1

... (truncated)
```

vw_BidYears {dbo-vw-bidyears}

Property	Value
Schema	dbo
Created	2019-09-27 13:46:36.073000
Modified	2025-10-27 20:06:35.867000

Columns

#	Column	Type	Nullable
1	BidYears	varchar(11)	Yes

Dependencies

Object	Type
dbo.bidinfolookup	View

SQL Definition

```
CREATE view [dbo].[vw_BidYears]

as

select top 10 BidYears

  from dbo.BidInfoLookup

 group by BidYears

 order by BidYears desc
```

vw_BillingStatus {dbo-vw-billingstatus}

Property	Value
Schema	dbo
Created	2017-10-09 14:42:16.550000
Modified	2018-01-21 20:26:47.890000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	Name	varchar(50)	Yes
3	CurrentBudgetId	int	No
4	NextBudgetId	int	No
5	CurrentEDSAmount	money	Yes
6	CurrentEDSType	varchar(63)	Yes
7	NextEDSAmount	money	Yes
8	NextEDSType	varchar(50)	Yes
9	CurrentRTKAmount	money	Yes

10	CurrentRTKType	varchar(13)	No
11	NextRTKAmount	money	Yes
12	CurrentTMAmount	money	Yes
13	NextTMAmount	money	Yes
14	CurrentTMType	varchar(13)	No
15	NeedsEDS	int	No
16	NeedsRTK	int	No
17	NeedsTM	int	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.ChargeTypes	Table
dbo.District	Table
dbo.DistrictCharges	Table

SQL Definition

```
--select * from vw_BillingStatus bs where 'Miss Billed' in (bs.CurrentEDSType, bs.Curre...


create   view  [dbo].[vw_BillingStatus] as
select District.DistrictId,
       District.Name,
   CurrentBudget.BudgetId CurrentBudgetId,
   NextBudget.BudgetId NextBudgetId,
   CurrentEDS.Amount CurrentEDSAmount,
   case
     when District.CooperativeBids = 1 then
   case
     when District.ParentDistrictId > 0 then 'Billed under ' + (select pd.Name from D...
     when NextEDS.DistrictChargeId is null then 'Needs Billing'
 else coalesce(CurrentEDSType.Description,'')
   end
 else
   case
     when NextEDS.DistrictChargeId is not null then 'Miss Billed'
 else 'No Coop'
   end
   end CurrentEDSType,
   NextEDS.Amount NextEDSAmount,
```

```
    coalesce(NextEDSType.Description,'') NextEDSType,

    CurrentRTK.Amount CurrentRTKAmount,

  ... (truncated)
```

vw_BrowseDistrictBidHeaders {dbo-vw-browsedistrictbidheaders}

Property	Value
Schema	dbo
Created	2009-05-26 23:00:45.103000
Modified	2018-01-21 20:26:47.897000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	HeadingId	int	Yes
3	Title	varchar(255)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Detail	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_BrowseDistrictBidHeaders] as

SELECT R1.RequisitionId,

       case isnull(Headings.HeadingId,0)

         when 0 then null

         else Headings.HeadingId

       end HeadingId,

       case isnull(Headings.HeadingId,0)

         when 0 then ' Addenda Items'

         else rtrim(ltrim(isnull(Headings.Title,' Addenda Items')))

       end Title

  from Requisitions r1 with (nolock)

  join Budgets b1 on b1.BudgetId = r1.BudgetId

  join Budgets b0 on b0.DistrictId = b1.DistrictId

                 and b0.Active = 1

                 and GETDATE() between b0.StartDate and b0.EndDate

  join Requisitions on Requisitions.BudgetId = b0.BudgetId

                   and Requisitions.CategoryId = r1.CategoryId

  join Detail on Detail.RequisitionId = Requisitions.RequisitionId

  join Items on Items.ItemId = Detail.ItemId

             and Items.CategoryId = Requisitions.CategoryId

             and Items.Active = 1

  left outer join Headings on Headings.HeadingId = Items.HeadingId
```

```
                                and Headings.Active = 1

    group by r1.RequisitionId,

   ... (truncated)
```

vw_BudgetDistrictBySession {dbo-vw-budgetdistrictbysession}

Property	Value
Schema	dbo
Created	2012-03-26 21:49:03.940000
Modified	2018-01-21 20:26:47.900000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	DistrictName	varchar(50)	Yes
3	BudgetName	varchar(30)	Yes
4	BudgetId	int	Yes
5	StateName	varchar(50)	Yes
6	CountyName	varchar(50)	Yes
7	DistrictId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Counties	Table
dbo.District	Table
dbo.SessionTable	Table
dbo.States	Table

SQL Definition

```
create   view  [dbo].[vw_BudgetDistrictBySession] as

select SessionTable.SessionId, District.Name DistrictName, Budgets.Name BudgetName, Bud...

  from SessionTable with (nolock)

  left outer join District on District.DistrictId = SessionTable.DistrictId

  left outer join Budgets on Budgets.BudgetId = SessionTable.BudgetId

  left outer join States on States.code = District.State

  left outer join Counties on Counties.Name = District.County
```

vw_BudgetPrice {dbo-vw-budgetprice}

Property	Value
Schema	dbo
Created	2008-10-07 14:29:08.450000
Modified	2018-01-21 20:26:47.907000

Columns

#	Column	Type	Nullable
1	BidPrice	money	Yes

2	BidItemId	int	Yes
3	CrossRefId	int	No
4	VendorId	int	Yes
5	CatalogId	int	Yes
6	CatalogPrice	money	Yes
7	GrossPrice	money	Yes
8	DiscountRate	int	Yes
9	CatalogPage	char(4)	Yes
10	PricePlanId	int	Yes
11	AwardId	int	Yes
12	VendorItemCode	varchar(50)	Yes
13	Alternate	int	Yes
14	ItemMustBeBid	int	No
15	CatalogYear	char(2)	Yes
16	ItemId	int	No
17	SortKey	varchar(42)	Yes

Dependencies

Object	Type
dbo.Catalog	Table
dbo.CrossRefs	Table
dbo.Items	Table

SQL Definition

```
create   view  [dbo].[vw_BudgetPrice] as

          select round(isnull(Items.ListPrice, CrossRefs.CatalogPrice),2) BidPrice, nul...

            from Items with (nolock)

            join CrossRefs on CrossRefs.ItemId = Items.ItemId

                        and CrossRefs.Active = 1

--                        and case isnumeric(CrossRefs.Page) when 1 then convert(int,...

-- Above Line Added to Solve Picking Zero Page # when multi-Catalog per vendor 11/06/07

            join Catalog on Catalog.CatalogId = CrossRefs.CatalogId

                       and Catalog.Active = 1

--                       and Catalog.Name = 'EDS'

--                       and Catalog.CatalogYear = CrossRefs.CatalogYear

-- Above Line of Code Added 9/17/2004 DCH

           where Items.Active = 1
```

vw_BudgetsFilter {dbo-vw-budgetsfilter}

Property	Value
Schema	dbo
Created	2009-12-31 12:24:10.250000
Modified	2018-01-21 20:26:47.910000

Columns

#	Column	Type	Nullable
1	BudgetName	varchar(9)	Yes
2	BudgetFilterId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table

SQL Definition

```
create   view  [dbo].[vw_BudgetsFilter] as

  select substring(Budgets.Name,1,4) + '-' + cast(CAST(substring(Budgets.Name,1,4) as i...

    from Budgets with (nolock)

    join District on District.DistrictId = Budgets.DistrictId

                  and District.Active = 1

                  and isnull(rtrim(District.State),'') != ''

                  and ISNULL(rtrim(District.DistrictCode),'') != ''

   where Budgets.Active = 1

     and ISNUMERIC(substring(Budgets.Name,1,4)) = 1

     and CAST(substring(Budgets.Name,1,4) as int) > YEAR(getdate()) - 6

   group by substring(Budgets.Name,1,4) + '-' + cast(CAST(substring(Budgets.Name,1,4) a...
```

vw_CatalogCompare {dbo-vw-catalogcompare}

Property	Value
Schema	dbo
Created	2015-03-31 15:20:46.853000
Modified	2025-10-27 20:08:56.247000

Columns

#	Column	Type	Nullable
1	CatalogIdOld	int	Yes
2	CrossRefId	int	No
3	VendorItemCodeOld	varchar(50)	Yes
4	PageOld	char(4)	Yes
5	CatalogPriceOld	money	Yes
6	GrossPriceOld	money	Yes
7	DoNotDiscountOld	int	Yes
8	DescriptionOld	varchar(512)	Yes
9	UnitCodeOld	varchar(20)	Yes
10	NewCatalogId	int	Yes
11	sysid	int	No
12	VendorItemCodeNew	varchar(50)	Yes
13	PageNew	int	Yes
14	CatalogPriceNew	money	Yes
15	GrossPriceNew	money	Yes
16	DoNotDiscountNew	int	Yes
17	DescriptionNew	varchar(512)	Yes
18	UnitCodeNew	varchar(16)	Yes
19	CatalogPriceChangePerc	money	Yes
20	GrossPriceChangePercer	money	Yes

Dependencies

Object	Type
dbo.CrossRefs	Table
dbo.Items	Table
dbo.Master Catalog	Other
dbo.Units	Table

SQL Definition

```
CREATE   view  [dbo].[vw_CatalogCompare] as
select -- info from last year catalog via [crossrefs] table
       xr.CatalogId CatalogIdOld,  xr.CrossRefId, xr.VendorItemCode VendorItemCodeOld,
       xr.Page PageOld, xr.CatalogPrice CatalogPriceOld, xr.GrossPrice GrossPriceOld, x...
       Items.Description DescriptionOld, Units.Code UnitCodeOld,
       -- info from this year catalog via [master catalog]
       mc.CatalogId NewCatalogId,  mc.sysid, mc.VendorItemCode VendorItemCodeNew,
       mc.PageNumber PageNew, mc.CatalogPrice CatalogPriceNew, mc.GrossPrice GrossPrice...
       mc.Description DescriptionNew, mc.UnitCode UnitCodeNew,
       -- price comparisons
       case when mc.CatalogPrice=0 then 100 else ((mc.CatalogPrice - xr.CatalogPrice)/m...
       case when mc.GrossPrice=0 then 100 else ((mc.GrossPrice - xr.GrossPrice)/mc.Gros...
from catalogs.dbo.[Master Catalog] mc
join dbo.CrossRefs xr on isnull(ltrim(rtrim(xr.UniqueItemNumber)),'') = isnull(ltrim(rt...
                         and xr.Active = 1
left join dbo.Items on Items.ItemId = xr.ItemId
left join dbo.Units on Units.UnitId = Items.UnitId
--where xr.CatalogId = 2879 and mc.CatalogId = 3056
--where CatalogIdOld = 2879 and CatalogIdNew = 3056
```

```
--order by xr.Page


... (truncated)
```

vw_CatalogImport {dbo-vw-catalogimport}

Property	Value
Schema	dbo
Created	2011-10-05 23:06:22.610000
Modified	2018-01-21 20:26:47.917000

Columns

#	Column	Type	Nullable
1	CatalogImportFieldId	int	No
2	CatalogImportId	int	No
3	SequenceId	int	Yes
4	Name	varchar(50)	No
5	Optional	tinyint	Yes
6	rowguid	uniqueidentifier	No
7	CatalogImportMapId	int	Yes
8	CatalogId	int	Yes
9	ImportIndex	int	Yes
10	ImportRegExp	varchar(1024)	Yes

Dependencies

Object	Type
dbo.CatalogImportFields	Table
dbo.CatalogImportMap	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogImport] as

select CatalogImportFields.*, CatalogImportMap.CatalogImportMapId, CatalogImportMap.Cat...

  from CatalogImportFields with (nolock)

  left outer join CatalogImportMap on CatalogImportMap.CatalogImportFieldId = CatalogIm...
```

vw_CatalogImporter1 {dbo-vw-catalogimporter1}

Property	Value
Schema	dbo
Created	2015-03-18 17:06:27.530000
Modified	2018-01-21 20:26:47.923000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	VendorName	varchar(50)	Yes
3	VendorCode	varchar(16)	Yes
4	CategoryId	int	Yes
5	VendorId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table

dbo.Category	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogImporter1] as

SELECT CAT.Name CategoryName, VEN.Name VendorName, VEN.Code VendorCode, BH.CategoryId, ...

FROM BidHeaders BH with (nolock)

JOIN Bids ON Bids.BidHeaderId = BH.BidHeaderId and Bids.Active = 1

JOIN Category CAT ON CAT.CategoryId = BH.CategoryId

JOIN Vendors VEN ON Ven.VendorId = BIDS.VendorId

where GETDATE() between BH.EffectiveFrom and BH.EffectiveUntil and BH.Active=1

      and BIDS.VendorId <> 7691

Group By CAT.Name, VEN.Name, VEN.Code, BH.CategoryId, BIDS.VendorId

--Order By CAT.Name, VEN.Name
```

vw_CatalogImporter1Dtl {dbo-vw-catalogimporter1dtl}

Property	Value
Schema	dbo
Created	2015-03-18 17:06:38.123000
Modified	2018-01-21 20:26:47.927000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	VendorName	varchar(50)	Yes
3	BidHeaderId	int	Yes
4	BidDescription	varchar(512)	Yes
5	EffectiveFrom	datetime	Yes
6	EffectiveUntil	datetime	Yes
7	CategoryId	int	Yes
8	VendorId	int	Yes
9	BidHeaderActive	tinyint	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Category	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogImporter1Dtl] as

SELECT CAT.Name CategoryName, VEN.Name VendorName, BH.BidHeaderId, BH.Description BidDe...

FROM BidHeaders BH with (nolock)

JOIN Bids ON Bids.BidHeaderId = BH.BidHeaderId and Bids.Active = 1

JOIN Category CAT ON CAT.CategoryId = BH.CategoryId

JOIN Vendors VEN ON Ven.VendorId = BIDS.VendorId

where GETDATE() between BH.EffectiveFrom and BH.EffectiveUntil and BH.Active=1

      and BIDS.VendorId <> 7691

--Order By CAT.Name, VEN.Name
```

vw_CatalogImporterCat {dbo-vw-catalogimportercat}

Property	Value
Schema	dbo
Created	2015-03-18 17:36:29.390000
Modified	2018-01-21 20:26:47.930000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	CategoryId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Category	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogImporterCat] as

SELECT CAT.Name CategoryName, BH.CategoryId

FROM BidHeaders BH with (nolock)

JOIN Bids ON Bids.BidHeaderId = BH.BidHeaderId and Bids.Active = 1

JOIN Category CAT ON CAT.CategoryId = BH.CategoryId

JOIN Vendors VEN ON Ven.VendorId = BIDS.VendorId

where GETDATE() between BH.EffectiveFrom and BH.EffectiveUntil and BH.Active=1

      and BIDS.VendorId <> 7691

Group By CAT.Name, BH.CategoryId

--Order By CAT.Name
```

vw_CatalogImporterVen {dbo-vw-catalogimporterven}

Property	Value
Schema	dbo

Created	2015-03-18 17:39:20.983000
Modified	2018-01-21 20:26:47.933000

Columns

#	Column	Type	Nullable
1	VendorName	varchar(50)	Yes
2	VendorId	int	No
3	VendorCode	varchar(16)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Category	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogImporterVen] as

SELECT VEN.Name VendorName, VEN.VendorId, VEN.Code VendorCode

FROM BidHeaders BH with (nolock)

JOIN Bids ON Bids.BidHeaderId = BH.BidHeaderId and Bids.Active = 1

JOIN Category CAT ON CAT.CategoryId = BH.CategoryId

JOIN Vendors VEN ON Ven.VendorId = BIDS.VendorId

where GETDATE() between BH.EffectiveFrom and BH.EffectiveUntil and BH.Active=1

      and BIDS.VendorId <> 7691

Group By VEN.Name, VEN.VendorId, VEN.Code

--Order By VEN.NAME
```

vw_CatalogImports {dbo-vw-catalogimports}

Property	Value
Schema	dbo
Created	2010-03-03 18:17:02.487000
Modified	2018-01-21 20:26:47.940000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes

2	VendorName	varchar(50)	Yes
3	CatalogYear	char(2)	Yes
4	CatalogName	varchar(50)	Yes
5	NumberOfItems	int	Yes
6	DatePosted	varchar(30)	No
7	WebLink	varchar(30)	No
8	CatalogId	int	No

Dependencies

Object	Type
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogImports]

AS

SELECT Category.Name AS CategoryName, Vendors.Name AS VendorName, [Catalog].CatalogYear...

      [Catalog].Name AS CatalogName, (select count(*) from crossrefs where catalogid=Ca...

FROM [Catalog] INNER

JOIN Vendors ON [Catalog].VendorId = Vendors.VendorId INNER

JOIN Category ON [Catalog].CategoryId = Category.CategoryId

WHERE ([Catalog].Active = 1) AND ( ([Catalog].CatalogYear = right( year(getdate())-2, 2...

--ORDER BY Category.Name, Vendors.Name, [Catalog].CatalogYear, [Catalog].Name
```

```
... (truncated)
```

vw_CatalogPages {dbo-vw-catalogpages}

Property	Value
Schema	dbo
Created	2012-04-11 15:55:38.890000
Modified	2018-01-21 20:26:47.080000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	ItemId	int	Yes
3	CatalogId	int	No
4	Name	varchar(50)	Yes
5	Page	char(4)	Yes
6	PDFAvailable	tinyint	Yes
7	VendorItemCode	varchar(50)	Yes
8	VendorId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Budgets	Table

dbo.Catalog	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.DistrictCategories	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogPages] as

    select Requisitions.RequisitionId, Detail.ItemId, ss.CatalogId, ss.Name, ss.Page, s...

      from Requisitions with (nolock)

  join Detail on Detail.RequisitionId = Requisitions.RequisitionId

      join Budgets on Budgets.BudgetId = Requisitions.BudgetId

      join (

select BidHeaders.BidHeaderId, BidItems.ItemId, Catalog.CatalogId, Catalog.Name, Cros...

  from BidHeaders with (nolock)

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

   and Bids.Active = 1

  join BidsCatalogList on BidsCatalogList.BidId = Bids.BidId

  join BidItems on BidItems.BidId = Bids.BidId

  join Catalog on Catalog.CatalogId = BidsCatalogList.CatalogId
```

```
    and Catalog.Active = 1

    join CrossRefs on CrossRefs.CatalogId = Catalog.CatalogId

  ... (truncated)
```

vw_CatalogPages_Orig {dbo-vw-catalogpages-orig}

Property	Value
Schema	dbo
Created	2013-02-19 23:29:03.490000
Modified	2018-01-21 20:26:47.947000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	ItemId	int	Yes
3	CatalogId	int	No
4	Name	varchar(50)	Yes
5	Page	char(4)	Yes
6	PDFAvailable	tinyint	Yes
7	VendorItemCode	varchar(50)	Yes
8	VendorId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Budgets	Table

dbo.Catalog	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.DistrictCategories	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogPages_Orig] as

    select Requisitions.RequisitionId, Detail.ItemId, ss.CatalogId, ss.Name, ss.Page, s...

      from Requisitions with (nolock)

  join Detail on Detail.RequisitionId = Requisitions.RequisitionId

      join Budgets on Budgets.BudgetId = Requisitions.BudgetId

      join (

select BidHeaders.BidHeaderId, BidItems.ItemId, Catalog.CatalogId, Catalog.Name, Cros...

  from BidHeaders with (nolock)

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

   and Bids.Active = 1

  join BidsCatalogList on BidsCatalogList.BidId = Bids.BidId

  join BidItems on BidItems.BidId = Bids.BidId

  join Catalog on Catalog.CatalogId = BidsCatalogList.CatalogId

  and Catalog.Active = 1
```

```
    join CrossRefs on CrossRefs.CatalogId = Catalog.CatalogId

                  and CrossRefs.Active = 1

  ... (truncated)
```

vw_CatalogPages1 {dbo-vw-catalogpages1}

Property	Value
Schema	dbo
Created	2013-02-19 23:27:46.947000
Modified	2018-01-21 20:26:47.953000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	ItemId	int	No
3	CatalogId	int	No
4	Name	varchar(50)	Yes
5	Page	int	Yes
6	PDFAvailable	tinyint	Yes
7	VendorItemCode	varchar(50)	Yes
8	VendorId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Budgets	Table

dbo.Catalog	Table
dbo.CrossRefs	Table
dbo.Items	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogPages1] as

    select Requisitions.RequisitionId, Items.ItemId, Catalog.CatalogId, Catalog.Name, c...

      from Requisitions with (nolock)

      join Budgets on Budgets.BudgetId = Requisitions.BudgetId

      join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId

      join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

               and Bids.Active = 1

      join BidItems on BidItems.BidId = Bids.BidId

      join Items on Items.ItemId = BidItems.ItemId

                and Items.Active = 1

      join BidsCatalogList on BidsCatalogList.BidId = Bids.BidId

      join Catalog on Catalog.CatalogId = BidsCatalogList.CatalogId

                  and catalog.Active = 1

      join CrossRefs on CrossRefs.CatalogId = BidsCatalogList.CatalogId

                    and CrossRefs.Active = 1

                    and CrossRefs.CrossRefId = BidItems.CrossRefId

     group by Requisitions.RequisitionId, Items.ItemId, Catalog.CatalogId, Catalog.Name...

  union (

    select Requisitions.RequisitionId, Items.ItemId, Catalog.CatalogId, Catalog.Name, C...

      from Requisitions with (nolock)

      join Budgets on Budgets.BudgetId = Requisitions.BudgetId
```

```
        join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId

        join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

  ... (truncated)
```

vw_CatalogPricing {dbo-vw-catalogpricing}

Property	Value
Schema	dbo
Created	2009-09-24 15:48:14.017000
Modified	2018-01-21 20:26:45.990000

Columns

#	Column	Type	Nullable
1	ItemId	int	Yes
2	CrossRefId	int	No
3	BidHeaderId	int	Yes
4	AwardCatalogId	int	No
5	AwardId	int	No
6	BidId	int	No
7	NetPrice	decimal(34,13)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.AwardsCatalogList	Table
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Catalog	Table
dbo.CrossRefs	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogPricing]   as

select CrossRefs.ItemId, CrossRefs.CrossRefId, BidHeaders.BidHeaderId, AwardsCatalogLis...

round(case isnull(CrossRefs.DoNotDiscount,0)

        when 0 then isnull(CrossRefs.GrossPrice,0) - round(AwardsCatalogList.DiscountRa...

        else CrossRefs.GrossPrice

      end,2) NetPrice

  from dbo.CrossRefs with (nolock)

  join dbo.Catalog on Catalog.CatalogId = CrossRefs.CatalogId

             and Catalog.Active = 1

  join dbo.AwardsCatalogList on AwardsCatalogList.CatalogId = CrossRefs.CatalogId

  join dbo.Awards on Awards.AwardId = AwardsCatalogList.AwardId

            and Awards.Active = 1

  join dbo.Bids on Bids.BidId = Awards.BidId

          and Bids.Active = 1

  join dbo.BidHeaders on BidHeaders.BidHeaderId = Bids.BidHeaderId

--                 and BidHeaders.EffectiveUntil >= CAST('11/01/2008' as datetime)

                 and BidHeaders.Active = 1

 where CrossRefs.Active = 1
```

vw_CatalogRefsItemTest {dbo-vw-catalogrefsitemtest}

Property	Value
Schema	dbo
Created	2017-03-22 16:47:46.220000
Modified	2018-01-21 20:26:47.963000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemId	int	No
3	CatalogRefs	nvarchar(MAX)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Items	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogRefsItemTest] as

select ss.BidHeaderId, ss.ItemId, (select '<Catalogs>' + isnull((select ItemId

                                    from Items i with (nolock)

                                   where i.ItemId = ss.ItemId

                                   for xml path('')),'') +

                          isnull((select cast(ct.CatalogId as varchar) [CatalogId],

                                      ct.Name as [CatalogName],

                                      ss.CatalogPage as [CatPage],

                                      cast(ct.pdfAvailable as varchar) [PDFAvail],

                                      isnull(ss.searchCode,'') [searchCode]

                                 from dbo.Catalog ct

                                where ct.CatalogId = ss.CatalogId

                                 for xml path('Catalog')),'') + '</Catalogs>') CatalogRefs



  from (

select BidHeaders.BidHeaderId, Items.ItemId, CrossRefs.CatalogId, CrossRefs.CrossRefId,...

  from dbo.Items

  join dbo.Category on Category.CategoryId = Items.CategoryId

  join dbo.BidHeaders on BidHeaders.CategoryId = Category.CategoryId

  join dbo.Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

               and Bids.Active = 1

  join dbo.BidItems on BidItems.BidId = Bids.BidId
```

```
                    and BidItems.ItemId = Items.ItemId

    join dbo.CrossRefs on CrossRefs.CrossRefId = BidItems.CrossRefId

  ... (truncated)
```

vw_CatalogRequestStatus {dbo-vw-catalogrequeststatus}

Property	Value
Schema	dbo
Created	2015-03-24 17:09:14.597000
Modified	2018-01-21 20:26:47.967000

Columns

#	Column	Type	Nullable
1	CatalogRequestId	int	No
2	VendorId	int	Yes
3	EmailAddress	varchar(255)	Yes
4	ContactName	varchar(255)	Yes
5	SendDate	datetime	Yes
6	CatalogRequestNotes	varchar(1000)	Yes
7	Status	varchar(18)	Yes
8	StatusDate	datetime	Yes
9	FollowUpDate	datetime	Yes
10	CatalogRequestStatusId	int	Yes
11	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.CatalogRequest	Table

dbo.CatalogRequestStatus	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_CatalogRequestStatus]
AS
SELECT CR.CatalogRequestId, CR.VendorId,
       CR.EmailAddress, CR.ContactName, CR.SendDate, CR.CatalogRequestNotes,
       Case Isnull(CRS.StatusId,0)
       When 0 Then 'Unknown'
       When 1 Then 'Email Sent'
       When 2 Then 'Email Acknowledged'
       When 3 Then 'Partially Resolved'
       When 4 Then 'Email Re-sent'
       When 5 Then 'Resolved'
       When 6 Then 'Non-responsive'
       End Status,
       CRS.StatusDate, CRS.FollowUpDate, CRS.CatalogRequestStatusId,
```

```
        V.Name VendorName

FROM dbo.CatalogRequest CR

... (truncated)
```

vw_CatalogsAttachedToBids {dbo-vw-catalogsattachedtobids}

Property	Value
Schema	dbo
Created	2016-03-07 16:01:02.463000
Modified	2024-01-26 16:02:05.650000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	BidNumber	int	Yes
3	VendorName	varchar(50)	Yes
4	CatalogName	varchar(50)	Yes
5	CrossRefCount	int	Yes
6	DatePosted	varchar(30)	No
7	LastAwardDate	varchar(30)	No
8	AwardWarning	varchar(58)	Yes
9	CatalogId	int	No
10	DiscountRate	decimal(9,5)	Yes
11	AvgDiscPercent	money	Yes
12	CatalogDiscountComme	varchar(512)	Yes
13	BidItemDiscountRate	decimal(9,5)	Yes
14	BidImportId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCatalogList	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.PostCatalogHeader	Table
dbo.Vendors	Table

SQL Definition

```
CREATE     view  [dbo].[vw_CatalogsAttachedToBids] as

SELECT Category.Name CategoryName, BH.BidHeaderId BidNumber, V.Name VendorName, CAT.Nam...

       (select count(*) from crossrefs where catalogid=CAT.CatalogId) AS CrossRefCount,

       (isnull(convert(varchar, POST.PostDateComplete, 100),'No Post Date')) as DatePos...

       (isnull(convert(varchar, Bids.DateModified, 100),'Not Awarded')) as LastAwardDat...

       --(isnull(convert(varchar, BH.ScheduledReaward, 100),'')) as ScheduledAwardDate,

       Case

       -- if a catalog is posted

       When IsNull(POST.PostDateComplete,0) > 0

       Then

         Case

         --  if the bid was Awarded

         When IsNull(Bids.DateModified,0) > 0

         Then

           Case
```

```
            -- if the post was after the last award date

            When IsNull(POST.PostDateComplete,0) > IsNull(Bids.DateModified,0)

... (truncated)
```

vw_Categories {dbo-vw-categories}

Property	Value
Schema	dbo
Created	2019-09-27 13:52:33.330000
Modified	2019-09-27 13:52:33.330000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes

Dependencies

Object	Type
dbo.Category	Table

SQL Definition

```
create view vw_Categories

as

select top 200 Category.Name CategoryName

  from Category

 where Active = 1

 order by Category.Name
```

vw_CategoriesAndVendors {dbo-vw-categoriesandvendors}

Property	Value
Schema	dbo
Created	2012-08-31 13:24:40.327000
Modified	2018-01-21 20:26:47.980000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	DistrictId	int	No
3	CategoryName	varchar(50)	Yes
4	VendorName	varchar(50)	Yes

Dependencies

Object	Type

dbo.BidHeaders	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCategory	Table
dbo.PricePlans	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
--select * from vw_CategoriesAndVendors where UserId = 203086 order by UserId, District...

create   view  [dbo].[vw_CategoriesAndVendors] as

select Users.UserId, District.DistrictId, Category.Name CategoryName, case isnull(Vendo...

  from Users with (nolock)

  join District on District.DistrictId = Users.DistrictId

  join DistrictPP on DistrictPP.DistrictId = District.DistrictId

  join PPCategory on PPCategory.PricePlanId = DistrictPP.PricePlanId

  join PricePlans on PricePlans.PricePlanId = PPCategory.PricePlanId

                 and PricePlans.Code not like '+%'

  join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId

                         and DistrictCategories.CategoryId = PPCategory.CategoryId

                         and DistrictCategories.Active = 1

  join Category on Category.CategoryId = DistrictCategories.CategoryId

               and Category.Active = 1

               and Category.Type = 1

  left outer join Vendors on Vendors.Active = 1

              and Vendors.VendorId != 7691

              and Vendors.VendorId in

    (select Bids.VendorId

        from BidHeaders with (nolock)

        join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

                 and Bids.Active = 1
```

```
        join BidsCatalogList on BidsCatalogList.BidId = Bids.BidId

        join DistrictPP dpp on dpp.DistrictId = District.DistrictId

... (truncated)
```

vw_ContinuanceCharges {dbo-vw-continuancecharges}

Property	Value
Schema	dbo
Created	2023-12-04 16:54:39.283000
Modified	2023-12-19 11:52:09.983000

Columns

#	Column	Type	Nullable
1	Id	uniqueidentifier	No
2	Email	varchar(255)	Yes
3	Status	char(1)	Yes
4	SignedBy	varchar(255)	Yes
5	Received	datetime	Yes
6	DistrictName	varchar(50)	Yes
7	NameAndAddress	varchar(1024)	Yes
8	ParentDistrict	varchar(50)	Yes
9	BudgetName	varchar(30)	Yes
10	SchoolYear	varchar(61)	Yes
11	SchoolYearNumber	int	Yes
12	LMAmount	money	Yes
13	RTKAmount	money	Yes
14	ChargeTypeId	int	No
15	Description	varchar(50)	Yes
16	section	int	No
17	LM	int	Yes

18	RTK	int	Yes
19	Amount	money	Yes
20	FrequencyData	varchar(50)	Yes
21	BillDate	date	Yes
22	CycleAmount	money	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.ChargeTypes	Table
dbo.District	Table
dbo.DistrictContinuances	Table
dbo.DistrictProposedCharges	Table
dbo.uf_DistrictBANameAndAddress	Other

SQL Definition

```
CREATE     view [dbo].[vw_ContinuanceCharges]

as

select dca.Id, dca.Email, dca.Status, dca.SignedBy, dca.Received, District.Name Distric...

       b.Name BudgetName, cast(year(b.StartDate)-1 as varchar) + '-' + cast(year(b.Star...

       coalesce((Select sum(sdc.Amount)

  from DistrictProposedCharges sdc

  join ChargeTypes sct on sct.ChargeTypeId = sdc.ChargeTypeId

  and sct.LM = 1

 where sdc.BudgetId = dca.BudgetId),0) LMAmount,

       coalesce((Select sum(sdc.Amount)

  from DistrictProposedCharges sdc

  join ChargeTypes sct on sct.ChargeTypeId = sdc.ChargeTypeId

  and isnull(sct.LM,0) = 0 and sct.RTK = 1

 where sdc.BudgetId = dca.BudgetId),0) RTKAmount,

       ct.ChargeTypeId, ct.Description, case when ct.LM = 1 or ct.RTK = 1 then 0 else 1...

  from DistrictContinuances dca

  join District on District.DistrictId = dca.DistrictId

               and District.Active = 1

   and District.County != 'TEST'
```

```
  join DistrictProposedCharges dc on dc.BudgetId = dca.BudgetId

  join ChargeTypes ct on ct.ChargeTypeId = dc.ChargeTypeId

  join Budgets b on b.BudgetId = dca.BudgetId
```

```
--                and b.Name like '2024%'

  left outer join District Pd on pd.DistrictId = District.ParentDistrictId

... (truncated)
```

vw_ContinuanceSection0Charges {dbo-vw-continuancesection0charges}

Property	Value
Schema	dbo
Created	2023-12-06 14:51:30.650000
Modified	2023-12-19 11:52:10.100000

Columns

#	Column	Type	Nullable
1	Id	uniqueidentifier	No
2	BillDate	date	Yes
3	TotalLMAmount	money	Yes
4	TotalRTKAmount	money	Yes
5	LMAmount	money	Yes
6	RTKAmount	money	Yes

Dependencies

Object	Type
dbo.DistrictContinuances	Table
dbo.vw_ContinuanceCharges	View

SQL Definition

```
--select * from ChargeTypes

--Select * from DistrictContactTypes



CREATE     view [dbo].[vw_ContinuanceSection0Charges]

as

select c.Id, dates.BillDate, /*dates.LM,*/ dates.LMAmount TotalLMAmount, /*dates.RTK,*/...

  from DistrictContinuances c

  outer apply (Select cc.BillDate, /*coalesce(cc.LM,0) LM,*/ coalesce(cc.LMAmount,0) LM...

                 from vw_ContinuanceCharges cc

where cc.Id = c.Id

  and cc.Section = 0

group by cc.BillDate, coalesce(cc.LMAmount,0), coalesce(cc.RTKAmount,0)) dates

  outer apply (Select cc.CycleAmount

                 from vw_ContinuanceCharges cc

where cc.Id = c.Id

  and cc.Section = 0

  and cc.LM = 1

  and cc.BillDate = dates.BillDate) LM

  outer apply (Select cc.CycleAmount
```

```
                 from vw_ContinuanceCharges cc

where cc.Id = c.Id

  and cc.Section = 0
```

```
    and cc.LM = 0

    and cc.RTK = 1

  ... (truncated)
```

vw_ContinuanceSection1Charges {dbo-vw-continuancesection1charges}

Property	Value
Schema	dbo
Created	2023-12-07 16:12:49.250000
Modified	2023-12-19 11:52:10.210000

Columns

#	Column	Type	Nullable
1	Id	uniqueidentifier	No
2	BillDate	date	Yes
3	Amount	money	Yes
4	Title	varchar(50)	Yes
5	Covering	varchar(101)	Yes

Dependencies

Object	Type
dbo.DistrictContinuances	Table
dbo.vw_ContinuanceCharges	View

SQL Definition

```
CREATE     view [dbo].[vw_ContinuanceSection1Charges]

as

select c.Id, cc.BillDate, cc.Amount,

case cc.ChargeTypeId

when 4 then 'PO'

when 6 then cc.Description

when 8 then 'e-PO'

else

cc.Description

end Title,

case cc.ChargeTypeId

when 6 then '(Covering Services from 04/01/' + cast(cc.SchoolYearNumber + 1 as varch...

else

'(Covering Services for ' + cc.SchoolYear + ' School Year)'

end Covering

  from DistrictContinuances c

  join vw_ContinuanceCharges cc on cc.Id = c.Id

                                and cc.Section = 1
```

vw_CrossRefsDescription {dbo-vw-crossrefsdescription}

Property	Value
Schema	dbo
Created	2018-01-29 09:45:09.157000
Modified	2025-12-07 20:06:47.170000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	CrossRefId	int	No
3	ItemDescription	nvarchar(4000)	Yes
4	FullDescription	nvarchar(4000)	Yes

Dependencies

Object	Type
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view [dbo].[vw_CrossRefsDescription]

as

    select Items.ItemId,

       CrossRefs.CrossRefId,

   /* dch removed 10/28/2025

           case isnull(Category.AllowAddenda,0)

             when 0 then ''

             else

               case isnull(Headings.HeadingId,0)

                 when 0 then ''

                 else

                   ltrim(rtrim(isnull(Headings.Title,''))) +

                   case isnull(Keywords.KeywordId,0)

                     when 0 then ''

                     else

                       ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))

                   end + char(13) + char(10)

                end

           end +*/

--           coalesce(CrossRefs.FullDescription,CrossRefs.ShortDescription,Items.Descri...

           coalesce(Crossrefs.AIShortDesc,CrossRefs.ShortDescription,CrossRefs.AIFullDe...

           case Category.Type
```

```
                when 2 then

                  case isnull(ParentCatalogId,0)

... (truncated)
```

vw_CrossRefsLongDescription {dbo-vw-crossrefslongdescription}

Property	Value
Schema	dbo
Created	2020-12-23 19:06:57.310000
Modified	2021-01-24 21:56:47.453000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	CrossRefId	int	No
3	ItemDescription	varchar(4740)	Yes

Dependencies

Object	Type
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Vendors	Table

SQL Definition

```
CREATE     view [dbo].[vw_CrossRefsLongDescription]

as

    select Items.ItemId,

       CrossRefs.CrossRefId,

           case isnull(Category.AllowAddenda,0)

             when 0 then ''

             else

               case isnull(Headings.HeadingId,0)

                 when 0 then ''

                 else

                   ltrim(rtrim(isnull(Headings.Title,''))) +

                   case isnull(Keywords.KeywordId,0)

                     when 0 then ''

                     else

                       ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))

                   end + char(13) + char(10)

                 end

           end +

           coalesce(CrossRefs.FullDescription,CrossRefs.ShortDescription,Items.Descript...

--           coalesce(CrossRefs.ShortDescription,CrossRefs.FullDescription,Items.Descri...
```

```
            case Category.Type
              when 2 then
                case isnull(ParentCatalogId,0)
... (truncated)
```

vw_CSReps {dbo-vw-csreps}

Property	Value
Schema	dbo
Created	2024-04-22 08:44:52.770000
Modified	2024-04-22 08:44:52.770000

Columns

#	Column	Type	Nullable
1	Name	varchar(30)	Yes

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table

SQL Definition

```
create view vw_CSReps

as

select CSRep.Name

  from CSRep

 where exists(Select DistrictId from District where District.CSRepId = CSRep.CSRepId an...

union

select 'Bid Department' Name

union

select 'Unknown' Name
```

vw_DetailDescription {dbo-vw-detaildescription}

Property	Value
Schema	dbo
Created	2008-03-20 20:06:16.967000
Modified	2025-12-12 14:33:46.410000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemDescription	nvarchar(MAX)	Yes
3	ShortDescription	nvarchar(MAX)	Yes

Dependencies

Object	Type

dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.DistrictCategories	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Requisitions	Table
dbo.ufn_RegExReplace	Other
dbo.Vendors	Table

SQL Definition

Definition truncated (18,669 characters). First 8000 shown:

```
--select * from vw_ReqDetail where RequisitionId = 56381234 and VendorId = 7691

--select * from vw_DetailDescription where DetailId in (1493645707,1493645467)

--select dd.*,detail.Description from Detail join REquisitions on Requisitions.Requisit...




CREATE     view  [dbo].[vw_DetailDescription]

AS

    select Detail.DetailId,

/*   case isnull(Headings.HeadingId,0)

 when 0 then ''

 else

   ltrim(rtrim(isnull(Headings.Title,''))) +

   case isnull(Keywords.KeywordId,0)

 when 0 then ''

 else

   ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))

   end + ', '

end +

*/   case

     when isnull(BidHeaders.CompliantAlert,0) != 1

       or isnull(BidHeaders.BidType,0) = 2

       or isnull(BidItems.BidItemId,0) = 0
```

```
        or BidItems.ItemBidType != 'Compliant' then

master.dbo.ufn_RegExReplace( master.dbo.ufn_RegExReplace( master.dbo.ufn_RegExRepla...

... (truncated)
```

vw_DetailDescription_old {dbo-vw-detaildescription-old}

Property	Value
Schema	dbo
Created	2009-06-25 11:43:16.200000
Modified	2018-01-21 20:26:47.987000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemDescription	varchar(2311)	Yes

Dependencies

Object	Type
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.Detail	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_DetailDescription_old]

AS

    select Detail.DetailId,

            case isnull(Category.AllowAddenda,0)

              when 0 then ''

              else

                case isnull(Headings.HeadingId,0)

                  when 0 then ''

                  else

                    ltrim(rtrim(isnull(Headings.Title,''))) +

                    case isnull(Keywords.KeywordId,0)

                      when 0 then ''

                      else

                        ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))
```

```
                    end + char(13) + char(10)

                end

            end +

... (truncated)
```

vw_DetailDescriptionPrint {dbo-vw-detaildescriptionprint}

Property	Value
Schema	dbo
Created	2011-09-27 11:07:37.510000
Modified	2018-01-21 20:26:47.993000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemDescription	varchar(2356)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Budgets	Table
dbo.Catalog	Table

dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.DistrictCategories	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_DetailDescriptionPrint]

AS

    select Detail.DetailId,

                        case

               when isnull(BidHeaders.CompliantAlert,0) = 1 and BidItems.BidItemId = 1 an...

                 isnull(rtrim(BidItems.Alternate),'') +

                 case isnull(rtrim(BidResults.ManufacturerBid),'')

                   when '' then ''

                   else

                     char(13) + char(10) + 'Bid Manufacturer: ' + rtrim(BidResults.Manufa...

                 end +

                 case isnull(rtrim(BidResults.ManufPartNoBid),'')

                   when '' then ''

                   else

                     char(13) + char(10) + 'Bid Part Number: ' + rtrim(BidResults.ManufPa...

                 end +
```

```
      case isnull(Detail.ExtraDescription,'')

    when '' then ''

   ... (truncated)
```

vw_DetailDescriptionSBS {dbo-vw-detaildescriptionsbs}

Property	Value
Schema	dbo
Created	2013-02-18 11:08:52.993000
Modified	2018-01-21 20:26:46.440000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemDescription	varchar(2880)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table

dbo.DistrictCategories	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Requisitions	Table
dbo.uf_DetailItemDescription	Other
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_DetailDescriptionSBS]

AS

    select Detail.DetailId,

           case

             when (    isnull(BidHeaders.CompliantAlert,0) = 1

                   and isnull(BidHeaders.BidType,0) = 2

                   and isnull(BidItems.BidItemId,0) != 0

                   and BidItems.ItemBidType = 'Compliant')

               or (    isnull(BidHeaders.CompliantAlert,0) != 1

                   and isnull(BidItems.BidItemId,0) != 0

                   and BidItems.ItemBidType = 'Compliant') then

/*               case

 when isnull(BidHeaders.CompliantAlert,0) != 1

   or isnull(BidHeaders.BidType,0) = 2
```

```
    or isnull(BidItems.BidItemId,0) = 0

    or BidItems.ItemBidType != 'Compliant' then

... (truncated)
```

vw_DetailDescriptionTest {dbo-vw-detaildescriptiontest}

Property	Value
Schema	dbo
Created	2009-03-26 11:15:12.623000
Modified	2018-01-21 20:26:48.003000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemDescription	varchar(2356)	Yes

Dependencies

Object	Type
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Headings	Table
dbo.Items	Table

dbo.Keywords	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_DetailDescriptionTest]

AS

    select Detail.DetailId,

            case isnull(Category.AllowAddenda,0)

              when 0 then ''

              else

                case isnull(Headings.HeadingId,0)

                  when 0 then ''

                  else

                    ltrim(rtrim(isnull(Headings.Title,''))) +

                    case isnull(Keywords.KeywordId,0)

                      when 0 then ''

                      else

                        ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))

                    end + char(13) + char(10)

                  end
```

```
            end +
            isnull(Items.Description,'') +
... (truncated)
```

vw_DetailNotifications {dbo-vw-detailnotifications}

Property	Value
Schema	dbo
Created	2022-03-30 12:38:07.960000
Modified	2024-02-29 17:10:06.527000

Columns

#	Column	Type	Nullable
1	DetailNotificationId	bigint	No
2	DetailId	bigint	No
3	NotificationId	bigint	Yes
4	DateCreated	datetime	No
5	OrigItemId	int	Yes
6	NewItemId	int	Yes
7	OrigVendorId	int	Yes
8	NewVendorId	int	Yes
9	OrigBidPrice	decimal(11,5)	Yes
10	NewBidPrice	decimal(11,5)	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Detail	Table
dbo.DetailNotifications	Table

dbo.vw_RefList	View

SQL Definition

Definition truncated (14,879 characters). First 8000 shown:

```
--select * from Detail join vw_DetailNotifications dn on dn.DetailId = Detail.DetailId ...

CREATE   view [dbo].[vw_DetailNotifications] as
  select dn.DetailNotificationId,
         dn.DetailId,
 dn.NotificationId,
 dn.DateCreated,
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificationId ...
 case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificationId ...
/*
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 cast(case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificati...
 case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificationId ...
```

```
 case when nbpi.toDetailNotificationId is not null and nbpi.fromDetailNotificationId ...

*/

... (truncated)
```

vw_DetailOnBid {dbo-vw-detailonbid}

Property	Value
Schema	dbo
Created	2014-05-06 10:13:47.547000
Modified	2022-12-20 12:18:47.577000

Columns

#	Column	Type	Nullable
1	DetailId	int	Yes
2	BidHeaderId	int	Yes
3	BidAwardDate	datetime	Yes
4	EffectiveFrom	datetime	Yes
5	EffectiveUntil	datetime	Yes
6	ReadyToUseDate	datetime	Yes

Dependencies

Object	Type
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BidRequestItems	Table
dbo.PricePlans	Table

SQL Definition

```
CREATE       view  [dbo].[vw_DetailOnBid] as

select bhd.DetailId, bh1.BidHeaderId, bh1.BidAwardDate, bh1.EffectiveFrom, bh1.Effectiv...

  from BidHeaderDetail bhd

  join BidRequestItems bri on bri.BidRequestItemId = bhd.BidRequestItemId

                          and bri.Active = 1

  join BidHeaders bh1 on bh1.BidHeaderId = bhd.BidHeaderId

       and bh1.Active = 1

     and getdate() between bh1.EffectiveFrom and bh1.EffectiveUntil

--     and getdate() between isnull(bh1.EffectiveFrom,GETDATE()) and isnull(bh1.Eff...

  join PricePlans on PricePlans.PricePlanId = bh1.PricePlanId

                 and PricePlans.Code != 'ZZ'
```

vw_DetailView {dbo-vw-detailview}

Property	Value
Schema	dbo
Created	2009-05-26 19:33:55.343000
Modified	2018-01-21 20:26:46.177000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	Yes
2	DetailId	int	No
3	ItemId	int	Yes
4	ItemCode	varchar(50)	No
5	Quantity	int	No
6	LastYearsQuantity	int	No
7	Description	varchar(3650)	Yes
8	UnitCode	varchar(20)	No
9	BidPrice	money	No
10	Extended	money	No
11	SessionId	int	No
12	VendorName	varchar(50)	No
13	VendorCode	varchar(16)	No
14	CatalogName	varchar(50)	No
15	AltDescription	varchar(1024)	No
16	VendorItemCode	varchar(50)	Yes
17	CatalogPage	char(4)	Yes
18	NoBid	int	No
19	ItemMustBeBid	int	No
20	BidInfo	varchar(51)	Yes
21	HasBeenBid	int	No
22	AllowOverride	int	No
23	VendorOverridden	int	No
24	ItemBidType	varchar(32)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table

dbo.Bids	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

```
create   view  [dbo].[vw_DetailView] as

SELECT Detail.RequisitionId, Detail.DetailId as DetailId,Detail.ItemId as ItemId,

        case isnull(Detail.ItemMustBeBid,0)

          when 1 then isnull(Detail.ItemCode,'')

          else case isnull(Detail.BidItemId,0)

                 when 0 then

                   case isnull(Detail.VendorId,7691)

                     when 7691 then isnull(Detail.ItemCode,'')

                     else isnull(Detail.VendorItemCode,'')

                   end

                 else ISNULL(Detail.ItemCode,'')

               end

        end ItemCode,

        ISNULL(Detail.Quantity,0) as Quantity,

        ISNULL(Detail.LastYearsQuantity,0) as LastYearsQuantity,

        case isnull(Detail.ItemId,0)

          when 0 then Detail.Description

          else vw_DetailDescription.ItemDescription

        end as Description,

        ISNULL(Detail.UnitCode,'') as UnitCode,

        ISNULL(Detail.BidPrice,0) as BidPrice,

        ISNULL((Detail.BidPrice * Detail.Quantity),0) as Extended,
```

```
        isnull(Detail.SessionId,0) SessionId,

        case isnull(Detail.ItemMustBeBid,0)

... (truncated)
```

vw_DistrictBudgetList {dbo-vw-districtbudgetlist}

Property	Value
Schema	dbo
Created	2010-01-05 15:01:29.060000
Modified	2018-01-21 20:26:48.010000

Columns

#	Column	Type	Nullable
1	selected	int	No
2	BudgetId	int	No
3	BudgetName	varchar(30)	No
4	DistrictId	int	No
5	DistrictName	varchar(50)	No
6	DistrictCode	varchar(4)	No
7	BAName	varchar(194)	No
8	DistrictNameAndAddress	varchar(189)	Yes
9	BudgetsFilterId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictContacts	Table
dbo.Salutations	Table

SQL Definition

```
create   view  [dbo].[vw_DistrictBudgetList] as

select 0 selected, Budgets.BudgetId, isnull(Budgets.Name,'') BudgetName, District.Distr...

  from Budgets with (nolock)

  join District on District.DistrictId = Budgets.DistrictId

               and District.Active = 1

               and isnull(District.State,'') != ''

  left outer join DistrictContacts BAC on BAC.DistrictContactId =

    (select top 1 DistrictContactId

       from DistrictContacts with (nolock)

      where DistrictContacts.DistrictId = District.DistrictId

        and DistrictContacts.DistrictContactTypeId = 1

      order by DistrictContacts.DistrictContactId)

  left outer join Salutations on Salutations.SalutationId = BAC.SalutationId

 where Budgets.Active = 1

   and ISNUMERIC(substring(Budgets.Name,1,4)) = 1

   and CAST(substring(Budgets.Name,1,4) as int) > YEAR(getdate()) - 2
```

vw_DistrictBudgetPP {dbo-vw-districtbudgetpp}

Property	Value
Schema	dbo
Created	2009-12-31 00:43:30.307000
Modified	2018-01-21 20:26:48.013000

Columns

#	Column	Type	Nullable
1	selected	int	No
2	BudgetId	int	No
3	BudgetName	varchar(30)	No
4	DistrictId	int	No
5	DistrictName	varchar(50)	No
6	DistrictCode	varchar(4)	No
7	PricePlanId	int	No
8	PricePlanCode	varchar(20)	No
9	BudgetsFilterId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table

SQL Definition

```
create   view  [dbo].[vw_DistrictBudgetPP] as

select 0 selected, Budgets.BudgetId, isnull(Budgets.Name,'') BudgetName, District.Distr...

  from Budgets with (nolock)

  join District on District.DistrictId = Budgets.DistrictId

               and District.Active = 1

               and isnull(District.State,'') != ''

  join DistrictPP on DistrictPP.DistrictId = District.DistrictId

  join PricePlans on PricePlans.PricePlanId = DistrictPP.PricePlanId

                 and PricePlans.Active = 1

 where Budgets.Active = 1

   and ISNUMERIC(substring(Budgets.Name,1,4)) = 1

   and CAST(substring(Budgets.Name,1,4) as int) > YEAR(getdate()) - 2

union (

select 0 selected, Budgets.BudgetId, isnull(Budgets.Name,'') BudgetName, District.Distr...

  from Budgets with (nolock)

  join District on District.DistrictId = Budgets.DistrictId
```

```
                and District.Active = 1

                and isnull(District.State,'') != ''

 where Budgets.Active = 1

... (truncated)
```

vw_DistrictContactsList {dbo-vw-districtcontactslist}

Property	Value
Schema	dbo
Created	2018-08-27 20:04:26.090000
Modified	2018-08-27 20:04:26.090000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	DistrictContactId	int	No
3	FullName	varchar(174)	Yes
4	FullAddress	varchar(167)	Yes
5	FullContacts	varchar(316)	Yes
6	ContactPosition	varchar(50)	Yes

Dependencies

Object	Type
dbo.DistrictContacts	Table
dbo.DistrictContactTypes	Table

SQL Definition

```
create     view [dbo].[vw_DistrictContactsList] as

select DistrictContacts.DistrictId,

   DistrictContacts.DistrictContactId,

   DistrictContacts.FullName,

   case coalesce(trim(DistrictContacts.Address1),'') when '' then '' else coalesce(tri...

   case coalesce(trim(DistrictContacts.Address2),'') when '' then '' else coalesce(tri...

   case coalesce(trim(DistrictContacts.City),'') + coalesce(trim(DistrictContacts.Stat...

   case coalesce(trim(DistrictContacts.Phone),'') when '' then '' else 'Phone: ' + coa...

   case coalesce(trim(DistrictContacts.Fax),'') when '' then '' else 'Fax: ' + coalesc...

   case coalesce(trim(DistrictContacts.Email),'') when '' then '' else 'Email: ' + coa...

   DistrictContactTypes.Description ContactPosition

  from DistrictContacts

  left outer join DistrictContactTypes on DistrictContactTypes.DistrictContactTypeId = ...
```

vw_DistrictCounties_BidMgr {dbo-vw-districtcounties-bidmgr}

Property	Value
Schema	dbo
Created	2012-04-16 13:32:46.850000
Modified	2018-01-21 20:26:48.017000

Columns

#	Column	Type	Nullable
1	StateCode	varchar(2)	Yes
2	CountyName	varchar(50)	Yes

Dependencies

Object	Type
dbo.District	Table

SQL Definition

```
create   view  [dbo].[vw_DistrictCounties_BidMgr]

AS

SELECT     UPPER(State) AS StateCode, UPPER(County) AS CountyName

FROM         dbo.District

WHERE     (UPPER(ISNULL(State, '')) NOT IN ('', 'FL')) AND (UPPER(ISNULL(County, '')) N...

GROUP BY State, County
```

vw_DistrictList {dbo-vw-districtlist}

Property	Value
Schema	dbo
Created	2025-03-04 09:15:42.927000
Modified	2025-03-04 09:15:42.927000

Columns

#	Column	Type	Nullable
1	County	varchar(50)	Yes
2	DistrictName	varchar(50)	Yes
3	Code	char(2)	Yes
4	StateName	varchar(50)	Yes

Dependencies

Object	Type
dbo.District	Table
dbo.States	Table

SQL Definition

```
create view vw_DistrictList

as

SELECT trim(District.County) County,

District.Name DistrictName,

States.Code,

States.Name StateName

FROM District

join States ON

 States.Code = District.State

WHERE

 District.Active = 1

 AND District.County != 'TEST'

 and coalesce(District.HideFromDistrictLists,0) = 0

--ORDER BY States.Name, District.County, District.Name
```

vw_DistrictPaymentSchedule {dbo-vw-districtpaymentschedule}

Property	Value
Schema	dbo
Created	2009-08-11 21:35:17.510000
Modified	2022-03-15 10:29:47.800000

Columns

#	Column	Type	Nullable

1	SysId	int	No
2	DistrictId	int	Yes
3	BudgetId	int	Yes
4	DistrictName	varchar(50)	Yes
5	DistrictNameAndAddress	varchar(1024)	Yes
6	DearMsg	varchar(1024)	Yes
7	LMFeeMsg	varchar(1024)	Yes
8	RTKFeeMsg	varchar(1024)	Yes
9	ExplainationMsg	varchar(1024)	Yes
10	AcknowledgeMsg	varchar(1024)	Yes
11	ProgramName	varchar(50)	Yes
12	BudgetYear	varchar(50)	Yes
13	OrderYear	varchar(50)	Yes
14	CDateHeader	varchar(50)	Yes
15	LMAmountHeader	varchar(50)	Yes
16	RTKAmountHeader	varchar(50)	Yes
17	TotalLMCharges	money	Yes
18	TotalLMChargesStr	varchar(20)	Yes
19	TotalRTKCharges	money	Yes
20	TotalRTKChargesStr	varchar(20)	Yes
21	CDate	datetime	Yes
22	CDateStr	varchar(20)	Yes
23	ChargeId	int	Yes
24	LMAmount	money	Yes
25	LMAmountStr	varchar(20)	Yes
26	RTKAmount	money	Yes
27	RTKAmountStr	varchar(20)	Yes
28	RTK	int	Yes
29	AccountingDistrictCode	varchar(50)	Yes
30	LMChargeCode	varchar(50)	Yes
31	RTKChargeCode	varchar(50)	Yes
32	Street1	varchar(50)	Yes
33	City	varchar(50)	Yes

34	State	varchar(10)	Yes
35	Zipcode	varchar(10)	Yes
36	PODiskAmount	money	Yes
37	PODiskCode	varchar(50)	Yes
38	GenericPOAmount	money	Yes
39	GenericPOCode	varchar(50)	Yes
40	EPOAmount	money	Yes
41	EPOCode	varchar(50)	Yes

Dependencies

Object	Type
dbo.uf_DistrictPaymentSchedule	Other

SQL Definition

```
CREATE   view  [dbo].[vw_DistrictPaymentSchedule]

as

select * from dbo.uf_DistrictPaymentSchedule()
```

vw_DistrictPOInfo {dbo-vw-districtpoinfo}

Property	Value
Schema	dbo
Created	2011-05-16 21:20:04.720000
Modified	2018-01-21 20:26:48.030000

Columns

#	Column	Type	Nullable
1	RepName	varchar(30)	Yes
2	DistrictName	varchar(50)	Yes
3	State	varchar(2)	Yes
4	LY Estimated PO Count	int	Yes

5	LY PO Count	int	Yes
6	LY PO Printed Count	int	Yes
7	LY PO Exported Count	int	Yes
8	LY PIT Estimated PO Cou	int	Yes
9	LY PIT PO Count	int	Yes
10	LY PIT PO Printed Count	int	Yes
11	LY PIT PO Exported Cour	int	Yes
12	CY Estimated PO Count	int	Yes
13	CY PO Count	int	Yes
14	CY PO Printed Count	int	Yes
15	CY PO Exported Count	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.CSRep	Table
dbo.Detail	Table
dbo.District	Table
dbo.PO	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_DistrictPOInfo] as

select csRep.Name RepName, District.Name DistrictName, District.State,

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

(select COUNT(*) from (select Requisitions.RequisitionId, Detail.VendorId from Requisit...

  from District with (nolock)

  left outer join CSRep on CSRep.CSRepId = District.CSRepId

  left outer join Budgets b0 on b0.DistrictId = District.DistrictId

                              and substring(b0.Name,1,4) = cast(year(getdate())-1 as char...

                              and b0.Active = 1

  left outer join Budgets b1 on b1.DistrictId = District.DistrictId

                              and SUBSTRING(b1.name,1,4) = cast(year(getdate()) as char(4))

                              and b1.Active = 1
```

```
 where District.Active = 1

   and ISNULL(District.DistrictCode,'') != ''

... (truncated)
```

vw_Districts_Assoc_With_Bid {dbo-vw-districts-assoc-with-bid}

Property	Value
Schema	dbo
Created	2016-08-30 13:18:27.087000
Modified	2018-01-21 20:26:48.040000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	DistrictId	int	No
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaderDetail	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.District	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_Districts_Assoc_With_Bid] as

select BHD.BidHeaderId, District.DistrictId, District.Name

from BidHeaderDetail BHD

join Detail ON Detail.DetailId = BHD.DetailId

Join Requisitions Req ON Req.RequisitionId=Detail.RequisitionId

Join Budgets ON Budgets.BudgetId=Req.BudgetId

Join District ON District.DistrictId=Budgets.DistrictId

Where Req.Active=1

--      and BHD.BidHeaderId = 6990

Group By BHD.BidHeaderId, District.DistrictId, District.Name
```

vw_DistrictSchools {dbo-vw-districtschools}

Property	Value
Schema	dbo
Created	2009-05-27 11:33:58.073000
Modified	2018-01-21 20:26:48.040000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	SchoolId	int	No
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.School	Table

SQL Definition

```
create   view  [dbo].[vw_DistrictSchools] as

SELECT School.DistrictId, School.SchoolId, School.Name

FROM dbo.School with (nolock)

WHERE Active = 1

--ORDER BY Name
```

vw_DistrictsNeedingReview {dbo-vw-districtsneedingreview}

Property	Value
Schema	dbo
Created	2017-04-24 14:15:15.777000
Modified	2018-01-21 20:26:48.053000

Columns

#	Column	Type	Nullable
1	CSRepId	int	No
2	CSRepName	varchar(30)	No
3	DistrictId	int	No
4	DistrictName	varchar(50)	No
5	BudgetId	int	No
6	BudgetName	varchar(30)	No
7	Schedule	varchar(50)	No
8	CategoryName	varchar(50)	Yes
9	ReqsNeedingToBeBid	int	No
10	BidAddendaReqsOnHold	int	No
11	BidAddendaReqsBeingA	int	No
12	BidAddendaReqsApprov	int	No
13	BidAddendaReqsAtEDS	int	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Budgets	Table

dbo.Category	Table
dbo.CSRep	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.Requisitions	Table
dbo.ScheduleTypes	Table

SQL Definition

```
--select * from StatusTable
--select * from vw_DistrictsNeedingReview order by CSREpName, DistrictName, BudgetName,...

create   view  [dbo].[vw_DistrictsNeedingReview] as
select CSRepId, CSRepName, DistrictId, DistrictName, BudgetId, BudgetName, Schedule, Ca...
  from (
select isnull(District.CSRepId,0) CSRepId, isnull(CSRep.Name,'') CSRepName, District.Di...
isnull((select COUNT(*)
   from Requisitions R1 with (nolock)
   join Budgets B1 on B1.BudgetId = R1.BudgetId
                  and B1.BudgetId = Budgets.BudgetId
  where R1.CategoryId = Category.CategoryId
    and exists(select Detail.DetailId
                from Detail
               where Detail.RequisitionId = R1.RequisitionId
                 and Detail.ItemMustBeBid = 1)
    and isnull((select top 1 ap.StatusId
          from Approvals ap
         where ap.RequisitionId = R1.RequisitionId
           and ap.StatusId != 23
         order by ap.ApprovalDate desc),0) not in ( 4, 6, 29, 35, 45, 49 )),0) ReqsNeedi...
```

```
isnull((select COUNT(*)

   from Requisitions R1 with (nolock)

... (truncated)
```

vw_DistrictStates_BidMgr {dbo-vw-districtstates-bidmgr}

Property	Value
Schema	dbo
Created	2012-04-16 13:23:46.017000
Modified	2018-01-21 20:26:48.060000

Columns

#	Column	Type	Nullable
1	StateCode	varchar(2)	Yes

Dependencies

Object	Type
dbo.District	Table

SQL Definition

```
create   view  [dbo].[vw_DistrictStates_BidMgr]

AS

SELECT     UPPER(State) AS StateCode

FROM         dbo.District

WHERE     (UPPER(ISNULL(State, '')) NOT IN ('', 'FL'))

GROUP BY State
```

vw_DMSAllDocuments {dbo-vw-dmsalldocuments}

Property	Value
Schema	dbo
Created	2015-01-05 16:27:58.880000
Modified	2024-07-25 16:15:01.287000

Columns

#	Column	Type	Nullable
1	DocumentType	varchar(255)	No
2	DocName	varchar(8000)	Yes
3	DocId	uniqueidentifier	No
4	PagesCaptured	int	Yes

Dependencies

Object	Type
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypes	Other

SQL Definition

```
--select * from Documents.dbo.DocumentFiles

--select * from ContentCentral.dbo.[vw_ScannedDocumentDataAll]

--select * from Documents.dbo.Fields where deletedAt is null order by Name

--select * from vw_DMSVendorBidDocuments



CREATE     view  [dbo].[vw_DMSAllDocuments] as

SELECTDocumentTypes.Name DocumentType,

        replace(replace(DocumentFiles.FileName,'\\192.168.1.102','\\ed-data.local'),'\\...

        DocumentFiles.Id DocId,

        DocumentFiles.PageCount PagesCaptured

FROMDocuments.dbo.Documents Documents with (nolock)

joinDocuments.dbo.DocumentFiles DocumentFiles on DocumentFiles.DocumentId = Documents.Id

                                                  and DocumentFiles.Id =

  (select Top 1 df.Id

     from Documents.dbo.DocumentFiles df

    where df.DocumentId = Documents.Id
```

```
        and df.deletedAt is null

      order by df.Datestamp desc)

  ... (truncated)
```

vw_DMSBidDocuments {dbo-vw-dmsbiddocuments}

Property	Value
Schema	dbo
Created	2015-01-05 14:55:06.190000
Modified	2024-07-25 15:53:56.177000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidNbr	varchar(MAX)	Yes
3	DocType	varchar(MAX)	Yes
4	DocId	uniqueidentifier	Yes
5	DistrictVisible	varchar(MAX)	Yes
6	PagesCaptured	int	Yes
7	FIleName	varchar(8000)	Yes

Dependencies

Object	Type
dbo.DMSBidDocuments	Table

SQL Definition

```
--select * from vw_DMSBidDocuments where filename not like '%ed-data.local%'


CREATE     view  [dbo].[vw_DMSBidDocuments] as

SELECTv.BidHeaderId, v.BidNbr, v.DocType, v.DocId, v.DistrictVisible, v.PagesCaptured,...

  from DMSBidDocuments v
```

vw_DMSBidDocuments_View {dbo-vw-dmsbiddocuments-view}

Property	Value
Schema	dbo
Created	2018-05-01 21:57:35.850000
Modified	2019-09-22 07:50:49.630000

Columns

#	Column	Type	Nullable
1	BidHeaderId	varchar(30)	Yes
2	BidNbr	varchar(MAX)	Yes
3	DocType	varchar(MAX)	Yes
4	DocId	uniqueidentifier	No
5	DistrictVisible	varchar(MAX)	No
6	PagesCaptured	int	Yes
7	FileName	varchar(1024)	No

Dependencies

Object	Type
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other
dbo.vw_BidGrouper	View

SQL Definition

```
CREATE   view  [dbo].[vw_DMSBidDocuments_View] as

SELECTcast(bg1.AltBidHeaderId as varchar) as BidHeaderId, fdBidNbr.FieldValue BidNbr,

        isnull(fdDocType.FieldValue,'') +

          case

            when isnull(fdDocType.FieldValue,'') != '' and isnull(fdAddDesc.FieldValue,...

            else ''

          end +

          isnull(fdAddDesc.FieldValue,'') +

            case

              when cast(bg1.AltBidHeaderId as varchar) != isnull(fdBidNbr.FieldValue,''...

                ' (Bid ' + cast(bg1.MainBidHeaderId as varchar) + ')'

              else ''

            end as DocType, DocumentFiles.Id DocId, isnull(fdDistrictVis.FieldValue,'Ye...

FROMDocuments.dbo.Documents Documents with (nolock)

joinDocuments.dbo.DocumentFiles DocumentFiles on DocumentFiles.DocumentId = Documents.Id

                                                 and DocumentFiles.Id =

  (select Top 1 df.Id

     from Documents.dbo.DocumentFiles df

    where df.DocumentId = Documents.Id
```

```
        and df.deletedAt is null

      order by df.Datestamp desc)

  ... (truncated)
```

vw_DMSRTKDocuments {dbo-vw-dmsrtkdocuments}

Property	Value
Schema	dbo
Created	2017-08-08 14:26:46.107000
Modified	2018-04-23 13:34:33.833000

Columns

#	Column	Type	Nullable
1	MSDSId	varchar(MAX)	Yes
2	DocId	uniqueidentifier	No
3	PagesCaptured	int	Yes
4	DocName	varchar(1024)	Yes

Dependencies

Object	Type
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other

SQL Definition

```
CREATE   view  [dbo].[vw_DMSRTKDocuments] as

SELECTfdSS.FieldValue MSDSId,

          DocumentFiles.Id DocId, DocumentFiles.PageCount PagesCaptured, DocumentFiles....

FROMDocuments.dbo.Documents Documents with (nolock)

joinDocuments.dbo.DocumentFiles DocumentFiles on DocumentFiles.DocumentId = Documents.Id

                                                   and DocumentFiles.Id =

  (select Top 1 df.Id

     from Documents.dbo.DocumentFiles df

    where df.DocumentId = Documents.Id

      and df.deletedAt is null

    order by df.Datestamp desc)

-- Get Document Types of 'RTK Annual Reports'

join Documents.dbo.DocumentTypes DocumentTypes on DocumentTypes.Id = Documents.Document...

                                                and DocumentTypes.Name = 'RTK Annual Repo...

                                                and DocumentTypes.deletedAt is null

join Documents.dbo.DocumentTypeFields on DocumentTypeFields.DocumentTypeId = DocumentTy...

                                        and DocumentTypeFields.deletedAt is null

join Documents.dbo.Fields fSS on fSS.Id = DocumentTypeFields.FieldId
```

```
                                and fSS.Name = 'RTK Document Type'

                                and fSS.deletedAt is null

... (truncated)
```

vw_DMSRTKSurveys {dbo-vw-dmsrtksurveys}

Property	Value
Schema	dbo
Created	2017-08-04 18:38:53.867000
Modified	2018-04-23 13:35:36.123000

Columns

#	Column	Type	Nullable
1	DistrictId	varchar(MAX)	Yes
2	FacilityNumber	varchar(MAX)	Yes
3	FacilityName	varchar(MAX)	Yes
4	ReportYear	varchar(MAX)	Yes
5	DocId	uniqueidentifier	No

Dependencies

Object	Type
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other

SQL Definition

```
CREATE   view  [dbo].[vw_DMSRTKSurveys] as

SELECTcoalesce(fdDistrictId.FieldValue,'') as DistrictId,

coalesce(fdFacilityNumber.FieldValue,'') as FacilityNumber,

coalesce(fdFacilityName.FieldValue,'') as FacilityName,

coalesce(fdReportYear.FieldValue,'') as ReportYear,

        DocumentFiles.Id DocId

FROMDocuments.dbo.Documents Documents with (nolock)

joinDocuments.dbo.DocumentFiles DocumentFiles on DocumentFiles.DocumentId = Documents.Id

                                                   and DocumentFiles.Id =

  (select Top 1 df.Id

     from Documents.dbo.DocumentFiles df

    where df.DocumentId = Documents.Id

      and df.deletedAt is null

    order by df.Datestamp desc)

-- Get Document Types of 'RTK Annual Reports'

join Documents.dbo.DocumentTypes DocumentTypes on DocumentTypes.Id = Documents.Document...

                                                 and DocumentTypes.Name = 'RTK Annual Repo...

                                                 and DocumentTypes.deletedAt is null

-- Get 'State Survey' RTK Document Type

join Documents.dbo.DocumentTypeFields dtfDocType on dtfDocType.DocumentTypeId = Documen...

                                                     and dtfDocType.deletedAt IS null
```

```
join Documents.dbo.Fields fDocType on fDocType.Id = dtfDocType.FieldId
                                    and fDocType.Name = 'RTK Document Type'
... (truncated)
```

vw_DMSSDSDocuments {dbo-vw-dmssdsdocuments}

Property	Value
Schema	dbo
Created	2017-03-16 16:21:12.020000
Modified	2019-03-06 13:20:29.340000

Columns

#	Column	Type	Nullable
1	MSDSId	int	No
2	DocId	uniqueidentifier	No
3	PagesCaptured	int	Yes
4	DocName	varchar(1024)	Yes

Dependencies

Object	Type
dbo.DMSSDSDocuments	Table

SQL Definition

```
CREATE   view  [dbo].[vw_DMSSDSDocuments] as

SELECTMSDSId, DocId, PagesCaptured, DocName

FROMDMSSDSDocuments
```

vw_DMSSDSDocuments_View {dbo-vw-dmssdsdocuments-view}

Property	Value
Schema	dbo
Created	2019-02-06 14:30:49.907000
Modified	2019-02-06 14:30:49.907000

Columns

#	Column	Type	Nullable
1	MSDSId	varchar(MAX)	Yes
2	DocId	uniqueidentifier	No
3	PagesCaptured	int	Yes
4	DocName	varchar(1024)	Yes

Dependencies

Object	Type

dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other

SQL Definition

```
create   view  [dbo].[vw_DMSSDSDocuments_View] as
SELECTfdMSDSId.FieldValue MSDSId,
          DocumentFiles.Id DocId, DocumentFiles.PageCount PagesCaptured, DocumentFiles....
FROMDocuments.dbo.Documents Documents with (nolock)
joinDocuments.dbo.DocumentFiles DocumentFiles on DocumentFiles.DocumentId = Documents.Id
                                                   and DocumentFiles.Id =
  (select Top 1 df.Id
     from Documents.dbo.DocumentFiles df
    where df.DocumentId = Documents.Id
      and df.deletedAt is null
    order by df.Datestamp desc)
-- Get Document Types of 'Safety Data Sheets'
join Documents.dbo.DocumentTypes DocumentTypes on DocumentTypes.Id = Documents.Document...
                                                and DocumentTypes.Name = 'Safety Data She...
                                                and DocumentTypes.deletedAt is null
-- Get MSDSId from Data
join Documents.dbo.FieldData fdMSDSId on fdMSDSId.DocumentId = Documents.Id
                                         and fdMSDSId.deletedAt is null
```

```
join Documents.dbo.Fields fMSDSId on fMSDSId.Id = fdMSDSId.FieldId
                                and fMSDSId.Name = 'MSDS Identifier Sheet'
... (truncated)
```

vw_DMSVendorBidDocuments {dbo-vw-dmsvendorbiddocuments}

Property	Value
Schema	dbo
Created	2015-01-05 15:29:25.410000
Modified	2024-09-04 14:50:01.883000

Columns

#	Column	Type	Nullable
1	VendorCode	varchar(10)	Yes
2	DistrictVisible	varchar(10)	Yes
3	BidHeaderId	int	Yes
4	BidNbr	varchar(20)	Yes
5	DocType	varchar(8000)	Yes
6	ExpirationDate	varchar(30)	Yes
7	DocumentNumber	varchar(255)	Yes
8	DocId	uniqueidentifier	Yes
9	PagesCaptured	int	Yes
10	FileName	varchar(8000)	Yes

Dependencies

Object	Type
dbo.DMSVendorBidDocuments	Table

SQL Definition

```
--select top 10 * from vw_DMSVendorBidDocuments where filename not like '\\ed-data.loca...

CREATE   view  [dbo].[vw_DMSVendorBidDocuments] as

select v.VendorCode, v.DistrictVisible, v.BidHeaderId, v.BidNbr, replace(replace(replac...

  from DMSVendorBidDocuments v
```

vw_DMSVendorBidDocuments_04232018 {dbo-vw-dmsvendorbiddocuments-04232018}

Property	Value
Schema	dbo
Created	2018-04-23 13:11:57.853000
Modified	2018-04-23 13:25:08.757000

Columns

#	Column	Type	Nullable
1	VendorCode	varchar(MAX)	No
2	DistrictVisible	varchar(MAX)	No

3	BidHeaderId	int	Yes
4	BidNbr	varchar(MAX)	Yes
5	DocType	varchar(MAX)	Yes
6	ExpirationDate	varchar(MAX)	No
7	DocumentNumber	varchar(MAX)	No
8	DocId	uniqueidentifier	No
9	PagesCaptured	int	Yes

Dependencies

Object	Type
dbo.BidDocumentTypes	Table
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other
dbo.vw_BidGrouper	View

SQL Definition

```
--SELECT DocType as DocType, DocId, PagesCaptured FROM vw_DMSVendorBidDocuments sd with...



--select * from Documents.dbo.Fields where deletedAt is null order by Name

--select * from vw_DMSVendorBidDocuments_04232018



create   view  [dbo].[vw_DMSVendorBidDocuments_04232018] as

SELECTisnull(fdVendorCode.FieldValue,'') VendorCode, isnull(fdDistrictVis.FieldValue,'...

        isnull(fdDocType.FieldValue,'') +

          case

            when isnull(fdDocType.FieldValue,'') != '' and isnull(fdAddDesc.FieldValue,...

            else ''

          end +

          isnull(fdAddDesc.FieldValue,'') +

            case

              when bg1.AltBidHeaderId != isnull(fdBidNbr.FieldValue,'') then

                ' (Bid ' + cast(bg1.MainBidHeaderId as varchar) + ')'

              else ''

            end as DocType,
```

```
            isnull(fdExpirationDate.FieldValue,'') as ExpirationDate,

            isnull(fdDocumentNumber.FieldValue,'') as DocumentNumber,

  ... (truncated)
```

vw_DMSVendorBidDocuments_View {dbo-vw-dmsvendorbiddocuments-view}

Property	Value
Schema	dbo
Created	2018-05-01 21:54:56.440000
Modified	2023-06-30 12:16:29.730000

Columns

#	Column	Type	Nullable
1	VendorCode	varchar(MAX)	No
2	DistrictVisible	varchar(MAX)	No
3	BidHeaderId	varchar(30)	Yes
4	BidNbr	varchar(MAX)	Yes
5	DocType	varchar(MAX)	Yes
6	ExpirationDate	varchar(MAX)	No
7	DocumentNumber	varchar(MAX)	No
8	DocId	uniqueidentifier	Yes
9	PagesCaptured	int	Yes
10	FileName	varchar(1024)	No

Dependencies

Object	Type
dbo.BidDocumentTypes	Table
dbo.DocumentFiles	Other

dbo.Documents	Other
dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other
dbo.vw_BidGrouper	View

SQL Definition

Definition truncated (8,128 characters). First 8000 shown:

```
CREATE     view  [dbo].[vw_DMSVendorBidDocuments_View] as

SELECTisnull(fdVendorCode.FieldValue,'') VendorCode, isnull(fdDistrictVis.FieldValue,'...

        isnull(replace(replace(replace(replace(replace(fdDocType.FieldValue,'&apos;','',''...

          case

            when isnull(fdDocType.FieldValue,'') != '' and isnull(fdAddDesc.FieldValue,...

            else ''

          end +

          isnull(fdAddDesc.FieldValue,'') +

            case

              when cast(bg1.AltBidHeaderId as varchar) != isnull(fdBidNbr.FieldValue,''...

                ' (Bid ' + cast(bg1.MainBidHeaderId as varchar) + ')'

              else ''

            end as DocType,

          isnull(fdExpirationDate.FieldValue,'') as ExpirationDate,

          isnull(fdDocumentNumber.FieldValue,'') as DocumentNumber,

          DocumentFiles.Id DocId, coalesce(DocumentFiles.PageCount,0) PagesCaptured, is...

FROMDocuments.dbo.Documents Documents with (nolock)
```

```
/*

joinDocuments.dbo.DocumentFiles DocumentFiles on DocumentFiles.DocumentId = Documents.Id

... (truncated)
```

vw_DMSVendorBidDocuments_ViewTest {dbo-vw-dmsvendorbiddocuments-viewtest}

Property	Value
Schema	dbo
Created	2023-06-07 17:22:51.860000
Modified	2023-06-07 17:41:50.973000

Columns

#	Column	Type	Nullable
1	VendorCode	varchar(MAX)	No
2	DistrictVisible	varchar(MAX)	No
3	BidHeaderId	varchar(30)	Yes
4	BidNbr	varchar(MAX)	Yes
5	DocType	varchar(MAX)	Yes
6	ExpirationDate	varchar(MAX)	No
7	DocumentNumber	varchar(MAX)	No
8	DocId	uniqueidentifier	Yes
9	PagesCaptured	int	Yes
10	FileName	varchar(1024)	No

Dependencies

Object	Type
dbo.DocumentFiles	Other
dbo.Documents	Other

dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other
dbo.vw_BidGrouper	View

SQL Definition

Definition truncated (9,537 characters). First 8000 shown:

```
--Select * from [vw_DMSVendorBidDocuments_ViewTest] where BidHeaderId = 11723

create   view  [dbo].[vw_DMSVendorBidDocuments_ViewTest] as

SELECTisnull(fdVendorCode.FieldValue,'') VendorCode, isnull(fdDistrictVis.FieldValue,'...

        isnull(fdDocType.FieldValue,'') +

          case

            when isnull(fdDocType.FieldValue,'') != '' and isnull(fdAddDesc.FieldValue,...

            else ''

          end +

          isnull(fdAddDesc.FieldValue,'') +

            case

              when cast(bg1.AltBidHeaderId as varchar) != isnull(fdBidNbr.FieldValue,''...

                ' (Bid ' + cast(bg1.MainBidHeaderId as varchar) + ')'

              else ''

            end as DocType,

          isnull(fdExpirationDate.FieldValue,'') as ExpirationDate,

          isnull(fdDocumentNumber.FieldValue,'') as DocumentNumber,

          DocumentFiles.Id DocId, coalesce(DocumentFiles.PageCount,0) PagesCaptured, is...

FROMDocuments.dbo.Documents Documents with (nolock)
```

```
/*

joinDocuments.dbo.DocumentFiles DocumentFiles on DocumentFiles.DocumentId = Documents.Id

... (truncated)
```

vw_DMSVendorBidDocumentsTest {dbo-vw-dmsvendorbiddocumentstest}

Property	Value
Schema	dbo
Created	2016-10-19 16:12:13.940000
Modified	2018-01-21 20:26:47.110000

Columns

#	Column	Type	Nullable
1	VendorCode	varchar(MAX)	No
2	DistrictVisible	varchar(MAX)	No
3	BidHeaderId	int	Yes
4	BidNbr	varchar(MAX)	Yes
5	DocType	varchar(MAX)	Yes
6	DocId	uniqueidentifier	No
7	PagesCaptured	int	Yes

Dependencies

Object	Type
dbo.BidDocumentTypes	Table
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other

dbo.FieldData	Other
dbo.Fields	Other
dbo.vw_BidGrouper	View

SQL Definition

```
--select * from Documents.dbo.Fields where deletedAt is null order by Name

--select * from vw_DMSVendorBidDocuments


create   view  [dbo].[vw_DMSVendorBidDocumentsTest] as

SELECTisnull((select fdVendorCode.FieldValue

                  from Documents.dbo.FieldData fdVendorCode

                 where fdVendorCode.DocumentId = Documents.Id

                   and fdVendorCode.FieldId = dtfVendorCode.FieldId

                   and fdVendorCode.deletedAt is null),'') VendorCode,

        isnull((select fdDistrictVis.FieldValue

                  from Documents.dbo.FieldData fdDistrictVis

                 where fdDistrictVis.DocumentId = Documents.Id

                   and fdDistrictVis.FieldId = dtfDistrictVis.FieldId

                   and fdDistrictVis.deletedAt is null),'Yes') DistrictVisible,

        bg1.AltBidHeaderId BidHeaderId,

        fdBidNbr.FieldValue BidNbr,

        isnull(fdDocType.FieldValue,'') +

          case
```

```
                when isnull(fdDocType.FieldValue,'') != ''

                 and isnull((select fdAddDesc.FieldValue

... (truncated)
```

vw_DMSVendorDocuments {dbo-vw-dmsvendordocuments}

Property	Value
Schema	dbo
Created	2016-10-19 14:22:34.997000
Modified	2024-09-04 14:52:56.913000

Columns

#	Column	Type	Nullable
1	VendorCode	varchar(10)	Yes
2	DistrictVisible	varchar(10)	Yes
3	DocType	varchar(255)	Yes
4	ExpirationDate	varchar(30)	Yes
5	DocumentNumber	varchar(255)	Yes
6	DocId	uniqueidentifier	Yes
7	PagesCaptured	int	Yes
8	FileName	varchar(8000)	Yes

Dependencies

Object	Type
dbo.DMSVendorDocuments	Table

SQL Definition

```
CREATE   view  [dbo].[vw_DMSVendorDocuments] as

select v.VendorCode, v.DistrictVisible, v.DocType, v.ExpirationDate, v.DocumentNumber, ...

  from DMSVendorDocuments v
```

vw_DMSVendorDocuments_View {dbo-vw-dmsvendordocuments-view}

Property	Value
Schema	dbo
Created	2018-05-01 21:56:49.620000
Modified	2023-06-07 17:04:25.643000

Columns

#	Column	Type	Nullable
1	VendorCode	varchar(30)	Yes
2	DistrictVisible	varchar(MAX)	No
3	DocType	varchar(MAX)	No
4	ExpirationDate	varchar(MAX)	No
5	DocumentNumber	varchar(MAX)	No
6	DocId	uniqueidentifier	Yes
7	PagesCaptured	int	Yes
8	FileName	varchar(1024)	No

Dependencies

Object	Type
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypeFields	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other

SQL Definition

```
CREATE     view  [dbo].[vw_DMSVendorDocuments_View] as

SELECTcast(isnull(fdVendorCode.FieldValue,'') as varchar) VendorCode, isnull(fdDistric...

        isnull(fdDocType.FieldValue,'') +

          case

            when isnull(fdDocType.FieldValue,'') != '' and isnull(fdAddDesc.FieldValue,...

            else ''

          end +

          isnull(fdAddDesc.FieldValue,'') as DocType,

          isnull(fdExpirationDate.FieldValue,'') as ExpirationDate,

          isnull(fdDocumentNumber.FieldValue,'') as DocumentNumber,

          DocumentFiles.Id DocId, coalesce(DocumentFiles.PageCount,0) PagesCaptured, is...

FROMDocuments.dbo.Documents Documents with (nolock)

-- Get Document Types of 'Vendor Documents'

join Documents.dbo.DocumentTypes DocumentTypes on DocumentTypes.Id = Documents.Document...

                                                and DocumentTypes.Name = 'Vendor Documents'
```

```
                                                and DocumentTypes.deletedAt is null

-- Get Document SubTypes

... (truncated)
```

vw_DocumentTypes {dbo-vw-documenttypes}

Property	Value
Schema	dbo
Created	2012-05-17 17:55:16.287000
Modified	2018-01-21 20:26:48.083000

Columns

#	Column	Type	Nullable
1	BidDocumentTypeId	int	No
2	BidType	varchar(30)	No
3	Name	varchar(50)	No
4	Description	varchar(4096)	Yes
5	VendorSpecific	varchar(3)	No
6	State	char(2)	Yes
7	Sequence	int	Yes
8	DistrictVisible	varchar(3)	No

Dependencies

Object	Type
dbo.BidDocumentTypes	Table

SQL Definition

```
create   view  [dbo].[vw_DocumentTypes] as

select BidDocumentTypeId,            case isnull(BidType,0)

              when 1 then 'Pre-Bid'

              when 2 then 'Supplemental'

              when 3 then 'Time and Materials'

              when 4 then 'Time and Materials - Line Item'

              when 5 then 'MSRP'

              else 'Unknown'

            end

BidType, Name, Description, case isnull(VendorSpecific,0) when 0 then 'No' else 'Yes' e...

  from BidDocumentTypes
```

vw_EmailBlastChangeNotificationHTMLTableApprover_NotUsed {dbo-vw-emailblastchangenotificationhtmltab

Property	Value
Schema	dbo
Created	2022-03-31 21:32:20.360000
Modified	2022-04-06 13:12:12.047000

Columns

#	Column	Type	Nullable
1	RequisitionersBlastId	int	Yes
2	ApproverUserId	int	Yes
3	EmailHTMLTable	nvarchar(MAX)	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.Notifications	Table
dbo.Requisitions	Table
dbo.Users	Table
dbo.vw_DetailNotifications	View

SQL Definition

```
CREATE         view  [dbo].[vw_EmailBlastChangeNotificationHTMLTableApprover_NotUsed]
  as
Select SS2.RequisitionersBlastId, SS2.ApproverUserId,                                  ...
'<table border="1" cellpadding="1" cellspacing="1" style="height: 79px"><tbody>' +
'<tr><td>Username</td><td>Attention</td><td>Requisitions</td></tr>' +
STRING_AGG(
  '<tr>' +
  '<td>' + SS2.UserName  + '</td>' +
  '<td>' + SS2.AttnRequisitioner + '</td>' +
  '<td>' + SS2.Reqs + '</td>' +
  '</tr>'
, '') WITHIN GROUP (ORDER BY SS2.UserName) +
  '</tbody></table>' EmailHTMLTable
From
(
Select SS.RequisitionersBlastId, SS.ApproverUserId,                                    ...
       SS.UserName, SS.AttnRequisitioner, STRING_AGG(Cast(SS.RequisitionNumber as nvarc...
From
(
select N.EmailBlastId RequisitionersBlastId, Approvals.ApprovalById ApproverUserId,    ...
```

```
        requser.UserId, requser.UserName, requser.Attention AttnRequisitioner, req.Requi...

From Notifications N

... (truncated)
```

vw_EmailBlastChangeNotificationHTMLTableRequisitioner_NotUsed {dbo-vw-emailblastchangenotificationht

Property	Value
Schema	dbo
Created	2022-03-31 21:34:08.077000
Modified	2022-04-06 13:14:47.607000

Columns

#	Column	Type	Nullable
1	EmailBlastId	int	Yes
2	UserId	int	No
3	EmailHTMLTable	nvarchar(MAX)	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.Items	Table
dbo.Notifications	Table
dbo.Requisitions	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.Vendors	Table

dbo.vw_DetailNotifications	View

SQL Definition

```
CREATE         view  [dbo].[vw_EmailBlastChangeNotificationHTMLTableRequisitioner_NotUsed]

  as

Select N.EmailBlastId, ApprvlUser.UserId,

'<table border="1" cellpadding="1" cellspacing="1" style="height: 79px"><tbody>' +

'<tr><td>Requisition#</td><td>Username</td><td>Attention</td><td></td><td>Vendor</td><t...

STRING_AGG(

  '<tr>' +

  '<td rowspan="2">' + cast(REQ.RequisitionNumber as nvarchar(max)) + '</td>' +

  '<td rowspan="2">' + cast(ReqUser.UserName as varchar) + '</td>' +

  '<td rowspan="2">' + cast(ReqUser.Attention as varchar(50)) + '</td>' +

  '<td>' + 'Original Order:' + '</td>' +

  '<td>' + case when DN.OrigVendorId=7691 then 'No Vendor' else cast(OrigVen.Name as va...

  '<td>' + case when DN.OrigVendorId=7691 then 'N/A' else cast(OrigItem.ItemCode as var...

  '<td>' + isnull(cast(cast(DN.OrigBidPrice as Decimal(18,2)) as varchar),'') + '</td>' +

  '</tr>' +

  '<tr>' +
```

```
    '<td>' + 'Updated Order:' + '</td>' +

    '<td>' + case when DN.NewVendorId=7691 then 'No Vendor' else cast(NewVen.Name as varc...

    '<td>' + case when DN.NewVendorId=7691 then 'N/A' else cast(NewItem.ItemCode as varch...

    '<td>' + isnull(cast(cast(DN.NewBidPrice as Decimal(18,2)) as varchar),'') + '</td>' +

    '</tr>' +

  ... (truncated)
```

vw_ExistingRequisitions {dbo-vw-existingrequisitions}

Property	Value
Schema	dbo
Created	2012-07-02 20:33:13.023000
Modified	2018-01-21 20:26:48.090000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	RequisitionId	int	No
3	RequisitionNumber	varchar(24)	Yes
4	Attention	varchar(50)	Yes
5	DateEntered	datetime	Yes
6	TotalItemsCost	money	No
7	CategoryId	int	Yes
8	CategoryName	varchar(50)	Yes
9	AccountCode	varchar(50)	Yes
10	StatusName	varchar(50)	Yes
11	ApprovalLevel	tinyint	Yes
12	RequisitionStatus	varchar(255)	Yes
13	Available	money	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CXmlSession	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.SessionTable	Table
dbo.StatusTable	Table
dbo.uf_RequisitionIsVisible	Other
dbo.uf_RequisitionStatus	Other
dbo.UserAccounts	Table

SQL Definition

```
create   view  [dbo].[vw_ExistingRequisitions] AS



-- Return Requisitions

SELECT SessionTable.SessionId,

       Requisitions.RequisitionId as RequisitionId,

       Requisitions.RequisitionNumber as RequisitionNumber,

       Requisitions.Attention as Attention,

       Requisitions.DateEntered as DateEntered,

       ISNULL(Requisitions.TotalItemsCost,0) as TotalItemsCost,

       Category.CategoryId,

       Category.Name as CategoryName,

       Requisitions.AccountCode as AccountCode,

       StatusTable.Name as StatusName,

       Requisitions.ApprovalLevel,

       dbo.uf_RequisitionStatus(Requisitions.RequisitionId) RequisitionStatus,

       case isnull(UserAccounts.UseAllocations,0)

         when 0 then

           case isnull(BudgetAccounts.UseAllocations,0)

             when 0 then 0

             else isnull(BudgetAccounts.AmountAvailable,0)
```

```
            end

          else

... (truncated)
```

vw_ExistingUserAccounts {dbo-vw-existinguseraccounts}

Property	Value
Schema	dbo
Created	2012-08-30 10:49:20.120000
Modified	2018-01-21 20:26:48.093000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	BudgetId	int	No
3	BudgetAccountId	int	No
4	UseAllocations	tinyint	Yes
5	BudgetAmount	money	Yes
6	AmountAvailable	money	Yes
7	AccountId	int	No
8	Code	varchar(50)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.UserAccounts	Table

dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ExistingUserAccounts] as

select Users.UserId, Budgets.BudgetId, BudgetAccounts.BudgetAccountId, BudgetAccounts.U...

  from Users with (nolock)

  join Budgets on Budgets.DistrictId = Users.DistrictId

  join BudgetAccounts on BudgetAccounts.BudgetId = Budgets.BudgetId

                     and BudgetAccounts.Active = 1

  join Accounts on Accounts.AccountId = BudgetAccounts.AccountId

               and Accounts.Active = 1

  join UserAccounts on UserAccounts.AccountId = Accounts.AccountId

                              and UserAccounts.BudgetAccountId = BudgetAccounts.BudgetA...

                              and UserAccounts.Active = 1

                              and UserAccounts.UserId = Users.UserId

 where Users.Active = 1
```

vw_ExistingUserAccounts_NEW {dbo-vw-existinguseraccounts-new}

Property	Value
Schema	dbo
Created	2012-11-27 11:57:27.823000
Modified	2018-01-21 20:26:48.097000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	BudgetId	int	No
3	BudgetAccountId	int	No
4	budgetUseAllocations	tinyint	Yes
5	BudgetAmount	money	Yes
6	AmountAvailable	money	Yes
7	AccountId	int	No
8	Code	varchar(50)	Yes
9	UserAccountID	int	No
10	UseAllocations	tinyint	Yes
11	AllocationAmount	money	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ExistingUserAccounts_NEW] as

select Users.UserId, Budgets.BudgetId, BudgetAccounts.BudgetAccountId, BudgetAccounts.U...

BudgetAccounts.AmountAvailable, Accounts.AccountId, Accounts.Code, UserAccounts.UserAc...

  from Users with (nolock)

  join Budgets on Budgets.DistrictId = Users.DistrictId

  join BudgetAccounts on BudgetAccounts.BudgetId = Budgets.BudgetId

                     and BudgetAccounts.Active = 1

  join Accounts on Accounts.AccountId = BudgetAccounts.AccountId

               and Accounts.Active = 1

  join UserAccounts on UserAccounts.AccountId = Accounts.AccountId

                              and UserAccounts.BudgetAccountId = BudgetAccounts.BudgetA...

                              and UserAccounts.Active = 1

                              and UserAccounts.UserId = Users.UserId

 where Users.Active = 1
```

vw_FA_ALLBudgetAccounts {dbo-vw-fa-allbudgetaccounts}

Property	Value
Schema	dbo
Created	2012-06-14 00:05:14.320000
Modified	2018-01-21 20:26:46.480000

Columns

#	Column	Type	Nullable
1	BudgetAccountID	int	No
2	BudgetAmount	money	No
3	AmountAvailable	money	No
4	UseAllocations	tinyint	No
5	BudgetName	varchar(30)	Yes
6	BudgetID	int	No
7	Code	varchar(50)	Yes
8	Type	varchar(50)	Yes
9	AccountID	int	No
10	Allocated	money	No
11	Spent	money	No
12	SchoolID	int	No
13	SessionID	int	No
14	Active	int	No

Dependencies

Object	Type

dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.UserAccounts	Table
dbo.vw_FA_BudgetsView	View

SQL Definition

```
create   view  [dbo].[vw_FA_ALLBudgetAccounts]


AS


SELECTBA.BudgetAccountID, ISNULL(BA.BudgetAmount,0) AS BudgetAmount, ISNULL(BA.Amount...

, B.Name AS BudgetName

, B.BudgetID

, A.Code

, CASE

WHEN ISNULL(A.SchoolId,0) > 0 THEN S.Name

ELSE 'All Schools'

END AS [Type]

, A.AccountID

,ISNULL((SELECT SUM(AllocationAmount) FROM UserAccounts WHERE BudgetAccountId = BA.B...

,ISNULL((SELECT SUM(TotalRequisitionCost) FROM Requisitions WHERE BudgetAccountId = ...

, ISNULL(A.SchoolId,0) AS SchoolID

, BV.SessionID

, CASE

WHEN BA.Active = 1 AND A.Active = 1 THEN 1

ELSE 0

END AS Active

FROMvw_FA_BudgetsView BV, Budgets B, BudgetAccounts BA, Accounts A LEFT OUTER JOIN Sc...
```

```
WHEREA.AccountId = BA.AccountId

ANDBA.BudgetId = B.BudgetID

... (truncated)
```

vw_FA_ALLUserAccounts {dbo-vw-fa-alluseraccounts}

Property	Value
Schema	dbo
Created	2012-06-14 00:05:29.810000
Modified	2023-04-19 11:02:20.527000

Columns

#	Column	Type	Nullable
1	BudgetAccountID	int	No
2	BudgetAmount	money	No
3	AmountAvailable	money	No
4	UseBudgetAccountAlloca	tinyint	No
5	BudgetName	varchar(30)	Yes
6	BudgetID	int	No
7	Code	varchar(50)	Yes
8	Type	varchar(50)	Yes
9	AccountID	int	No
10	Allocated	money	No
11	Spent	money	No
12	SchoolID	int	No
13	SessionID	int	No
14	UserAccountId	int	No
15	UserId	int	Yes
16	AllocationAmount	money	No
17	AllocationAvailable	money	No

18	UseAllocations	tinyint	No
19	UserSpent	money	No
20	Active	int	No

Dependencies

Object	Type
dbo.Requisitions	Table
dbo.UserAccounts	Table
dbo.vw_FA_ALLBudgetAccounts	View

SQL Definition

```
CREATE   view  [dbo].[vw_FA_ALLUserAccounts]

AS

SELECTBA.BudgetAccountID,
        BA.BudgetAmount,
        BA.AmountAvailable,
        BA.UseAllocations AS UseBudgetAccountAllocations,
        BA.BudgetName,
        BA.BudgetID,
        BA.Code,
        BA.[Type],
        BA.AccountID,
        BA.Allocated,
        BA.Spent,
        BA.SchoolID,
        BA.SessionID,
        UA.UserAccountId,
        UA.UserId,
        ISNULL(UA.AllocationAmount,0) AS AllocationAmount,
```

```
        ISNULL(UA.AllocationAvailable,0) AS AllocationAvailable,

        ISNULL(UA.UseAllocations,0) AS UseAllocations,

... (truncated)
```

vw_FA_BudgetAccounts {dbo-vw-fa-budgetaccounts}

Property	Value
Schema	dbo
Created	2012-06-14 00:06:11.207000
Modified	2023-04-19 11:02:20.340000

Columns

#	Column	Type	Nullable
1	BudgetAccountID	int	No
2	BudgetAmount	money	No
3	AmountAvailable	money	No
4	UseAllocations	tinyint	No
5	BudgetName	varchar(30)	Yes
6	BudgetID	int	No
7	Code	varchar(50)	Yes
8	Type	varchar(50)	Yes
9	AccountID	int	No
10	Allocated	money	No
11	Spent	money	No
12	SchoolID	int	No
13	SessionID	int	No

Dependencies

Object	Type

dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.UserAccounts	Table
dbo.vw_FA_BudgetsView	View

SQL Definition

```
--select

CREATE   view  [dbo].[vw_FA_BudgetAccounts]

AS

SELECTBA.BudgetAccountID, ISNULL(BA.BudgetAmount,0) AS BudgetAmount, ISNULL(BA.Amount...
, B.Name AS BudgetName
, B.BudgetID
, A.Code
, CASE
WHEN ISNULL(A.SchoolId,0) > 0 THEN S.Name
ELSE 'All Schools'
END AS [Type]
, A.AccountID
,ISNULL((SELECT SUM(AllocationAmount) FROM UserAccounts WHERE BudgetAccountId = BA.B...
,ISNULL((SELECT SUM(TotalRequisitionCost) FROM Requisitions WHERE BudgetAccountId = ...
, ISNULL(A.SchoolId,0) AS SchoolID
, BV.SessionID
FROMvw_FA_BudgetsView BV, Budgets B, BudgetAccounts BA, Accounts A
LEFT OUTER JOIN School S ON S.SchoolId = A.SchoolID
WHEREA.AccountId = BA.AccountId
```

```
ANDA.Active = 1

ANDBA.BudgetId = B.BudgetID

... (truncated)
```

vw_FA_BudgetsView {dbo-vw-fa-budgetsview}

Property	Value
Schema	dbo
Created	2012-06-14 00:03:42.880000
Modified	2025-01-30 12:31:17.020000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	BudgetId	int	No
3	Name	varchar(30)	Yes
4	EndDate	datetime	Yes
5	AnnualCutoff	datetime	Yes
6	CurrentBudget	int	No
7	AllowEdit	int	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
CREATE     view  [dbo].[vw_FA_BudgetsView] as

select SessionTable.SessionId, Budgets.BudgetId, Budgets.Name, Budgets.EndDate, Budgets...

            ,CASE

                  WHEN GETDATE() BETWEEN Budgets.EditFrom AND Budgets.EditUntil THEN 1

  when Users.AllowEarlyAccess = 1 and getdate() between Budgets.EarlyAccess and Bud...

                  ELSE 0

            END AS AllowEdit

  from SessionTable with (nolock)

  join Users on Users.UserId = SessionTable.UserId

  join Budgets on Budgets.DistrictId = SessionTable.DistrictId

              and getdate() between case when isnull(SessionTable.CSRepID,0) > 0 AND IS...

                                  and case when isnull(SessionTable.CSRepID,0) > 0 AND IS...

/* Change below to above DCH 10/6/2014 adding Early Access

              and Budgets.VisibleFrom <= case when isnull(SessionTable.CSRepID,0) > 0 A...

              and Budgets.VisibleUntil >= case when isnull(SessionTable.CSRepID,0) > 0 ...

              and Budgets.Active = 1

 where SessionTable.SessionEnd is null
```

vw_FA_CategoriesAndVendors {dbo-vw-fa-categoriesandvendors}

Property	Value
Schema	dbo
Created	2012-06-13 23:48:46.557000
Modified	2018-01-21 20:26:48.103000

Columns

#	Column	Type	Nullable
1	CategoryID	int	No
2	CategoryName	varchar(50)	Yes
3	VendorId	int	No
4	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.Category	Table
dbo.VendorCategory	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_FA_CategoriesAndVendors] AS


SELECTC.CategoryID, C.Name AS CategoryName, V.VendorId, V.Name AS VendorName

FROMCategory C, VendorCategory VC, Vendors V

WHEREV.VendorId = VC.VendorId

ANDV.Active = 1

ANDVC.CategoryId = C.CategoryID
```

vw_FA_EDSUser {dbo-vw-fa-edsuser}

Property	Value
Schema	dbo
Created	2012-06-14 00:05:07.083000
Modified	2025-04-11 14:41:07.707000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	DistrictId	int	Yes
3	SchoolId	int	Yes
4	ShippingId	int	Yes
5	Active	tinyint	No
6	UserName	varchar(50)	Yes
7	Password	varchar(100)	Yes
8	Attention	varchar(50)	Yes

9	ApprovalLevel	tinyint	Yes
10	CometId	int	Yes
11	DisableNewRequisition	tinyint	Yes
12	DistrictAcctgCode	varchar(20)	Yes
13	ApproverId	int	Yes
14	NewRequisitionButton	int	No
15	AllowIncidentals	tinyint	No
16	AllowVendorChanges	tinyint	No
17	AllowShipToChanges	tinyint	No
18	AllowTM	tinyint	No
19	Email	varchar(255)	Yes
20	SecurityRoleId	int	Yes
21	Use20	int	Yes
22	EmailByPassDate	date	Yes
23	FirstName	varchar(20)	Yes
24	LastName	varchar(30)	Yes
25	useCF	int	No
26	AllowExport	bit	No
27	HasAdminAccess	bit	No
28	Role	varchar(50)	No
29	UserDisplayName	varchar(56)	Yes
30	AllowAddenda	bit	No
31	AllowMSRP	tinyint	No
32	AllowAccountCodeMgmt	tinyint	No
33	POAccess	int	No
34	AllowVendorCodeMainte	tinyint	No
35	PositionData	nvarchar(4000)	Yes

Dependencies

Object	Type
dbo.SecurityRoles	Table
dbo.SecurityRoleUsers	Table

dbo.Users	Table
dbo.vw_FA_UserDisplayName	View

SQL Definition

```
CREATE   view  [dbo].[vw_FA_EDSUser]

AS

SELECTU.UserId, U.DistrictId, U.SchoolId, U.ShippingId, isnull(U.Active,0) Active, U....
, SR.Name AS Role
, vFAUDN.UserDisplayName
, ISNULL(U.AllowAddenda,0) AS AllowAddenda -- bh 5/14/2012
, ISNULL(U.allowMSRP,0) AS AllowMSRP
, ISNULL(U.AllowAccountCodeMgmt,0) AS AllowAccountCodeMgmt
, isnull(u.POAccess,0) as POAccess
, isnull(u.AllowVendorCodeMaintenance,0) AllowVendorCodeMaintenance
, coalesce(u.PositionData,'') PositionData
FROMUsers U, vw_FA_UserDisplayName vFAUDN, SecurityRoleUsers SRU, SecurityRoles SR
WHERESR.SecurityRoleID = SRU.SecurityRoleID
ANDSRU.UserID = U.UserID
ANDvFAUDN.UserID = U.UserID
```

vw_FA_ReqCategories {dbo-vw-fa-reqcategories}

Property	Value
Schema	dbo
Created	2012-06-07 18:46:07.820000
Modified	2018-01-21 20:26:48.107000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	BudgetId	int	No
3	CategoryId	int	No
4	Name	varchar(50)	Yes
5	CategoryType	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCategory	Table

SQL Definition

```
create   view  [dbo].[vw_FA_ReqCategories]
AS

SELECT DISTINCT
Budgets.DistrictId,
Budgets.BudgetId,
       Category.CategoryId,
       case isnull(rtrim(DistrictCategories.Title),'')
         when '' then Category.Name
         else rtrim(DistrictCategories.Title)
       end as Name,
       Category.Type CategoryType
  FROM Category with (nolock)
  INNER JOIN PPCategory on PPCategory.CategoryId = Category.CategoryId
  INNER JOIN DistrictPP on DistrictPP.PricePlanId = PPCategory.PricePlanId
  inner join DistrictCategories on DistrictCategories.DistrictId = DistrictPP.DistrictId
                                and DistrictCategories.CategoryId = Category.CategoryId
                                and DistrictCategories.Active = 1
  inner join Budgets on Budgets.DistrictId = DistrictCategories.DistrictId
                     and Budgets.Active = 1
                     and GETDATE() between case when ISNULL(DistrictCategories.EarlyAcce...
  WHERE Category.Active = 1
```

```
-- Line Below removed DCH 5/30/13 to allow all Categories to show

--    and Category.Type = 1

... (truncated)
```

vw_FA_Requisitions {dbo-vw-fa-requisitions}

Property	Value
Schema	dbo
Created	2012-07-25 20:50:58.080000
Modified	2018-01-21 20:26:46.460000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	RequisitionNumber	varchar(24)	Yes
3	StatusID	int	No
4	StatusName	varchar(50)	No
5	TotalRequisitionCost	money	Yes
6	ApprovalLevel	tinyint	No
7	Attention	varchar(50)	Yes
8	CometId	varchar(5)	Yes
9	DateUpdated	datetime	Yes
10	NotesCount	int	Yes
11	OrderType	tinyint	Yes
12	OrderTypeDisplay	varchar(10)	No
13	UsersFullName	varchar(56)	Yes
14	CategoryID	int	No
15	CategoryName	varchar(50)	Yes
16	BudgetID	int	No
17	AccountID	int	No

18	AccountCode	varchar(50)	No
19	DistrictID	int	No
20	DistrictName	varchar(50)	No
21	SchoolID	int	No
22	SchoolName	varchar(50)	Yes
23	UserID	int	No
24	UserAccountId	int	Yes
25	SessionId	int	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Approvals	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.RequisitionNotes	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.StatusTable	Table
dbo.uf_RequisitionIsVisible	Other
dbo.Users	Table
dbo.vw_FA_UserDisplayName	View

SQL Definition

```
create   view  [dbo].[vw_FA_Requisitions] as

SELECTRequisitions.RequisitionId

, Requisitions.RequisitionNumber



--, ISNULL((SELECT TOP 1 Approvals.StatusID from Approvals where Approvals.Requisiti...

--, ISNULL((SELECT TOP 1 StatusTable.Name from Approvals, StatusTable where StatusTa...

, ISNULL(Approvals.StatusID,0) AS StatusID

, ISNULL(StatusTable.Name,'On Hold') AS StatusName



, Requisitions.TotalRequisitionCost

, isnull(Requisitions.ApprovalLevel,0) ApprovalLevel

, Requisitions.Attention

, RIGHT('00000' + convert(varchar(6),Users.CometId),5) as CometId

, Requisitions.DateUpdated

, (SELECT COUNT(RequisitionNoteID) FROM RequisitionNotes WHERE RequisitionID = Requi...

, Requisitions.OrderType

, CASE Requisitions.OrderType

WHEN 1 THEN 'Annual'

WHEN 2 THEN 'Incidental'

ELSE ''
```

```
END AS OrderTypeDisplay

, vwFAUDN.UserDisplayName AS UsersFullName

... (truncated)
```

vw_FA_UserAccounts {dbo-vw-fa-useraccounts}

Property	Value
Schema	dbo
Created	2012-06-14 00:06:26.300000
Modified	2023-04-19 11:02:20.443000

Columns

#	Column	Type	Nullable
1	BudgetAccountID	int	No
2	BudgetAmount	money	No
3	AmountAvailable	money	No
4	UseBudgetAccountAlloca	tinyint	No
5	BudgetName	varchar(30)	Yes
6	BudgetID	int	No
7	Code	varchar(50)	Yes
8	Type	varchar(50)	Yes
9	AccountID	int	No
10	Allocated	money	No
11	Spent	money	No
12	SchoolID	int	No
13	SessionID	int	No
14	UserAccountId	int	No
15	Active	tinyint	Yes
16	UserId	int	Yes
17	AllocationAmount	money	No

18	AllocationAvailable	money	No
19	UseAllocations	tinyint	No
20	UserSpent	money	No

Dependencies

Object	Type
dbo.Requisitions	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.vw_FA_BudgetAccounts	View

SQL Definition

```
CREATE   view  [dbo].[vw_FA_UserAccounts]

AS

SELECTBA.BudgetAccountID, BA.BudgetAmount, BA.AmountAvailable, BA.UseAllocations AS U...
,UA.UserAccountId, UA.Active, UA.UserId, ISNULL(UA.AllocationAmount,0) AS Allocation...
,ISNULL((SELECT SUM(TotalRequisitionCost) FROM Requisitions WHERE UserAccountId = UA...
FROMvw_FA_BudgetAccounts BA
join UserAccounts UA on ua.BudgetAccountId = BA.BudgetAccountId
                    and ua.Active = 1
join Users U on u.UserId = ua.UserId
            and u.Active = 1
```

vw_FA_UserDisplayName {dbo-vw-fa-userdisplayname}

Property	Value
Schema	dbo
Created	2012-06-13 23:48:52.270000

Modified	2018-01-21 20:26:46.457000

Columns

#	Column	Type	Nullable
1	UserID	int	No
2	UserDisplayName	varchar(56)	Yes

Dependencies

Object	Type
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_FA_UserDisplayName]

AS

SELECTUserID, right('00000' + cast(isnull(Users.CometId,0) as varchar),5) + ' ' + ISN...
FROMUsers
```

vw_FA_UserList {dbo-vw-fa-userlist}

Property	Value

Schema	dbo
Created	2012-06-14 00:01:58.407000
Modified	2018-01-21 20:26:48.110000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	DistrictId	int	No
3	SchoolId	int	No
4	UserId	int	No
5	DisplayName	varchar(56)	Yes

Dependencies

Object	Type
dbo.District	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_FA_UserList] AS


SELECTST.SessionId, D.DistrictId, S.SchoolId, U.UserId, right('00000' + cast(isnull(U...

FROMSessionTable ST, District D, School S, Users U

WHEREU.SchoolId = S.SchoolID

ANDU.Active = 1

ANDS.DistrictId = D.DistrictId

ANDS.Active = 1

ANDD.DistrictId = ST.DistrictID

ANDD.Active = 1

ANDST.SessionEnd IS NULL
```

vw_FA_UserLogin {dbo-vw-fa-userlogin}

Property	Value
Schema	dbo
Created	2012-06-13 23:57:03.773000
Modified	2018-01-21 20:26:48.113000

Columns

#	Column	Type	Nullable
1	UserIsActive	tinyint	Yes
2	UserID	int	No

3	CometId	int	Yes
4	Password	varchar(10)	Yes
5	Attention	varchar(50)	Yes
6	ApprovalLevel	tinyint	Yes
7	ApproverID	int	Yes
8	HasAdminAccess	bit	Yes
9	SchoolIsActive	tinyint	Yes
10	SchoolID	int	No
11	SchoolName	varchar(50)	Yes
12	DistrictIsActive	tinyint	Yes
13	DistrictName	varchar(50)	Yes
14	DistrictID	int	No
15	DistrictCode	varchar(4)	Yes
16	CSRepID	int	Yes

Dependencies

Object	Type
dbo.District	Table
dbo.School	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_FA_UserLogin]


AS


SELECTU.Active AS UserIsActive, U.UserID, U.CometId, U.[Password], U.Attention, U.Appr...

, S.Active AS SchoolIsActive,S.SchoolID, S.Name AS SchoolName

, D.Active AS DistrictIsActive, D.Name AS DistrictName, D.DistrictID, D.DistrictCode,...


FROMUsers U, School S, District D

WHERED.DistrictId = S.DistrictId

ANDS.SchoolId = U.SchoolId
```

vw_Financials {dbo-vw-financials}

Property	Value
Schema	dbo
Created	2019-09-12 16:16:06.807000
Modified	2023-12-22 11:18:08.057000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	BudgetId	int	No

3	Description	varchar(50)	Yes
4	dcId	uniqueidentifier	Yes
5	Status	varchar(13)	No
6	Received	datetime	Yes
7	SignedBy	varchar(255)	Yes
8	Comments	varchar(4096)	Yes
9	DistrictChargeId	int	Yes
10	Amount	money	Yes
11	FrequencyData	varchar(50)	Yes
12	dpcId	uniqueidentifier	Yes
13	ProposedAmount	money	Yes
14	PreviousAmount	money	Yes
15	BillMonths	varchar(8000)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.ChargeTypes	Table
dbo.DistrictCharges	Table
dbo.DistrictContinuances	Table
dbo.DistrictProposedCharges	Table
dbo.Months	Table
dbo.ufn_RegExSplit	Other

SQL Definition

```
CREATE   view [dbo].[vw_Financials]

as

select Budgets.DistrictId, Budgets.BudgetId, ct.Description, DistrictContinuances.Id dc...

       case isnull(DistrictContinuances.Status,'')

     when 'A' then 'Accepted'

 when 'R' then 'Rejected'

 when 'P' then

   case

     when dc.DistrictChargeId is null then 'Pending'

     else 'Auto Accepted'

   end

 when '' then ''

 else 'Unknown'

   end Status ,

   DistrictContinuances.Received, DistrictContinuances.SignedBy, DistrictContinuances....

   coalesce(dc.FrequencyData, dpc.FrequencyData,'') FrequencyData, dpc.Id dpcId, dpc.A...

   BillMonths.Months BillMonths

  from Budgets

  join ChargeTypes ct on ct.Active = 1

  left outer join DistrictContinuances on DistrictContinuances.DistrictId = Budgets.Dis...

                 and DistrictContinuances.BudgetId = Budgets.BudgetId
```

```
--  and (ct.LM = 1 or ct.RTK = 1)

  outer apply (select top 100 *

... (truncated)
```

vw_FormattedDetailDescription {dbo-vw-formatteddetaildescription}

Property	Value
Schema	dbo
Created	2011-09-22 20:51:38.677000
Modified	2018-01-21 20:26:48.123000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemDescription	varchar(2893)	Yes

Dependencies

Object	Type
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.DistrictCategories	Table

dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_FormattedDetailDescription]
AS
    select Detail.DetailId,
            case isnull(BidItems.BidItemId,0)
              when 0 then
                case Detail.ItemMustBeBid
                  when 1 then 'Item Not Bid:'
                  else
                    case Detail.VendorId
                      when 7691 then 'No Bid:'
                      else 'Catalog Item:'
                    end
                end
              else
                case ISNULL(substring(BidItems.ItemBidType,1,1),'')
                  when 'C' then 'Compliant Item: ' +
                                --CHAR(13) + CHAR(10) +
                                isnull(BidItems.Alternate,'') +
```

```
                                    CHAR(13) + CHAR(10) +

                                    'Bid as:'

... (truncated)
```

vw_GetMSDSInfo {dbo-vw-getmsdsinfo}

Property	Value
Schema	dbo
Created	2017-03-16 13:45:08.517000
Modified	2018-01-21 20:26:48.127000

Columns

#	Column	Type	Nullable
1	MSDSId	int	No
2	ItemDescription	varchar(60)	Yes
3	ItemList	varchar(1024)	Yes

Dependencies

Object	Type
dbo.MSDS	Table
dbo.RTK_Items	Table
dbo.ufn_GetMSDSSheet	Other

SQL Definition

```
create   view  [dbo].[vw_GetMSDSInfo] as

select MSDS.MSDSId, coalesce(MSDS.AlternateDescription,(select top 1 RTK_Items.Alternat...

from MSDS

cross apply dbo.ufn_GetMSDSSheet(MSDS.MSDSId) ms
```

vw_HeadingsByBid {dbo-vw-headingsbybid}

Property	Value
Schema	dbo
Created	2010-01-05 18:19:05.040000
Modified	2018-01-21 20:26:48.130000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	HeadingId	int	No
3	HeadingTitle	varchar(255)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Headings	Table
dbo.Items	Table

SQL Definition

```
create   view  [dbo].[vw_HeadingsByBid] as

select BidHeaders.BidHeaderId, Headings.HeadingId, Headings.Title HeadingTitle

--  from vw_ItemsByBid with (nolock)

  from BidHeaders with (nolock)

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

            and Bids.Active = 1

  join BidItems on BidItems.BidId = Bids.BidId

  join Items on Items.ItemId = BidItems.ItemId

             and Items.Active = 1

  join Headings on Headings.HeadingId = Items.HeadingId

 group by BidHeaders.BidHeaderId, Headings.HeadingId, Headings.Title
```

vw_HeadingsByReq {dbo-vw-headingsbyreq}

Property	Value
Schema	dbo
Created	2012-06-13 23:57:11.310000
Modified	2019-11-05 04:56:19.913000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	HeadingId	int	No
3	Title	varchar(255)	Yes
4	DateCreated	datetime	Yes
5	DistrictId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Requisitions	Table

SQL Definition

```
CREATE       view  [dbo].[vw_HeadingsByReq] as


select Requisitions.RequisitionId, Headings.HeadingId, Headings.Title, Headings.DateCre...
  from Requisitions with (nolock)
  join Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join Headings on Headings.CategoryId = Requisitions.CategoryId
               and Headings.Active = 1
               and isnull(Headings.DistrictId,0) = case ISNULL(Headings.DistrictId,0) w...
 where exists(  select Items.HeadingId
  from Items
  join Headings h on h.HeadingId = Items.HeadingId
 where Items.Active = 1
   and Items.HeadingId = Headings.HeadingId
   and Items.DistrictId is not null
   and Items.DistrictId = Budgets.DistrictId
   and Items.CategoryId = Requisitions.CategoryId
 group by Items.HeadingId
union
select Items.HeadingId
  from Items
  join Headings h on h.HeadingId = Items.HeadingId
               and (h.CategoryId is null
```

```
            or h.CategoryId = Requisitions.CategoryId)

                   and (h.DistrictId is null

  ... (truncated)
```

vw_HeadingsByReqTest {dbo-vw-headingsbyreqtest}

Property	Value
Schema	dbo
Created	2019-01-14 21:18:26.403000
Modified	2019-01-14 21:22:06.597000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	HeadingId	int	No
3	Title	varchar(255)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Requisitions	Table

SQL Definition

```
create     view  [dbo].[vw_HeadingsByReqTest] as

select Requisitions.RequisitionId, Headings.HeadingId, Headings.Title
  from Requisitions with (nolock)
  join Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join Headings on Headings.CategoryId = Requisitions.CategoryId
               and Headings.Active = 1
               and isnull(Headings.DistrictId,0) = case ISNULL(Headings.DistrictId,0) w...
 where exists(  select Items.HeadingId
  from Items
  join Headings on Headings.HeadingId = Items.HeadingId
 where Items.Active = 1
   and Items.DistrictId = Budgets.DistrictId
   and Items.CategoryId = Requisitions.CategoryId
 group by Items.HeadingId
union
select Items.HeadingId
  from Items
  join Headings on Headings.HeadingId = Items.HeadingId
               and (Headings.CategoryId is null
```

```
            or Headings.CategoryId = Requisitions.CategoryId)

                   and (Headings.DistrictId is null

   ... (truncated)
```

vw_HeadingsKeywordsByBid {dbo-vw-headingskeywordsbybid}

Property	Value
Schema	dbo
Created	2010-01-05 18:18:52.523000
Modified	2018-01-21 20:26:46.037000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	HeadingId	int	No
3	HeadingTitle	varchar(255)	No
4	KeywordId	int	No
5	Keyword	varchar(50)	No

Dependencies

Object	Type
dbo.vw_ItemsByBid	View

SQL Definition

```
create   view  [dbo].[vw_HeadingsKeywordsByBid] as

select BidHeaderId, HeadingId, HeadingTitle, KeywordId, Keyword

  from vw_ItemsByBid

 group by BidHeaderId, HeadingId, HeadingTitle, KeywordId, Keyword
```

vw_IncidentalOrderDownloads {dbo-vw-incidentalorderdownloads}

Property	Value
Schema	dbo
Created	2015-02-18 13:37:46.623000
Modified	2025-07-22 07:31:16.720000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	BudgetId	int	Yes
3	RequisitionId	int	Yes
4	RequisitionNumber	varchar(24)	Yes
5	UploadDate	datetime	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Detail	Table

dbo.District	Table
dbo.Requisitions	Table
dbo.School	Table

SQL Definition

```
CREATE VIEW [dbo].[vw_IncidentalOrderDownloads] AS SELECT dbo.District.DistrictId, dbo....

       dbo.Approvals.ApprovalDate AS UploadDate

FROM dbo.Detail

JOIN dbo.Requisitions ON dbo.Detail.RequisitionId = dbo.Requisitions.RequisitionId

JOIN dbo.School ON dbo.Requisitions.SchoolId = dbo.School.SchoolId

JOIN dbo.District ON dbo.School.DistrictId = dbo.District.DistrictId

left JOIN dbo.Approvals ON dbo.Approvals.ApprovalId = (SELECT TOP (1) ApprovalId

                                                        FROM dbo.Approvals

                                                        WHERE (StatusId = 35) AND (Requi...

                                                        ORDER BY ApprovalId)

WHERE (dbo.Detail.DistrictRequisitionNumber IS NOT NULL)

--       and requisitions.budgetid=5140 and district.districtid=576

GROUP BY dbo.District.DistrictId, dbo.Requisitions.BudgetId, dbo.Detail.RequisitionId, ...

         dbo.Approvals.ApprovalDate
```

vw_IncidentalOrderDownloadsDetail {dbo-vw-incidentalorderdownloadsdetail}

Property	Value
Schema	dbo

Created	2015-02-18 15:01:24.280000
Modified	2018-01-21 20:26:48.143000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	Yes
2	DistrictRequisitionNumb	varchar(50)	Yes

Dependencies

Object	Type
dbo.Detail	Table

SQL Definition

```
create   view  [dbo].[vw_IncidentalOrderDownloadsDetail]

AS

SELECT RequisitionId, DistrictRequisitionNumber

FROM dbo.Detail

WHERE (DistrictRequisitionNumber IS NOT NULL)

--    and RequisitionId=

GROUP BY RequisitionId, DistrictRequisitionNumber
```

vw_InstructionBookCalendar {dbo-vw-instructionbookcalendar}

Property	Value
Schema	dbo
Created	2009-10-28 12:59:36.380000
Modified	2018-01-21 20:26:46.683000

Columns

#	Column	Type	Nullable

1	DistrictId	int	No
2	UserId	int	No
3	CalendarId	int	No
4	HeaderText	varchar(8000)	Yes
5	FooterText	varchar(8000)	Yes
6	HeaderTextHTML	varchar(4096)	Yes
7	FooterTextHTML	varchar(4096)	No
8	CalendarTypeId	int	No
9	DateCount	int	No
10	Description	varchar(50)	Yes
11	Date1	datetime	No
12	Date2	datetime	Yes
13	Date3	datetime	Yes
14	Date4	datetime	Yes
15	BookType	varchar(50)	No
16	ScheduleGroup	varchar(50)	No
17	CalendarName	varchar(83)	Yes

Dependencies

Object	Type
dbo.CalendarDates	Table
dbo.CalendarIB	Table
dbo.Calendars	Table
dbo.CalendarTypes	Table
dbo.Control	Table
dbo.District	Table
dbo.InstructionBookTypes	Table
dbo.InstructionBookView	View
dbo.ScheduleTypes	Table
dbo.States	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_InstructionBookCalendar] as

select District.DistrictId, Users.UserId, Calendars.CalendarId, Calendars.HeaderText, C...

  from InstructionBookView with (nolock)

  join District on District.DistrictId = InstructionBookView.DistrictId

               and District.Active = 1

               and ISNULL(District.SuppressPrintSchedule,0) != 1

  join CalendarIB on CalendarIB.ScheduleId = case ISNULL(District.ScheduleId,0) when 0 ...

                 and CalendarIB.IBTypeId = InstructionBookView.IBTypeId

  join Calendars on Calendars.CalendarId = CalendarIB.CalendarId

                and Calendars.BudgetYear = (select Top 1 Controlyear from Control with ...

  join CalendarDates on CalendarDates.CalendarId = Calendars.CalendarId

  join CalendarTypes on CalendarTypes.CalendarTypeId = Calendars.CalendarTypeId

  join InstructionBookTypes on InstructionBookTypes.IBTypeId = case isnull(InstructionB...

  join Users on Users.UserId = InstructionBookView.UserId
```

```
                and Users.Active = 1

     left outer join ScheduleTypes on ScheduleTypes.ScheduleId = CalendarIB.ScheduleId

     LEFT outer join States on States.StateId = District.StateId

   ... (truncated)
```

vw_InstructionBookContents {dbo-vw-instructionbookcontents}

Property	Value
Schema	dbo
Created	2009-10-28 15:33:25.867000
Modified	2018-01-21 20:26:46.770000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	UserId	int	No
3	Priority	int	Yes
4	Title	varchar(255)	Yes
5	TitleInTOC	tinyint	Yes
6	Body	varchar(4096)	Yes
7	HeaderAttributes	int	Yes
8	IBCId	int	No
9	SubReportName	varchar(1024)	Yes
10	HTMLBody	varchar(MAX)	No

Dependencies

Object	Type

dbo.District	Table
dbo.InstructionBookContents	Table
dbo.InstructionBookTypes	Table
dbo.InstructionBookView	View
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_InstructionBookContents] as
select District.DistrictId, Users.UserId, InstructionBookContents.Priority, Instruction...
  from InstructionBookView with (nolock)
  join Users on Users.UserId = InstructionBookView.UserId
            and Users.Active = 1
  join District on District.DistrictId = Users.DistrictId
               and District.Active = 1
  join InstructionBookTypes on InstructionBookTypes.IBTypeId = InstructionBookView.IBTy...
  join InstructionBookContents on InstructionBookContents.IBTypeId = InstructionBookTyp...
                              and case isnull(InstructionBookContents.DistrictId,0) whe...
union (
select District.DistrictId, Users.UserId, InstructionBookContents.Priority, Instruction...
  from InstructionBookView with (nolock)
  join Users on Users.UserId = InstructionBookView.UserId
            and Users.Active = 1
```

```
    join District on District.DistrictId = Users.DistrictId

                and District.Active = 1

  ... (truncated)
```

vw_IsRequisitionLocked {dbo-vw-isrequisitionlocked}

Property	Value
Schema	dbo
Created	2016-11-18 11:34:58.590000
Modified	2018-01-21 20:26:48.147000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	IsLocked	int	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Budgets	Table
dbo.DistrictCategories	Table
dbo.Requisitions	Table
dbo.StatusTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_IsRequisitionLocked] as

  select Requisitions.RequisitionId,

         case

           when isnull((select case

                                when Budgets.EditFrom is null and Budgets.EditUntil is...

                                when getdate() between Budgets.EditFrom and Budgets.Ed...

                                when getdate() between (select case

                                                          when (   isnull(Users...

                                                                or isnull(Users...

                                                               and isnull(Distri...

                                                           then coalesce(Budget...

                                                          else Budgets.EditFrom

                                                        end

                                                      from Users

                                                      join DistrictCategories on D...

                                                                              and D...

                                                     where Users.UserId = Requisit...

                                                 and Budgets.EditUntil

                                  then 1

                                else 0

                              end

                            from Budgets
```

```
                            where Budgets.BudgetId = Requisitions.BudgetId),0) = 1

                and ISNULL((select top 1 case

  ... (truncated)
```

vw_ItemDescription {dbo-vw-itemdescription}

Property	Value
Schema	dbo
Created	2008-03-20 19:53:28.450000
Modified	2019-01-30 13:57:49.960000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	CategoryId	int	Yes
3	ItemDescription	varchar(1156)	Yes

Dependencies

Object	Type
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Vendors	Table

SQL Definition

```
CREATE    view [dbo].[vw_ItemDescription]

as

    select Items.ItemId,

       Items.CategoryId,

--           case isnull(Category.AllowAddenda,0)

--             when 0 then ''

--             else

               case isnull(Headings.HeadingId,0)

                 when 0 then ''

                 else

                   ltrim(rtrim(isnull(Headings.Title,''))) +

                   case isnull(Keywords.KeywordId,0)

                     when 0 then ''

                     else

                       ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))
```

```
                    end + ', '

--              end

... (truncated)
```

vw_ItemDescriptionNoExtra {dbo-vw-itemdescriptionnoextra}

Property	Value
Schema	dbo
Created	2008-09-22 13:15:40.080000
Modified	2018-01-21 20:26:48.150000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	ItemDescription	varchar(1156)	Yes

Dependencies

Object	Type
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_ItemDescriptionNoExtra]
as
    select Items.ItemId,
            case isnull(Category.AllowAddenda,0)
              when 0 then ''
              else
                case isnull(Headings.HeadingId,0)
                  when 0 then ''
                  else
                    ltrim(rtrim(isnull(Headings.Title,''))) +
                    case isnull(Keywords.KeywordId,0)
                      when 0 then ''
                      else
                        ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))
                    end + char(13) + char(10)
                  end
            end +
            isnull(Items.Description,'') +
```

```
            case Category.Type

              when 2 then

... (truncated)
```

vw_ItemDescriptionNoExtraNH {dbo-vw-itemdescriptionnoextranh}

Property	Value
Schema	dbo
Created	2016-03-01 11:21:32.977000
Modified	2018-01-21 20:26:47.117000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	ItemDescription	varchar(848)	Yes

Dependencies

Object	Type
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_ItemDescriptionNoExtraNH]
as
    select Items.ItemId,
           isnull(Items.Description,'') +
           case Category.Type
             when 2 then
               case isnull(ParentCatalogId,0)
                 when 0 then ''
                 else char(13) + char(10) + 'Publisher: ' + isnull(Catalog.Name,'')
               end +
               case isnull(BookTypes.BookTypeId,0)
                 when 0 then ''
                 else char(13) + char(10) + 'Edition: ' + isnull(BookTypes.BookType,'')
               end +
               case isnull(Items.CopyrightYear,0)
                 when 0 then ''
                 else char(13) + char(10) + 'Copyright Year: ' + isnull(convert(varchar...
```

```
                end

            else

... (truncated)
```

vw_ItemPricing {dbo-vw-itempricing}

Property	Value
Schema	dbo
Created	2009-09-24 14:25:37.180000
Modified	2018-01-21 20:26:46.063000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	categoryId	int	Yes
3	ItemId	int	No
4	CatalogId	int	Yes
5	CrossRefId	int	Yes
6	ItemCode	varchar(50)	Yes
7	Description	varchar(2356)	Yes
8	UnitId	int	Yes
9	UnitCode	varchar(20)	Yes
10	BidPrice	decimal(34,13)	Yes
11	CatalogPrice	money	Yes
12	GrossPrice	money	Yes
13	DiscountRate	decimal(15,5)	Yes
14	CatalogPage	varchar(16)	Yes
15	CatalogYear	char(2)	Yes
16	PricePlanId	int	Yes
17	AwardId	int	Yes

18	VendorId	int	Yes
19	VendorItemCode	varchar(50)	Yes
20	PackedVendorItemCode	varchar(255)	Yes
21	Alternate	varchar(512)	Yes
22	SortSeq	varchar(64)	Yes
23	BidItemId	int	Yes
24	ItemMustBeBid	int	No
25	PriceSort	varchar(82)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.AwardsCatalogList	Table
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.uf_PackCode	Other
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_PLBidItems	View
dbo.vw_PLCatalog	View

SQL Definition

Definition truncated (16,653 characters). First 8000 shown:

```
create   view  [dbo].[vw_ItemPricing]   as
select BidHeaders.BidHeaderId,
       Items.categoryId,
       Items.ItemId,
       CrossRefs.CatalogId,
       CrossRefs.CrossRefId,
       Items.ItemCode,
       case isnull(Category.AllowAddenda,0)
         when 0 then ''
         else
           case isnull(Headings.HeadingId,0)
             when 0 then ''
             else
               ltrim(rtrim(isnull(Headings.Title,''))) +
               case isnull(Keywords.KeywordId,0)
```

```
                    when 0 then ''

                    else

  ... (truncated)
```

vw_ItemsByBid {dbo-vw-itemsbybid}

Property	Value
Schema	dbo
Created	2010-01-05 16:36:17.517000
Modified	2018-01-21 20:26:45.947000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	CategoryId	int	Yes
3	ItemId	int	No
4	ItemCode	varchar(50)	No
5	ItemDescription	varchar(1156)	No
6	UnitCode	varchar(20)	No
7	HeadingId	int	No
8	HeadingTitle	varchar(255)	No
9	KeywordId	int	No
10	Keyword	varchar(50)	No
11	VendorId	int	No
12	VendorName	varchar(50)	No
13	SortSeq	varchar(64)	Yes
14	NetPrice	decimal(33,13)	Yes
15	CatalogName	varchar(50)	No
16	CatalogPrice	money	No
17	RequisitionId	int	No

18	DetailId	int	No
19	Quantity	int	No
20	Alternate	varchar(512)	No
21	ItemBidType	varchar(32)	No
22	PageNo	int	No
23	VendorItemCode	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Catalog	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Requisitions	Table
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_ItemDescription	View

SQL Definition

```
create   view  [dbo].[vw_ItemsByBid] as
select BidHeaders.BidHeaderId, Items.CategoryId, Items.ItemId, isnull(Items.ItemCode,''...
  from BidHeaders with (nolock)
  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId
            and Bids.Active = 1
  join BidItems on BidItems.BidId = Bids.BidId
  join Items on Items.ItemId = BidItems.ItemId
             and Items.Active = 1
  join vw_ItemDescription id on id.ItemId = Items.ItemId
  join Units on Units.UnitId = Items.UnitId
  join Vendors on Vendors.VendorId = Bids.VendorId
               and Vendors.Active = 1
  join Requisitions on Requisitions.BidHeaderId = BidHeaders.BidHeaderId
  left outer join Headings on Headings.HeadingId = Items.HeadingId
  left outer join Keywords on Keywords.KeywordId = Items.KeywordId
  left outer join CrossRefs on CrossRefs.CrossRefId = BidItems.CrossRefId
  left outer join Catalog on Catalog.CatalogId = CrossRefs.CatalogId
  left outer join Detail on Detail.ItemId = Items.ItemId
                         and Detail.RequisitionId = Requisitions.RequisitionId
```

```
    where Vendors.VendorId != 7691


  ... (truncated)
```

vw_JavaReqDetail {dbo-vw-javareqdetail}

Property	Value
Schema	dbo
Created	2009-07-01 13:39:27.850000
Modified	2018-01-21 20:26:48.157000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	RequisitionId	int	Yes
3	Alternate	varchar(1024)	No
4	BidPrice	money	No
5	CatalogPage	char(4)	No
6	CatalogPrice	money	No
7	Description	varchar(1024)	No
8	DistrictRequisitionNumb	varchar(50)	No
9	ExtraDescription	varchar(1024)	No
10	HeadingTitle	varchar(255)	No
11	ItemCode	varchar(50)	No
12	ItemMustBeBid	int	No
13	Keyword	varchar(50)	No
14	LastYearsQuantity	int	No
15	Modified	datetime	Yes
16	Quantity	int	No
17	SectionName	varchar(255)	No

18	SortSeq	varchar(64)	No
19	UnitCode	varchar(20)	No
20	VendorItemCode	varchar(50)	No
21	UserNbr	int	No
22	Attention	varchar(50)	No
23	VendorName	varchar(50)	No
24	DistrictVendorCode	varchar(20)	No
25	VendorsAccountCode	varchar(50)	No
26	CatalogName	varchar(50)	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Detail	Table
dbo.DistrictVendor	Table
dbo.Requisitions	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_JavaReqDetail] as

select Detail.DetailId, Detail.RequisitionId,

       isnull(Detail.Alternate,'') Alternate, isnull(Detail.BidPrice,0) BidPrice,

       isnull(Detail.CatalogPage,'') CatalogPage, isnull(Detail.CatalogPrice,0) Catalog...

       isnull(Detail.Description,'') Description, isnull(Detail.DistrictRequisitionNumb...

       isnull(Detail.ExtraDescription,'') ExtraDescription, isnull(Detail.HeadingTitle,...

       isnull(Detail.ItemCode,'') ItemCode, isnull(Detail.ItemMustBeBid,0) ItemMustBeBid,

       isnull(Detail.Keyword,'') Keyword, isnull(Detail.LastYearsQuantity,0) LastYearsQ...

       Detail.Modified, isnull(Detail.Quantity,0) Quantity, isnull(Detail.SectionName,'...

       isnull(Detail.SortSeq,'') SortSeq, isnull(Detail.UnitCode,'') UnitCode,

       isnull(Detail.VendorItemCode,'') VendorItemCode, isnull(Users.CometId,0) UserNbr,

       isnull(Users.Attention,'') Attention, isnull(Vendors.Name,'') VendorName,

       isnull(DistrictVendor.Value,'') DistrictVendorCode,

       isnull(DistrictVendor.VendorsAccountCode,'') VendorsAccountCode,

       isnull(Catalog.Name,'') CatalogName

  from Detail with (nolock)

  join Requisitions on Requisitions.RequisitionId = Detail.RequisitionId

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  left outer join Vendors on Vendors.VendorId = Detail.VendorId

  left outer join DistrictVendor on DistrictVendor.DistrictId = Budgets.DistrictId

                                 and DistrictVendor.VendorId = Detail.VendorId

  left outer join Users on Users.UserId = Detail.ModifiedById
```

```
left outer join Catalog on Catalog.CatalogId = Detail.CatalogId
```

vw_KeywordsByBid {dbo-vw-keywordsbybid}

Property	Value
Schema	dbo
Created	2010-01-05 18:12:57.690000
Modified	2018-01-21 20:26:45.980000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	KeywordId	int	No
3	Keyword	varchar(50)	No

Dependencies

Object	Type
dbo.vw_ItemsByBid	View

SQL Definition

```
create   view  [dbo].[vw_KeywordsByBid] as

select BidHeaderId, KeywordId, Keyword

  from vw_ItemsByBid

 group by BidHeaderId, KeywordId, Keyword
```

vw_KeywordsByReqHeading {dbo-vw-keywordsbyreqheading}

Property	Value
Schema	dbo
Created	2012-06-13 23:57:19.733000
Modified	2019-08-07 11:48:35.790000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	HeadingId	int	No
3	KeywordId	int	No
4	Keyword	varchar(50)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Headings	Table
dbo.Items	Table

dbo.Keywords	Table
dbo.Requisitions	Table

SQL Definition

```
CREATE     view  [dbo].[vw_KeywordsByReqHeading] as

select Requisitions.RequisitionId, Headings.HeadingId, Keywords.KeywordId, Keywords.Key...

  from Requisitions with (nolock)

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join Headings on Headings.CategoryId = Requisitions.CategoryId

               and Headings.Active = 1

               and isnull(Headings.DistrictId,0) = case ISNULL(Headings.DistrictId,0) w...

  join Keywords on case when coalesce(Keywords.CategoryId,0) = 0 then Requisitions.Cate...

               and Keywords.HeadingId = Headings.HeadingId

               and Keywords.Active = 1

               and isnull(Keywords.DistrictId,0) = case ISNULL(Keywords.DistrictId,0) w...

 where exists(  select Items.HeadingId

  from Items

  join Headings on Headings.HeadingId = Items.HeadingId

 where Items.Active = 1

   and Items.DistrictId = Budgets.DistrictId

   and Items.CategoryId = Requisitions.CategoryId

 group by Items.HeadingId
```

```
union

select Items.HeadingId

... (truncated)
```

vw_LastBidAwardDate {dbo-vw-lastbidawarddate}

Property	Value
Schema	dbo
Created	2016-04-13 19:00:00.170000
Modified	2022-04-07 17:30:32.597000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	LastAwardDate	varchar(30)	No
3	LastAwardDateSort	varchar(30)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Category	Table
dbo.TMAwards	Table

SQL Definition

```
CREATE     view  [dbo].[vw_LastBidAwardDate]

AS

select BidHeaders.BidHeaderId,

       isnull(convert(varchar,

       (

       Case Category.[Type]

       When 3 Then -- Trades bid

         (select top 1 TMAwards.DateModified

          from TMAwards

          where TMAwards.Active=1 and TMAwards.BidHeaderId=BidHeaders.BidHeaderId and T...

          order by TMAwards.DateModified desc

          )

       Else -- all other bids e.g. Items Bid and MSRP

         (select top 1 Bids.DateModified
```

```
            from Bids

            where Bids.Active=1 and Bids.BidHeaderId=BidHeaders.BidHeaderId and Bids.Vend...

... (truncated)
```

vw_LatestCrossRef {dbo-vw-latestcrossref}

Property	Value
Schema	dbo
Created	2010-07-15 23:30:20.137000
Modified	2018-01-21 20:26:48.170000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ItemId	int	Yes
3	CrossRefId	int	No
4	CatalogYear	char(2)	Yes
5	CatalogPrice	money	Yes

Dependencies

Object	Type
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Catalog	Table
dbo.CrossRefs	Table

SQL Definition

```
create   view  [dbo].[vw_LatestCrossRef]

as

select Bids.BidHeaderId, CrossRefs.ItemId, CrossRefs.CrossRefId, CrossRefs.CatalogYear,...

  from dbo.CrossRefs with (nolock)

  join dbo.Catalog as cat on cat.CatalogId = CrossRefs.CatalogId

  join dbo.BidsCatalogList on BidsCatalogList.CatalogId = Cat.CatalogId

  join dbo.Bids on Bids.BidId = BidsCatalogList.BidId

 where CrossRefs.Active = 1
```

vw_LowestPrice {dbo-vw-lowestprice}

Property	Value
Schema	dbo
Created	2009-08-19 15:42:15.933000
Modified	2022-12-16 13:05:12.700000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidRequestItemId	int	No
3	BidResultsId	int	No
4	BidPrice	decimal(34,13)	Yes

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table

SQL Definition

```
CREATE   view  [dbo].[vw_LowestPrice] as
select BidRequestItems.BidHeaderId,
       BidRequestItems.BidRequestItemId,
       BidResults.BidResultsId,
       isnull(BidResults.UnitPrice,0) - round(isnull(BidResults.UnitPrice,0) * ISNULL(B...
  from BidRequestItems with (nolock)
  join BidResults on BidResults.BidRequestItemId = BidRequestItems.BidRequestItemId
                 and BidResults.BidResultsId =
       (select top 1 br.BidResultsId
          from BidResults br with (nolock)
          join BidImports bi on bi.BidImportId = br.BidImportId
                             and bi.Active = 1
         where br.BidRequestItemId = BidRequestItems.BidRequestItemId
           and br.ItemBidType in ('S','C')
           and isnull(br.Status,'') = ''
           and isnull(br.UnitPrice,0) - round(isnull(br.UnitPrice,0) * ISNULL(bi.BidIte...
           and br.Active = 1  -- added 4/24/08 kjm
         --order by BidResults.UnitPrice                 -- removed kjm 11/26/07
         order by isnull(br.UnitPrice,0) - round(isnull(br.UnitPrice,0) * ISNULL(bi.Bid...
       )
  join BidImports on BidImports.BidImportId = BidResults.BidImportId
```

vw_MPIHeadings {dbo-vw-mpiheadings}

Property	Value
Schema	dbo
Created	2015-02-25 14:55:08.710000
Modified	2018-01-21 20:26:48.177000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	HeadingId	bigint	Yes
3	HeadingTitle	varchar(308)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.DistrictPP	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.PPCategory	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_MPIHeadings] as

select Requisitions.RequisitionId, (cast(case when Keywords.KeywordId is null then 0 el...

--  from vw_ItemsByBid with (nolock)

  from Requisitions with (nolock)

  join BidHeaders on BidHeaders.CategoryId = Requisitions.CategoryId

                 and BidHeaders.BidHeaderId in (

  select bh.BidHeaderId

from Budgets with (nolock)

join Category on Category.CategoryId = Requisitions.CategoryId

join BidHeaders bh on bh.CategoryId = Category.CategoryId

                  and bh.Active = 1

                  and bh.ParentBidHeaderId = Requisitions.BidHeaderId

                   and isnull(bh.DistrictId,0) = case isnull(bh.BidType,1) when 2 the...

      and getdate() between BidHeaders.EffectiveFrom and BidHeaders.EffectiveUntil

join PPCategory on PPCategory.PricePlanId = bh.PricePlanId

       and PPCategory.CategoryId = bh.CategoryId

join DistrictPP on DistrictPP.PricePlanId = bh.PricePlanId

   and DistrictPP.DistrictId = Budgets.DistrictId

   where bh.PricePlanId = DistrictPP.PricePlanId
```

```
        and Budgets.BudgetId = Requisitions.BudgetId

     union   select bh.BidHeaderId

   from Budgets with (nolock)

   ... (truncated)
```

vw_MSRPBidReqManufacturer {dbo-vw-msrpbidreqmanufacturer}

Property	Value
Schema	dbo
Created	2013-09-26 14:41:07.390000
Modified	2018-01-21 20:26:48.180000

Columns

#	Column	Type	Nullable
1	BidRequestManufacturer	int	No
2	Active	tinyint	Yes
3	BidHeaderId	int	Yes
4	ManufacturerId	int	Yes
5	SequenceNumber	int	Yes
6	AllowAdditionalProductLi	tinyint	Yes
7	UseOptions	tinyint	Yes
8	Name	varchar(100)	No

Dependencies

Object	Type
dbo.BidRequestManufacturer	Table
dbo.Manufacturers	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPBidReqManufacturer]

AS

SELECT     dbo.BidRequestManufacturer.BidRequestManufacturerId, dbo.BidRequestManufactu...

                      dbo.BidRequestManufacturer.ManufacturerId, dbo.BidRequestManufact...

                      dbo.BidRequestManufacturer.AllowAdditionalProductLines, dbo.BidRe...

FROM         dbo.BidRequestManufacturer

INNER JOIN   dbo.Manufacturers ON dbo.BidRequestManufacturer.ManufacturerId = dbo.Manuf...

                       --       and dbo.Manufacturers.Name != '(WRITEINS)'   -- removed...
```

vw_MSRPBidReqManufacturerWriteIn {dbo-vw-msrpbidreqmanufacturerwritein}

Property	Value
Schema	dbo
Created	2013-10-11 14:28:32.110000
Modified	2018-01-21 20:26:48.183000

Columns

#	Column	Type	Nullable
1	BidRequestManufacturer	int	No
2	Active	tinyint	Yes
3	BidHeaderId	int	Yes
4	ManufacturerId	int	Yes
5	SequenceNumber	int	Yes
6	AllowAdditionalProductLi	tinyint	Yes
7	UseOptions	tinyint	Yes
8	Name	varchar(100)	No

Dependencies

Object	Type
dbo.BidRequestManufacturer	Table
dbo.Manufacturers	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPBidReqManufacturerWriteIn]

AS

SELECT     dbo.BidRequestManufacturer.BidRequestManufacturerId, dbo.BidRequestManufactu...

                      dbo.BidRequestManufacturer.ManufacturerId, dbo.BidRequestManufact...

                      dbo.BidRequestManufacturer.AllowAdditionalProductLines, dbo.BidRe...

FROM         dbo.BidRequestManufacturer

INNER JOIN   dbo.Manufacturers ON dbo.BidRequestManufacturer.ManufacturerId = dbo.Manuf...

                              and dbo.Manufacturers.Name = '(WRITEINS)'
```

vw_MSRPBidReqProdLineAndOption {dbo-vw-msrpbidreqprodlineandoption}

Property	Value
Schema	dbo
Created	2013-09-23 17:11:28.520000
Modified	2018-01-21 20:26:48.187000

Columns

#	Column	Type	Nullable

1	BidHeaderId	int	Yes
2	BidRequestManufacturer	int	No
3	ManufacturerId	int	Yes
4	ManufacturerName	varchar(100)	Yes
5	BidRequestProductLineId	int	No
6	ManufacturerProductLine	int	Yes
7	ProductLineName	varchar(100)	Yes
8	BidRequestoptionId	int	No
9	OptionName	varchar(50)	Yes
10	SortKey	varchar(512)	Yes

Dependencies

Object	Type
dbo.BidRequestManufacturer	Table
dbo.BidRequestOptions	Table
dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table
dbo.Manufacturers	Table

SQL Definition

```
--select * from [MSRPBidRequestView] order by SortKey



/* and BRManuf.BidHeaderId = 5785 -- and BRManuf.BidRequestManufacturerId = 3582*/

create   view  [dbo].[vw_MSRPBidReqProdLineAndOption]

AS

SELECT BRManuf.BidHeaderId,

       BRManuf.BidRequestManufacturerId, BRManuf.ManufacturerId, ltrim(rtrim(Manufactur...

       BRProdLin.BidRequestProductLineId, BRProdLin.ManufacturerProductLineId, ltrim(rt...

       BROpt.BidRequestoptionId, ltrim(rtrim(BROpt.Name)) OptionName, cast(right('00000...

FROM dbo.BidRequestManufacturer BRManuf

JOIN dbo.Manufacturers ON Manufacturers.ManufacturerId = BRManuf.ManufacturerId

                        --      and dbo.Manufacturers.Name != '(WRITEINS)'    -- remove...

JOIN dbo.BidRequestProductLines BRProdLin ON BRProdLin.BidRequestManufacturerId = BRMan...

                                     and Isnull(BRProdLin.Active,0)=1

JOIN dbo.ManufacturerProductLines ON ManufacturerProductLines.ManufacturerProductLineId...

JOIN dbo.BidRequestOptions BROpt ON BROpt.BidRequestProductLineId = BRProdLin.BidReques...

                                     --and Isnull(BROpt.Active,0)=1

where BRManuf.Active = 1

-- and BRManuf.BidHeaderId = 5785
```

```
-- and BRManuf.BidRequestManufacturerId = ####


... (truncated)
```

vw_MSRPBidReqProdLineAndOptionWriteIn {dbo-vw-msrpbidreqprodlineandoptionwritein}

Property	Value
Schema	dbo
Created	2013-10-11 14:38:50.517000
Modified	2018-01-21 20:26:48.193000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidRequestManufacturer	int	No
3	ManufacturerId	int	Yes
4	ManufacturerName	varchar(100)	Yes
5	BidRequestProductLineId	int	No
6	ManufacturerProductLine	int	Yes
7	ProductLineName	varchar(100)	Yes
8	BidRequestoptionId	int	No
9	OptionName	varchar(50)	Yes
10	SortKey	varchar(512)	Yes

Dependencies

Object	Type
dbo.BidRequestManufacturer	Table
dbo.BidRequestOptions	Table

dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table
dbo.Manufacturers	Table

SQL Definition

```
--select * from [MSRPBidRequestView] order by SortKey



/* and BRManuf.BidHeaderId = 5785 -- and BRManuf.BidRequestManufacturerId = 3582*/

create   view  [dbo].[vw_MSRPBidReqProdLineAndOptionWriteIn]

AS

SELECT BRManuf.BidHeaderId,

       BRManuf.BidRequestManufacturerId, BRManuf.ManufacturerId, ltrim(rtrim(Manufactur...

       BRProdLin.BidRequestProductLineId, BRProdLin.ManufacturerProductLineId, ltrim(rt...

       BROpt.BidRequestoptionId, ltrim(rtrim(BROpt.Name)) OptionName, cast(right('00000...

FROM dbo.BidRequestManufacturer BRManuf

JOIN dbo.Manufacturers ON Manufacturers.ManufacturerId = BRManuf.ManufacturerId

                              and dbo.Manufacturers.Name = '(WRITEINS)'

JOIN dbo.BidRequestProductLines BRProdLin ON BRProdLin.BidRequestManufacturerId = BRMan...

                                     and Isnull(BRProdLin.Active,0)=1

JOIN dbo.ManufacturerProductLines ON ManufacturerProductLines.ManufacturerProductLineId...

JOIN dbo.BidRequestOptions BROpt ON BROpt.BidRequestProductLineId = BRProdLin.BidReques...

                                     --and Isnull(BROpt.Active,0)=1

where BRManuf.Active = 1

-- and BRManuf.BidHeaderId = 5785
```

```
-- and BRManuf.BidRequestManufacturerId = ####


... (truncated)
```

vw_MSRPBidReqProductLine {dbo-vw-msrpbidreqproductline}

Property	Value
Schema	dbo
Created	2013-12-10 17:07:55.307000
Modified	2018-01-21 20:26:48.197000

Columns

#	Column	Type	Nullable
1	BidRequestProductLineId	int	No
2	Active	tinyint	Yes
3	BidRequestManufacturer	int	No
4	ManufacturerProductLine	int	Yes
5	NameManufProdLine	varchar(100)	No
6	AllFlag	int	No

Dependencies

Object	Type
dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPBidReqProductLine]

AS

SELECT BRPL.BidRequestProductLineId, BRPL.Active, BRPL.BidRequestManufacturerId, BRPL.M...

       MPL.Name NameManufProdLine,

       Case When Upper(MPL.Name)='ALL' Then 1 Else 0 End AllFlag

FROM BidRequestProductLines BRPL

JOIN ManufacturerProductLines MPL ON MPL.ManufacturerProductLineId = BRPL.ManufacturerP...

--WHERE BidRequestManufacturerId=11678
```

vw_MSRPBidResultsManufRev2 {dbo-vw-msrpbidresultsmanufrev2}

Property	Value
Schema	dbo
Created	2013-10-17 15:47:47.567000
Modified	2018-01-21 20:26:46.103000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	No
2	BidImportId	int	No
3	WriteInFlag	tinyint	No
4	ManufacturerName	varchar(100)	No
5	Active	int	No
6	AuthorizationLetter	tinyint	No
7	SubmittedExcel	tinyint	No
8	ProductCatalog	tinyint	No
9	TotalAward	tinyint	No
10	VendorPriceFile	tinyint	No
11	TotalAwardString	varchar(20)	Yes
12	BidMSRPResultsId	int	No
13	BidRequestManufacturer	int	Yes
14	ManufacturerId	int	Yes
15	PriceListTypeId	int	No
16	WriteInManufacturer	varchar(100)	Yes
17	VendorName	varchar(50)	Yes
18	ActiveBidImport	tinyint	Yes
19	ActiveBidMSRPResults	tinyint	Yes
20	TotalAwardDiscount	decimal(9,5)	Yes
21	ExcelFileApproved	tinyint	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.Manufacturers	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPBidResultsManufRev2]
AS
SELECT BR.BidHeaderId, BR.BidImportId,
       Isnull(BR.WriteInFlag,0) WriteInFlag,
       --Case When Isnull(BR.WriteInFlag,0)=1 Then BR.WriteInManufacturer Else MANUF.Na...
       Case When Isnull(BR.WriteInFlag,0)=1 and Isnull(MANUF.Name,'')=''
       Then '<Unresolved Write-In>' Else Isnull(MANUF.Name,'') End ManufacturerName,
       Case When Isnull(BR.Active,0)=1 AND Isnull(BI.Active,0)=1 Then 1 Else 0 End Acti...
       Isnull(BR.AuthorizationLetter,0) AuthorizationLetter,
       Isnull(BR.SubmittedExcel,0) SubmittedExcel, Isnull(BR.ProductCatalog,0) ProductC...
       Isnull(BR.TotalAward,0) TotalAward, Isnull(BR.VendorPriceFile,0) VendorPriceFile...
       BR.BidMSRPResultsId,
       BR.BidRequestManufacturerId,
       BR.ManufacturerId,
       Isnull(PriceListTypeId,0) PriceListTypeId,
```

```
        BR.WriteInManufacturer,

        VEN.Name VendorName,

... (truncated)
```

vw_MSRPBidResultsProdLines {dbo-vw-msrpbidresultsprodlines}

Property	Value
Schema	dbo
Created	2013-10-07 18:04:09.343000
Modified	2018-01-21 20:26:46.090000

Columns

#	Column	Type	Nullable
1	BidMSRPResultsProductL	int	No
2	BidMSRPResultsId	int	No
3	Active	tinyint	Yes
4	ProdLineOrWriteIn	varchar(100)	No
5	WriteInProductLineFlag	tinyint	Yes
6	BidRequestProductLineIc	int	Yes
7	BidRequestOptionId	int	Yes
8	MSRPOptionId	int	Yes
9	OptionName	varchar(50)	Yes
10	WeightedDiscount	decimal(9,5)	Yes
11	Modified	datetime	Yes
12	SortKey	varchar(512)	Yes
13	ManufacturerProductLine	int	No

Dependencies

Object	Type
dbo.BidMSRPResultsProductLines	Table
dbo.BidRequestProductLines	Table
dbo.ManufacturerProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPBidResultsProdLines]

AS

SELECT BidResPL.BidMSRPResultsProductLineId,

       BidResPL.BidMSRPResultsId,

       BidResPL.Active,

       ISNULL(ltrim(rtrim(upper( case when BidResPL.WriteInProductLineFlag=1 then BidRe...

       BidResPL.WriteInProductLineFlag,

       BidResPL.BidRequestProductLineId,

      -- BidResPL.WriteInProductLineName,

       BidResPL.BidRequestOptionId,

       BidResPL.MSRPOptionId,

       BidResPL.OptionName,

       BidResPL.WeightedDiscount,

       BidResPL.Modified,
```

```
        cast(

        cast(case ISNULL(ltrim(rtrim(upper( case when BidResPL.WriteInProductLineFlag=1 ...

... (truncated)
```

vw_MSRPCategoriesBySession {dbo-vw-msrpcategoriesbysession}

Property	Value
Schema	dbo
Created	2012-05-17 15:16:51.640000
Modified	2021-12-07 13:52:52.623000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes
4	BidHeaderId	varchar(8000)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table

dbo.Manufacturers	Table
dbo.PPCategory	Table
dbo.SessionTable	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_MSRPCategoriesBySession] as

select SessionId, CategoryId, CategoryName, String_Agg(cast(BidHeaderId as varchar),','...

  from (

select SessionTable.SessionId,

       Category.CategoryId, Category.Name CategoryName,

       BidHeaders.BidHeaderId BidHeaderId

--       BidHeaders.BidMessage

  from SessionTable with (nolock)

  join District on District.DistrictId = SessionTable.DistrictId

  join DistrictPP on DistrictPP.DistrictId = District.DistrictId

  join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId

                          and DistrictCategories.Active = 1

  join PPCategory on PPCategory.PricePlanId = DistrictPP.PricePlanId

                 and PPCategory.CategoryId = DistrictCategories.CategoryId

  join Category on Category.CategoryId = PPCategory.CategoryId

                and Category.Active = 1
```

```
                and Category.Type = 5

    join BidHeaders on BidHeaders.CategoryId = Category.CategoryId

  ... (truncated)
```

vw_MSRPManufacturersBySession {dbo-vw-msrpmanufacturersbysession}

Property	Value
Schema	dbo
Created	2012-05-17 15:23:11.020000
Modified	2021-12-07 13:52:53.273000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	VendorId	int	No
3	ManufacturerId	int	No
4	ManufacturerName	varchar(100)	No
5	WebsiteLink	varchar(255)	No
6	BidHeaderId	int	Yes
7	DiscountRate	decimal(9,5)	Yes
8	DiscountRateStr	varchar(32)	Yes
9	UpDownStr	varchar(10)	No
10	VendorsManufacturerNo	varchar(1000)	No
11	CategoryId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.BidMSRPResults	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.Manufacturers	Table
dbo.PPCategory	Table
dbo.SessionTable	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_MSRPManufacturersBySession] as

select SessionTable.SessionId,

       Vendors.VendorId,

       Manufacturers.ManufacturerId, Manufacturers.Name ManufacturerName, isnull(Manufa...

       BidHeaders.BidHeaderId,

       BidManufacturers.DiscountRate,

       case

         when BidManufacturers.DiscountRate is null then 'Varies'

         when BidManufacturers.DiscountRate < 0 then cast(cast((BidManufacturers.Discou...

         when BidManufacturers.DiscountRate >= 0 then cast(cast(BidManufacturers.Discou...

         else

   cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

   end DiscountRateStr,

       case

         when BidManufacturers.DiscountRate is null then ''

         when BidManufacturers.DiscountRate < 0 then ' Mark Up'

         when BidManufacturers.DiscountRate >= 0 then ' Mark Down'

         else

   ''
```

```
    end UpDownStr,

        isnull(BidMSRPResults.VendorNotes,'') VendorsManufacturerNotes,

... (truncated)
```

vw_MSRPMPLVendorsCategoriesBySession {dbo-vw-msrpmplvendorscategoriesbysession}

Property	Value
Schema	dbo
Created	2014-05-07 11:54:45.703000
Modified	2018-11-14 13:30:48.840000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes
4	VendorId	int	No
5	VendorName	varchar(50)	No
6	VendorCode	varchar(16)	No
7	ManufacturerId	int	No
8	ManufacturerName	varchar(100)	No
9	BidHeaderId	int	Yes
10	BidAdvertised	datetime	Yes
11	BidAwardDate	datetime	Yes
12	EffectiveFrom	datetime	Yes
13	EffectiveUntil	datetime	Yes
14	BidMessage	varchar(1024)	Yes
15	HostAwardDate	datetime	Yes

16	VendorBidNumber	varchar(50)	Yes
17	Comments	varchar(1024)	Yes
18	Website	varchar(255)	Yes
19	ManufacturersDiscountR	decimal(9,5)	Yes
20	ManufacturersDiscountR	varchar(32)	Yes
21	ManufacturersUpDownSt	varchar(9)	No
22	Address1	varchar(50)	Yes
23	Address2	varchar(50)	Yes
24	City	varchar(50)	Yes
25	State	char(2)	Yes
26	Zipcode	varchar(10)	Yes
27	VendorContactFullName	varchar(150)	Yes
28	VendorContactEMail	varchar(255)	Yes
29	VendorContactPhone	varchar(25)	Yes
30	VendorContactFax	varchar(20)	Yes
31	VendorsManufacturerNo	varchar(1000)	No
32	StateName	varchar(50)	No
33	ProductLine	varchar(100)	No
34	OptionName	varchar(50)	No
35	ProductLineDiscountRate	decimal(9,5)	Yes
36	ProductLineDiscountRate	varchar(32)	Yes
37	ProductLineUpDownStr	varchar(9)	No
38	RangeBase	numeric(19,4)	Yes
39	RangeTop	numeric(20,4)	Yes
40	PriceRangeDiscountRate	decimal(9,5)	Yes
41	PriceRangeDiscountRate	varchar(32)	Yes
42	PriceRangeUpDownStr	varchar(9)	No
43	BMAId	int	No
44	ManufacturerProductLine	int	No
45	MSRPOptionId	int	No
46	BidProductLineId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.BidMSRPResults	Table
dbo.BidProductLines	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.ManufacturerProductLines	Table
dbo.Manufacturers	Table
dbo.MSRPOptions	Table
dbo.PPCategory	Table
dbo.SessionTable	Table
dbo.States	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_BidProductLinePrices	View

SQL Definition

Definition truncated (9,633 characters). First 8000 shown:

```
CREATE   view  [dbo].[vw_MSRPMPLVendorsCategoriesBySession] as

select SessionTable.SessionId,

       Category.CategoryId, Category.Name CategoryName,

       Vendors.VendorId, isnull(Vendors.Name,'') VendorName, isnull(Vendors.Code,'') Ve...

       Manufacturers.ManufacturerId, Manufacturers.Name ManufacturerName,

       BidHeaders.BidHeaderId, BidHeaders.BidDate BidAdvertised, BidHeaders.BidAwardDate,

       case when BidHeaders.HostAwardDate > BidHeaders.EffectiveFrom then BidHeaders.Ho...

       Bids.VendorBidNumber, BidImports.Comments, BidImports.WebsiteLink Website,

       BidManufacturers.DiscountRate ManufacturersDiscountRate,

       case

         when BidManufacturers.DiscountRate is null then

           'Varies'

         when BidManufacturers.DiscountRate >= 0 then

   cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

         when BidManufacturers.DiscountRate < 0 then

           cast(cast(BidManufacturers.DiscountRate * -1 as float) as varchar) + ' %'
```

```
            else

              cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

  ... (truncated)
```

vw_MSRPMPLVendorsCategoriesReport {dbo-vw-msrpmplvendorscategoriesreport}

Property	Value
Schema	dbo
Created	2016-11-28 15:24:00.133000
Modified	2022-06-17 13:33:00.820000

Columns

#	Column	Type	Nullable
1	CategoryId	int	No
2	CategoryName	varchar(50)	Yes
3	VendorId	int	No
4	VendorName	varchar(50)	No
5	VendorCode	varchar(16)	No
6	ManufacturerId	int	No
7	ManufacturerName	varchar(100)	No
8	BidHeaderId	int	Yes
9	BidAdvertised	datetime	Yes
10	BidAwardDate	datetime	Yes
11	EffectiveFrom	datetime	Yes
12	EffectiveUntil	datetime	Yes
13	BidMessage	varchar(1024)	Yes
14	HostAwardDate	datetime	Yes
15	VendorBidNumber	varchar(50)	Yes

16	Comments	varchar(1024)	Yes
17	Website	varchar(255)	Yes
18	ManufacturersDiscountR	decimal(9,5)	Yes
19	ManufacturersDiscountR	varchar(32)	Yes
20	ManufacturersUpDownSt	varchar(9)	No
21	Address1	varchar(50)	Yes
22	Address2	varchar(50)	Yes
23	City	varchar(50)	Yes
24	State	char(2)	Yes
25	Zipcode	varchar(10)	Yes
26	VendorContactFullName	varchar(150)	Yes
27	VendorContactEMail	varchar(255)	Yes
28	VendorContactPhone	varchar(25)	Yes
29	VendorContactFax	varchar(20)	Yes
30	VendorsManufacturerNo	varchar(1000)	No
31	StateName	varchar(50)	No
32	ProductLine	varchar(100)	No
33	OptionName	varchar(50)	No
34	ProductLineDiscountRate	decimal(9,5)	Yes
35	ProductLineDiscountRate	varchar(32)	Yes
36	ProductLineUpDownStr	varchar(9)	No
37	RangeBase	money	Yes
38	RangeTop	numeric(20,4)	Yes
39	PriceRangeDiscountRate	decimal(9,5)	Yes
40	PriceRangeDiscountRate	varchar(32)	Yes
41	PriceRangeUpDownStr	varchar(9)	No
42	BMAId	int	No
43	ManufacturerProductLine	int	No
44	MSRPOptionId	int	No
45	BidProductLineId	int	No
46	HostDistrict	varchar(50)	No
47	RangeStr	varchar(43)	Yes
48	VendorNameAndAddress	varchar(394)	Yes

49	ContactName	varchar(170)	Yes
50	AwardType	varchar(10)	No
51	ReawardDate	datetime	Yes
52	ReawardFrom	datetime	Yes
53	ReawardUntil	datetime	Yes
54	PricePlanId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.BidMSRPResults	Table
dbo.BidProductLines	Table
dbo.BidReawards	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.ManufacturerProductLines	Table
dbo.Manufacturers	Table
dbo.MSRPOptions	Table
dbo.Salutations	Table
dbo.States	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_BidProductLinePrices	View

SQL Definition

Definition truncated (10,337 characters). First 8000 shown:

```
--select * from vw_MSRPMPLVendorsCategoriesReport where BidHeaderId = 10435



CREATE   view  [dbo].[vw_MSRPMPLVendorsCategoriesReport] as

select Category.CategoryId, Category.Name CategoryName,

       Vendors.VendorId, isnull(Vendors.Name,'') VendorName, isnull(Vendors.Code,'') Ve...

       Manufacturers.ManufacturerId, Manufacturers.Name ManufacturerName,

       BidHeaders.BidHeaderId, BidHeaders.BidDate BidAdvertised, BidHeaders.BidAwardDate,

       case when BidHeaders.HostAwardDate > BidHeaders.EffectiveFrom then BidHeaders.Ho...

       Bids.VendorBidNumber, BidImports.Comments, BidImports.WebsiteLink Website,

       BidManufacturers.DiscountRate ManufacturersDiscountRate,

       case

         when BidManufacturers.DiscountRate is null then

           'Varies'

         when BidManufacturers.DiscountRate >= 0 then

   cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

         when BidManufacturers.DiscountRate < 0 then

           cast(cast(BidManufacturers.DiscountRate * -1 as float) as varchar) + ' %'
```

```
            else

              cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

  ... (truncated)
```

vw_MSRPMPLVendorsCategoriesReportBC {dbo-vw-msrpmplvendorscategoriesreportbc}

Property	Value
Schema	dbo
Created	2022-12-01 19:15:44.350000
Modified	2022-12-01 19:15:44.350000

Columns

#	Column	Type	Nullable
1	CategoryId	int	No
2	CategoryName	varchar(50)	Yes
3	VendorId	int	No
4	VendorName	varchar(50)	No
5	VendorCode	varchar(16)	No
6	ManufacturerId	int	No
7	ManufacturerName	varchar(100)	No
8	BidHeaderId	int	Yes
9	BidAdvertised	datetime	Yes
10	BidAwardDate	datetime	Yes
11	EffectiveFrom	datetime	Yes
12	EffectiveUntil	datetime	Yes
13	BidMessage	varchar(1024)	Yes
14	HostAwardDate	datetime	Yes
15	VendorBidNumber	varchar(50)	Yes

16	Comments	varchar(1024)	Yes
17	Website	varchar(255)	Yes
18	ManufacturersDiscountR	decimal(9,5)	Yes
19	ManufacturersDiscountR	varchar(32)	Yes
20	ManufacturersUpDownSt	varchar(9)	No
21	Address1	varchar(50)	Yes
22	Address2	varchar(50)	Yes
23	City	varchar(50)	Yes
24	State	char(2)	Yes
25	Zipcode	varchar(10)	Yes
26	VendorContactFullName	varchar(150)	Yes
27	VendorContactEMail	varchar(255)	Yes
28	VendorContactPhone	varchar(25)	Yes
29	VendorContactFax	varchar(20)	Yes
30	VendorsManufacturerNo	varchar(1000)	No
31	StateName	varchar(50)	No
32	ProductLine	varchar(100)	No
33	OptionName	varchar(50)	No
34	ProductLineDiscountRate	decimal(9,5)	Yes
35	ProductLineDiscountRate	varchar(32)	Yes
36	ProductLineUpDownStr	varchar(9)	No
37	RangeBase	money	Yes
38	RangeTop	numeric(20,4)	Yes
39	PriceRangeDiscountRate	decimal(9,5)	Yes
40	PriceRangeDiscountRate	varchar(32)	Yes
41	PriceRangeUpDownStr	varchar(9)	No
42	BMAId	int	No
43	ManufacturerProductLine	int	No
44	MSRPOptionId	int	No
45	BidProductLineId	int	No
46	HostDistrict	varchar(50)	No
47	RangeStr	varchar(43)	Yes
48	VendorNameAndAddress	varchar(394)	Yes

49	ContactName	varchar(170)	Yes
50	AwardType	varchar(10)	No
51	ReawardDate	datetime	Yes
52	ReawardFrom	datetime	Yes
53	ReawardUntil	datetime	Yes
54	PricePlanId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.BidMSRPResults	Table
dbo.BidProductLines	Table
dbo.BidReawards	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.ManufacturerProductLines	Table
dbo.Manufacturers	Table
dbo.MSRPOptions	Table
dbo.Salutations	Table
dbo.States	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_BidProductLinePrices	View

SQL Definition

Definition truncated (10,310 characters). First 8000 shown:

```
--select * from vw_MSRPMPLVendorsCategoriesReport where BidHeaderId = 10435



create   view  [dbo].[vw_MSRPMPLVendorsCategoriesReportBC] as

select Category.CategoryId, Category.Name CategoryName,

       Vendors.VendorId, isnull(Vendors.Name,'') VendorName, isnull(Vendors.Code,'') Ve...

       Manufacturers.ManufacturerId, Manufacturers.Name ManufacturerName,

       BidHeaders.BidHeaderId, BidHeaders.BidDate BidAdvertised, BidHeaders.BidAwardDate,

       case when BidHeaders.HostAwardDate > BidHeaders.EffectiveFrom then BidHeaders.Ho...

       Bids.VendorBidNumber, BidImports.Comments, BidImports.WebsiteLink Website,

       BidManufacturers.DiscountRate ManufacturersDiscountRate,

       case

         when BidManufacturers.DiscountRate is null then

           'Varies'

         when BidManufacturers.DiscountRate >= 0 then

   cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

         when BidManufacturers.DiscountRate < 0 then
```

```
            cast(cast(BidManufacturers.DiscountRate * -1 as float) as varchar) + ' %'

          else

... (truncated)
```

vw_MSRPProductLineExceptions {dbo-vw-msrpproductlineexceptions}

Property	Value
Schema	dbo
Created	2020-01-13 12:49:09.577000
Modified	2020-01-15 18:00:08.317000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	ManufacturerId	int	Yes
3	ProductLineExceptions	varchar(8000)	Yes

Dependencies

Object	Type
dbo.BidMgrMSRP2VendorReportView	View

SQL Definition

```
CREATE   view  [dbo].[vw_MSRPProductLineExceptions]

AS

Select  ss.BidHeaderId, ss.ManufacturerId, STRING_AGG(ss.ProdLineOrWriteIn, ', ') WITHI...

From

(

Select BidHeaderId,ManufacturerId,ProdLineOrWriteIn

FROM BidMgrMSRP2VendorReportView

where AllActive=1 and WinningBidFlag=1 and AllProductLine=0

  and (VendorAllWinner=0 or FakeRecord=0) -- Note: have to list "real" bids because the...

group by BidHeaderId, ManufacturerId, ProdLineOrWriteIn

) ss

--where  ss.BidHeaderId=9781 and ss.ManufacturerId=621

group by ss.BidHeaderId, ss.ManufacturerId
```

vw_MSRPRankManufacturerAWD {dbo-vw-msrprankmanufacturerawd}

Property	Value
Schema	dbo
Created	2014-11-20 13:13:19.050000
Modified	2018-01-21 20:26:46.910000

Columns

#	Column	Type	Nullable
1	BidMSRPResultsId	int	No
2	ManufacturerId	int	Yes
3	AverageWeightedDiscou	decimal(38,6)	Yes

Dependencies

Object	Type
dbo.BidMSRPResultPrices	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPRankManufacturerAWD] as
-- Calculate Average Discount Routine
select BidMSRPResultsId, ManufacturerId,
case
-- Test for All Weights being Zero
when (select COUNT(*)
from BidMSRPResultPrices
join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsProductLineId = BidMS...
                                        and bmrpl.BidMSRPResultsId = il.BidMSRPResultsId
                                            and bmrpl.Active = 1
   where BidMSRPResultPrices.Active = 1
     and isnull(BidMSRPResultPrices.RangeWeight,0) != 0) = 0 then
( select SUM(BidMSRPResultPrices.RangeValue)
from BidMSRPResultPrices
join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsProductLineId = BidM...
 and bmrpl.BidMSRPResultsId = il.BidMSRPResultsId
                                            and bmrpl.Active = 1
   where BidMSRPResultPrices.Active = 1) /
( select Count(*)
from BidMSRPResultPrices
```

```
join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsProductLineId = BidM...

 and bmrpl.BidMSRPResultsId = il.BidMSRPResultsId

... (truncated)
```

vw_MSRPRankOptionAWD {dbo-vw-msrprankoptionawd}

Property	Value
Schema	dbo
Created	2014-11-17 16:11:32.840000
Modified	2018-01-21 20:26:46.913000

Columns

#	Column	Type	Nullable
1	BidMSRPResultsId	int	No
2	BidMSRPResultsProductL	int	No
3	BidRequestOptionId	int	Yes
4	BidRequestProductLineIc	int	Yes
5	ManufacturerProductLine	int	Yes
6	MSRPOptionId	int	Yes
7	OptionName	varchar(50)	Yes
8	Weight	decimal(9,5)	Yes
9	AverageWeightedDiscou	decimal(38,6)	Yes

Dependencies

Object	Type
dbo.BidMSRPResultPrices	Table
dbo.BidMSRPResultsProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPRankOptionAWD] as

-- Calculate Average Discount Routine

select BidMSRPResultsProductLines.BidMSRPResultsId, BidMSRPResultsProductLines.BidMSRPR...

case

-- Test for All Weights being Zero

when (select COUNT(*)

from BidMSRPResultPrices

   where BidMSRPResultPrices.BidMSRPResultsProductLineId = BidMSRPResultsProductLin...

     and BidMSRPResultPrices.Active = 1

     and isnull(BidMSRPResultPrices.RangeWeight,0) != 0) = 0 then

( select SUM(BidMSRPResultPrices.RangeValue)

from BidMSRPResultPrices

   where BidMSRPResultPrices.BidMSRPResultsProductLineId = BidMSRPResultsProductLi...

     and BidMSRPResultPrices.Active = 1) /

( select Count(*)

from BidMSRPResultPrices

   where BidMSRPResultPrices.BidMSRPResultsProductLineId = BidMSRPResultsProductLi...

     and BidMSRPResultPrices.Active = 1)

-- Not All Zero

else
```

```
( select SUM(BidMSRPResultPrices.RangeValue * BidMSRPResultPrices.RangeWeight)

from BidMSRPResultPrices

   where BidMSRPResultPrices.BidMSRPResultsProductLineId = BidMSRPResultsProductLi...

... (truncated)
```

vw_MSRPRankProductLineAWD {dbo-vw-msrprankproductlineawd}

Property	Value
Schema	dbo
Created	2014-11-17 16:13:20.493000
Modified	2018-01-21 20:26:46.920000

Columns

#	Column	Type	Nullable
1	BidMSRPResultsId	int	No
2	ManufacturerProductLine	int	Yes
3	AverageWeightedDiscou	decimal(38,6)	Yes

Dependencies

Object	Type
dbo.BidMSRPResultPrices	Table
dbo.BidMSRPResultsProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPRankProductLineAWD] as

-- Calculate Average Discount Routine

select BidMSRPResultsId, ManufacturerProductLineId,

case

-- Test for All Weights being Zero

when (select COUNT(*)

from BidMSRPResultPrices

join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsProductLineId = BidMS...

                                      and bmrpl.BidMSRPResultsId = il.BidMSRPResultsId

                                          and bmrpl.ManufacturerProductLineId = il.M...

   where BidMSRPResultPrices.Active = 1

     and isnull(BidMSRPResultPrices.RangeWeight,0) != 0) = 0 then

( select SUM(BidMSRPResultPrices.RangeValue)

from BidMSRPResultPrices

join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsProductLineId = BidM...

 and bmrpl.BidMSRPResultsId = il.BidMSRPResultsId

 and bmrpl.ManufacturerProductLineId = il.ManufacturerProductLineId

   where BidMSRPResultPrices.Active = 1) /

( select Count(*)

from BidMSRPResultPrices

join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsProductLineId = BidM...

 and bmrpl.BidMSRPResultsId = il.BidMSRPResultsId
```

```
 and bmrpl.ManufacturerProductLineId = il.ManufacturerProductLineId

   where BidMSRPResultPrices.Active = 1)

... (truncated)
```

vw_MSRPRankRequirements {dbo-vw-msrprankrequirements}

Property	Value
Schema	dbo
Created	2014-11-24 14:01:56.830000
Modified	2018-01-21 20:26:46.907000

Columns

#	Column	Type	Nullable
1	BidMSRPResultsId	int	No
2	BidMSRPResultsProductL	int	No
3	SortKey	varchar(3)	Yes

Dependencies

Object	Type
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPRankRequirements] as

select BidMSRPResults.BidMSRPResultsId, BidMSRPResultsProductLines.BidMSRPResultsProduc...

   right('00' +

 cast( (select count(*)

  from

(select bmrpl.MSRPOptionId

   from BidMSRPResultsProductLines bmrpl

   join BidMSRPResults bmr on bmr.BidHeaderId = BidMSRPResults.BidHeaderId

  and bmr.ManufacturerId = BidMSRPResults.ManufacturerId

  and bmr.Active = 1

  where bmrpl.Active = 1

and bmrpl.ManufacturerProductLineId = BidMSRPResultsProductLines.ManufacturerPro...

  group by bmrpl.MSRPOptionId) oc ) -

   isnull((select count(*)

  from BidMSRPResultsProductLines bmrpl

 where bmrpl.Active = 1

   and bmrpl.BidMSRPResultsId = BidMSRPResults.BidMSRPResultsId

   and bmrpl.ManufacturerProductLineId = BidMSRPResultsProductLines.ManufacturerPr...

   case

     when isnull(BidMSRPResults.AuthorizationLetter,0) = 1 and isnull(BidMSRPResults.P...

     else '1'

   end SortKey
```

```
    from BidMSRPResults

    join BidMSRPResultsProductLines on BidMSRPResultsProductLines.BidMSRPResultsId = BidM...

  ... (truncated)
```

vw_MSRPRankTieBreaker {dbo-vw-msrpranktiebreaker}

Property	Value
Schema	dbo
Created	2014-11-24 16:03:01.407000
Modified	2018-01-21 20:26:46.900000

Columns

#	Column	Type	Nullable
1	BidMSRPResultsId	int	No
2	BidMSRPResultsProductL	int	No
3	SortKey	varchar(2)	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.ManufacturerProductLines	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPRankTieBreaker] as

select BidMSRPResults.BidMSRPResultsId, BidMSRPResultsProductLines.BidMSRPResultsProduc...

   case

     when (select COUNT(*)

             from (select bmrpl.ManufacturerProductLineId

                     from BidMSRPResults bmr

                     join BidMSRPResultsProductLines bmrpl on bmrpl.BidMSRPResultsId =...

                                                          and bmrpl.Active = 1

                    where bmr.BidHeaderId = BidMSRPResults.BidHeaderId

                      and bmr.ManufacturerId = BidMSRPResults.ManufacturerId

                      and bmr.Active = 1) vpl) > 1 and

          upper((select mpl.Name

                   from ManufacturerProductLines mpl

                  where mpl.ManufacturerProductLineId = BidMSRPResultsProductLines.Man...

     -- Rank by ALL winner then Position

   '0'

     else

     -- Rank by Position

       '1'

   end +

   case

     when ((BidMSRPResults.BidHeaderId % (select COUNT(*) from BidImports where BidImp...
```

```
        else '1'

      end SortKey

  ... (truncated)
```

vw_MSRPVendorsAndManufacturersByReq {dbo-vw-msrpvendorsandmanufacturersbyreq}

Property	Value
Schema	dbo
Created	2013-05-21 11:09:20.030000
Modified	2018-01-21 20:26:48.220000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	BidHeaderId	int	Yes
3	VendorId	int	No
4	VendorName	varchar(50)	Yes
5	ManufacturerId	int	No
6	ManufacturerName	varchar(100)	No
7	DiscountRate	decimal(9,5)	No
8	FullName	varchar(150)	Yes
9	Phone	varchar(25)	Yes
10	VendorURL	varchar(255)	No
11	ManufacturerURL	varchar(255)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.Bids	Table
dbo.Category	Table
dbo.Manufacturers	Table
dbo.Requisitions	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_MSRPVendorsAndManufacturersByReq] as
select Requisitions.RequisitionId, BidHeaders.BidHeaderId, Vendors.VendorId, Vendors.Na...
, isnull(BidImports.WebsiteLink,'') AS VendorURL, Manufacturers.WebsiteLink AS Manufa...
  from Requisitions
  join Category on Category.CategoryId = Requisitions.CategoryId
               and Category.Type = 5
  join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId
                 and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders.Effectiv...
                 and BidHeaders.Active = 1
  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId
          and Bids.Active = 1
  join Vendors on Vendors.VendorId = Bids.VendorId
             and Vendors.Active = 1
  join BidManufacturers on BidManufacturers.BidId = Bids.BidId
  join Manufacturers on Manufacturers.ManufacturerId = BidManufacturers.ManufacturerId
  join BidImports on BidImports.BidImportId = Bids.BidImportId
  left outer join VendorContacts on VendorContacts.VendorContactId =
    (select Top 1 vc.VendorContactId
       from VendorContacts vc with (nolock)
      where vc.VendorId = Vendors.VendorId
```

```
          and vc.Active = 1

        order by case

  ... (truncated)
```

vw_MSRPVendorsBidHeaderBySession {dbo-vw-msrpvendorsbidheaderbysession}

Property	Value
Schema	dbo
Created	2012-05-17 15:15:45.930000
Modified	2025-09-18 15:12:45.073000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	VendorId	int	No
3	VendorName	varchar(50)	Yes
4	VendorCode	varchar(16)	No
5	BidHeaderId	int	Yes
6	CategoryId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table

dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.Manufacturers	Table
dbo.PPCategory	Table
dbo.SessionTable	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_MSRPVendorsBidHeaderBySession] as

select SessionTable.SessionId,

       Vendors.VendorId, coalesce(Vendors.DisplayAs,Vendors.Name,'') VendorName, isnull...

  from SessionTable with (nolock)

  join District on District.DistrictId = SessionTable.DistrictId

  join DistrictPP on DistrictPP.DistrictId = District.DistrictId

  join DistrictCategories on DistrictCategories.DistrictId = District.DistrictId

                         and DistrictCategories.Active = 1

  join PPCategory on PPCategory.PricePlanId = DistrictPP.PricePlanId

                 and PPCategory.CategoryId = DistrictCategories.CategoryId

  join Category on Category.CategoryId = PPCategory.CategoryId

               and Category.Active = 1

               and Category.Type = 5

  join BidHeaders on BidHeaders.CategoryId = Category.CategoryId

                 and BidHeaders.PricePlanId = DistrictPP.PricePlanId

                 and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders.Effectiv...

                 and BidHeaders.Active = 1

                 and BidHeaders.BidType = 1

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1

  join BidImports on BidImports.BidImportId = Bids.BidImportId

                 and BidImports.Active = 1
```

```
    join BidManufacturers on BidManufacturers.BidId = Bids.BidId

    join Manufacturers on Manufacturers.ManufacturerId = BidManufacturers.ManufacturerId

  ... (truncated)
```

vw_MSRPVendorsCategoriesBySession {dbo-vw-msrpvendorscategoriesbysession}

Property	Value
Schema	dbo
Created	2012-04-25 11:54:32.960000
Modified	2025-09-18 15:12:45.213000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes
4	VendorId	int	No
5	VendorName	varchar(50)	Yes
6	VendorCode	varchar(16)	No
7	ManufacturerId	int	No
8	ManufacturerName	varchar(100)	No
9	BidHeaderId	int	Yes
10	BidAdvertised	datetime	Yes
11	BidAwardDate	datetime	Yes
12	EffectiveFrom	datetime	Yes
13	EffectiveUntil	datetime	Yes
14	BidMessage	varchar(1024)	Yes
15	HostAwardDate	datetime	Yes

16	VendorBidNumber	varchar(50)	Yes
17	Comments	varchar(1024)	Yes
18	Website	varchar(255)	Yes
19	DiscountRate	decimal(9,5)	Yes
20	DiscountRateStr	varchar(32)	Yes
21	UpDownStr	varchar(9)	No
22	Address1	varchar(50)	Yes
23	Address2	varchar(50)	Yes
24	City	varchar(50)	Yes
25	State	char(2)	Yes
26	Zipcode	varchar(10)	Yes
27	VendorContactFullName	varchar(150)	Yes
28	VendorContactEMail	varchar(255)	Yes
29	VendorContactPhone	varchar(25)	Yes
30	VendorContactFax	varchar(20)	Yes
31	VendorsManufacturerNo	varchar(1000)	No
32	StateName	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidManufacturers	Table
dbo.BidMSRPResults	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.Manufacturers	Table
dbo.PPCategory	Table
dbo.SessionTable	Table

dbo.States	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_MSRPVendorsCategoriesBySession] as

select SessionTable.SessionId,

       Category.CategoryId, Category.Name CategoryName,

       Vendors.VendorId, coalesce(Vendors.DisplayAs,Vendors.Name,'') VendorName, isnull...

       Manufacturers.ManufacturerId, Manufacturers.Name ManufacturerName,

       BidHeaders.BidHeaderId, BidHeaders.BidDate BidAdvertised, BidHeaders.BidAwardDate,

       case when BidHeaders.HostAwardDate > BidHeaders.EffectiveFrom then BidHeaders.Ho...

       Bids.VendorBidNumber, BidImports.Comments, BidImports.WebsiteLink Website,

       BidManufacturers.DiscountRate,

       case

         when BidManufacturers.DiscountRate is null then

           'Varies'

         when BidManufacturers.DiscountRate >= 0 then

   cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

         when BidManufacturers.DiscountRate < 0 then

           cast(cast(BidManufacturers.DiscountRate * -1 as float) as varchar) + ' %'

         else

           cast(cast(BidManufacturers.DiscountRate as float) as varchar) + ' %'

       end DiscountRateStr,

       case

         when BidManufacturers.DiscountRate is null then

           ''
```

```
            when BidManufacturers.DiscountRate >= 0 then

      'Mark Down'

   ... (truncated)
```

vw_MultiVendorPODistrictsAndBudgets {dbo-vw-multivendorpodistrictsandbudgets}

Property	Value
Schema	dbo
Created	2010-03-24 12:41:51.697000
Modified	2018-01-21 20:26:48.240000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	BudgetId	int	No
3	VendorSessionId	int	No
4	DistrictName	varchar(50)	Yes
5	BudgetName	varchar(30)	Yes
6	VendorsAccountCode	varchar(50)	No
7	BudgetFilterId	int	Yes
8	CurrentBidPOCount	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.PO	Table

dbo.Requisitions	Table
dbo.VendorSessions	Table
dbo.VPOVendorLinks	Table

SQL Definition

```
create   view  [dbo].[vw_MultiVendorPODistrictsAndBudgets] as

select District.DistrictId, Budgets.BudgetId, VendorSessions.VendorSessionId, District....

       CAST(substring(Budgets.Name,1,4) as int) as BudgetFilterId,

/*       (select count(*)

          from PO with (nolock)

          join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

                           and Requisitions.BudgetId = Budgets.BudgetId

          join VPOVendorLinks VPOL on VPOL.VendorId = PO.VendorId

                                 and VPOL.VPORegistrationId = VendorSessions.VPORegist...

         where PO.UploadId is null

           and PO.Cancelled is null) as UnExportedPOCount,

       (select count(*)

          from PO with (nolock)

          join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

                           and Requisitions.BudgetId = Budgets.BudgetId

          join VPOVendorLinks VPOL on VPOL.VendorId = PO.VendorId

                                 and VPOL.VPORegistrationId = VendorSessions.VPORegist...

*/       (select COUNT(*)

          from PO with (nolock)

          join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

                           and Requisitions.BudgetId = Budgets.BudgetId

/*          join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId
```

```
                              and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders....

                              and BidHeaders.Active = 1*/

  ... (truncated)
```

vw_NJDistricts {dbo-vw-njdistricts}

Property	Value
Schema	dbo
Created	2009-03-10 14:40:21.427000
Modified	2018-01-21 20:26:48.247000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	NameAndAddress	varchar(1024)	Yes
5	BAName	varchar(50)	No
6	PhoneNumber	varchar(20)	Yes
7	County	varchar(50)	No
8	CSRepName	varchar(30)	No

Dependencies

Object	Type
dbo.CSRep	Table
dbo.District	Table
dbo.uf_DistrictNameAndAddress	Other

SQL Definition

```
create   view  [dbo].[vw_NJDistricts] as

select District.DistrictId, District.DistrictCode, District.Name DistrictName, dbo.uf_D...

  from District with (nolock)

  left outer join CSRep on CSRep.CSRepId = District.CSRepId

 where isnull(District.DistrictCode,'') != ''

   and District.State != ''

   and isnull(District.County,'') != 'TEST'
```

vw_NY_TM_Districts {dbo-vw-ny-tm-districts}

Property	Value
Schema	dbo
Created	2016-07-26 11:28:31.913000
Modified	2018-01-21 20:26:46.813000

Columns

#	Column	Type	Nullable
1	Name	varchar(50)	Yes
2	FullName	varchar(174)	No
3	Email	varchar(255)	No
4	Description	varchar(50)	No
5	Address1	varchar(50)	No
6	City	varchar(50)	No
7	State	char(2)	No

8	Zipcode	varchar(10)	No

Dependencies

Object	Type
dbo.District	Table
dbo.DistrictContacts	Table
dbo.DistrictContactTypes	Table

SQL Definition

```
create   view  [dbo].[vw_NY_TM_Districts]

as

select ss.Name, isnull(ss.FullName,'') FullName, isnull(ss.eMail,'') Email, DistrictCon...

  from (

select District.DistrictId, District.Name, DistrictContacts.FullName, DistrictContacts...

       case

         when

           case

             when DistrictContacts.Address1 is null then District.Address1

 else DistrictContacts.Address1

   end like 'Account%' or

   case

             when DistrictContacts.Address1 is null then District.Address1

 else DistrictContacts.Address1

   end like 'Purchas%' or

   case

             when DistrictContacts.Address1 is null then District.Address1

 else DistrictContacts.Address1

   end like 'Senior%' or

   case

             when DistrictContacts.Address1 is null then District.Address1

 else DistrictContacts.Address1
```

```
    end like 'Assistant%' or

    case

  ... (truncated)
```

vw_NY_TM_Districts_Mailing {dbo-vw-ny-tm-districts-mailing}

Property	Value
Schema	dbo
Created	2016-07-26 12:42:36.383000
Modified	2018-01-21 20:26:46.820000

Columns

#	Column	Type	Nullable
1	Name	varchar(50)	Yes
2	FullName	varchar(174)	Yes
3	Address1	varchar(50)	Yes
4	City	varchar(50)	No
5	State	varchar(2)	No
6	Zipcode	varchar(10)	No

Dependencies

Object	Type
dbo.District	Table
dbo.vw_NY_TM_Districts	View

SQL Definition

```
create   view  [dbo].[vw_NY_TM_Districts_Mailing] as

select Name, ltrim(FullName) FullName, Address1, City, State, Zipcode

  from vw_ny_TM_Districts

union (

    select Name, 'Superintendent' FullName, case when District.Address1 like 'Account%'...

      from District

 where District.Active = 1

   and District.TimeAndMaterialBids = 1

   and District.County != 'TEST'

   and District.State = 'NY')

union (

    select Name, 'Board President' FullName, case when District.Address1 like 'Account%...

      from District

 where District.Active = 1

   and District.TimeAndMaterialBids = 1

   and District.County != 'TEST'

   and District.State = 'NY')
```

vw_OverrideReferences {dbo-vw-overridereferences}

Property	Value
Schema	dbo

Created	2012-04-10 19:05:30.097000
Modified	2018-01-21 20:26:46.593000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	FilterByDetailId	int	No
3	DetailId	int	No
4	RequisitionNumber	varchar(24)	Yes
5	Requisitions_Attention	varchar(50)	Yes
6	AccountCode	varchar(50)	Yes
7	TotalRequisitionCost	money	Yes
8	School_Name	varchar(50)	Yes
9	District_Name	varchar(50)	Yes
10	CometId	int	Yes
11	Status	varchar(104)	No
12	CategoryName	varchar(50)	Yes
13	ApprovalDate	datetime	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.Users	Table
dbo.vw_RequisitionStatus	View

SQL Definition

```
create   view  [dbo].[vw_OverrideReferences] as

SELECT SourceBH.BidHeaderId, SourceDetail.DetailId FilterByDetailId, Detail.DetailId, R...

District.Name AS District_Name, Users.CometId,

rs.StatusDesc [Status],

Category.Name [CategoryName],

rs.ApprovalDate

FROM Detail with (nolock)

join Requisitions on Requisitions.RequisitionId = Detail.RequisitionId

join Users on Users.UserId = Requisitions.UserId

join School on School.SchoolId = Requisitions.SchoolId

join District on District.DistrictId = School.DistrictId

join Detail SourceDetail on SourceDetail.ItemId = Detail.ItemId

join Requisitions SourceReq on SourceReq.RequisitionId = SourceDetail.RequisitionId

join vw_RequisitionStatus rs on rs.RequisitionId = Requisitions.RequisitionId

join Category on Category.CategoryId = Requisitions.CategoryId

join BidHeaders SourceBH on SourceBH.BidHeaderId = case ISNULL(SourceDetail.BidHeaderId...

WHERE case isnull(Detail.BidHeaderId,0)

        when 0 then isnull(Requisitions.BidHeaderId,0)

        else Detail.BidHeaderId

      end = SourceBH.BidHeaderId

--ORDER BY Users.CometId
```

vw_OverrideVendorBidders {dbo-vw-overridevendorbidders}

Property	Value
Schema	dbo
Created	2012-04-10 12:01:54.417000
Modified	2025-09-18 15:12:46.340000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	Active	int	Yes
3	BidResultsId	int	No
4	BidPrice	decimal(34,13)	Yes
5	VendorName	varchar(69)	No
6	ItemBidType	varchar(13)	No
7	VendorItemCode	varchar(50)	Yes
8	Alternate	varchar(512)	Yes
9	VendorDescription	varchar(1497)	Yes
10	PageNumber	varchar(30)	No
11	UOM	varchar(16)	No
12	Original	varchar(18)	No
13	VOMId	int	Yes
14	Comments	varchar(1024)	No
15	SortKey	varchar(16)	Yes

Dependencies

Object	Type
dbo.BidImportCatalogList	Table
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_OverrideVendorBidders] as

SELECT Detail.DetailId, BidResults.Active, BidResults.BidResultsId,

isnull(BidResults.UnitPrice,0) -

round(isnull(BidResults.UnitPrice,0) * isnull(BidImports.BidItemDiscountRate,0) / 100,2...

isnull(Vendors.Name,'') + ' (' + isnull(Vendors.Code,'') + ')' as VendorName,

case isnull(BidResults.ItemBidType,'') when 'S' then 'As Specified' when 'C' then 'Comp...

rtrim(isnull(BidResults.VendorItemCode,'')) as VendorItemCode,

rtrim(isnull(BidResults.Alternate,'')) as Alternate,

case when rtrim(isnull(BidResults.Alternate,'')) = '' then '' else rtrim(isnull(BidResu...

case rtrim(isnull(BidResults.ManufacturerBid,'')) when '' then '' else 'Manufacturer Bi...

case RTRIM(isnull(BidResults.ManufPartNoBid,'')) when '' then '' else 'Part Number Bid:...

case isnull(BidResults.LinerGaugeMicrons,0) when 0 then '' else 'Liner Gauge (Microns):...

case isnull(BidResults.LinerGaugeMil,0) when 0 then '' else 'Liner Gauge (Mil): ' + CAS...

case isnull(BidResults.LinerCaseWeight,0) when 0 then '' else 'Liner Case Weight: ' + C...

case isnull(BidResults.LinerDimDepth,0) when 0 then '' else 'Liner Dim Depth: ' + CAST(...

case isnull(BidResults.LinerDimLength,0) when 0 then '' else 'Liner Dim Length: ' + CAS...

case isnull(BidResults.LinerDimWidth,0) when 0 then '' else 'Liner Dim Width: ' + CAST(...

rtrim(isnull(Items.Description,'')) VendorDescription,

isnull(cast(BidResults.PageNo as varchar),ISNULL(Crossrefs.Page,'')) PageNumber,

isnull(BidResults.Units,'') UOM,

case isnull(BidResults.OriginalAwardedItem,0) when 0 then '' else 'Original Selection' ...

BidResults.VOMId, isnull(BidResults.Comments,'') as Comments,
```

```
cast(case isnull(BidImports.Active,0)

  when 0 then 1

... (truncated)
```

vw_PendingDetailChangeNotifications {dbo-vw-pendingdetailchangenotifications}

Property	Value
Schema	dbo
Created	2022-03-29 15:37:55.353000
Modified	2024-02-29 17:38:20.090000

Columns

#	Column	Type	Nullable
1	DetailNotificationId	bigint	No
2	DetailId	bigint	No
3	NotificationId	bigint	Yes
4	DateCreated	datetime	No
5	OrigItemId	int	Yes
6	NewItemId	int	Yes
7	OrigVendorId	int	Yes
8	NewVendorId	int	Yes
9	OrigBidPrice	decimal(11,5)	Yes
10	NewBidPrice	decimal(11,5)	Yes
11	ReqUserId	int	Yes
12	ApprovalById	int	Yes
13	NotificationType	varchar(8)	No
14	Email	varchar(255)	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.Requisitions	Table
dbo.Users	Table
dbo.vw_DetailNotifications	View

SQL Definition

Definition truncated (12,140 characters). First 8000 shown:

```
/*
Select * from DetailNotifications where DetailId = 1493689815
select *
  from (select dns.DetailId from DetailNotifications dns where dns.DateCreated > cas...
  join Detail on Detail.DetailId = rl.DetailId
             and Detail.DetailId = 1493689815
  outer apply (Select top 1 Approvals.ApprovalId, Approvals.ApprovalDate from Approv...
  outer apply (select top 1 ApprovalId, ApprovalDate from (select top 2 Approvals.Ap...
  outer apply (select top 1 dn.DetailNotificationId, dn.DateCreated, dn.OrigVendorId...
                 from DetailNotifications dn
where dn.DetailId = rl.DetailId
  and dn.NewVendorId = dn.OrigVendorId
  and dn.OrigItemId = dn.NewItemId
order by dn.DateCreated) pc1
  outer apply (select top 1 dn.DetailNotificationId, dn.DateCreated, dn.OrigVendorId...
                 from DetailNotifications dn
where dn.DetailId = rl.DetailId
  and dn.OrigVendorId = dn.NewVendorId
  and dn.OrigVendorId = pc1.OrigVendorId
  and dn.NewItemId = dn.OrigItemId
  and dn.OrigItemId = pc1.OrigItemId
```

```
    and dn.NewBidPrice = pc1.OrigBidPrice

    and dn.DateCreated > coalesce(pc1.DateCreated,cast('12/01/' + cast(year(getdat...

  ... (truncated)
```

vw_PLBidItems {dbo-vw-plbiditems}

Property	Value
Schema	dbo
Created	2009-09-24 10:39:56.650000
Modified	2018-01-21 20:26:46.043000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	BidHeaderId	int	Yes
3	BidId	int	No
4	BidItemId	int	No
5	CrossRefId	int	Yes
6	AwardId	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Items	Table

SQL Definition

```
create   view  [dbo].[vw_PLBidItems] as

select Items.ItemId, Bids.BidHeaderId, Bids.BidId, BidItems.BidItemId, BidItems.CrossRe...

  from dbo.Items with (nolock)

  join dbo.BidItems on BidItems.ItemId = Items.ItemId

  join dbo.Bids on Bids.BidId = BidItems.BidId

            and Bids.Active = 1

  join dbo.Awards on Awards.BidId = Bids.BidId

              and Awards.Active = 1
```

vw_PLCatalog {dbo-vw-plcatalog}

Property	Value
Schema	dbo
Created	2009-09-24 12:37:07.550000
Modified	2018-01-21 20:26:46

Columns

#	Column	Type	Nullable
1	ItemId	int	No

2	BidHeaderId	int	Yes
3	BidId	int	No
4	BidItemId	int	Yes
5	CrossRefId	int	No
6	AwardId	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.CrossRefs	Table
dbo.Items	Table
dbo.vw_CatalogPricing	View

SQL Definition

```
create   view  [dbo].[vw_PLCatalog]   as

select Items.ItemId, BidHeaders.BidHeaderId, Bids.BidId, null BidItemId, CrossRefs.Cros...

  from dbo.Items with (nolock)

  join dbo.BidHeaders on BidHeaders.CategoryId = Items.CategoryId

                 and BidHeaders.EffectiveFrom is not null

                 and BidHeaders.EffectiveUntil is not null

                 and BidHeaders.Active = 1

  join dbo.CrossRefs on CrossRefs.CrossRefId =

    (select top 1 cp.CrossRefId

       from dbo.vw_CatalogPricing cp with (nolock)

      where cp.BidHeaderId = BidHeaders.BidHeaderId

        and cp.ItemId = Items.ItemId

      order by cp.NetPrice, cp.CrossRefId)

  join dbo.Bids on Bids.BidId =

    (select top 1 cp.BidId

       from dbo.vw_CatalogPricing cp with (nolock)

      where cp.BidHeaderId = BidHeaders.BidHeaderId

        and cp.ItemId = Items.ItemId

      order by cp.NetPrice, cp.CrossRefId)

  join dbo.Awards on Awards.BidId = Bids.BidId

             and Awards.Active = 1
```

vw_POHeaderBidImports {dbo-vw-poheaderbidimports}

Property	Value
Schema	dbo
Created	2015-12-03 16:34:59.860000
Modified	2023-02-20 14:48:36.010000

Columns

#	Column	Type	Nullable
1	POId	int	Yes
2	BidImportId	int	Yes
3	VendorId	int	Yes
4	BidType	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Detail	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table

SQL Definition

```
--select * from District where DistrictId = 53









--select * from vw_POHeaderBidImports where POId = 21841890

--select * from PODetailItems where POId = 21841890



CREATE         view  [dbo].[vw_POHeaderBidImports]

as

select PDI.POId, b.BidImportId BidImportId, b.VendorId, 0 BidType

from PODetailItems PDI with (nolock)

join Detail on Detail.DetailId = PDI.DetailId

join Requisitions r on r.RequisitionId = Detail.RequisitionId

join BidItems bi on bi.BidItemId = PDI.BidItemId

join Bids b on b.BidId = bi.BidId

   and b.VendorId = PDI.VendorId

--   and b.BidHeaderId = case when coalesce(detail.BidHeaderId,0) = 0 then r.BidHe...

 group by PDI.POId, b.BidImportId, b.VendorId

union

select PDI.POId, Bids.BidImportId BidImportId, Bids.VendorId, 1 BidType

from PODetailItems PDI with (nolock)
```

```
join Detail on Detail.DetailId = PDI.DetailId

join Requisitions r on r.RequisitionId = Detail.RequisitionId

... (truncated)
```

vw_POStatus {dbo-vw-postatus}

Property	Value
Schema	dbo
Created	2019-04-28 12:45:08.523000
Modified	2025-06-25 11:51:41.010000

Columns

#	Column	Type	Nullable
1	POId	int	No
2	AwardsBidHeaderId	int	Yes
3	CategoryId	int	Yes
4	RequisitionId	int	No
5	SchoolId	int	No
6	VendorId	int	Yes
7	AccountCode	varchar(50)	Yes
8	Amount	money	Yes
9	Attention	varchar(50)	Yes
10	CategoryName	varchar(50)	Yes
11	ExportedToVendor	datetime	Yes
12	ItemCount	int	Yes
13	PONumber	varchar(24)	Yes
14	RequisitionNumber	varchar(24)	Yes
15	SchoolName	varchar(50)	Yes
16	POStatus	varchar(125)	Yes
17	VendorName	varchar(50)	Yes

18	CometId	int	Yes

Dependencies

Object	Type
dbo.DistrictVendor	Table
dbo.POHeader	View
dbo.POQueue	Table
dbo.POQueueItems	Table
dbo.POStatus	Table
dbo.Users	Table
dbo.Vendors	Table
dbo.VendorUploads	Table

SQL Definition

```
--update Vendors set AllowElectronicPOs = 1 where VendorId = 2198

--select * from Vendors where VendorId = 2198

--exec usp_GetPOs 1451139

--select * from POQueueItems where POId = 706867250

--select * from POStatus where POId = 706867250



CREATE       view [dbo].[vw_POStatus] as

  select POHeader.POId, POHeader.AwardsBidHeaderId, POHeader.CategoryId, 0 as Requisiti...

         POHeader.PONumber, POHeader.RequisitionNumber, POHeader.SchoolName,

         case

   when isnull(pos.StatusId,0) in (0,1,2,4,5,6)

    and (POHeader.ExportedToVendor is not null

     or POQ.SendStatus like '%StatusCode=200%')

and POQ.SendStarted is not null

and POQ.POQueueItemId is not null then 'PO Transmitted to Vendor on ' + convert(varc...

   when vu.UploadId is not null and Vendors.VendorId = 9 then 'PO Processed by Vendor...

   when isnull(pos.StatusId,0) < 1

--    and POHeader.ExportedToVendor is null

and POQ.POQueueItemId is null
```

```
and Vendors.AllowElectronicPOs = 1

and coalesce(POHeader.ePOSuppressed,0) = 0

and (   Vendors.UploadType in (1,2,4,5,6,7)
```

```
        or (    Vendors.UploadType in (3)

        and coalesce(trim(DistrictVendor.VendorsAccountCode),'') != '')) then 'PO Read...

  ... (truncated)
```

vw_POStatus_Test {dbo-vw-postatus-test}

Property	Value
Schema	dbo
Created	2022-05-17 13:15:05.133000
Modified	2022-05-17 13:15:05.133000

Columns

#	Column	Type	Nullable
1	POId	int	No
2	AwardsBidHeaderId	int	Yes
3	CategoryId	int	Yes
4	RequisitionId	int	No
5	SchoolId	int	No
6	VendorId	int	Yes
7	AccountCode	varchar(50)	Yes
8	Amount	money	Yes
9	Attention	varchar(50)	Yes
10	CategoryName	varchar(50)	Yes
11	ExportedToVendor	datetime	Yes
12	ItemCount	int	Yes
13	PONumber	varchar(24)	Yes
14	RequisitionNumber	varchar(24)	Yes
15	SchoolName	varchar(50)	Yes
16	POStatus	varchar(125)	Yes
17	VendorName	varchar(50)	Yes

18	CometId	int	Yes

Dependencies

Object	Type
dbo.DistrictVendor	Table
dbo.POHeader_Test	View
dbo.POQueue	Table
dbo.POQueueItems	Table
dbo.POStatus	Table
dbo.Users	Table
dbo.Vendors	Table

SQL Definition

```
--update Vendors set AllowElectronicPOs = 1 where VendorId = 2198

--select * from Vendors where VendorId = 2198

--exec usp_GetPOs 1451139

--select * from POQueueItems where POId = 706867250

--select * from POStatus where POId = 706867250



CREATE       view [dbo].[vw_POStatus_Test] as

  select POHeader.POId, POHeader.AwardsBidHeaderId, POHeader.CategoryId, 0 as Requisiti...

         POHeader.PONumber, POHeader.RequisitionNumber, POHeader.SchoolName,

         case

   when isnull(pos.StatusId,0) in (0,1,2,5)

    and POHeader.ExportedToVendor is not null

and POQ.POQueueItemId is not null

and POQ.POQueueItemId is not null then 'PO Transmitted to Vendor on ' + convert(varc...

   when isnull(pos.StatusId,0) < 2

--    and POHeader.ExportedToVendor is null

and POQ.POQueueItemId is null

and Vendors.AllowElectronicPOs = 1

and POQ.POQueueItemId is null
```

```
and (   Vendors.UploadType in (1,2,4,5)

     or (    Vendors.UploadType in (3)

... (truncated)
```

vw_PricePlanFilter {dbo-vw-priceplanfilter}

Property	Value
Schema	dbo
Created	2009-12-31 12:18:31.993000
Modified	2018-01-21 20:26:48.257000

Columns

#	Column	Type	Nullable
1	PricePlanId	int	No
2	Code	varchar(20)	Yes
3	Description	varchar(255)	Yes

Dependencies

Object	Type
dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table

SQL Definition

```
create   view  [dbo].[vw_PricePlanFilter] as

  select PricePlans.PricePlanId, PricePlans.Code, PricePlans.Description

    from PricePlans with (nolock)

    join DistrictPP on DistrictPP.PricePlanId = PricePlans.PricePlanId

    join District on District.DistrictId = DistrictPP.DistrictId

                  and District.Active = 1

                  and ISNULL(rtrim(District.State),'') != ''

                  and ISNULL(rtrim(District.DistrictCode),'') != ''

   where PricePlans.Active = 1

   group by PricePlans.PricePlanId, PricePlans.Code, PricePlans.Description

 union (

  select 99999 PricePlanId, ' < All >' Code, '< All Price Plans >' Description

 )
```

vw_RefList {dbo-vw-reflist}

Property	Value
Schema	dbo
Created	2008-05-28 16:00:31.373000
Modified	2025-06-09 16:24:28.907000

Columns

#	Column	Type	Nullable
1	DistrictName	varchar(50)	Yes
2	Budgetname	varchar(30)	Yes
3	SchoolName	varchar(50)	Yes
4	CometId	int	Yes
5	Attention	varchar(50)	Yes
6	ItemCode	varchar(50)	Yes
7	VendorItemCode	varchar(50)	No
8	Quantity	int	Yes
9	BidPrice	money	Yes
10	description	varchar(1024)	Yes
11	ItemBidType	varchar(32)	No
12	Alternate	varchar(1024)	No
13	ReqStatus	varchar(255)	Yes
14	POId	int	No
15	PONumber	varchar(24)	No
16	ExportedToVendor	datetime	Yes
17	BidHeaderId	int	Yes
18	Category Name	varchar(50)	Yes
19	Account Code	varchar(50)	No

20	Account Balance	varchar(30)	Yes
21	BudgetId	int	No
22	DistrictId	int	No
23	RequisitionId	int	No
24	detailId	int	No
25	ItemId	int	Yes
26	CategoryId	int	Yes
27	UserId	int	No
28	BidItemId	int	Yes
29	VendorId	int	Yes
30	SortSeq	varchar(64)	Yes
31	LastYearsQuantity	int	Yes
32	ItemMustBeBid	int	No
33	RequisitionNumber	varchar(24)	Yes
34	UniqueItemNumber	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.uf_RequisitionStatus	Other
dbo.UserAccounts	Table

dbo.Users	Table

SQL Definition

```
CREATE       view [dbo].[vw_RefList] as

select District.Name as DistrictName,

       Budgets.Name as Budgetname,

       School.Name as SchoolName,

       Users.CometId,

       Requisitions.Attention,

       Detail.ItemCode,

       isnull(detail.VendorItemCode, '') VendorItemCode,

       Detail.Quantity,

       detail.BidPrice,

       Detail.description,

       case isnull(Detail.VendorId,7691)
```

```
            when 7691 then 'No Bid'

            else isnull(BidItems.ItemBidType,'Catalog')

          end ItemBidType,

          isnull(Detail.Alternate,'') Alternate,

          dbo.uf_RequisitionStatus(Requisitions.RequisitionId) ReqStatus,

   ... (truncated)
```

vw_RepsDistricts {dbo-vw-repsdistricts}

Property	Value
Schema	dbo
Created	2010-01-12 21:09:27.513000
Modified	2018-01-21 20:26:48.260000

Columns

#	Column	Type	Nullable
1	Active	tinyint	No
2	DistrictId	int	No
3	DistrictCode	varchar(4)	No
4	DistrictName	varchar(50)	No
5	BAName	varchar(50)	No
6	Phone	varchar(20)	No
7	Fax	varchar(20)	No
8	CSRepId	int	No

Dependencies

Object	Type
dbo.District	Table

SQL Definition

```
create   view  [dbo].[vw_RepsDistricts] as

select isnull(District.Active,0) Active, District.DistrictId, isnull(District.DistrictC...

  from District with (nolock)

 where District.Active = 1
```

vw_ReqBidReview {dbo-vw-reqbidreview}

Property	Value
Schema	dbo
Created	2016-05-05 14:41:29.767000
Modified	2018-01-21 20:26:48.267000

Columns

#	Column	Type	Nullable
1	RSId	int	Yes
2	RepName	varchar(30)	Yes
3	DistrictName	varchar(50)	Yes
4	SchoolName	varchar(50)	Yes
5	ShipName	varchar(50)	Yes
6	CometId	int	Yes
7	CategoryName	varchar(50)	Yes
8	BudgetName	varchar(30)	Yes
9	BidHeaderId	int	Yes
10	RequisitionNumber	varchar(24)	Yes
11	Attention	varchar(50)	Yes

12	TotalRequisitionCost	money	Yes
13	ItemCount	int	Yes
14	ItemCode	varchar(50)	Yes
15	Description	varchar(1024)	Yes
16	Quantity	int	Yes
17	BidPrice	money	Yes
18	UnitCode	varchar(20)	Yes
19	ItemStatus	varchar(65)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.CSRep	Table
dbo.Detail	Table
dbo.District	Table
dbo.Items	Table
dbo.ReportSessionLinks	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ReqBidReview] as

select rsl.RSId, CSRep.Name RepName, District.Name DistrictName, School.Name SchoolName...

       Category.Name CategoryName, Budgets.Name BudgetName, BidHeaders.BidHeaderId,

       Requisitions.RequisitionNumber, Requisitions.Attention, Requisitions.TotalRequis...

       (select count(*) from Detail d where d.RequisitionId = Requisitions.RequisitionI...

       Detail.ItemCode, Detail.Description, Detail.Quantity, Detail.BidPrice, Detail.Un...

       case

         when isnull(Items.DistrictId,0) = 0 then

           '** Global Item being Requested as Addenda - Please Change Item **'

         else ''

       end ItemStatus

  from Requisitions

  join Detail on Detail.RequisitionId = Requisitions.RequisitionId

            and Detail.ItemMustBeBid = 1

  join Items on Items.ItemId = Detail.ItemId

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

  join CSRep on CSRep.CSRepId = District.CSRepId

  join School on School.SchoolId = Requisitions.SchoolId

  join ShipLocations on ShipLocations.ShippingId = Requisitions.ShippingId

  join Users on Users.UserId = Requisitions.UserId

  join Category on Category.CategoryId = Requisitions.CategoryId
```

```
    join ReportSessionLinks rsl on rsl.IntId = Requisitions.RequisitionId

    left outer join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId

  ... (truncated)
```

vw_ReqCategories {dbo-vw-reqcategories}

Property	Value
Schema	dbo
Created	2012-02-29 14:29:38.047000
Modified	2018-01-21 20:26:48.273000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	CategoryId	int	No
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCategory	Table
dbo.Requisitions	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ReqCategories] as

SELECT Requisitions.RequisitionId,

       Category.CategoryId,

       case isnull(rtrim(DistrictCategories.Title),'')

         when '' then Category.Name

         else rtrim(DistrictCategories.Title)

       end as Name

  FROM Category with (nolock)

  INNER JOIN PPCategory on PPCategory.CategoryId = Category.CategoryId

  INNER JOIN DistrictPP on DistrictPP.PricePlanId = PPCategory.PricePlanId

  inner join DistrictCategories on DistrictCategories.DistrictId = DistrictPP.DistrictId

                               and DistrictCategories.CategoryId = Category.CategoryId

                               and DistrictCategories.Active = 1

  inner join Budgets on Budgets.DistrictId = DistrictCategories.DistrictId

                    and Budgets.Active = 1

  inner join Requisitions on Requisitions.BudgetId = Budgets.BudgetId

  inner join Users on Users.UserId = Requisitions.UserId

  WHERE Category.Active = 1

    and Category.Type = 1

    and GETDATE() between case when (ISNULL(Users.AllowEarlyAccess,0) = 1 or isnull(Use...

  group by Requisitions.RequisitionId,

           Category.CategoryId,
```

```
            case isnull(rtrim(DistrictCategories.Title),'')

              when '' then Category.Name

... (truncated)
```

vw_ReqDetail {dbo-vw-reqdetail}

Property	Value
Schema	dbo
Created	2010-03-19 10:23:02.903000
Modified	2025-09-18 15:12:45.940000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemId	int	Yes
3	ItemCode	varchar(50)	No
4	Quantity	int	No
5	LastYearsQuantity	int	No
6	Description	nvarchar(MAX)	Yes
7	LongDescription	nvarchar(MAX)	Yes
8	UnitCode	varchar(20)	No
9	BidPrice	money	No
10	Extended	money	No
11	LastAlteredSessionID	int	No
12	VendorName	varchar(50)	Yes
13	VendorCode	varchar(16)	No
14	CatalogName	varchar(50)	No
15	AltDescription	varchar(1024)	No
16	VendorItemCode	varchar(50)	Yes
17	CatalogPage	char(4)	Yes

18	NoBid	int	No
19	ItemMustBeBid	int	No
20	BidInfo	varchar(53)	Yes
21	HasBeenBid	int	No
22	AllowOverride	int	No
23	VendorOverridden	int	No
24	ItemBidType	varchar(32)	Yes
25	SortSeq	varchar(64)	Yes
26	RequisitionId	int	No
27	AddendumAdded	tinyint	No
28	MostPopular	int	No
29	TabSelection	varchar(7)	No
30	AddedFromAddenda	datetime	Yes
31	VendorID	int	Yes
32	UnitId	int	Yes
33	HeadingID	int	Yes
34	KeywordID	int	Yes
35	BrandName	varchar(50)	Yes
36	ManufacturerId	int	Yes
37	ManufacturorNumber	varchar(50)	Yes
38	VendorPartNumber	varchar(50)	Yes
39	ListPrice	money	Yes
40	ItemsPerUnit	varchar(50)	Yes
41	Items_VendorID	int	Yes
42	VendorToSupplyManufac	tinyint	Yes
43	ExtraDescription	varchar(1024)	Yes
44	DateAvailable	datetime	Yes
45	Modified	datetime	Yes
46	BidStatus	varchar(14)	No
47	BaseDescription	varchar(512)	No
48	SortKey	datetime	Yes
49	BidHeaderId	int	Yes
50	CatalogRefs	varchar(1)	No

51	BidderToSupplyVendor	tinyint	Yes
52	BidderToSupplyVendorP	tinyint	Yes
53	DistrictVendorCode	varchar(20)	No
54	VendorsAccountCode	varchar(50)	No
55	VendorBidInfo	varchar(576)	Yes
56	BidItemId	int	Yes
57	BelowMinimumItem	int	No
58	MinimumPOAmount	money	No
59	AdditionalShipping	tinyint	No
60	SDSAvail	int	Yes
61	ShortDescription	nvarchar(MAX)	Yes
62	ImageURL	varchar(1024)	Yes
63	ShippingCost	decimal(9,2)	Yes
64	ShippingUpdateRequired	int	No
65	DeliveryDate	nvarchar(4000)	Yes
66	PerishableItem	bit	Yes
67	DoctorsName	varchar(100)	Yes
68	DEANumber	varchar(9)	Yes
69	PrescriptionRequired	bit	Yes
70	DigitallyDelivered	tinyint	Yes
71	DigitallyDeliveredEmail	varchar(255)	Yes
72	MinimumOrderQuantity	int	Yes
73	CrossRefId	int	Yes
74	UserId	int	Yes
75	SchoolId	int	Yes
76	DistrictId	int	Yes
77	BudgetId	int	No
78	SDSURL	varchar(512)	Yes
79	ManufacturorNumberDet	varchar(50)	Yes
80	BrandNameDetail	varchar(50)	Yes
81	OrderedYear	int	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.VendorCategory	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View
dbo.vw_DetailOnBid	View
dbo.vw_DMSSDSDocuments	View
dbo.vw_SDSItems	View
dbo.vw_SDSItemsAll	View

SQL Definition

Definition truncated (17,256 characters). First 8000 shown:

```
CREATE VIEW [dbo].[vw_ReqDetail] AS SELECT --top 10

Detail.DetailId as DetailId,Detail.ItemId as ItemId,

   case isnull(Category.Type,0)

     when 5 then

       isnull(Detail.ItemCode,'')

     else

   case isnull(Detail.ItemMustBeBid,0)

 when 1 then isnull(Detail.ItemCode,'')

 else

   case isnull(Detail.BidItemId,0)

 when 0 then

   case isnull(Detail.VendorId,7691)

 when 7691 then isnull(Detail.ItemCode,'')

 else isnull(Detail.VendorItemCode,'')

   end

 else ISNULL(Detail.ItemCode,'')

   end

   end

   end ItemCode,

       ISNULL(Detail.Quantity,0) as Quantity,

       ISNULL(Detail.LastYearsQuantity,0) as LastYearsQuantity,

   case isnull(Detail.ItemId,0)
```

```
        when 0 then Detail.Description

    else coalesce(vw_DetailDescription.ShortDescription,vw_DetailDescription.ItemDescrip...

   ... (truncated)
```

vw_ReqDetail_BK20241205 {dbo-vw-reqdetail-bk20241205}

Property	Value
Schema	dbo
Created	2024-12-04 23:59:22.237000
Modified	2024-12-04 23:59:22.237000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemId	int	Yes
3	ItemCode	varchar(50)	No
4	Quantity	int	No
5	LastYearsQuantity	int	No
6	Description	nvarchar(MAX)	Yes
7	LongDescription	nvarchar(MAX)	Yes
8	UnitCode	varchar(20)	No
9	BidPrice	money	No
10	Extended	money	No
11	LastAlteredSessionID	int	No
12	VendorName	varchar(50)	Yes
13	VendorCode	varchar(16)	No
14	CatalogName	varchar(50)	No
15	AltDescription	varchar(1024)	No

16	VendorItemCode	varchar(50)	Yes
17	CatalogPage	char(4)	Yes
18	NoBid	int	No
19	ItemMustBeBid	int	No
20	BidInfo	varchar(53)	Yes
21	HasBeenBid	int	No
22	AllowOverride	int	No
23	VendorOverridden	int	No
24	ItemBidType	varchar(32)	Yes
25	SortSeq	varchar(64)	Yes
26	RequisitionId	int	No
27	AddendumAdded	tinyint	No
28	MostPopular	int	No
29	TabSelection	varchar(7)	No
30	AddedFromAddenda	datetime	Yes
31	VendorID	int	Yes
32	UnitId	int	Yes
33	HeadingID	int	Yes
34	KeywordID	int	Yes
35	BrandName	varchar(50)	Yes
36	ManufacturerId	int	Yes
37	ManufacturorNumber	varchar(50)	Yes
38	VendorPartNumber	varchar(50)	Yes
39	ListPrice	money	Yes
40	ItemsPerUnit	varchar(50)	Yes
41	Items_VendorID	int	Yes
42	VendorToSupplyManufac	tinyint	Yes
43	ExtraDescription	varchar(1024)	Yes
44	DateAvailable	datetime	Yes
45	Modified	datetime	Yes
46	BidStatus	varchar(14)	No
47	BaseDescription	varchar(512)	No
48	SortKey	datetime	Yes

49	BidHeaderId	int	Yes
50	CatalogRefs	varchar(1)	No
51	BidderToSupplyVendor	tinyint	Yes
52	BidderToSupplyVendorP	tinyint	Yes
53	DistrictVendorCode	varchar(20)	No
54	VendorsAccountCode	varchar(50)	No
55	VendorBidInfo	varchar(576)	Yes
56	BidItemId	int	Yes
57	BelowMinimumItem	int	No
58	MinimumPOAmount	money	No
59	AdditionalShipping	tinyint	No
60	SDSAvail	int	Yes
61	ShortDescription	nvarchar(MAX)	Yes
62	ImageURL	varchar(1024)	Yes
63	ShippingCost	decimal(9,2)	Yes
64	ShippingUpdateRequired	int	No
65	DeliveryDate	nvarchar(4000)	Yes
66	PerishableItem	bit	Yes
67	DoctorsName	varchar(100)	Yes
68	DEANumber	varchar(9)	Yes
69	PrescriptionRequired	bit	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Bids	Table

dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.SDSDocs	Table
dbo.VendorCategory	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View
dbo.vw_DetailOnBid	View
dbo.vw_DMSSDSDocuments	View
dbo.vw_SDSItems	View

SQL Definition

Definition truncated (16,572 characters). First 8000 shown:

```
CREATE VIEW dbo.vw_ReqDetail_BK20241205

AS SELECT --top 10

Detail.DetailId as DetailId,Detail.ItemId as ItemId,

   case isnull(Category.Type,0)

     when 5 then

       isnull(Detail.ItemCode,'')

     else

   case isnull(Detail.ItemMustBeBid,0)

 when 1 then isnull(Detail.ItemCode,'')

 else

   case isnull(Detail.BidItemId,0)

 when 0 then

   case isnull(Detail.VendorId,7691)

 when 7691 then isnull(Detail.ItemCode,'')

 else isnull(Detail.VendorItemCode,'')

   end

 else ISNULL(Detail.ItemCode,'')

   end

   end

   end ItemCode,

       ISNULL(Detail.Quantity,0) as Quantity,

       ISNULL(Detail.LastYearsQuantity,0) as LastYearsQuantity,
```

```
    case isnull(Detail.ItemId,0)

      when 0 then Detail.Description

... (truncated)
```

vw_ReqDetail_BK20241227 {dbo-vw-reqdetail-bk20241227}

Property	Value
Schema	dbo
Created	2024-12-27 01:48:35.660000
Modified	2024-12-27 01:48:35.660000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemId	int	Yes
3	ItemCode	varchar(50)	No
4	Quantity	int	No
5	LastYearsQuantity	int	No
6	Description	nvarchar(MAX)	Yes
7	LongDescription	nvarchar(MAX)	Yes
8	UnitCode	varchar(20)	No
9	BidPrice	money	No
10	Extended	money	No
11	LastAlteredSessionID	int	No
12	VendorName	varchar(50)	Yes
13	VendorCode	varchar(16)	No
14	CatalogName	varchar(50)	No
15	AltDescription	varchar(1024)	No

16	VendorItemCode	varchar(50)	Yes
17	CatalogPage	char(4)	Yes
18	NoBid	int	No
19	ItemMustBeBid	int	No
20	BidInfo	varchar(53)	Yes
21	HasBeenBid	int	No
22	AllowOverride	int	No
23	VendorOverridden	int	No
24	ItemBidType	varchar(32)	Yes
25	SortSeq	varchar(64)	Yes
26	RequisitionId	int	No
27	AddendumAdded	tinyint	No
28	MostPopular	int	No
29	TabSelection	varchar(7)	No
30	AddedFromAddenda	datetime	Yes
31	VendorID	int	Yes
32	UnitId	int	Yes
33	HeadingID	int	Yes
34	KeywordID	int	Yes
35	BrandName	varchar(50)	Yes
36	ManufacturerId	int	Yes
37	ManufacturorNumber	varchar(50)	Yes
38	VendorPartNumber	varchar(50)	Yes
39	ListPrice	money	Yes
40	ItemsPerUnit	varchar(50)	Yes
41	Items_VendorID	int	Yes
42	VendorToSupplyManufac	tinyint	Yes
43	ExtraDescription	varchar(1024)	Yes
44	DateAvailable	datetime	Yes
45	Modified	datetime	Yes
46	BidStatus	varchar(14)	No
47	BaseDescription	varchar(512)	No
48	SortKey	datetime	Yes

49	BidHeaderId	int	Yes
50	CatalogRefs	varchar(1)	No
51	BidderToSupplyVendor	tinyint	Yes
52	BidderToSupplyVendorPa	tinyint	Yes
53	DistrictVendorCode	varchar(20)	No
54	VendorsAccountCode	varchar(50)	No
55	VendorBidInfo	varchar(576)	Yes
56	BidItemId	int	Yes
57	BelowMinimumItem	int	No
58	MinimumPOAmount	money	No
59	AdditionalShipping	tinyint	No
60	SDSAvail	int	Yes
61	ShortDescription	nvarchar(MAX)	Yes
62	ImageURL	varchar(1024)	Yes
63	ShippingCost	decimal(9,2)	Yes
64	ShippingUpdateRequired	int	No
65	DeliveryDate	nvarchar(4000)	Yes
66	PerishableItem	bit	Yes
67	DoctorsName	varchar(100)	Yes
68	DEANumber	varchar(9)	Yes
69	PrescriptionRequired	bit	Yes
70	DigitallyDelivered	tinyint	Yes
71	DigitallyDeliveredEmail	varchar(255)	Yes
72	UserId	int	Yes
73	SchoolId	int	Yes
74	DistrictId	int	Yes
75	SDS_URL	varchar(300)	Yes
76	ManufacturorNumberDet	varchar(50)	Yes
77	BrandNameDetail	varchar(50)	Yes
78	OrderedYear	int	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.SDSDocs	Table
dbo.VendorCategory	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View
dbo.vw_DetailOnBid	View
dbo.vw_DMSSDSDocuments	View
dbo.vw_SDSItems	View

SQL Definition

Definition truncated (17,041 characters). First 8000 shown:

```
CREATE VIEW dbo.vw_ReqDetail_BK20241227 AS SELECT --top 10

Detail.DetailId as DetailId,Detail.ItemId as ItemId,

   case isnull(Category.Type,0)

     when 5 then

       isnull(Detail.ItemCode,'')

     else

   case isnull(Detail.ItemMustBeBid,0)

 when 1 then isnull(Detail.ItemCode,'')

 else

   case isnull(Detail.BidItemId,0)

 when 0 then

   case isnull(Detail.VendorId,7691)

 when 7691 then isnull(Detail.ItemCode,'')

 else isnull(Detail.VendorItemCode,'')

   end

 else ISNULL(Detail.ItemCode,'')

   end

   end

   end ItemCode,

       ISNULL(Detail.Quantity,0) as Quantity,

       ISNULL(Detail.LastYearsQuantity,0) as LastYearsQuantity,

   case isnull(Detail.ItemId,0)

     when 0 then Detail.Description
```

```
    else coalesce(vw_DetailDescription.ShortDescription,vw_DetailDescription.ItemDescrip...

      end as [Description], -- THis is the ShortDescription

   ... (truncated)
```

vw_ReqDetail1 {dbo-vw-reqdetail1}

Property	Value
Schema	dbo
Created	2012-09-05 16:04:42.860000
Modified	2024-12-17 21:00:30.343000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemId	int	Yes
3	ItemCode	varchar(50)	No
4	Quantity	int	No
5	LastYearsQuantity	int	No
6	Description	nvarchar(MAX)	Yes
7	UnitCode	varchar(20)	No
8	BidPrice	money	No
9	Extended	money	No
10	SessionId	int	No
11	VendorName	varchar(50)	No
12	VendorCode	varchar(16)	No
13	CatalogName	varchar(50)	No
14	AltDescription	varchar(1024)	No
15	VendorItemCode	varchar(50)	Yes
16	CatalogPage	char(4)	Yes
17	NoBid	int	No

18	ItemMustBeBid	int	No
19	BidInfo	varchar(53)	Yes
20	HasBeenBid	int	No
21	AllowOverride	int	No
22	VendorOverridden	int	No
23	ItemBidType	varchar(32)	Yes
24	SortSeq	varchar(64)	Yes
25	RequisitionId	int	No
26	AddendumAdded	tinyint	No
27	MostPopular	int	No
28	TabSelection	varchar(7)	No
29	AddedFromAddenda	datetime	Yes
30	VendorID	int	Yes
31	UnitId	int	Yes
32	HeadingID	int	Yes
33	KeywordID	int	Yes
34	BrandName	varchar(50)	Yes
35	ManufacturorNumber	varchar(50)	Yes
36	VendorPartNumber	varchar(50)	Yes
37	ListPrice	money	Yes
38	ItemsPerUnit	varchar(50)	Yes
39	Items_VendorID	int	Yes
40	ExtraDescription	varchar(1024)	Yes
41	DateAvailable	datetime	Yes
42	BidStatus	varchar(14)	No
43	BaseDescription	varchar(512)	No
44	SortKey	datetime	Yes
45	UserId	int	Yes
46	SchoolId	int	Yes
47	DistrictId	int	Yes
48	PageList	varchar(8000)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.Vendors	Table
dbo.vw_CatalogPages	View
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (9,120 characters). First 8000 shown:

```
CREATE VIEW [dbo].[vw_ReqDetail1] AS SELECT Detail.DetailId as DetailId,Detail.ItemId a...

        case isnull(Detail.ItemMustBeBid,0)

          when 1 then isnull(Detail.ItemCode,'')

          else

            case isnull(Detail.BidItemId,0)

              when 0 then

                case isnull(Detail.VendorId,7691)

                  when 7691 then isnull(Detail.ItemCode,'')

                  else isnull(Detail.VendorItemCode,'')

                end

              else ISNULL(Detail.ItemCode,'')

            end

        end ItemCode,

        ISNULL(Detail.Quantity,0) as Quantity,

        ISNULL(Detail.LastYearsQuantity,0) as LastYearsQuantity,

        case isnull(Detail.ItemId,0)

          when 0 then Detail.Description

          else vw_DetailDescription.ItemDescription

        end as Description,

        ISNULL(Detail.UnitCode,'') as UnitCode,

        ISNULL(Detail.BidPrice,0) as BidPrice,

        ISNULL((Detail.BidPrice * Detail.Quantity),0) as Extended,

        isnull(Detail.SessionId,0) SessionId,
```

```
          case isnull(Detail.ItemMustBeBid,0)

            when 0 then ISNULL(Vendors.Name,'')

  ... (truncated)
```

vw_ReqDetailAsp1 {dbo-vw-reqdetailasp1}

Property	Value
Schema	dbo
Created	2013-01-10 12:11:05.600000
Modified	2018-01-21 20:26:46.757000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	Yes
2	DetailId	int	No
3	ItemId	int	Yes
4	ItemCode	varchar(50)	No
5	Quantity	int	No
6	LastYearsQuantity	int	No
7	Description	varchar(4480)	Yes
8	UnitCode	varchar(20)	No
9	BidPrice	money	No
10	Extended	money	No
11	SessionId	int	No
12	VendorName	varchar(50)	No
13	VendorCode	varchar(16)	No
14	CatalogName	varchar(50)	No
15	AltDescription	varchar(1024)	No
16	VendorItemCode	varchar(50)	Yes
17	CatalogPage	char(4)	Yes

18	NoBid	int	No
19	ItemMustBeBid	int	No
20	BidInfo	varchar(51)	Yes
21	HasBeenBid	int	No
22	AllowOverride	int	No
23	VendorOverridden	int	No
24	ItemBidType	varchar(32)	Yes
25	SortSeq	varchar(64)	Yes
26	CatalogRefs	varchar(8000)	Yes
27	AllowDescriptionModify	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.DistrictCategories	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.uf_CatalogRefsDetail	Other
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (10,439 characters). First 8000 shown:

```
--select * from vw_ReqDetailAsp1 where RequisitionId = 1459333


create   view  [dbo].[vw_ReqDetailAsp1] as

SELECT Detail.RequisitionId,

       Detail.DetailId as DetailId,

       Detail.ItemId as ItemId,

       case isnull(Detail.ItemMustBeBid,0)

         when 1 then isnull(Detail.ItemCode,'')

         else

           case isnull(Detail.BidItemId,0)

             when 0 then

               case isnull(Detail.VendorId,7691)

                 when 7691 then isnull(Detail.ItemCode,'')                    ...

                 else isnull(Detail.VendorItemCode,'')

               end

             else ISNULL(Detail.ItemCode,'')
```

```
            end

        end ItemCode,

... (truncated)
```

vw_ReqDetailPrint {dbo-vw-reqdetailprint}

Property	Value
Schema	dbo
Created	2011-09-21 18:35:35.610000
Modified	2023-03-21 14:34:15.703000

Columns

#	Column	Type	Nullable
1	Alternate	varchar(2050)	Yes
2	BidItemId	int	No
3	BidPrice	money	No
4	CatalogPage	char(4)	No
5	CatalogPrice	money	No
6	ShortDescription	varchar(1024)	No
7	ExtraDescription	varchar(1024)	No
8	ItemCode	varchar(50)	No
9	Quantity	int	No
10	RequisitionId	int	No
11	SortSeq	varchar(64)	No
12	UnitCode	varchar(20)	No
13	VendorItemCode	varchar(50)	No
14	ItemBidType	varchar(16)	No
15	ExtendedBidPrice	decimal(20,4)	Yes
16	AccountCode	varchar(50)	No
17	Attention	varchar(50)	No

18	DateEntered	datetime	No
19	RequisitionNumber	varchar(24)	No
20	ShippingCost	money	No
21	TotalItemsCost	money	No
22	TotalRequisitionCost	money	No
23	CategoryName	varchar(50)	Yes
24	BudgetName	varchar(30)	No
25	DistrictName	varchar(50)	No
26	DistrictCode	varchar(4)	No
27	ShipToName	varchar(50)	No
28	ShipToAddress1	varchar(30)	No
29	ShipToAddress2	varchar(30)	No
30	ShipToAddress3	varchar(30)	No
31	ShipToCity	varchar(25)	No
32	ShipToState	varchar(2)	No
33	ShipToZipcode	varchar(10)	No
34	UserNumber	int	No
35	BidHeaderId	int	No
36	BidMsg	varchar(583)	Yes
37	FreeHandlingAmount	money	No
38	HandlingAmount	money	No
39	FreeHandlingStart	datetime	No
40	FreeHandlingEnd	datetime	No
41	VendorId	int	No
42	VendorCode	varchar(16)	No
43	VendorName	varchar(50)	No
44	VendorContactName	varchar(150)	No
45	VendorContactAddress1	varchar(50)	No
46	VendorContactAddress2	varchar(50)	No
47	VendorContactCity	varchar(50)	No
48	VendorContactState	char(2)	No
49	VendorContactZip	varchar(10)	No
50	VendorContactPhone	varchar(25)	No

51	VendorContactFax	varchar(20)	No
52	VendorContactEmail	varchar(255)	No
53	VendorBidNumber	varchar(50)	No
54	VendorAwardMsg	varchar(511)	No
55	DistrictVendorCode	varchar(20)	No
56	VendorsAccountCode	varchar(50)	No
57	FullDescription	varchar(8000)	Yes
58	FullVendorInfo	varchar(726)	Yes
59	FullDistrictInfo	varchar(420)	No
60	FullShipToInfo	varchar(315)	Yes
61	CompliantAlert	tinyint	No
62	SortKey	varchar(121)	Yes
63	SortVendorKey	varchar(51)	Yes
64	BidType	tinyint	No
65	PrintBidAs	tinyint	No
66	ItemsNotBid	int	No
67	BidsThisVendor	int	No
68	BelowMinimum	int	No
69	AdditionalShipping	int	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table

dbo.DistrictCategories	Table
dbo.DistrictContacts	Table
dbo.DistrictVendor	Table
dbo.Requisitions	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (15,319 characters). First 8000 shown:

```
--select * from vw_ReqDetailPrint where RequisitionId = 1133874



CREATE   view  [dbo].[vw_ReqDetailPrint] as

select isnull(Detail.Alternate,'') +

       case isnull(Detail.ExtraDescription,'')

         when '' then ''

         else

           case isnull(Detail.Alternate,'')

             when '' then ''

             else CHAR(13) + CHAR(10)

           end + Detail.ExtraDescription

       end as Alternate,
```

```
        isnull(Detail.BidItemId,0) BidItemId,

--       case when isnull(Detail.ItemMustBeBid,0) = 0 or Category.Type = 2 then isnull(...

... (truncated)
```

vw_ReqDetailPrintTest {dbo-vw-reqdetailprinttest}

Property	Value
Schema	dbo
Created	2023-07-14 16:08:50.873000
Modified	2023-07-28 12:37:54.633000

Columns

#	Column	Type	Nullable
1	Alternate	varchar(2050)	Yes
2	BidItemId	int	No
3	BidPrice	money	No
4	CatalogPage	char(4)	No
5	CatalogPrice	money	No
6	ShortDescription	varchar(1024)	No
7	ExtraDescription	varchar(1024)	No
8	ItemCode	varchar(50)	No
9	Quantity	int	No
10	RequisitionId	int	No
11	SortSeq	varchar(64)	No
12	UnitCode	varchar(20)	No
13	VendorItemCode	varchar(50)	No
14	ItemBidType	varchar(16)	No
15	ExtendedBidPrice	decimal(20,4)	Yes
16	AccountCode	varchar(50)	No
17	Attention	varchar(50)	No

18	DateEntered	datetime	No
19	RequisitionNumber	varchar(24)	No
20	ShippingCost	money	No
21	TotalItemsCost	money	No
22	TotalRequisitionCost	money	No
23	CategoryName	varchar(50)	Yes
24	BudgetName	varchar(30)	No
25	DistrictName	varchar(50)	No
26	DistrictCode	varchar(4)	No
27	ShipToName	varchar(50)	No
28	ShipToAddress1	varchar(30)	No
29	ShipToAddress2	varchar(30)	No
30	ShipToAddress3	varchar(30)	No
31	ShipToCity	varchar(25)	No
32	ShipToState	varchar(2)	No
33	ShipToZipcode	varchar(10)	No
34	UserNumber	int	No
35	BidHeaderId	int	No
36	BidMsg	varchar(583)	Yes
37	FreeHandlingAmount	money	No
38	HandlingAmount	money	No
39	FreeHandlingStart	datetime	No
40	FreeHandlingEnd	datetime	No
41	VendorId	int	No
42	VendorCode	varchar(16)	No
43	VendorName	varchar(50)	No
44	VendorContactName	varchar(150)	No
45	VendorContactAddress1	varchar(50)	No
46	VendorContactAddress2	varchar(50)	No
47	VendorContactCity	varchar(50)	No
48	VendorContactState	char(2)	No
49	VendorContactZip	varchar(10)	No
50	VendorContactPhone	varchar(25)	No

51	VendorContactFax	varchar(20)	No
52	VendorContactEmail	varchar(255)	No
53	VendorBidNumber	varchar(50)	No
54	VendorAwardMsg	varchar(511)	No
55	DistrictVendorCode	varchar(20)	No
56	VendorsAccountCode	varchar(50)	No
57	FullDescription	nvarchar(MAX)	Yes
58	FullVendorInfo	varchar(726)	Yes
59	FullDistrictInfo	varchar(420)	No
60	FullShipToInfo	varchar(315)	Yes
61	CompliantAlert	tinyint	No
62	SortKey	varchar(121)	Yes
63	SortVendorKey	varchar(51)	Yes
64	BidType	tinyint	No
65	PrintBidAs	tinyint	No
66	ItemsNotBid	int	No
67	BidsThisVendor	int	No
68	BelowMinimum	int	No
69	AdditionalShipping	int	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.District	Table

dbo.DistrictCategories	Table
dbo.DistrictContacts	Table
dbo.DistrictVendor	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.ShipLocations	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.VendorCategory	Table
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

Definition truncated (20,122 characters). First 8000 shown:

```
--select * from vw_ReqDetailPrint where RequisitionId = 58754765

--select * from vw_ReqDetailPrintTest where RequisitionId = 58754765 order by VendorId,...

--select * from Detail join BidItems on BidItems.BidItemId = Detail.BidItemId join Bids...

--select * from BidsCatalogList join CrossRefs on CrossRefs.CatalogId = BidsCatalogList...


CREATE     view  [dbo].[vw_ReqDetailPrintTest] as

select isnull(Detail.Alternate,'') +

       case isnull(Detail.ExtraDescription,'')

         when '' then ''

         else

           case isnull(Detail.Alternate,'')

             when '' then ''

             else CHAR(13) + CHAR(10)

           end + Detail.ExtraDescription

       end as Alternate,

       isnull(Detail.BidItemId,0) BidItemId,

--       case when isnull(Detail.ItemMustBeBid,0) = 0 or Category.Type = 2 then isnull(...

       isnull(Detail.BidPrice,0) BidPrice,

       isnull(Detail.CatalogPage,'') CatalogPage,

       isnull(Detail.CatalogPrice,0) CatalogPrice,

       isnull(Detail.Description,'') ShortDescription,
```

```
        isnull(Detail.ExtraDescription,'') ExtraDescription,

--dch 5/20/13       isnull(Detail.ItemCode,'') ItemCode,

... (truncated)
```

vw_ReqDetail-removed 12082010 {dbo-vw-reqdetail-removed 12082010}

Property	Value
Schema	dbo
Created	2010-12-08 15:05:51.160000
Modified	2018-01-21 20:26:46.490000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	ItemId	int	Yes
3	ItemCode	varchar(50)	No
4	Quantity	int	No
5	LastYearsQuantity	int	No
6	Description	varchar(3650)	Yes
7	UnitCode	varchar(20)	No
8	BidPrice	money	No
9	Extended	money	No
10	SessionId	int	No
11	VendorName	varchar(50)	No
12	VendorCode	varchar(16)	No
13	CatalogName	varchar(50)	No
14	AltDescription	varchar(1024)	No
15	VendorItemCode	varchar(50)	No

16	CatalogPage	char(4)	Yes
17	NoBid	int	No
18	ItemMustBeBid	int	No
19	BidInfo	varchar(51)	Yes
20	HasBeenBid	int	No
21	AllowOverride	int	No
22	VendorOverridden	int	No
23	ItemBidType	varchar(32)	Yes
24	SortSeq	varchar(64)	Yes
25	RequisitionId	int	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.Vendors	Table
dbo.vw_DetailDescription	View

SQL Definition

```
create   view  [dbo].[vw_ReqDetail-removed 12082010] as

SELECT Detail.DetailId as DetailId,Detail.ItemId as ItemId,

       case isnull(Detail.ItemMustBeBid,0)

         when 1 then isnull(Detail.ItemCode,'')

         else

           case isnull(Detail.BidItemId,0)

             when 0 then

               case isnull(Detail.VendorId,7691)

                 when 7691 then isnull(Detail.ItemCode,'')

                 else isnull(Detail.VendorItemCode,'')

               end

             else ISNULL(Detail.ItemCode,'')

           end

       end ItemCode,

       ISNULL(Detail.Quantity,0) as Quantity,

       ISNULL(Detail.LastYearsQuantity,0) as LastYearsQuantity,

       case isnull(Detail.ItemId,0)

         when 0 then Detail.Description

         else vw_DetailDescription.ItemDescription

       end as Description,

       ISNULL(Detail.UnitCode,'') as UnitCode,
```

```
        ISNULL(Detail.BidPrice,0) as BidPrice,

        ISNULL((Detail.BidPrice * Detail.Quantity),0) as Extended,

... (truncated)
```

vw_ReqDetailSummary {dbo-vw-reqdetailsummary}

Property	Value
Schema	dbo
Created	2011-09-26 13:00:19.947000
Modified	2022-04-28 12:45:31.443000

Columns

#	Column	Type	Nullable
1	RequisitionNumber	varchar(24)	No
2	DateEntered	datetime	No
3	TotalRequisitionCost	money	No
4	TotalItemsCost	money	No
5	ShippingCost	money	No
6	CategoryName	varchar(50)	No
7	AccountCode	varchar(50)	No
8	BudgetName	varchar(30)	No
9	BidHeaderId	int	No
10	BidMsg	varchar(583)	Yes
11	FreeHandlingStart	datetime	No
12	FreeHandlingEnd	datetime	No
13	FreeHandlingAmount	money	No
14	HandlingAmount	money	No
15	RequisitionId	int	No
16	VendorId	int	No
17	VendorCode	varchar(16)	No

18	VendorName	varchar(50)	No
19	VendorBidNumber	varchar(50)	No
20	DistrictVendorCode	varchar(20)	No
21	VendorsAccountCode	varchar(50)	No
22	FullDistrictInfo	varchar(420)	No
23	FullShipToInfo	varchar(315)	Yes
24	Lines	int	Yes
25	TotalQuantity	int	Yes
26	TotalBidCost	decimal(38,4)	Yes
27	BidsThisVendor	int	No
28	SortVendorKey	varchar(51)	Yes
29	AdditionalShippingItems	int	Yes

Dependencies

Object	Type
dbo.Detail	Table
dbo.vw_ReqDetailPrint	View

SQL Definition

```
CREATE   view  [dbo].[vw_ReqDetailSummary] as

SELECT

     RequisitionNumber,

     DateEntered,

     TotalRequisitionCost,

     TotalItemsCost,

     ShippingCost,

     CategoryName,

     AccountCode,

     BudgetName,

     BidHeaderId,

     BidMsg,

     FreeHandlingStart,

     FreeHandlingEnd,

     FreeHandlingAmount,
```

```
        HandlingAmount,

        RequisitionId,

  ... (truncated)
```

vw_ReqDetailTab {dbo-vw-reqdetailtab}

Property	Value
Schema	dbo
Created	2016-11-18 12:49:46.783000
Modified	2018-01-21 20:26:48.277000

Columns

#	Column	Type	Nullable
1	DetailId	int	No
2	RequisitionId	int	Yes
3	Quantity	int	Yes
4	BidPrice	money	Yes
5	TabSelection	varchar(7)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Detail	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_ReqDetailTab] as

SELECT Detail.DetailId as DetailId, Detail.RequisitionId, Detail.Quantity, Detail.BidPr...

       case

         when isnull(Detail.ItemMustBeBid,0) = 0

          and ISNULL(Vendors.Code,'0000') = '0000' then 'NoBid'

         when isnull(Detail.ItemMustBeBid,0) = 0

          and (   (ISNULL(Detail.BidItemId,0) != 0

                   and (   ISNULL(bh.BidType,2) = 1

                        or Detail.AddedFromAddenda is not null))

                or (ISNULL(Detail.BidItemId,0) = 0)) then 'Main'

         else 'Addenda'

       end TabSelection

  FROM dbo.Detail  with (nolock)

  join Requisitions on Requisitions.RequisitionId = Detail.RequisitionId

  left outer join BidItems on BidItems.BidItemId = Detail.BidItemId

  left outer join Bids on Bids.BidId = BidItems.BidId

  left outer JOIN Vendors on Vendors.VendorId = case isnull(Detail.ItemMustBeBid,0)

                                                  when 0 then Detail.VendorId

                                                  else 0

                                                end

  left outer join BidHeaders on BidHeaders.BidHeaderId = Detail.BidHeaderId
```

```
    left outer join BidHeaders bh on bh.BidHeaderId = case
                                                          when Bids.BidHeaderId is null the...
  ... (truncated)
```

vw_Reqs_Assoc_With_Bid {dbo-vw-reqs-assoc-with-bid}

Property	Value
Schema	dbo
Created	2016-08-30 13:21:05.580000
Modified	2022-07-28 14:43:49.123000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	DistrictId	int	No
3	RequisitionId	int	No
4	ApprovalsStatusId	int	No
5	WaitingBidReadyFlag	int	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaderDetail	Table
dbo.BidRequestItems	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.District	Table
dbo.Requisitions	Table

SQL Definition

```
CREATE   view  [dbo].[vw_Reqs_Assoc_With_Bid] as

select BHD.BidHeaderId, District.DistrictId, Req.RequisitionId, Isnull(Approvals.Status...

       Case Isnull(Approvals.StatusId,0) When 29 Then 1 Else 0 End WaitingBidReadyFlag

from BidHeaderDetail BHD

Join BidRequestItems BRI ON BRI.BidRequestItemId = BHD.BidRequestItemId AND BRI.Active ...

join Detail ON Detail.DetailId = BHD.DetailId

Join Requisitions Req ON Req.RequisitionId=Detail.RequisitionId

left outer Join Approvals ON Approvals.RequisitionId = Req.RequisitionId

                          and Approvals.ApprovalId=(Select Top 1 ApprovalId From Approva...

Join Budgets ON Budgets.BudgetId=Req.BudgetId
```

```
Join District ON District.DistrictId=Budgets.DistrictId

Where Req.Active=1

--      and Approvals.StatusId = 29  /* 29="Out to Bid - Waiting Response" */

... (truncated)
```

vw_ReqTotalsByVendor {dbo-vw-reqtotalsbyvendor}

Property	Value
Schema	dbo
Created	2012-04-11 16:15:32.290000
Modified	2022-04-05 13:11:57.647000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	VendorCode	varchar(16)	Yes
3	VendorName	varchar(50)	Yes
4	AdditionalHandlingAmou	money	No
5	FreeHandlingAmount	money	No
6	FreeHandlingStart	datetime	Yes
7	FreeHandlingEnd	datetime	Yes
8	HandlingAmount	money	No
9	VendorTotal	decimal(38,2)	Yes
10	ItemsTotal	money	Yes
11	POBelowMinimum	int	No
12	MinimumPOAmount	money	No
13	AdditionalShipping	tinyint	Yes
14	TotalShippingCost	decimal(38,2)	Yes
15	UpdateRequired	int	Yes

Dependencies

Object	Type
dbo.Vendors	Table
dbo.vw_RequisitionShippingCosts	View

SQL Definition

```
--select * from vw_ReqTotalsByVendor where RequisitionId = 1949850

--select * from vw_ReqTotalsByVendorTest where RequisitionId = 1949850

--select * from vw_RequisitionShippingCosts where RequisitionId = 1949850




CREATE   view  [dbo].[vw_ReqTotalsByVendor] as

select rsc.RequisitionId, coalesce(Vendors.Code,'') VendorCode, rsc.VendorName, rsc.Add...

  from vw_RequisitionShippingCosts rsc

  join Vendors on Vendors.VendorId = rsc.VendorId

/*

select Requisitions.RequisitionId, isnull(Vendors.Code,'0000') VendorCode, ISNULL(Vendo...

  from Requisitions with (nolock)

  join Detail on Detail.RequisitionId = Requisitions.RequisitionId

             and isnull(Detail.ItemMustBeBid,0) = 0

  left outer join BidHeaders on BidHeaders.BidHeaderId = case isnull(Detail.BidHeaderId...

  left outer join Vendors on Vendors.VendorId = case isnull(Detail.VendorId,7691) when ...

  left outer join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

                       and Bids.VendorId = Vendors.VendorId
```

```
                        and Bids.Active = 1

    where isnull(BidHeaders.BidType,2) = 1

   ... (truncated)
```

vw_ReqTotalsByVendorTest {dbo-vw-reqtotalsbyvendortest}

Property	Value
Schema	dbo
Created	2015-02-13 11:30:18.203000
Modified	2018-01-21 20:26:46.697000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	VendorCode	varchar(16)	Yes
3	VendorName	varchar(50)	Yes
4	AdditionalHandlingAmou	money	No
5	FreeHandlingAmount	money	No
6	FreeHandlingStart	datetime	Yes
7	FreeHandlingEnd	datetime	Yes
8	HandlingAmount	money	No
9	VendorTotal	money	Yes
10	ItemsTotal	money	Yes

Dependencies

Object	Type
dbo.Vendors	Table
dbo.vw_RequisitionShippingCosts	View

SQL Definition

```
--select * from vw_ReqTotalsByVendor where RequisitionId = 1949850

--select * from vw_RequisitionShippingCosts where RequisitionId = 1949850




create   view  [dbo].[vw_ReqTotalsByVendorTest] as

select rsc.RequisitionId, coalesce(Vendors.Code,'') VendorCode, rsc.VendorName, rsc.Add...

  from vw_RequisitionShippingCosts rsc

  join Vendors on Vendors.VendorId = rsc.VendorId

/*

select Requisitions.RequisitionId, isnull(Vendors.Code,'0000') VendorCode, ISNULL(Vendo...

  from Requisitions with (nolock)

  join Detail on Detail.RequisitionId = Requisitions.RequisitionId

             and isnull(Detail.ItemMustBeBid,0) = 0

  left outer join BidHeaders on BidHeaders.BidHeaderId = case isnull(Detail.BidHeaderId...

  left outer join Vendors on Vendors.VendorId = case isnull(Detail.VendorId,7691) when ...

  left outer join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

                       and Bids.VendorId = Vendors.VendorId
```

```
                        and Bids.Active = 1

    where isnull(BidHeaders.BidType,2) = 1

       or Detail.AddedFromAddenda is not null

   ... (truncated)
```

vw_RequisitionAccountBalance {dbo-vw-requisitionaccountbalance}

Property	Value
Schema	dbo
Created	2019-09-27 07:29:42.163000
Modified	2019-11-07 09:11:01.620000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	AccountCode	varchar(50)	Yes
3	UseAllocations	int	No
4	AmountAvailable	varchar(30)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BudgetAccounts	Table
dbo.Requisitions	Table
dbo.UserAccounts	Table

SQL Definition

```
CREATE   view [dbo].[vw_RequisitionAccountBalance]

as

select Requisitions.RequisitionId, Accounts.Code AccountCode,

       case

 when BudgetAccounts.UseAllocations is null or BudgetAccounts.UseAllocations = 0 then

   case

     when UserAccounts.UseAllocations is null or UserAccounts.UseAllocations = 0 then 0

 else 1

   end

 else 1

   end UseAllocations,

       case

 when BudgetAccounts.UseAllocations is null or BudgetAccounts.UseAllocations = 0 then

   case

     when UserAccounts.UseAllocations is null or UserAccounts.UseAllocations = 0 then...

 else

   cast(coalesce(UserAccounts.AllocationAvailable,0) as varchar)

   end

 else

   case

     when UserAccounts.UseAllocations is null or UserAccounts.UseAllocations = 0 then...

 else
```

```
    case

      when coalesce(BudgetAccounts.AmountAvailable,0) < coalesce(UserAccounts.Allocat...

  ... (truncated)
```

vw_RequisitionCatalogList {dbo-vw-requisitioncataloglist}

Property	Value
Schema	dbo
Created	2009-05-26 20:53:05.003000
Modified	2018-01-21 20:26:48.287000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	CatalogId	int	No
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.AwardsCatalogList	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCatalogs	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_RequisitionCatalogList] as

SELECT Requisitions.RequisitionId, Catalog.CatalogId, Catalog.Name

  FROM Catalog with (nolock)

  JOIN Requisitions on Requisitions.CategoryId = Catalog.CategoryId

  JOIN Awards on Awards.BidHeaderId = Requisitions.BidHeaderId

             and Awards.Active = 1

  join AwardsCatalogList on AwardsCatalogList.AwardId = Awards.AwardId

                        and AwardsCatalogList.CatalogId = Catalog.CatalogId

 WHERE Catalog.Active = 1

 group by Requisitions.RequisitionId, Catalog.CatalogId, Catalog.Name

union (

   SELECT Requisitions.RequisitionId, Catalog.CatalogId, Catalog.Name

     FROM Catalog with (nolock)

     JOIN Requisitions on Requisitions.CategoryId = Catalog.CategoryId

     JOIN Budgets on Budgets.BudgetId = Requisitions.BudgetId

     JOIN DistrictCategories on DistrictCategories.DistrictId = Budgets.DistrictId     ...

    WHERE Catalog.Active = 1

    group by Requisitions.RequisitionId, Catalog.CatalogId, Catalog.Name

)

--ORDER BY Catalog.Name
```

vw_RequisitionIsVisible {dbo-vw-requisitionisvisible}

Property	Value
Schema	dbo
Created	2009-09-21 10:55:45.013000
Modified	2018-01-21 20:26:45.847000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	RequisitionId	int	No
3	IsVisible	int	Yes

Dependencies

Object	Type
dbo.Requisitions	Table
dbo.SessionTable	Table
dbo.uf_UserInApprovalChain	Other

SQL Definition

```
create   view  [dbo].[vw_RequisitionIsVisible] as

select SessionTable.SessionId, Requisitions.RequisitionId, case when SessionTable.Appro...

  from Requisitions with (nolock)

  join SessionTable on SessionTable.BudgetId = Requisitions.BudgetId
```

vw_RequisitionList {dbo-vw-requisitionlist}

Property	Value
Schema	dbo
Created	2009-09-21 11:09:19.807000
Modified	2018-01-21 20:26:45.857000

Columns

#	Column	Type	Nullable
1	Tagged	int	No
2	SessionId	int	No
3	SchoolId	int	Yes
4	UserId	int	Yes
5	RequisitionId	int	No
6	BudgetId	int	Yes
7	AccountId	int	Yes
8	CategoryId	int	Yes
9	TotalRequisitionCost	money	No
10	ApprovalLevel	tinyint	No
11	StatusId	int	Yes
12	LastApprovalId	int	No
13	NextApproverId	int	No
14	LastApproverId	int	No
15	RequisitionNumber	varchar(24)	Yes
16	AccountCode	varchar(50)	Yes
17	SchoolName	varchar(50)	Yes
18	CategoryName	varchar(50)	Yes
19	Attention	varchar(50)	Yes
20	CometId	varchar(5)	Yes
21	DateEntered	datetime	Yes
22	OrderDate	datetime	Yes
23	POCreated	int	No

24	BidInfo	varchar(51)	Yes
25	Status	varchar(104)	No

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Approvals	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.BudgetAccounts	Table
dbo.Category	Table
dbo.Detail	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.SessionTable	Table
dbo.StatusTable	Table
dbo.UserAccounts	Table
dbo.Users	Table
dbo.vw_RequisitionIsVisible	View

SQL Definition

```
create   view  [dbo].[vw_RequisitionList] as

  select 0 Tagged, SessionTable.SessionId, Requisitions.SchoolId, Requisitions.UserId,

         Requisitions.RequisitionId,

         Requisitions.BudgetId, BudgetAccounts.AccountId, Requisitions.CategoryId,

         ISNULL(Requisitions.TotalRequisitionCost,0) TotalRequisitionCost,

         isnull(SessionTable.ApprovalLevel,0) ApprovalLevel,

         (isnull(StatusTable.StatusId,0) * 16777216) +

                     case isnull(StatusTable.StatusId,0)

                       when 29 then isnull((select top 1 BidHeaders.BidHeaderId

                                            from BidHeaderDetail

                                            join BidHeaders on BidHeaders.BidHeaderId...

                                                            and BidHeaders.Active = 1

                                                            and isnull(BidHeaders.BidT...

                                            join Detail on Detail.DetailId = BidHeade...

                                                        and Detail.RequisitionId = Req...

                                           order by BidHeaders.BidHeaderId desc),0)

                       else isnull(case StatusTable.StatusId

                                       when 2 then NextApprover.UserId

                                       else LastApprover.UserId

                                      end,0)

                     end StatusId,
```

```
            isnull(la.ApprovalId,0) LastApprovalId,

            isnull(la.ApproverId,0) NextApproverId,

   ... (truncated)
```

vw_Requisitions {dbo-vw-requisitions}

Property	Value
Schema	dbo
Created	2012-07-02 16:40:48.343000
Modified	2022-04-21 08:43:40.657000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	Active	tinyint	Yes
3	RequisitionNumber	varchar(24)	Yes
4	SchoolId	int	Yes
5	UserId	int	Yes
6	BudgetId	int	Yes
7	BudgetAccountId	int	Yes
8	UserAccountId	int	Yes
9	CategoryId	int	Yes
10	ShippingId	int	Yes
11	Attention	varchar(50)	Yes
12	AccountCode	varchar(50)	Yes
13	DateEntered	datetime	Yes
14	ShippingPercent	decimal(9,5)	Yes
15	DiscountPercent	decimal(9,5)	Yes
16	ShippingCost	money	Yes
17	TotalItemsCost	money	Yes

18	TotalRequisitionCost	money	Yes
19	Comments	varchar(1023)	Yes
20	ApprovalRequired	tinyint	Yes
21	ApprovalId	int	Yes
22	ApprovalLevel	tinyint	Yes
23	StatusId	int	Yes
24	OrderDate	datetime	Yes
25	DateExported	datetime	Yes
26	BidId	int	Yes
27	BookId	int	Yes
28	SourceId	int	Yes
29	BidHeaderId	int	Yes
30	LastAlteredSessionId	int	Yes
31	DateUpdated	datetime	Yes
32	OrderType	tinyint	Yes
33	NotesCount	int	Yes
34	AddendaTotal	money	Yes
35	ApprovalCount	int	Yes
36	AdditionalShipping	int	Yes
37	ShippingUpdateRequirec	int	Yes
38	AdditionalShippingCost	decimal(38,2)	Yes
39	AllowRequestAddenda	tinyint	No
40	CSAllowRequestAddenda	tinyint	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.Detail	Table
dbo.DistrictCategories	Table
dbo.Requisitions	Table
dbo.uf_IsRequisitionLocked	Other

dbo.Users	Table

SQL Definition

```
CREATE   view  [dbo].[vw_Requisitions] as

SELECT Requisitions.[RequisitionId]

       ,Requisitions.[Active]

       ,Requisitions.[RequisitionNumber]

       ,Requisitions.[SchoolId]

       ,Requisitions.[UserId]

       ,Requisitions.[BudgetId]

       ,Requisitions.[BudgetAccountId]

       ,Requisitions.[UserAccountId]

       ,Requisitions.[CategoryId]

       ,Requisitions.[ShippingId]

       ,Requisitions.[Attention]

       ,Requisitions.[AccountCode]

       ,Requisitions.[DateEntered]

       ,Requisitions.[ShippingPercent]

       ,Requisitions.[DiscountPercent]

       ,Requisitions.[ShippingCost]

       ,Requisitions.[TotalItemsCost]
```

```
        ,Requisitions.[TotalRequisitionCost]

        ,Requisitions.[Comments]

        ,Requisitions.[ApprovalRequired]

        ,Requisitions.[ApprovalId]

        ,Requisitions.[ApprovalLevel]

  ... (truncated)
```

vw_RequisitionsAccounts {dbo-vw-requisitionsaccounts}

Property	Value
Schema	dbo
Created	2009-05-27 11:40:15.863000
Modified	2018-01-21 20:26:48.300000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	BudgetId	int	Yes
3	UserId	int	Yes
4	UserAccountId	int	No
5	BudgetAccountId	int	Yes
6	Code	varchar(77)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BudgetAccounts	Table

dbo.Budgets	Table
dbo.Requisitions	Table
dbo.uf_lower	Other
dbo.UserAccounts	Table

SQL Definition

```
create   view  [dbo].[vw_RequisitionsAccounts] as
SELECT Requisitions.RequisitionId,
       UserAccounts.BudgetId,
       UserAccounts.UserId,
       UserAccounts.UserAccountId,
       UserAccounts.BudgetAccountId,
       Accounts.Code + ' - ' +
       case isnull(BudgetAccounts.UseAllocations,0)
         when 0 then case isnull(UserAccounts.UseAllocations,0)
                        when 0 then 'No Allocations'
                        else cast(isnull(UserAccounts.AllocationAvailable,0) as varchar(...
                      end
         else case isnull(UserAccounts.UseAllocations,0)
                when 0 then convert(varchar(24),isnull(BudgetAccounts.AmountAvailable,0))
                else cast(isnull(dbo.uf_lower(BudgetAccounts.AmountAvailable,UserAccoun...
              end
       end as Code
  FROM dbo.Requisitions with (nolock)
  join dbo.Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join dbo.UserAccounts on UserAccounts.BudgetId = Budgets.BudgetId
  JOIN dbo.BudgetAccounts on dbo.BudgetAccounts.BudgetAccountId = dbo.UserAccounts.Budg...
```

```
    JOIN dbo.Accounts on Accounts.AccountId = UserAccounts.AccountId

   WHERE UserAccounts.Active = 1

  ... (truncated)
```

vw_RequisitionsCategories {dbo-vw-requisitionscategories}

Property	Value
Schema	dbo
Created	2009-05-27 11:18:36.820000
Modified	2018-01-21 20:26:48.303000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	CategoryId	int	No
3	Name	varchar(69)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCategory	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_RequisitionsCategories] as
SELECT Requisitions.RequisitionId,
       Category.CategoryId,
       Category.Code + ' - ' +
       case isnull(rtrim(DistrictCategories.Title),'')
         when '' then Category.Name
         else rtrim(DistrictCategories.Title)
       end as Name
  FROM Requisitions with (nolock)
  join Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join DistrictCategories on DistrictCategories.DistrictId = Budgets.DistrictId
                         and DistrictCategories.Active = 1
  join Category on Category.Active = 1
              and Category.CategoryId = DistrictCategories.CategoryId
  JOIN DistrictPP on DistrictPP.DistrictId = Budgets.DistrictId
  JOIN PPCategory on PPCategory.CategoryId = Category.CategoryId
                 and PPCategory.PricePlanId = DistrictPP.PricePlanId
group by Requisitions.RequisitionId,
         Category.CategoryId,
         Category.Code + ' - ' +
         case isnull(rtrim(DistrictCategories.Title),'')
           when '' then Category.Name
```

```
            else rtrim(DistrictCategories.Title)

          end

  ... (truncated)
```

vw_RequisitionShippingCosts {dbo-vw-requisitionshippingcosts}

Property	Value
Schema	dbo
Created	2009-09-14 12:06:36.210000
Modified	2025-09-18 15:12:45.583000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	BidHeaderId	int	Yes
3	VendorId	int	No
4	VendorName	varchar(50)	Yes
5	Extended	money	Yes
6	ShippingCost	money	No
7	FreeHandlingAmount	money	No
8	FreeHandlingStart	datetime	Yes
9	FreeHandlingEnd	datetime	Yes
10	AdditionalHandlingAmou	money	No
11	POBelowMinimum	int	No
12	MinimumPOAmount	money	No
13	AdditionalShipping	tinyint	Yes
14	DistrictVendorCode	varchar(20)	No
15	VendorBidInfo	varchar(576)	No

16	TotalShippingCost	decimal(38,2)	Yes
17	UpdateRequired	int	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
--select * from vw_RequisitionShippingCosts where RequisitionId = 59157267

CREATE       view  [dbo].[vw_RequisitionShippingCosts]

as

select Requisitions.RequisitionId, BidData.BidHeaderId, Vendors.VendorId, coalesce(Vend...

       SUM(isnull(Detail.Quantity,0) * isnull(Detail.BidPrice,0)) Extended,

       isnull(case

when BidData.FreeHandlingStart is null or BidData.FreeHandlingEnd is null then 0

when coalesce(ap.ApprovalDate,GETDATE()) between BidData.FreeHandlingStart and Bi...

when getdate() < BidData.FreeHandlingEnd and isnull(Requisitions.OrderType,1) = 1...

else case

   when sum(isnull(Detail.Quantity,0) * isnull(Detail.BidPrice,0)) < BidData.Fre...

   else 0

 end

  end,0) ShippingCost,

         isnull(BidData.FreeHandlingAmount,0) FreeHandlingAmount, BidData.FreeHandlingS...

         isnull(BidData.AdditionalHandlingAmount,0) AdditionalHandlingAmount,

         case

           when SUM(Detail.Quantity * Detail.BidPrice) + coalesce(case

when BidData.FreeHandlingStart is null or BidData.FreeHandlingEnd is null then 0
```

when coalesce(ap.ApprovalDate,GETDATE()) between BidData.FreeHandlingStart and Bi...

when getdate() < BidData.FreeHandlingEnd and isnull(Requisitions.OrderType,1) = 1...

else case

```
    when sum(isnull(Detail.Quantity,0) * isnull(Detail.BidPrice,0)) < BidData.Fre...

    else 0

  ... (truncated)
```

vw_RequisitionShippingCostsTest {dbo-vw-requisitionshippingcoststest}

Property	Value
Schema	dbo
Created	2018-06-05 14:02:19.137000
Modified	2018-06-05 14:02:19.137000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	BidHeaderId	int	Yes
3	VendorId	int	No
4	VendorName	varchar(50)	Yes
5	Extended	money	Yes
6	ShippingCost	money	No
7	FreeHandlingAmount	money	No
8	FreeHandlingStart	datetime	Yes
9	FreeHandlingEnd	datetime	Yes
10	AdditionalHandlingAmou	money	No
11	POBelowMinimum	int	No
12	MinimumPOAmount	money	No
13	AdditionalShipping	tinyint	Yes
14	DistrictVendorCode	varchar(20)	No
15	VendorBidInfo	varchar(576)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
--select * from vw_RequisitionShippingCosts where RequisitionId = 819135


create     view  [dbo].[vw_RequisitionShippingCostsTest]

as

select Requisitions.RequisitionId, BidHeaders.BidHeaderId, Vendors.VendorId, Vendors.Na...

       SUM(isnull(Detail.Quantity,0) * isnull(Detail.BidPrice,0)) Extended,

       isnull(case

                when Bids.FreeHandlingStart is null or Bids.FreeHandlingEnd is null then 0

                when GETDATE() between Bids.FreeHandlingStart and Bids.FreeHandlingEnd ...

                when getdate() < Bids.FreeHandlingEnd and isnull(Requisitions.OrderType...

--                when getdate() < Bids.FreeHandlingStart and isnull(Requisitions.Order...

                else case

                       when sum(isnull(Detail.Quantity,0) * isnull(Detail.BidPrice,0)) ...

                       else 0

                      end

              end,0) ShippingCost,

          isnull(Bids.FreeHandlingAmount,0) FreeHandlingAmount, Bids.FreeHandlingStart, ...

          isnull(Bids.AdditionalHandlingAmount,0) AdditionalHandlingAmount,

          case

            when SUM(Detail.Quantity * Detail.BidPrice) < isnull(District.MinimumPOAmoun...
```

```
            else 0

          end POBelowMinimum,

... (truncated)
```

vw_RequisitionsPrint {dbo-vw-requisitionsprint}

Property	Value
Schema	dbo
Created	2013-02-04 13:30:47.197000
Modified	2018-01-21 20:26:48.310000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	RequisitionNumber	varchar(24)	No
3	Attention	varchar(50)	No
4	ItemsNotBid	int	No

Dependencies

Object	Type
dbo.Detail	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_RequisitionsPrint] as

select RequisitionId, isnull(RequisitionNumber,'') RequisitionNumber, ISNULL(Requisitio...

       isnull((select COUNT(*) from Detail d with (nolock) where d.RequisitionId = Requ...

  from dbo.Requisitions
```

vw_RequisitionsShippingLocations {dbo-vw-requisitionsshippinglocations}

Property	Value
Schema	dbo
Created	2009-05-27 11:42:43.777000
Modified	2018-01-21 20:26:48.310000

Columns

#	Column	Type	Nullable
1	Requisitionid	int	No
2	ShippingId	int	No
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Requisitions	Table
dbo.ShipLocations	Table

SQL Definition

```
create   view  [dbo].[vw_RequisitionsShippingLocations] as

SELECT Requisitions.Requisitionid, ShipLocations.ShippingId, ShipLocations.Name

  FROM Requisitions with (nolock)

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join ShipLocations on ShipLocations.DistrictId = Budgets.DistrictId

                    and ShipLocations.Active = 1

--ORDER BY ShipLocations.Name
```

vw_RequisitionStatus {dbo-vw-requisitionstatus}

Property	Value
Schema	dbo
Created	2010-02-10 13:09:56.977000
Modified	2018-01-21 20:26:46.520000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No

2	StatusId	int	No
3	StatusDesc	varchar(104)	No
4	StatusCode	int	No
5	ApprovalDate	datetime	Yes
6	BidStatus	varchar(20)	No
7	BaseStatus	varchar(50)	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Detail	Table
dbo.Requisitions	Table
dbo.StatusTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_RequisitionStatus] as

select Requisitions.RequisitionId,

       ISNULL(Approvals.StatusId,0) StatusId,

       isnull(case isnull(Approvals.StatusId,0)

         when 29 then

           StatusTable.Name + ' on Bid ' +

             isnull(cast(BidHeaders.BidHeaderId as varchar(18)),'')

         when 2 then

           isnull(StatusTable.Name,'Pending Approval') +

                 case isnull(Approvals.Level,0)

                   when 0 then ' by ' + isnull(NextApprover.Attention,'User')

                   when 1 then ' by ' + isnull(NextApprover.Attention,'Principal')

                   when 2 then ' by ' + isnull(NextApprover.Attention,'Business Office')

                   when 5 then ' by ' + isnull(NextApprover.Attention,'Customer Servic...
```

```
                    else ' by ' + isnull(NextApprover.Attention,'EDS')

                end

... (truncated)
```

vw_RequisitionStatus_orig {dbo-vw-requisitionstatus-orig}

Property	Value
Schema	dbo
Created	2012-09-13 15:16:10.420000
Modified	2018-01-21 20:26:48.320000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	StatusId	int	No
3	StatusDesc	varchar(104)	No
4	StatusCode	int	No
5	ApprovalDate	datetime	Yes
6	BidStatus	varchar(20)	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Detail	Table
dbo.Requisitions	Table

dbo.StatusTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_RequisitionStatus_orig] as

select Requisitions.RequisitionId,

       ISNULL(Approvals.StatusId,0) StatusId,

       isnull(case isnull(Approvals.StatusId,0)

         when 29 then

           StatusTable.Name + ' on Bid ' +

             isnull(cast((select top 1 BidHeaders.BidHeaderId

                            from BidHeaderDetail with (nolock)

                            join BidHeaders on BidHeaders.BidHeaderId = BidHeaderDetail...

                                           and BidHeaders.Active = 1

                                           and isnull(BidHeaders.BidType,2) = 2

                            join Detail on Detail.DetailId = BidHeaderDetail.DetailId

                            join Requisitions r on r.RequisitionId = Detail.RequisitionId

                                                  and r.RequisitionId = Requisitions.Requi...

                           order by BidHeaders.BidHeaderId desc) as varchar(18)),'')

           when 2 then
```

```
            isnull(StatusTable.Name,'Pending Approval') +

                   case isnull(Approvals.Level,0)

... (truncated)
```

vw_RequisitionStatusBySession {dbo-vw-requisitionstatusbysession}

Property	Value
Schema	dbo
Created	2013-12-03 11:46:20.747000
Modified	2021-09-01 14:57:43.180000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	SessionId	int	No
3	StatusId	int	No
4	StatusDesc	varchar(104)	No
5	StatusCode	int	No
6	ApprovalDate	datetime	Yes
7	BidStatus	varchar(20)	No
8	BaseStatus	varchar(50)	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.Bids	Table

dbo.Detail	Table
dbo.Requisitions	Table
dbo.SessionTable	Table
dbo.StatusTable	Table
dbo.Users	Table

SQL Definition

```
CREATE   view  [dbo].[vw_RequisitionStatusBySession] as

select Requisitions.RequisitionId,

       SessionTable.SessionId,

       case

         when isnull(Approvals.StatusId,0) = 3 and isnull(Approvals.ApproverId,0) = Ses...

         when isnull(Approvals.StatusId,0) = 2 and isnull(Approvals.ApproverId,0) = 0 t...

         else ISNULL(Approvals.StatusId,0)

       end StatusId,

       isnull(case

         when isnull(Approvals.StatusId,0) = 29 then

           StatusTable.Name + ' on Bid ' +

             isnull(cast(BidHeaders.BidHeaderId as varchar(18)),'')

         when isnull(Approvals.StatusId,0) = 2 and ISNULL(Approvals.ApproverId,0) = 0 t...

   'Approved' +

  case isnull(Approvals.Level,0)

when 0 then ' by ' + isnull(LastApprover.Attention,'User')

when 1 then ' by ' + isnull(LastApprover.Attention,'Principal')

when 2 then ' by ' + isnull(LastApprover.Attention,'Business Office')

when 5 then ' by ' + isnull(LastApprover.Attention,'Customer Service')

else ' by ' + isnull(LastApprover.Attention,'EDS')
```

```
    end

            when isnull(Approvals.StatusId,0) = 2 and ISNULL(Approvals.ApproverId,0) != 0 ...

  ... (truncated)
```

vw_ReqVendors {dbo-vw-reqvendors}

Property	Value
Schema	dbo
Created	2012-04-11 21:40:20.327000
Modified	2019-01-15 10:13:44.510000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	VendorId	int	No
3	VendorName	varchar(50)	Yes
4	WebURL	varchar(255)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCatalogs	Table

dbo.Requisitions	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_ReqVendors] as

select Requisitions.RequisitionId, Vendors.VendorId, Vendors.Name VendorName, MAX(Catal...

  from Requisitions with (nolock)

  join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1

  join BidsCatalogList on BidsCatalogList.BidId = Bids.BidId

  join Catalog on Catalog.CatalogId = BidsCatalogList.CatalogId

              and Catalog.Active = 1

  join Vendors on Vendors.VendorId = Catalog.VendorId

              and Vendors.VendorId != 7691

              and Vendors.Active = 1

 group by Requisitions.RequisitionId, Vendors.VendorId, Vendors.Name

union (

select Requisitions.RequisitionId, Vendors.VendorId, Vendors.Name VendorName, MAX(Catal...

  from Requisitions with (nolock)

  join BidHeaders ParentBH on ParentBH.BidHeaderId = Requisitions.BidHeaderId

  join BidHeaders on BidHeaders.ParentBidHeaderId = ParentBH.BidHeaderId
```

```
    join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

             and Bids.Active = 1

  ... (truncated)
```

vw_RptExpireDateBidDocs {dbo-vw-rptexpiredatebiddocs}

Property	Value
Schema	dbo
Created	2021-09-21 10:41:19.570000
Modified	2025-10-27 20:09:57.553000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorName	varchar(50)	Yes
3	VendorCode	varchar(16)	No
4	DocumentName	varchar(50)	Yes
5	ExpirationDatePerDMS	varchar(10)	Yes
6	ExpirationDatePerDocUp	varchar(10)	Yes
7	DocUploadStatus	char(1)	No
8	ExpirationDateStatus	varchar(46)	Yes
9	StatusCode	int	Yes
10	EffectiveFrom	date	Yes
11	EffectiveUntil	date	Yes
12	DocumentUploadId	int	Yes
13	DMSId	uniqueidentifier	Yes

Dependencies

Object	Type
dbo.BidderCheckList	Table
dbo.BidHeaderCheckList	Table
dbo.DMSVendorBidDocuments	Table
dbo.vw_AwardedVendorsAllCurrentAndFutureBids	View
dbo.vw_DocumentUploads	Other

SQL Definition

```
/****** Script for SelectTopNRows command from SSMS  ******/

CREATE view [dbo].[vw_RptExpireDateBidDocs] as

SELECT AV.BidHeaderId, AV.VendorName, AV.VendorCode, BCL.DocumentName, -- DMS.Expiratio...

       --case when isnull(DMS.ExpirationDate,'')='' THEN NULL ELSE convert(datetime,DMS...

       case when isnull(DMS.ExpirationDate,'')='' THEN '' ELSE CONVERT(varchar(10), con...

   --DU.ExpirationDate ExpirationDatePerDocUpload,

       case when isnull(DU.ExpirationDate,'')='' THEN '' ELSE CONVERT(varchar(10), conv...

   Isnull(DU.Status,'') DocUploadStatus,  -- A = Accepted, R = Rejected, F = On-File, ...

   case

   when DMS.Id IS NULL then

     case when DU.ExpirationDate is not null and isnull(DU.Status,'') = 'A' then 'Doc ...

   when case when DMS.ExpirationDate='' THEN NULL ELSE CONVERT(DateTime, DMS.Expiratio...

     case when DU.ExpirationDate is not null and isnull(DU.Status,'') = 'A' then 'Miss...

   else

     case

 when CONVERT(DateTime, DMS.ExpirationDate) between AV.EffectiveFrom and AV.Effective...

 when CONVERT(DateTime, DMS.ExpirationDate) < AV.EffectiveFrom then 'Date Expires bef...

 when CONVERT(DateTime, DMS.ExpirationDate) > AV.EffectiveUntil then 'Expiration Date...

 end
```

```
    end ExpirationDateStatus,

    case

... (truncated)
```

vw_RptExpireDateBidDocsAndMore {dbo-vw-rptexpiredatebiddocsandmore}

Property	Value
Schema	dbo
Created	2021-09-21 10:43:43.820000
Modified	2021-09-21 10:43:43.820000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorName	varchar(50)	No
3	VendorCode	varchar(16)	No
4	DocumentName	varchar(50)	Yes
5	ExpirationDatePerDMS	varchar(10)	Yes
6	ExpirationDatePerDocUp	varchar(10)	Yes
7	DocUploadStatus	char(1)	No
8	ExpirationDateStatus	varchar(46)	Yes
9	StatusCode	int	Yes
10	EffectiveFrom	date	Yes
11	EffectiveUntil	date	Yes
12	DocInOtherBid	varchar(10)	No
13	ExpirationDatePerOtherE	varchar(10)	No
14	DocumentUploadId	int	Yes
15	DMSId	uniqueidentifier	Yes

Dependencies

Object	Type
dbo.vw_RptExpireDateBidDocs	View

SQL Definition

```
CREATE view [dbo].[vw_RptExpireDateBidDocsAndMore] as

SELECT RPT1.[BidHeaderId]

      ,RPT1.[VendorName]

      ,RPT1.[VendorCode]

      ,RPT1.[DocumentName]

      ,RPT1.[ExpirationDatePerDMS]

      ,RPT1.[ExpirationDatePerDocUpload]

      ,RPT1.[DocUploadStatus]

      ,RPT1.[ExpirationDateStatus]

      ,RPT1.[StatusCode]

      ,RPT1.[EffectiveFrom]

      ,RPT1.[EffectiveUntil]

  ,ISNULL( CONVERT(VARCHAR(10),OtherBid.BidHeaderId), '' ) DocInOtherBid

  ,ISNULL(OtherBid.ExpirationDatePerDMS,'') ExpirationDatePerOtherBid

      ,[DocumentUploadId]

      ,[DMSId]

  FROM [dbo].[vw_RptExpireDateBidDocs] RPT1

  OUTER APPLY

  (select TOP 1  RPT2.BidHeaderId, RPT2.ExpirationDatePerDMS

From vw_RptExpireDateBidDocs Rpt2
```

```
where RPT2.VendorCode = RPT1.VendorCode

  and RPT2.DocumentName = RPT1.DocumentName

... (truncated)
```

vw_RptMarkedReadyEmailBlastStats {dbo-vw-rptmarkedreadyemailblaststats}

Property	Value
Schema	dbo
Created	2021-09-28 16:08:36.080000
Modified	2021-09-28 16:08:36.080000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	BidHeaderId	int	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictCode	varchar(4)	Yes
5	RepName	varchar(30)	Yes
6	BlastSent	varchar(10)	Yes
7	NotifyByEmail	varchar(5)	Yes
8	AssocReqsAll	int	Yes
9	AssocReqsWtgForBidRea	int	Yes
10	AssocUsers	int	Yes
11	Approvers	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.Category	Table
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictNotifications	Table
dbo.EmailBlast	Table
dbo.vw_Districts_Assoc_With_Bid	View
dbo.vw_LastBidAwardDate	View
dbo.vw_Reqs_Assoc_With_Bid	View
dbo.vw_Users_Assoc_With_Bid	View

SQL Definition

```
CREATE view [dbo].[vw_RptMarkedReadyEmailBlastStats] as

select cat.name CategoryName,

       bh.BidHeaderId,

       --Stats.DistrictId,

   Stats.DistrictName,

   Stats.DistrictCode,

   Stats.RepName,

       case when Stats.BlastSent is Null THEN '' ELSE CONVERT(varchar(10), convert(date...

   case when Stats.NotifyByEmail is Null Then 'Error' Else Stats.NotifyByEmail end Not...

   Stats.AssocReqsAll,

   Stats.AssocReqsWtgForBidReady,

   Stats.AssocUsers,

   Stats.Approvers

from bidheaders bh

join category cat on cat.categoryid=bh.categoryid

left join vw_LastBidAwardDate AWA on AWA.BidHeaderId = BH.BidHeaderId

outer apply

(

SELECT  A.DISTRICTID, A.DISTRICTCODE, A.NAME DistrictName,

        CSRep.Name RepName,

        (SELECT Top 1 SentDate FROM EmailBlast WHERE Reference1Id=bh.BidHeaderId and Re...

(Select Case When DN.NotifyList='' Then 'No' Else 'Yes' End from DistrictNotification...
```

```
        (SELECT COUNT(*) From (select approverid FROM vw_Users_Assoc_With_Bid where Dis...

(SELECT COUNT(*) FROM vw_Reqs_Assoc_With_Bid where DistrictId=A.DistrictId and Waitin...

... (truncated)
```

vw_RptMissingURLsByBidAndVendor {dbo-vw-rptmissingurlsbybidandvendor}

Property	Value
Schema	dbo
Created	2023-01-16 15:18:29.253000
Modified	2023-01-16 15:18:29.253000

Columns

#	Column	Type	Nullable
1	bidheaderid	int	Yes
2	VendorId	int	Yes
3	Vendor Code	varchar(16)	No
4	Awarded Vendor Name	varchar(50)	No
5	AwardedItems	int	Yes
6	MissingURLs	int	Yes

Dependencies

Object	Type
dbo.vw_AwardedBidResults	View

SQL Definition

```
CREATE   view [dbo].[vw_RptMissingURLsByBidAndVendor] as

select bidheaderid, VendorId, [Vendor Code], [Awarded Vendor Name],

   count(*) AwardedItems,

   sum( case when isnull([Image Url],'')='' then 1 Else 0 end ) MissingURLs

from vw_AwardedBidResults A

--where BidHeaderId = 11961

--where BidHeaderId IN ( select BidHeaderId from [vw_AwardedVendorsAllCurrentAndFutureB...

group by bidheaderid, vendorid, [Vendor Code], [Awarded Vendor Name]

--ORDER BY bidheaderid, [Awarded Vendor Name]
```

vw_RTK_MSDSandCC {dbo-vw-rtk-msdsandcc}

Property	Value
Schema	dbo
Created	2013-07-30 12:14:44.093000
Modified	2018-01-21 20:26:46.287000

Columns

#	Column	Type	Nullable
1	Active	tinyint	Yes
2	RevisionDate	datetime	Yes
3	AlternateDescription	varchar(60)	Yes
4	EDSItemCode	varchar(100)	Yes
5	ManufacturerName	varchar(100)	Yes
6	ProductName	varchar(100)	Yes
7	ManufacturerPartNumbe	varchar(500)	Yes
8	EPARegistrationNumber	varchar(100)	Yes
9	MSDSId	int	No
10	CurrentVersionMSDSId	int	Yes
11	ContentCentralMSDSDoc	varchar(36)	Yes
12	FullFileName	varchar(520)	Yes
13	DefaultVersion	int	No

Dependencies

Object	Type
dbo.MSDS	Table
dbo.vw_RTKContentCentralMSDS	View

SQL Definition

```
create   view  [dbo].[vw_RTK_MSDSandCC] as

SELECT MSDS.Active, CC.RevisionDate, MSDS.AlternateDescription,

       CC.EDSItemCode, CC.ManufacturerName, CC.ProductName, CC.ManufacturerPartNumber, ...

       MSDS.MSDSId, MSDS.CurrentVersionMSDSId, MSDS.ContentCentralMSDSDocId, CC.FullFil...

       Case when Isnull(MSDS.CurrentVersionMSDSId,0)=MSDS.MSDSId Then 1 Else 0 End Defa...

FROM MSDS

LEFT JOIN vw_RTKContentCentralMSDS CC ON CC.DocId = case

                                                        when MSDS.ContentCentralMSDSDocId<>''

                                                        then MSDS.ContentCentralMSDSDocId

                                                        else null

                                                        end
```

```
... (truncated)
```

vw_RTK_Sites {dbo-vw-rtk-sites}

Property	Value
Schema	dbo
Created	2012-06-12 11:16:36.243000
Modified	2018-01-21 20:26:48.330000

Columns

#	Column	Type	Nullable
1	RTK_SitesId	int	No
2	DistrictId	int	No
3	DistrictName	varchar(50)	No
4	FacilityName	varchar(50)	No
5	NJEIN	varchar(20)	No
6	CoMunCode	varchar(5)	No
7	ChemicalInventoryStatus	tinyint	No
8	ExposedEmployeesCoun	int	No
9	FacilityEmergencyConta	varchar(100)	No
10	EmergencyPhone	varchar(50)	No
11	FacilityLocation	varchar(408)	Yes
12	MailingAddress	varchar(408)	Yes
13	ResponsibleOfficial	varchar(100)	No
14	TitleResponsibleOfficial	varchar(100)	No
15	PhoneResponsibleOfficia	varchar(50)	No
16	EmailResponsibleOfficial	varchar(200)	No
17	RTKContact	varchar(174)	No

18	RTKEmail	varchar(255)	No
19	RTKPhone	varchar(20)	No

Dependencies

Object	Type
dbo.District	Table
dbo.DistrictContacts	Table
dbo.RTK_Sites	Table

SQL Definition

```
create   view  [dbo].[vw_RTK_Sites] as

select RTK_Sites.RTK_SitesId, isnull(District.DistrictId,0) DistrictId, isnull(District...

       isnull(RTK_Sites.NJEIN,'') NJEIN, isnull(RTK_Sites.CoMunCode,'') CoMunCode,

       isnull(RTK_Sites.ChemicalInventoryStatus,0) ChemicalInventoryStatus,

       isnull(RTK_Sites.ExposedEmployeesCount,0) ExposedEmployeesCount,

       ISNULL(RTK_Sites.FacilityEmergencyContact,'') FacilityEmergencyContact,

       isnull(RTK_Sites.EmergencyPhone,'') EmergencyPhone,

       case isnull(RTK_Sites.FacilityLocation1,'')

         when '' then ''

         else RTK_Sites.FacilityLocation1 + CHAR(13) + CHAR(10)

       end +

       case isnull(RTK_Sites.FacilityLocation2,'')

         when '' then ''

         else RTK_Sites.FacilityLocation2 + CHAR(13) + CHAR(10)

       end +
```

```
        case isnull(RTK_Sites.FacilityLocation3,'')

          when '' then ''

... (truncated)
```

vw_RTKContentCentralMSDS {dbo-vw-rtkcontentcentralmsds}

Property	Value
Schema	dbo
Created	2013-07-03 14:21:08.350000
Modified	2018-01-21 20:26:46.280000

Columns

#	Column	Type	Nullable
1	CatalogName	varchar(50)	Yes
2	DocumentType	varchar(50)	Yes
3	DocFolder	varchar(260)	Yes
4	DocName	varchar(260)	Yes
5	BaseName	varchar(260)	Yes
6	FullFileName	varchar(520)	Yes
7	VersionMajor	bigint	Yes
8	VersionMinor	bigint	Yes
9	CreatedUtc	datetime	No
10	PagesCaptured	int	Yes
11	DocId	uniqueidentifier	No
12	RevisionDate	datetime	Yes
13	CategoryName	varchar(50)	Yes
14	EDSItemCode	varchar(100)	Yes
15	ManufacturerName	varchar(100)	Yes

16	ProductName	varchar(100)	Yes
17	ManufacturerPartNumbe	varchar(500)	Yes
18	EPARegistrationNumber	varchar(100)	Yes
19	SendTo	varchar(50)	Yes
20	AttachedRTKItems	int	Yes

Dependencies

Object	Type
dbo.DocumentFiles	Other
dbo.Documents	Other
dbo.DocumentTypes	Other
dbo.FieldData	Other
dbo.Fields	Other
dbo.MSDS	Table
dbo.RTK_Items	Table

SQL Definition

Definition truncated (10,045 characters). First 8000 shown:

```
create   view  [dbo].[vw_RTKContentCentralMSDS] as

select Cast('MSDS' as varchar(50)) CatalogName,

       Cast(DocType.Name as varchar(50)) DocumentType,

       Cast(DocumentFiles.Name as varchar(260)) DocFolder,

       Cast(DocumentFiles.Name as varchar(260)) DocName,

       Cast(DocumentFiles.Name as varchar(260)) BaseName,

       Cast( (DocumentFiles.FileName) as varchar(520)) FullFileName,

       DocumentFiles.[Version] VersionMajor,

       DocumentFiles.[Version] VersionMinor,

       DocumentFiles.Datestamp CreatedUtc,

       DocumentFiles.[PageCount] PagesCaptured,

       Document.Id DocId,

       Convert(DATETIME,

                 (select df.FieldValue

  from Documents.dbo.Fields dtf

  join Documents.dbo.FieldData df on df.DocumentId = Document.Id

     and df.FieldId = dtf.Id

 where dtf.Name = 'Revision Date'), 101 ) RevisionDate,

       cast(isnull( (select df.FieldValue

  from Documents.dbo.Fields dtf

  join Documents.dbo.FieldData df on df.DocumentId = Document.Id
```

```
                            and df.FieldId = dtf.Id

    where dtf.Name = 'Category'),'')

   ... (truncated)
```

vw_RTKDefaultMSDSLocation {dbo-vw-rtkdefaultmsdslocation}

Property	Value
Schema	dbo
Created	2016-06-05 23:08:24.453000
Modified	2018-01-21 20:26:48.337000

Columns

#	Column	Type	Nullable
1	RTKLocation	varchar(50)	Yes
2	DistrictId	int	Yes
3	MSDSId	int	No
4	FacilityNumber	varchar(20)	Yes

Dependencies

Object	Type
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.MSDS	Table
dbo.RTK_Items	Table
dbo.RTK_ReportItems	Table
dbo.RTK_Sites	Table

SQL Definition

```
create   view  [dbo].[vw_RTKDefaultMSDSLocation]

as

select case (

select COUNT(*)

  from (

    select rri.DistrictId, ri.CategoryId

      from RTK_ReportItems rri

      join RTK_Items ri on ri.RTK_ItemsId = rri.RTK_ItemsId

                        and ri.MSDSId = MSDS.MSDSId

     where rri.Year > year(DATEADD(year,-7,getdate()))

       and rri.DistrictId = coalesce(s1.DistrictId,DistrictCategories.DistrictId)

       and rri.RTK_SitesId = RTK_Sites.RTK_SitesId

     group by rri.DistrictId, ri.CategoryId) s1)

     when 1 then coalesce(DistrictCategories.RTKLocation,Category.RTKLocation,'Facilit...

     else 'Facility Wide'

   end RTKLocation, coalesce(s1.DistrictId,DistrictCategories.DistrictId) DistrictId, ...

  from MSDS

  left outer join (

      select rri.DistrictId, ri.CategoryId, ri.MSDSId, rri.RTK_SitesId

      from RTK_ReportItems rri

      join RTK_Items ri on ri.RTK_ItemsId = rri.RTK_ItemsId
```

```
        where cast(rri.Year as int) > year(DATEADD(year,-7,getdate()))

        group by rri.DistrictId, ri.CategoryId, ri.MSDSId, rri.RTK_SitesId) s1 on s1.MSDS...

     left outer join Category on Category.CategoryId = s1.CategoryId

   ... (truncated)
```

vw_RTKInfo {dbo-vw-rtkinfo}

Property	Value
Schema	dbo
Created	2014-12-15 19:40:08.160000
Modified	2018-01-21 20:26:46.510000

Columns

#	Column	Type	Nullable
1	Year	int	Yes
2	DistrictId	int	No
3	Name	varchar(50)	Yes
4	NJEIN	varchar(20)	Yes
5	FacilityId	varchar(1)	No
6	FacilityName	varchar(50)	Yes
7	CoMunCode	varchar(5)	Yes
8	ExposedEmployeesCoun	int	Yes
9	FacilityEmergencyConta	varchar(100)	Yes
10	EmergencyPhone	varchar(50)	Yes
11	Location	varchar(406)	Yes
12	MailingAddress	varchar(406)	Yes
13	EmailResponsibleOfficial	varchar(200)	Yes
14	PhoneResponsibleOfficia	varchar(50)	Yes
15	TitleResponsibleOfficial	varchar(100)	Yes

16	AlternateDesc	varchar(60)	Yes
17	Manufacturer	varchar(50)	No
18	MSDSId	int	Yes
19	Quantity	int	Yes
20	InventoryCode	char(2)	Yes
21	InventoryDesc	varchar(25)	Yes
22	ProductLocation	varchar(50)	No
23	ProductExposedEmploye	int	Yes
24	Purpose	varchar(50)	Yes
25	RTK_PurposeID	int	Yes
26	UOMCode	char(1)	Yes
27	UOM	varchar(20)	Yes
28	SubstanceNo	char(4)	Yes
29	CASChemicalName	varchar(50)	Yes
30	CASRegNo	varchar(11)	No
31	DOT_Id	char(4)	Yes
32	MixturePercentCode	char(2)	Yes
33	MixtureDesc	varchar(12)	Yes
34	SpecHazCodes	varchar(36)	Yes
35	ContainerCode	char(2)	Yes
36	ContainerDesc	varchar(30)	Yes
37	CategoryId	int	Yes

Dependencies

Object	Type
dbo.District	Table
dbo.MSDS	Table
dbo.MSDSDetail	Table
dbo.RTK_CASFile	Table
dbo.RTK_ContainerCodes	Table
dbo.RTK_InventoryRangeCodes	Table
dbo.RTK_MixtureCodes	Table

dbo.RTK_Purposes	Table
dbo.RTK_Sites	Table
dbo.RTK_UOMCodes	Table
dbo.vw_RTKItemsRev2	View

SQL Definition

```
create   view  [dbo].[vw_RTKInfo] as
select rri.Year, District.DistrictId, District.Name, rs.NJEIN, '' /*rs.FacilityId*/ Fac...
       rs.FacilityEmergencyContact, rs.EmergencyPhone,
       case isnull(rtrim(ltrim(rs.FacilityLocation1)),'') when '' then '' else isnull(r...
       case isnull(rtrim(ltrim(rs.MailingAddress1)),'') when '' then '' else isnull(rtr...
       rs.EmailResponsibleOfficial, rs.PhoneResponsibleOfficial, rs.TitleResponsibleOff...
       rri.RTKDescription AlternateDesc, rri.Manufacturer, rri.MSDSId, rri.Quantity, ir...
       cf.SubstanceNo, cf.CASChemicalName, cf.CASRegNo, cf.DOT_Id, md.MixturePercentCod...
       case when cf.SpecialHealthHazard = 1 then right(case cf.Carcinogen when 1 then '...
       cc.ContainerCode, cc.ContainerDesc, rri.CategoryId
  from (
    select r2.DistrictId, r2.RTK_SitesId, r2.Year, r2.ExactLocationOnSite, isnull(r2.Ma...
      from vw_RTKItemsRev2 r2
     group by r2.DistrictId, r2.RTK_SitesId, r2.Year, r2.ExactLocationOnSite, isnull(r2...
       ) rri
  join District on District.DistrictId = rri.DistrictId
  join RTK_Sites rs on rs.RTK_SitesId = rri.RTK_SitesId
                   and rs.Active = 1
```

```
--  join RTK_Items ri on ri.RTK_ItemsId = rri.RTK_ItemsId

  join MSDS on MSDS.MSDSId = rri.MSDSId

... (truncated)
```

vw_RTKInfoAnnual {dbo-vw-rtkinfoannual}

Property	Value
Schema	dbo
Created	2017-06-20 22:56:06.630000
Modified	2018-01-21 20:26:46.893000

Columns

#	Column	Type	Nullable
1	Year	int	Yes
2	DistrictId	int	No
3	Name	varchar(50)	Yes
4	NJEIN	varchar(20)	Yes
5	FacilityId	varchar(1)	No
6	FacilityName	varchar(50)	Yes
7	CoMunCode	varchar(5)	Yes
8	ExposedEmployeesCoun	int	Yes
9	FacilityEmergencyConta	varchar(100)	Yes
10	EmergencyPhone	varchar(50)	Yes
11	Location	varchar(406)	Yes
12	MailingAddress	varchar(406)	Yes
13	EmailResponsibleOfficial	varchar(200)	Yes
14	PhoneResponsibleOfficia	varchar(50)	Yes
15	TitleResponsibleOfficial	varchar(100)	Yes
16	AlternateDesc	varchar(60)	Yes
17	Manufacturer	varchar(50)	No

18	MSDSId	int	Yes
19	Quantity	int	Yes
20	InventoryCode	char(2)	Yes
21	InventoryDesc	varchar(25)	Yes
22	ProductLocation	varchar(50)	No
23	ProductExposedEmploye	int	Yes
24	Purpose	varchar(50)	Yes
25	RTK_PurposeID	int	Yes
26	UOMCode	char(1)	Yes
27	UOM	varchar(20)	Yes
28	SubstanceNo	char(4)	Yes
29	CASChemicalName	varchar(50)	Yes
30	CASRegNo	varchar(11)	No
31	DOT_Id	char(4)	Yes
32	MixturePercentCode	char(2)	Yes
33	MixtureDesc	varchar(12)	Yes
34	SpecHazCodes	varchar(36)	Yes
35	ContainerCode	char(2)	Yes
36	ContainerDesc	varchar(30)	Yes
37	CategoryId	int	Yes

Dependencies

Object	Type
dbo.District	Table
dbo.MSDS	Table
dbo.MSDSDetail	Table
dbo.RTK_CASFile	Table
dbo.RTK_ContainerCodes	Table
dbo.RTK_InventoryRangeCodes	Table
dbo.RTK_MixtureCodes	Table
dbo.RTK_Purposes	Table
dbo.RTK_Sites	Table

dbo.RTK_UOMCodes	Table
dbo.vw_RTKItemsAnnual	View

SQL Definition

```
create   view  [dbo].[vw_RTKInfoAnnual] as
select rri.Year, District.DistrictId, District.Name, rs.NJEIN, '' /*rs.FacilityId*/ Fac...
       rs.FacilityEmergencyContact, rs.EmergencyPhone,
       case isnull(rtrim(ltrim(rs.FacilityLocation1)),'') when '' then '' else isnull(r...
       case isnull(rtrim(ltrim(rs.MailingAddress1)),'') when '' then '' else isnull(rtr...
       rs.EmailResponsibleOfficial, rs.PhoneResponsibleOfficial, rs.TitleResponsibleOff...
       rri.RTKDescription AlternateDesc, rri.Manufacturer, rri.MSDSId, rri.Quantity, ir...
       cf.SubstanceNo, cf.CASChemicalName, cf.CASRegNo, cf.DOT_Id, md.MixturePercentCod...
       case when cf.SpecialHealthHazard = 1 then right(case cf.Carcinogen when 1 then '...
       cc.ContainerCode, cc.ContainerDesc, rri.CategoryId
  from (
    select r2.DistrictId, r2.RTK_SitesId, r2.Year, r2.ExactLocationOnSite, isnull(r2.Ma...
      from vw_RTKItemsAnnual r2
     group by r2.DistrictId, r2.RTK_SitesId, r2.Year, r2.ExactLocationOnSite, isnull(r2...
       ) rri
  join District on District.DistrictId = rri.DistrictId
  join RTK_Sites rs on rs.RTK_SitesId = rri.RTK_SitesId
```

```
                    and rs.Active = 1

--  join RTK_Items ri on ri.RTK_ItemsId = rri.RTK_ItemsId

... (truncated)
```

vw_RTKItems {dbo-vw-rtkitems}

Property	Value
Schema	dbo
Created	2013-07-09 17:26:00.100000
Modified	2018-01-21 20:26:48.340000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	Yes
2	ItemCode	varchar(50)	No
3	ItemDescription	varchar(512)	No
4	RTK_ItemsId	int	No
5	CategoryId	int	Yes
6	ItemId	int	Yes
7	LegacyCometCode	varchar(16)	Yes
8	AlternateDesc	varchar(60)	Yes
9	CaseCount	int	Yes
10	MeasurePct	decimal(9,5)	Yes
11	ContainerCodesId	int	Yes
12	UOMCodesId	int	Yes
13	OtherContainerDesc	varchar(20)	Yes
14	LegacyCometDesc	varchar(60)	Yes
15	PurposeDesc	varchar(50)	No
16	RTK_PurposeId	int	Yes
17	Manufacturer	varchar(50)	Yes

Dependencies

Object	Type
dbo.Category	Table
dbo.Items	Table
dbo.RTK_Items	Table
dbo.RTK_Purposes	Table

SQL Definition

```
create   view  [dbo].[vw_RTKItems] as

--SELECT CAT.Name CategoryName, Isnull(ITE.ItemCode,'') ItemCode,  -- changed 8/9/13

SELECT CAT.Name CategoryName, Isnull(RTK.ItemCode,'') ItemCode,

       Isnull(ITE.Description,'') ItemDescription,

       RTK.RTK_ItemsId, RTK.CategoryId, RTK.ItemId, RTK.LegacyCometCode, RTK.AlternateD...

       RTK.ContainerCodesId, RTK.UOMCodesId, RTK.OtherContainerDesc, RTK.LegacyCometDesc,

       Isnull(PUR.Description, '') PurposeDesc, RTK.RTK_PurposeId,  -- added 1/7/15 kjm

       RTK.Manufacturer  -- added 1/9/15

FROM dbo.RTK_Items RTK

JOIN dbo.Category CAT ON Isnull(CAT.Active,0) = 1 and CAT.CategoryId = RTK.CategoryId

LEFT JOIN dbo.Items ITE ON ITE.CategoryId = RTK.CategoryId AND ITE.ItemId = RTK.ItemId

LEFT JOIN dbo.RTK_Purposes PUR ON PUR.RTK_PurposeID = RTK.RTK_PurposeId  -- added 1/7/1...
```

```
... (truncated)
```

vw_RTKItems2 {dbo-vw-rtkitems2}

Property	Value
Schema	dbo
Created	2013-08-02 19:04:46.033000
Modified	2018-01-21 20:26:48.347000

Columns

#	Column	Type	Nullable
1	CategoryName	varchar(50)	No
2	ItemCode	varchar(50)	No
3	LegacyCometCode	varchar(16)	No
4	ItemDescription	varchar(512)	No
5	AlternateDesc	varchar(60)	No
6	CaseCount	int	Yes
7	MeasurePct	decimal(9,5)	Yes
8	ContainerCode	char(2)	Yes
9	UOMCode	char(1)	Yes
10	ReportQty	int	Yes
11	RTK_ItemsId	int	No
12	ContainerCodesID	int	Yes
13	UOMCodesID	int	Yes
14	ItemId	int	Yes
15	CategoryId	int	Yes
16	PurposeDesc	varchar(50)	No
17	RTK_PurposeId	int	Yes

18	Manufacturer	varchar(50)	Yes

Dependencies

Object	Type
dbo.Category	Table
dbo.Items	Table
dbo.RTK_ContainerCodes	Table
dbo.RTK_Items	Table
dbo.RTK_Purposes	Table
dbo.RTK_ReportItems	Table
dbo.RTK_UOMCodes	Table

SQL Definition

```
create   view  [dbo].[vw_RTKItems2]

AS

--SELECT Isnull(Category.Name,'') CategoryName, Isnull(Items.ItemCode,'') ItemCode, Isn...

SELECT Isnull(Category.Name,'') CategoryName, Isnull(RTK_Items.ItemCode,'') ItemCode, I...

       RTK_Items.CaseCount, RTK_Items.MeasurePct, RTK_ContainerCodes.ContainerCode, RTK...

       (SELECT COUNT(*) FROM RTK_ReportItems RRI

        WHERE isnull(RRI.RTK_ItemsId,0)!=0 and RTK_Items.RTK_ItemsId = RRI.RTK_ItemsId

        ) ReportQty,

       RTK_Items.RTK_ItemsId, RTK_ContainerCodes.ContainerCodesID, RTK_UOMCodes.UOMCode...

       Isnull(PUR.Description, '') PurposeDesc, RTK_Items.RTK_PurposeId,  -- added 1/7/...

       RTK_Items.Manufacturer  -- added 1/9/15
```

```
FROM RTK_Items  with (nolock)

JOIN Category ON Category.CategoryId = RTK_Items.CategoryId

... (truncated)
```

vw_RTKItemsAnnual {dbo-vw-rtkitemsannual}

Property	Value
Schema	dbo
Created	2017-06-20 22:55:56.423000
Modified	2018-01-21 20:26:46.887000

Columns

#	Column	Type	Nullable
1	RTK_SitesId	int	Yes
2	Quantity	int	Yes
3	DistrictId	int	Yes
4	year	int	Yes
5	RTKDescription	varchar(60)	Yes
6	ExactLocationOnSite	varchar(50)	Yes
7	Manufacturer	varchar(50)	Yes
8	ContainerCodesId	int	Yes
9	RTK_PurposeId	int	Yes
10	UOMCodesId	int	Yes
11	MSDSId	int	Yes
12	CategoryId	int	Yes

Dependencies

Object	Type
dbo.Items	Table

dbo.MSDS	Table
dbo.RTK_Items	Table
dbo.RTK_ReportItems	Table

SQL Definition

```
create   view  [dbo].[vw_RTKItemsAnnual] as

SELECT db1.RTK_SitesId, sum(db1.Quantity) Quantity, db1.DistrictId, db1.[year], CASE is...

       max(isnull(db1.ExactLocationOnSite,'')) ExactLocationOnSite, RTK_Items.Manufactu...

       CASE WHEN ISNULL(db1.MSDSId,0)!=0 THEN db1.MSDSId ELSE RTK_Items.MSDSId END MSDS...

FROM RTK_ReportItems db1

LEFT JOIN RTK_Items ON RTK_Items.RTK_ItemsId = db1.RTK_ItemsId

left outer join Items on Items.ItemId = db1.ItemId

left outer join MSDS on MSDS.MSDSId = CASE WHEN ISNULL(db1.MSDSId,0)!=0 THEN db1.MSDSId...

GROUP BY db1.RTK_SitesId, db1.DistrictId, db1.[Year],

         CASE isnull(MSDS.AlternateDescription,'') WHEN '' THEN Left(Isnull(Items.Descr...

         RTK_Items.Manufacturer, RTK_Items.ContainerCodesId, RTK_Items.RTK_PurposeId, R...

         CASE WHEN ISNULL(db1.MSDSId,0)!=0 THEN db1.MSDSId ELSE RTK_Items.MSDSId END, d...
```

vw_RTKItemsRev2 {dbo-vw-rtkitemsrev2}

Property	Value
Schema	dbo
Created	2015-01-15 14:21:04.547000
Modified	2018-01-21 20:26:46.500000

Columns

#	Column	Type	Nullable
1	RTK_SitesId	int	Yes
2	Quantity	int	Yes
3	DistrictId	int	Yes
4	year	int	Yes
5	RTKDescription	varchar(60)	Yes
6	ExactLocationOnSite	varchar(50)	Yes
7	Manufacturer	varchar(50)	Yes
8	ContainerCodesId	int	Yes
9	RTK_PurposeId	int	Yes
10	UOMCodesId	int	Yes
11	MSDSId	int	Yes
12	CategoryId	int	Yes

Dependencies

Object	Type
dbo.Control	Table
dbo.Items	Table
dbo.MSDS	Table
dbo.RTK_Items	Table
dbo.RTK_ReportItems	Table

SQL Definition

```
create   view  [dbo].[vw_RTKItemsRev2] as
SELECT db1.RTK_SitesId, sum(db1.Quantity) Quantity, db1.DistrictId, ys.[year], CASE isn...
       max(isnull(db1.ExactLocationOnSite,'')) ExactLocationOnSite, RTK_Items.Manufactu...
       CASE WHEN ISNULL(db1.MSDSId,0)!=0 THEN db1.MSDSId ELSE RTK_Items.MSDSId END MSDS...
FROM
(select ys1.[Year],
             case (ys1.[Year] - (select top 1 RTKBaseYear from Control order by Control...
                 when 0 then 1
                 else 0
             end ReportType,
             (select top 1 RTKBaseYear from Control order by ControlId) + (cast((ys1.[Y...
             case (ys1.[Year] - (select top 1 RTKBaseYear from Control order by Control...
                 when 0 then (select top 1 RTKBaseYear from Control order by ControlId)...
                 else ys1.[Year]
             end RangeLow
          from RTK_ReportItems ys1, [Control]
         group by ys1.[year]) ys
```

```
join RTK_ReportItems db1 on db1.[Year] between ys.RangeLow and ys.Year

LEFT JOIN RTK_Items ON RTK_Items.RTK_ItemsId = db1.RTK_ItemsId

... (truncated)
```

vw_RTKReportItems {dbo-vw-rtkreportitems}

Property	Value
Schema	dbo
Created	2013-08-07 19:45:27.407000
Modified	2018-01-21 20:26:48.350000

Columns

#	Column	Type	Nullable
1	DistrictName	varchar(50)	Yes
2	Year	int	Yes
3	SiteId	int	Yes
4	FacilityName	varchar(50)	Yes
5	CategoryName	varchar(50)	Yes
6	Quantity	int	Yes
7	ItemCode	varchar(50)	No
8	ItemDescription	varchar(512)	No
9	AlternateDesc	varchar(60)	No
10	ManuallyEntered	int	No
11	ManualEntryYesNo	varchar(3)	No
12	EDSItem	int	No
13	EDSItemYesNo	varchar(3)	No
14	RTK_ReportItemsId	int	No
15	RTK_ItemsId	int	No
16	RTK_SitesId	int	No
17	ItemId	int	No

18	CATEGORYID	int	Yes
19	DistrictId	int	Yes
20	MSDSId	int	Yes
21	ContentCentralMSDSDoc	varchar(36)	No

Dependencies

Object	Type
dbo.Category	Table
dbo.District	Table
dbo.Items	Table
dbo.MSDS	Table
dbo.RTK_Items	Table
dbo.RTK_ReportItems	Table
dbo.RTK_Sites	Table

SQL Definition

```
create   view  [dbo].[vw_RTKReportItems] as

SELECT  F.Name DistrictName, A."Year", A.RTK_SITESID SiteId, C.FacilityName, E.NAME Cat...

        Isnull(D.DESCRIPTION,'') ItemDescription, Isnull(B.ALTERNATEDESC,'') AlternateD...

        Case When Isnull(A.ManuallyEntered,0)=1 Then 'Yes' Else 'No' End ManualEntryYes...

        Case When Isnull(A.ItemId,0)=0 Then 0 Else 1 End EDSItem, Case When Isnull(A.It...

        A.RTK_ReportItemsId, Isnull(A.RTK_ITEMSID,0) RTK_ItemsId, Isnull(A.RTK_SITESID,...

        M.MSDSId, Isnull(M.ContentCentralMSDSDocId,'') ContentCentralMSDSDocId

FROM  RTK_ReportItems A

LEFT JOIN RTK_Items B ON  A.RTK_ITEMSID =  B.RTK_ITEMSID

LEFT JOIN RTK_Sites C ON  C.RTK_SITESID =  A.RTK_SITESID

LEFT JOIN Items D ON  A.ITEMID =  D.ITEMID

LEFT JOIN Category E ON  A.CATEGORYID =  E.CATEGORYID

LEFT JOIN District F ON F.DistrictId = A.DistrictId
```

```
LEFT JOIN MSDS M ON M.MSDSId = Case When Isnull(A.MSDSId,0)!=0 Then A.MSDSId Else B.MSD...
```

```
... (truncated)
```

vw_Savings1 {dbo-vw-savings1}

Property	Value
Schema	dbo
Created	2014-02-05 20:06:51.123000
Modified	2018-01-21 20:26:48.357000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	BudgetName	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	CYDollars	varchar(30)	Yes
6	CYIncludedDollars	varchar(30)	Yes
7	CYIncludedPercent	int	Yes
8	CYExcludedDollars	varchar(30)	Yes
9	GTDollars	varchar(30)	Yes
10	GTYears	int	No
11	PricePlanCode	varchar(20)	Yes
12	County	varchar(50)	No
13	State	char(2)	No
14	TotalBidCost	money	Yes
15	TotalCatalogCost	numeric(38,6)	Yes
16	TotalStateContractCost	numeric(38,6)	Yes
17	StateContractDiscount	decimal(13,9)	Yes

18	OverallDiscount	numeric(38,6)	Yes
19	OverallSavings	numeric(38,6)	Yes
20	IncludedBidCost	money	Yes
21	IncludedCatalogCost	numeric(38,6)	Yes
22	IncludedDiscount	numeric(38,6)	Yes
23	IncludedSavings	numeric(38,6)	Yes
24	ExcludedBidCost	money	Yes
25	ExcludedCatalogCost	numeric(38,6)	Yes
26	ExcludedDiscount	numeric(38,6)	Yes
27	ExcludedSavings	numeric(38,6)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.States	Table
dbo.YearlyTotals	Table

SQL Definition

```
create   view  [dbo].[vw_Savings1] as

select BudgetId, Name as BudgetName, DistrictId, DistrictName,

       left(CONVERT(varchar,CYDollars,1),LEN(CONVERT(varchar,CYDollars,1))-3) CYDollars,

       LEFT(convert(varchar,CYIncludedDollars,1),LEN(convert(varchar,CYIncludedDollars,...

       CYIncludedPercent,

       LEFT(convert(varchar,CYExcludedDollars,1),LEN(convert(varchar,CYExcludedDollars,...

       LEFT(convert(varchar,GTDollars,1),len(convert(varchar,GTDollars,1))-3) GTDollars,

       GTYears,

       (select top 1 PricePlans.Code

          from PricePlans with (nolock)

          join DistrictPP on DistrictPP.PricePlanId = PricePlans.PricePlanId

                         and DistrictPP.DistrictId = s1.DistrictId

          join BidHeaders on BidHeaders.PricePlanId = PricePlans.PricePlanId

                         and BidHeaders.Active = 1

                         and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders....

                         and BidHeaders.CategoryId = 4
```

```
            order by PricePlans.PricePlanId) PricePlanCode,

          s1.County,

   ... (truncated)
```

vw_Savings5 {dbo-vw-savings5}

Property	Value
Schema	dbo
Created	2014-01-20 11:46:33.753000
Modified	2018-01-21 20:26:48.363000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	BudgetName	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	CYDollars	varchar(30)	Yes
6	CYIncludedDollars	varchar(30)	Yes
7	CYIncludedPercent	int	Yes
8	CYExcludedDollars	varchar(30)	Yes
9	GTDollars	varchar(30)	Yes
10	GTYears	int	No
11	PricePlanCode	varchar(20)	Yes
12	County	varchar(50)	No
13	State	char(2)	No

Dependencies

Object	Type

dbo.BidHeaders	Table
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.States	Table
dbo.YearlyTotals	Table

SQL Definition

```
create   view  [dbo].[vw_Savings5] as

select BudgetId, Name as BudgetName, DistrictId, DistrictName,

       left(CONVERT(varchar,CYDollars,1),LEN(CONVERT(varchar,CYDollars,1))-3) CYDollars,

       LEFT(convert(varchar,CYIncludedDollars,1),LEN(convert(varchar,CYIncludedDollars,...

       CYIncludedPercent,

       LEFT(convert(varchar,CYExcludedDollars,1),LEN(convert(varchar,CYExcludedDollars,...

       LEFT(convert(varchar,GTDollars,1),len(convert(varchar,GTDollars,1))-3) GTDollars,

       GTYears,

       (select top 1 PricePlans.Code

          from PricePlans with (nolock)

          join DistrictPP on DistrictPP.PricePlanId = PricePlans.PricePlanId

                         and DistrictPP.DistrictId = s1.DistrictId

          join BidHeaders on BidHeaders.PricePlanId = PricePlans.PricePlanId

                         and BidHeaders.Active = 1

                         and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders....

                         and BidHeaders.CategoryId = 4

           order by PricePlans.PricePlanId) PricePlanCode,

       s1.County,
```

```
        s1.State

    from (

  ... (truncated)
```

vw_SavingsDetail1 {dbo-vw-savingsdetail1}

Property	Value
Schema	dbo
Created	2009-12-28 22:54:58.447000
Modified	2026-01-07 16:04:01.907000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	DistrictId	int	No
3	CategoryId	int	No
4	OnSavingsReport	int	No
5	DistrictName	varchar(189)	Yes
6	CategoryName	varchar(50)	Yes
7	ItemCode	varchar(50)	Yes
8	Quantity	int	Yes
9	BidPrice	money	Yes
10	CatalogPrice	numeric(22,6)	Yes
11	Discount	numeric(38,17)	Yes
12	BidExtended	money	Yes
13	CatalogExtended	numeric(33,6)	Yes
14	StateContractCost	numeric(38,6)	Yes
15	StateContractDiscount	decimal(13,9)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.Requisitions	Table

SQL Definition

Definition truncated (9,397 characters). First 8000 shown:

```
CREATE   view  [dbo].[vw_SavingsDetail1] as

select Budgets.BudgetId, District.DistrictId, Category.CategoryId, isnull(Category.On...

   District.Name + case patindex('%PAYABLE%',isnull(District.Address1,'')) when 0 th...

   Category.Name CategoryName, Detail.ItemCode, sum(Detail.Quantity) Quantity,

   Detail.BidPrice,

   case Category.CategoryId

     when 12 then round((Detail.BidPrice / .6),2)

     when 15 then (select top 1 CatalogPrice from CrossRefs join Catalog on Catalog....

     when 44 then round((Detail.BidPrice / .6),2)

     else isnull(Detail.CatalogPrice,Detail.BidPrice / .6)

   end CatalogPrice,

   case isnull(case Category.CategoryId

                  when 12 then round((Detail.BidPrice / .6),2)

                  when 15 then (select top 1 CatalogPrice from CrossRefs join Catalog...

                  when 44 then round((Detail.BidPrice / .6),2)

                  else isnull(/*(select top 1 CatalogPrice from CrossRefs join Catalo...

                    end, Detail.BidPrice / .6)

     when 0 then 0
```

```
        else

                        1 - (Detail.BidPrice / isnull(case Category.CategoryId

... (truncated)
```

vw_SavingsDetail1NonFiltered {dbo-vw-savingsdetail1nonfiltered}

Property	Value
Schema	dbo
Created	2010-01-16 13:23:09.043000
Modified	2018-01-21 20:26:46.243000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	DistrictId	int	No
3	CategoryId	int	No
4	OnSavingsReport	int	No
5	DistrictName	varchar(189)	Yes
6	CategoryName	varchar(50)	Yes
7	ItemCode	varchar(50)	Yes
8	Quantity	int	Yes
9	BidPrice	money	Yes
10	CatalogPrice	numeric(22,6)	Yes
11	Discount	numeric(38,17)	Yes
12	BidExtended	money	Yes
13	CatalogExtended	numeric(33,6)	Yes
14	StateContractCost	numeric(38,6)	Yes
15	StateContractDiscount	decimal(13,9)	Yes

Dependencies

Object	Type
dbo.Awards	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.District	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_SavingsDetail1NonFiltered] as

select Budgets.BudgetId, District.DistrictId, Category.CategoryId, isnull(Category.On...

   District.Name + case patindex('%PAYABLE%',isnull(District.Address1,'')) when 0 th...

   Category.Name CategoryName, Detail.ItemCode, sum(Detail.Quantity) Quantity,

   Detail.BidPrice,

   case Category.CategoryId

     when 12 then round((Detail.BidPrice / .6),2)

     when 15 then (select top 1 CatalogPrice from CrossRefs join Catalog on Catalog....

     when 44 then round((Detail.BidPrice / .6),2)

     else isnull(Detail.CatalogPrice,Detail.BidPrice / .6)

   end CatalogPrice,

   case isnull(case Category.CategoryId

                  when 12 then round((Detail.BidPrice / .6),2)

                  when 15 then (select top 1 CatalogPrice from CrossRefs join Catalog...

                  when 44 then round((Detail.BidPrice / .6),2)

                  else isnull((select top 1 CatalogPrice from CrossRefs join Catalog ...

                    end, Detail.BidPrice / .6)

     when 0 then 0
```

```
        else

                        1 - (Detail.BidPrice / isnull(case Category.CategoryId

... (truncated)
```

vw_SavingsDetail2 {dbo-vw-savingsdetail2}

Property	Value
Schema	dbo
Created	2009-12-28 22:56:39.577000
Modified	2018-01-21 20:26:45.817000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	DistrictId	int	Yes
3	CategoryId	int	No
4	OnSavings	int	No
5	DistrictName	varchar(189)	Yes
6	CategoryName	varchar(50)	Yes
7	UniqueItems	int	Yes
8	TotalItems	int	Yes
9	TotalBidCost	money	Yes
10	TotalCatalogCost	numeric(38,6)	Yes
11	TotalStateContractCost	numeric(38,6)	Yes
12	StateContractDiscount	decimal(13,9)	Yes
13	OverallSavings	numeric(38,6)	Yes
14	OverallDiscount	numeric(38,17)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.vw_SavingsDetail1	View

SQL Definition

```
create   view  [dbo].[vw_SavingsDetail2] as

    select B1.BudgetId, B1.DistrictId, CategoryId, isnull(OnSavingsReport,0) OnSavings,...

   count(ItemCode) UniqueItems, sum(Quantity) TotalItems, sum(BidExtended) TotalBidCost,

   sum(CatalogExtended) TotalCatalogCost, sum(StateContractCost) TotalStateContractCo...

   StateContractDiscount,

   sum(/*StateContractCost*/CatalogExtended - BidExtended) OverallSavings,

   case isnull(sum(CatalogExtended),0) when 0 then 0 else 1 - (sum(BidExtended) / sum...

  from Budgets B1 with (nolock)

  join vw_SavingsDetail1 ss on ss.BudgetId = B1.BudgetId and ss.Discount < .95

 group by B1.BudgetId, B1.DistrictId, CategoryId, OnSavingsReport, DistrictName, Categ...
```

vw_SavingsDetail2NonFiltered {dbo-vw-savingsdetail2nonfiltered}

Property	Value
Schema	dbo
Created	2010-01-16 13:24:03.993000
Modified	2018-01-21 20:26:46.253000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	DistrictId	int	Yes
3	CategoryId	int	No
4	OnSavings	int	No
5	DistrictName	varchar(189)	Yes
6	CategoryName	varchar(50)	Yes
7	UniqueItems	int	Yes
8	TotalItems	int	Yes
9	TotalBidCost	money	Yes
10	TotalCatalogCost	numeric(38,6)	Yes
11	TotalStateContractCost	numeric(38,6)	Yes
12	StateContractDiscount	decimal(13,9)	Yes
13	OverallSavings	numeric(38,6)	Yes
14	OverallDiscount	numeric(38,17)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.vw_SavingsDetail1NonFiltered	View

SQL Definition

```
create   view  [dbo].[vw_SavingsDetail2NonFiltered] as

    select B1.BudgetId, B1.DistrictId, CategoryId, isnull(OnSavingsReport,0) OnSavings,...

   count(ItemCode) UniqueItems, sum(Quantity) TotalItems, sum(BidExtended) TotalBidCost,

   sum(CatalogExtended) TotalCatalogCost, sum(StateContractCost) TotalStateContractCo...

   StateContractDiscount, sum(StateContractCost - BidExtended) OverallSavings,

   case isnull(sum(CatalogExtended),0) when 0 then 0 else 1 - (sum(BidExtended) / sum...

  from Budgets B1 with (nolock)

  join vw_SavingsDetail1NonFiltered ss on ss.BudgetId = B1.BudgetId

 group by B1.BudgetId, B1.DistrictId, CategoryId, OnSavingsReport, DistrictName, Categ...
```

vw_SavingsTotals {dbo-vw-savingstotals}

Property	Value
Schema	dbo
Created	2009-12-28 22:57:48.013000
Modified	2018-01-21 20:26:45.823000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	Name	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	TotalBidCost	money	Yes
6	TotalCatalogCost	numeric(38,6)	Yes
7	TotalStateContractCost	numeric(38,6)	Yes
8	StateContractDiscount	decimal(13,9)	Yes
9	OverallSavings	numeric(38,6)	Yes
10	OverallDiscount	numeric(38,6)	Yes
11	IncludedCatalogCost	numeric(38,6)	Yes
12	IncludedBidCost	money	Yes
13	ExcludedCatalogCost	numeric(38,6)	Yes
14	ExcludedBidCost	money	Yes
15	IncludedSavings	numeric(38,6)	Yes
16	ExcludedSavings	numeric(38,6)	Yes
17	IncludedDiscount	numeric(38,6)	Yes
18	ExcludedDiscount	numeric(38,6)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.vw_SavingsDetail2	View

SQL Definition

```
create   view  [dbo].[vw_SavingsTotals] as
select B.BudgetId, B.Name, B.DistrictId, DistrictName,
       sum(TotalBidCost) TotalBidCost, sum(TotalCatalogCost) TotalCatalogCost,
       sum(TotalStateContractCost) TotalStateContractCost, StateContractDiscount,
       sum(OverallSavings) OverallSavings,
       case sum(TotalCatalogCost)
         when 0 then 0
         else sum(OverallSavings) / sum(TotalCatalogCost)
       end OverallDiscount,
       sum(case OnSavings when 0 then 0 else TotalCatalogCost end) IncludedCatalogCost,
       sum(case OnSavings when 0 then 0 else TotalBidCost end) IncludedBidCost,
       sum(case OnSavings when 0 then TotalCatalogCost else 0 end) ExcludedCatalogCost,
       sum(case OnSavings when 0 then TotalBidCost else 0 end) ExcludedBidCost,
--       case case OnSavings when 0 then 0 else sum(TotalCatalogCost) end when 0 then 0...
--       case case OnSavings when 0 then sum(TotalCatalogCost) else 0 end when 0 then 0...
       sum(case OnSavings when 0 then 0 else TotalCatalogCost - TotalBidCost end) Inclu...
       sum(case OnSavings when 0 then TotalCatalogCost - TotalBidCost else 0 end) Exclu...
       case sum(case OnSavings when 0 then 0 else TotalCatalogCost end) when 0 then 0 e...
       case sum(case OnSavings when 0 then TotalCatalogCost else 0 end) when 0 then 0 e...
```

```
    from Budgets B with (nolock)

    join vw_SavingsDetail2 s1 on s1.BudgetId = B.BudgetId

  ... (truncated)
```

vw_SavingsTotals5 {dbo-vw-savingstotals5}

Property	Value
Schema	dbo
Created	2010-01-08 09:40:04.430000
Modified	2018-01-21 20:26:46.087000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	Name	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	PastYearsCount	int	Yes
6	GTSavings	numeric(38,6)	No
7	CatalogExtended	numeric(38,6)	No
8	BidExtended	money	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.vw_SavingsDetail1	View
dbo.vw_SavingsDetail2	View

SQL Definition

```
--select * from vw_SavingsTotals5 st where st.DistrictId = 659 order by BudgetId




create   view  [dbo].[vw_SavingsTotals5] as

select B.BudgetId, B.Name, B.DistrictId, District.Name + case patindex('%PAYABLE%',isnu...

       (select COUNT(*)

          from (select top 5 sd.BudgetId

                  from vw_SavingsDetail1 sd

                  join Budgets bs on bs.BudgetId = sd.BudgetId

                                 and substring(bs.Name,1,4) between CAST(cast(substring...

                 where sd.DistrictId = b.DistrictId

                   and sd.Discount < .95

                 group by sd.BudgetId

                 order by sd.BudgetId desc) wc) PastYearsCount,

       isnull((select SUM(Savings)

          from (select top 5 round(SUM(CatalogExtended - BidExtended),0) Savings

                  from vw_SavingsDetail1 sd

                  join Budgets bs on bs.BudgetId = sd.BudgetId

                                 and substring(bs.Name,1,4) between CAST(cast(substring...
```

```
                    where sd.DistrictId = b.DistrictId

                      and sd.Discount < .95

                    group by sd.BudgetId

  ... (truncated)
```

vw_SavingsTotals5NJ {dbo-vw-savingstotals5nj}

Property	Value
Schema	dbo
Created	2012-01-31 14:18:39.213000
Modified	2018-01-21 20:26:46.847000

Columns

#	Column	Type	Nullable
1	vw_SavingsTotals_Name	varchar(30)	Yes
2	vw_SavingsTotals_Distric	varchar(189)	Yes
3	vw_SavingsTotals_PastY	int	Yes
4	vw_SavingsTotals_GTSav	numeric(38,6)	No
5	vw_SavingsTotals_Catalo	numeric(38,6)	No
6	vw_SavingsTotals_BidEx	money	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictCharges	Table
dbo.vw_SavingsTotals5	View

SQL Definition

```
create   view  [dbo].[vw_SavingsTotals5NJ]

as

SELECT

     vw_SavingsTotals."Name" AS vw_SavingsTotals_Name,

     vw_SavingsTotals."DistrictName" AS vw_SavingsTotals_DistrictName,

     vw_SavingsTotals."PastYearsCount" AS vw_SavingsTotals_PastYearsCount,

     vw_SavingsTotals."GTSavings" AS vw_SavingsTotals_GTSavings,

     vw_SavingsTotals."CatalogExtended" AS vw_SavingsTotals_CatalogExtended,

     vw_SavingsTotals."BidExtended" AS vw_SavingsTotals_BidExtended

FROM

     "dbo"."vw_SavingsTotals5" vw_SavingsTotals with (nolock)

     inner join Budgets on Budgets.BudgetId = vw_SavingsTotals.BudgetId

                       and Budgets.Name like '2011%'

     inner join District on District.DistrictId = Budgets.DistrictId

                        and District.State = 'NJ'

                        and District.County != 'TEST'

WHERE Budgets.BudgetId = 5535 and

     (select COUNT(*) from DistrictCharges dc with (nolock) where dc.BudgetId = Budgets...

--order by vw_SavingsTotals."DistrictName", vw_SavingsTotals."BudgetId"
```

vw_SavingsTotals5NonFiltered {dbo-vw-savingstotals5nonfiltered}

Property	Value
Schema	dbo
Created	2010-01-16 13:25:44.337000
Modified	2018-01-21 20:26:46.263000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	Name	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	PastYearsCount	int	Yes
6	GTSavings	numeric(38,6)	Yes
7	CatalogExtended	numeric(38,6)	Yes
8	BidExtended	money	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.vw_SavingsDetail1NonFiltered	View
dbo.vw_SavingsDetail2NonFiltered	View

SQL Definition

```
create   view  [dbo].[vw_SavingsTotals5NonFiltered] as

select B.BudgetId, B.Name, B.DistrictId, District.Name + case patindex('%PAYABLE%',isnu...

       (select COUNT(*)

          from (select top 5 sd.BudgetId

                  from vw_SavingsDetail1NonFiltered sd

                  join Budgets bs on bs.BudgetId = sd.BudgetId

                                 and substring(bs.Name,1,4) > CAST(cast(substring(b.Nam...

                 where sd.DistrictId = b.DistrictId

                 group by sd.BudgetId

                 order by sd.BudgetId desc) wc) PastYearsCount,

       (select SUM(Savings)

          from (select top 5 SUM(CatalogExtended - BidExtended) Savings

                  from vw_SavingsDetail1NonFiltered sd

                  join Budgets bs on bs.BudgetId = sd.BudgetId

                                 and substring(bs.Name,1,4) > CAST(cast(substring(b.Nam...

                 where sd.DistrictId = b.DistrictId

                 group by sd.BudgetId

                 order by sd.BudgetId desc) wa) GTSavings,

         (select SUM(CatalogExtended)
```

```
            from (select top 5 SUM(CatalogExtended) CatalogExtended

                    from vw_SavingsDetail1NonFiltered sd

... (truncated)
```

vw_SavingsTotals5Test {dbo-vw-savingstotals5test}

Property	Value
Schema	dbo
Created	2010-01-08 15:37:40.217000
Modified	2018-01-21 20:26:46.170000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	Name	varchar(30)	Yes
3	DistrictId	int	Yes
4	DistrictName	varchar(189)	Yes
5	PastYearsCount	int	Yes
6	GTSavings	numeric(38,6)	Yes
7	CatalogExtended	numeric(38,6)	Yes
8	BidExtended	money	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.vw_SavingsDetail1	View
dbo.vw_SavingsDetail2	View

SQL Definition

```
--select * from vw_SavingsTotals5Test where Budgetid = 4761



create   view  [dbo].[vw_SavingsTotals5Test] as

select B.BudgetId, B.Name, B.DistrictId, District.Name + case patindex('%PAYABLE%',isnu...

       (select COUNT(*)

          from (select top 5 sd.BudgetId

                  from vw_SavingsDetail1 sd

                  join Budgets bs on bs.BudgetId = sd.BudgetId

                                 and substring(bs.Name,1,4) > CAST(cast(substring(b.Nam...

                 where sd.DistrictId = b.DistrictId

                 group by sd.BudgetId

                 order by sd.BudgetId desc) wc) PastYearsCount,

       (select SUM(Savings)

          from (select top 5 SUM(CatalogExtended - BidExtended) Savings

                  from vw_SavingsDetail1 sd

                  join Budgets bs on bs.BudgetId = sd.BudgetId

                                 and substring(bs.Name,1,4) > CAST(cast(substring(b.Nam...

                 where sd.DistrictId = b.DistrictId

                 group by sd.BudgetId

                 order by sd.BudgetId desc) wa) GTSavings,
```

```
          (select SUM(CatalogExtended)

            from (select top 5 SUM(CatalogExtended) CatalogExtended

                    from vw_SavingsDetail1 sd

... (truncated)
```

vw_ScanDocLookupFields {dbo-vw-scandoclookupfields}

Property	Value
Schema	dbo
Created	2014-06-11 14:36:31.737000
Modified	2025-10-27 20:10:53.390000

Columns

#	Column	Type	Nullable
1	ScanJobId	int	No
2	DocTypeFieldExternalLo	uniqueidentifier	No
3	ExternalTableName	nvarchar(128)	No
4	ItemOrder	int	No
5	DocTypeFieldExternalLo	uniqueidentifier	No
6	Type	nvarchar(50)	No
7	DocTypeFieldExternalLo	int	No
8	Name	nvarchar(50)	No
9	DocTypeFieldId	uniqueidentifier	No

Dependencies

Object	Type
dbo.Catalog	Other

dbo.DocType	Other
dbo.DocTypeField	Other
dbo.DocTypeFieldExternalLookup	Other
dbo.DocTypeFieldExternalLookupItem	Other
dbo.ScanJobs	Table

SQL Definition

```
CREATE view [dbo].[vw_ScanDocLookupFields] as

select sj.ScanJobId, DocTypeFieldExternalLookup.Id DocTypeFieldExternalLookupId, DocTyp...

  from ContentCentral.dbo.DocType DocType

  join ContentCentral.dbo.DocTypeFieldExternalLookup DocTypeFieldExternalLookup on DocT...

  join ContentCentral.dbo.DocTypeFieldExternalLookupItem DocTypeFieldExternalLookupItem...

  join ContentCentral.dbo.DocTypeField DocTypeField on DocTypeField.Id = DocTypeFieldEx...

  join ContentCentral.dbo.Catalog Catalog on Catalog.Id = DocType.CatalogId

  join dbo.ScanJobs sj on sj.CatalogName = Catalog.Name

                          and sj.CabinetName = DocType.Name

 where DocTypeFieldExternalLookup.Enabled = 1
```

vw_ScanDocLookups {dbo-vw-scandoclookups}

Property	Value
Schema	dbo
Created	2014-06-11 14:36:31.627000
Modified	2025-10-27 20:11:29.103000

Columns

#	Column	Type	Nullable
1	ScanJobId	int	No
2	DocTypeFieldExternalLo	uniqueidentifier	No
3	ExternalTableName	nvarchar(128)	No
4	ItemOrder	int	No

Dependencies

Object	Type
dbo.Catalog	Other
dbo.DocType	Other
dbo.DocTypeFieldExternalLookup	Other
dbo.ScanJobs	Table

SQL Definition

```
CREATE   view [dbo].[vw_ScanDocLookups] as

select sj.ScanJobId, DocTypeFieldExternalLookup.Id DocTypeFieldExternalLookupId, DocTyp...

  from ContentCentral.dbo.DocType DocType

  join ContentCentral.dbo.DocTypeFieldExternalLookup DocTypeFieldExternalLookup on DocT...

  join ContentCentral.dbo.Catalog Catalog on Catalog.Id = DocType.CatalogId

  join dbo.ScanJobs sj on sj.CatalogName = Catalog.Name

                          and sj.CabinetName = DocType.Name

 where DocTypeFieldExternalLookup.Enabled = 1
```

vw_ScanDocLookupTargets {dbo-vw-scandoclookuptargets}

Property	Value
Schema	dbo
Created	2014-06-11 14:36:31.813000
Modified	2025-10-27 20:12:04.527000

Columns

#	Column	Type	Nullable
1	ScanJobId	int	No
2	DocTypeFieldExternalLo	uniqueidentifier	No
3	ExternalTableName	nvarchar(128)	No
4	ItemOrder	int	No

5	DocTypeFieldExternalLo	uniqueidentifier	No
6	DocTypeFieldExternalLo	int	No
7	ExternalValueColumn	nvarchar(128)	No
8	Name	nvarchar(50)	No
9	DocTypeFieldId	uniqueidentifier	No

Dependencies

Object	Type
dbo.Catalog	Other
dbo.DocType	Other
dbo.DocTypeField	Other
dbo.DocTypeFieldExternalLookup	Other
dbo.DocTypeFieldExternalLookupSelectItem	Other
dbo.ScanJobs	Table

SQL Definition

```
CREATE view [dbo].[vw_ScanDocLookupTargets] as

select sj.ScanJobId, DocTypeFieldExternalLookup.Id DocTypeFieldExternalLookupId, DocTyp...

  from ContentCentral.dbo.DocType DocType

  join ContentCentral.dbo.DocTypeFieldExternalLookup DocTypeFieldExternalLookup on DocT...

  join ContentCentral.dbo.DocTypeFieldExternalLookupSelectItem DocTypeFieldExternalLook...

  join ContentCentral.dbo.DocTypeField DocTypeField on DocTypeField.Id = DocTypeFieldEx...

  join ContentCentral.dbo.Catalog Catalog on Catalog.Id = DocType.CatalogId

  join dbo.ScanJobs sj on sj.CatalogName = Catalog.Name

                          and sj.CabinetName = DocType.Name

 where DocTypeFieldExternalLookup.Enabled = 1
```

vw_ScannedDocumentDataMSDS {dbo-vw-scanneddocumentdatamsds}

Property	Value
Schema	dbo
Created	2013-06-21 14:05:54.763000
Modified	2013-06-26 18:34:59.137000

Columns

#	Column	Type	Nullable

1	CatalogName	nvarchar(50)	No
2	DocumentType	nvarchar(50)	No
3	DocFolder	nvarchar(260)	No
4	DocName	nvarchar(260)	No
5	BaseName	nvarchar(260)	No
6	FullFileName	nvarchar(520)	No
7	VersionMajor	int	No
8	VersionMinor	int	No
9	CreatedUtc	datetime	No
10	PagesCaptured	int	No
11	DocId	uniqueidentifier	No
12	RevisionDate	datetime	Yes
13	CategoryName	nvarchar(50)	Yes
14	EDSItemCode	nvarchar(4000)	Yes
15	ManufacturerName	nvarchar(4000)	Yes
16	ProductName	nvarchar(4000)	Yes
17	ManufacturerPartNumbe	nvarchar(4000)	Yes
18	EPARegistrationNumber	nvarchar(4000)	Yes
19	SendTo	nvarchar(4000)	Yes

Dependencies

Object	Type
dbo.Catalog	Other
dbo.DocType	Other
dbo.DocTypeField	Other
dbo.Document	Other
dbo.DocumentField	Other
dbo.DocumentFolder	Other
dbo.DocumentVersion	Other
dbo.DocumentVersionFile	Other

SQL Definition

Definition truncated (10,651 characters). First 8000 shown:

```
CREATE view [dbo].[vw_ScannedDocumentDataMSDS] as

select Catalog.Name CatalogName,

       DocType.Name DocumentType,

       DocumentFolder.DocFolder,

       DocumentVersionFile.DocName,

       DocumentVersionFile.BaseName,

       DocumentFolder.DocFolder + DocumentVersionFile.DocName as FullFileName,

       DocumentVersion.VersionMajor,

       DocumentVersion.VersionMinor,

       DocumentVersion.CreatedUtc,

       DocumentVersion.PagesCaptured,

       Document.Id DocId,

       Convert(DATETIME,

                 (select case isnull(df.IndexFieldText,'') when '' then isnull(df.MemoF...

  from ContentCentral.dbo.DocTypeField dtf

  join ContentCentral.dbo.DocumentField df on df.DocumentId = Document.Id

  and df.DocTypeFieldId = dtf.Id

 where dtf.DocTypeId = DocType.Id

   and dtf.Name = 'Revision Date'), 101 ) RevisionDate,

       cast(isnull( (select case isnull(df.IndexFieldText,'') when '' then isnull(df.Me...
```

```
    from ContentCentral.dbo.DocTypeField dtf

    join ContentCentral.dbo.DocumentField df on df.DocumentId = Document.Id

                            and df.DocTypeFieldId = dtf.Id

  ... (truncated)
```

vw_ScannedDocumentDataMSDSCategories {dbo-vw-scanneddocumentdatamsdscategories}

Property	Value
Schema	dbo
Created	2013-06-27 15:12:14.907000
Modified	2013-07-10 13:25:04.527000

Columns

#	Column	Type	Nullable
1	CategoryName	nvarchar(50)	Yes

Dependencies

Object	Type
dbo.vw_ScannedDocumentDataMSDS	View

SQL Definition

```
CREATE view [dbo].[vw_ScannedDocumentDataMSDSCategories] as

SELECT CategoryName

FROM [EDS].[dbo].[vw_ScannedDocumentDataMSDS] with (nolock)

GROUP BY CategoryName
```

vw_ScannedDocumentDataMSDSManufacturers {dbo-vw-scanneddocumentdatamsdsmanufacturers}

Property	Value
Schema	dbo
Created	2013-06-28 16:49:37.617000
Modified	2013-07-10 13:25:23.440000

Columns

#	Column	Type	Nullable
1	ManufacturerName	varchar(50)	Yes

Dependencies

Object	Type
dbo.vw_ScannedDocumentDataMSDS	View

SQL Definition

```
CREATE view [dbo].[vw_ScannedDocumentDataMSDSManufacturers] as

SELECT Cast(ManufacturerName as varchar(50)) ManufacturerName

FROM [EDS].[dbo].[vw_ScannedDocumentDataMSDS] with (nolock)

GROUP BY ManufacturerName
```

vw_scARCategories {dbo-vw-scarcategories}

Property	Value
Schema	dbo
Created	2009-09-25 16:31:20.013000
Modified	2018-01-21 20:26:48.377000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	DistrictId	int	No
3	BudgetId	int	No
4	CategoryId	int	No
5	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.Requisitions	Table
dbo.SessionTable	Table

SQL Definition

```
create   view  [dbo].[vw_scARCategories] as

select SessionTable.SessionId, District.DistrictId, Budgets.BudgetId, Category.Category...

  from SessionTable with (nolock)

  join Budgets on Budgets.BudgetId = SessionTable.BudgetId

  join District on District.DistrictId = Budgets.DistrictId

  join Requisitions on Requisitions.BudgetId = Budgets.BudgetId

  join Category on Category.CategoryId = Requisitions.CategoryId

  group by SessionTable.SessionId, District.DistrictId, Budgets.BudgetId, Category.Cate...
```

vw_SchoolUsers {dbo-vw-schoolusers}

Property	Value
Schema	dbo
Created	2009-05-27 11:32:16.350000
Modified	2018-01-21 20:26:48.380000

Columns

#	Column	Type	Nullable
1	SchoolId	int	Yes
2	UserId	int	No
3	CometId	varchar(58)	Yes

Dependencies

Object	Type
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_SchoolUsers] as

SELECT Users.SchoolId, Users.UserId, right('0000' + cast(Users.CometId as varchar(10)),...

  FROM dbo.Users with (nolock)

 WHERE Users.Active = 1

--ORDER BY CometId
```

vw_SDSImportView {dbo-vw-sdsimportview}

Property	Value
Schema	dbo
Created	2017-08-18 13:14:45.980000
Modified	2018-07-11 20:48:51.720000

Columns

#	Column	Type	Nullable
1	MSDSId	int	No
2	MSDSRef	varchar(255)	Yes
3	ItemDescription	varchar(512)	Yes
4	ItemList	varchar(MAX)	Yes
5	Manufacturer	varchar(MAX)	Yes
6	ManufacturerPartNumbe	varchar(MAX)	Yes

Dependencies

Object	Type
dbo.CrossRefs	Table
dbo.MSDS	Table
dbo.RTK_Items	Table
dbo.RTK_ReportItems	Table
dbo.ufn_GetMSDSSheet	Other
dbo.ufn_MSDSItems	Other
dbo.ufn_MSDSManufacturers	Other
dbo.ufn_MSDSMPNs	Other
dbo.ufn_RegExIsMatch	Other
dbo.vw_DMSSDSDocuments	View

SQL Definition

```
CREATE   view  [dbo].[vw_SDSImportView]

as

select MSDS.MSDSId, CrossRefs.MSDSRef, (select ItemDescription from dbo.ufn_GetMSDSShee...

  from CrossRefs

  join RTK_Items ri on ri.ItemId = CrossRefs.ItemId

  join RTK_ReportItems rri on rri.ItemId = CrossRefs.ItemId

  join MSDS on MSDS.MSDSId = coalesce(rri.MSDSId, ri.MSDSId)

 --          and MSDS.ContentCentralMSDSDocId is null

  left outer join vw_DMSSDSDocuments sds on sds.MSDSId = MSDS.MSDSId

 where MSDSRef is not null

   and MSDSRef like 'http%'

   and MSDSRef like '%.pdf'

   and sds.DocId is null

   and master.dbo.ufn_RegExIsMatch(MSDSRef,'^(?:http(?:s){0,1}://(?:[0-9]{1,3}){1}\.(?:...

 group by MSDS.MSDSId, CrossRefs.MSDSRef
```

vw_SDSItems {dbo-vw-sdsitems}

Property	Value
Schema	dbo
Created	2018-07-11 12:30:39.140000

Modified	2025-02-07 17:40:14.373000

Columns

#	Column	Type	Nullable
1	ItemId	int	Yes
2	MSDSId	int	Yes
3	DocId	uniqueidentifier	No
4	SDSURL	varchar(99)	Yes

Dependencies

Object	Type
dbo.RTK_Items	Table
dbo.RTK_ReportItems	Table
dbo.vw_DMSSDSDocuments	View

SQL Definition

```
CREATE view [dbo].[vw_SDSItems] as

select ss.ItemId, ss.MSDSId, sds.DocId, 'https://edsiq.ed-data.com/SDS/SDSDocViewer?Doc...

  from (

select ItemId, MSDSId

  from RTK_Items

 where MSDSId is not null

   and MSDSId != 0

union

select ItemId, MSDSId

  from RTK_ReportItems

 where MSDSId is not null

   and MSDSId != 0

) ss

  join vw_DMSSDSDocuments sds on sds.MSDSId = ss.MSDSId

group by ss.ItemId, ss.MSDSId, sds.DocId
```

vw_SDSItemsAll {dbo-vw-sdsitemsall}

Property	Value
Schema	dbo
Created	2024-12-10 14:39:29.647000
Modified	2024-12-10 14:39:29.647000

Columns

#	Column	Type	Nullable
1	SafetyDataSheetId	bigint	No
2	SDSURL	varchar(512)	No

Dependencies

Object	Type
dbo.SafetyDataSheets	Table

SQL Definition

```
create   view vw_SDSItemsAll

as

select SafetyDataSheets.SafetyDataSheetId, SafetyDataSheets.SDSURL

  from SafetyDataSheets

 where SafetyDataSheets.Deleted is null

   and SafetyDataSheets.SDSURL like 'http%'
```

vw_SDSReferencedURLs {dbo-vw-sdsreferencedurls}

Property	Value
Schema	dbo
Created	2020-06-16 16:11:47.967000
Modified	2020-06-16 16:11:47.967000

Columns

#	Column	Type	Nullable
1	ItemId	int	Yes
2	CrossRefId	int	Yes
3	VendorId	int	Yes
4	SDS_URL	varchar(300)	Yes
5	Manufacturer	varchar(50)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidResults	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Requisitions	Table

SQL Definition

```
create view vw_SDSReferencedURLs as

select Detail.ItemId, Detail.CrossRefId, Detail.VendorId, coalesce(bi.SDS_URL,xr.SDS_UR...

  from Detail

  join Requisitions on Requisitions.RequisitionId = Detail.RequisitionId

  join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId

                 and getdate() between BidHeaders.EffectiveFrom and BidHeaders.Effectiv...

  outer apply (select case

                       when trim(BidResults.SDS_URL) = '' then null

else trim(BidResults.SDS_URL)

  end SDS_URL,

  case

    when trim(BidResults.ManufacturerBid) = '' then null

else trim(BidResults.ManufacturerBid)

  end Manufacturer

 from BidItems

 join BidResults on BidResults.BidResultsId = BidItems.BidResultsId

where BidItems.BidItemId = Detail.BidItemId) bi

  outer apply (select case

                       when trim(CrossRefs.MSDSRef) = '' then null

else trim(CrossRefs.MSDSRef)
```

```
  end SDS_URL,

  case

    when trim(CrossRefs.Manufacturor) = '' then null
```

```
else trim(CrossRefs.Manufacturor)

  end Manufacturer

... (truncated)
```

vw_SearchDescription {dbo-vw-searchdescription}

Property	Value
Schema	dbo
Created	2024-08-30 10:16:41.057000
Modified	2025-06-27 20:59:16.060000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	BidHeaderId	int	Yes
3	ItemDescription	nvarchar(MAX)	Yes
4	ShortDescription	nvarchar(MAX)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidItems	Table
dbo.BidMappedItems	Table
dbo.BidResults	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.BookTypes	Table
dbo.Catalog	Table
dbo.Category	Table

dbo.CrossRefs	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.ufn_RegExReplace	Other
dbo.Vendors	Table

SQL Definition

Definition truncated (12,325 characters). First 8000 shown:

```
--select * from CrossRefs where packedCode = 'TP6540'

--select * from vw_SearchDescription where ItemId = 919114389 and BidHeaderId = 12393 o...

--select * from vw_SearchDescription where ItemId = 446482 and BidHeaderId = 11789 orde...

--select * from vw_SearchDescription where ItemId = 444601 and BidHeaderId = 12224 orde...



CREATE       view  [dbo].[vw_SearchDescription]

AS

    select Items.ItemId,

           BidHeaders.BidHeaderId,

/*   case isnull(Headings.HeadingId,0)

 when 0 then ''

 else

   ltrim(rtrim(isnull(Headings.Title,''))) +

   case isnull(Keywords.KeywordId,0)

 when 0 then ''

 else

   ' ' + ltrim(rtrim(isnull(Keywords.Keyword,'')))

   end + ', '

end +
```

```
*/

   case

... (truncated)
```

vw_SearchItemsDetail {dbo-vw-searchitemsdetail}

Property	Value
Schema	dbo
Created	2009-05-26 21:54:06.863000
Modified	2018-01-21 20:26:48.387000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	HeadingId	int	No
3	KeywordId	int	No
4	BidItems_BidItemId	int	Yes
5	Price	decimal(34,13)	Yes
6	BidItems_Alternate	varchar(512)	Yes
7	BidItems_VendorItemCo	varchar(50)	Yes
8	ItemBidType	varchar(32)	Yes
9	PageNo	int	Yes
10	Items_ItemCode	varchar(50)	Yes
11	Items_Description	varchar(512)	Yes
12	Items_HeadingId	int	Yes
13	Items_SortSeq	varchar(64)	Yes
14	BidDiscountRate	decimal(8,5)	Yes
15	Vendors_Name	varchar(50)	Yes
16	Units_Code	varchar(20)	Yes
17	DetailId	int	Yes

18	Quantity	int	Yes
19	ItemId	int	No

Dependencies

Object	Type
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.CrossRefs	Table
dbo.Detail	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Requisitions	Table
dbo.Units	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_SearchItemsDetail] as

SELECT Requisitions.RequisitionId, Headings.HeadingId, ISNULL(Items.KeywordId,0) Keywor...

ItemBidType, case isnull(BidItems.PageNo,0) when 0 then case isnull(BidItems.CrossRefId...

Items.SortSeq AS Items_SortSeq, BidDiscountRate, Vendors.Name AS Vendors_Name, Units.Co...

  from Requisitions with (nolock)

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join Bids on Bids.BidHeaderId = Requisitions.BidHeaderId

           and Bids.Active = 1

  join BidItems on BidItems.BidId = Bids.BidId

               and isnull(BidItems.Price,0) != 0

  join Items on Items.ItemId = BidItems.ItemId

            and Items.Active = 1

  join Headings on Headings.HeadingId = Items.HeadingId

               and Headings.Active = 1

  join Vendors on Vendors.VendorId = Bids.VendorId

  join Units on Units.UnitId = Items.UnitId

  left outer join Detail on Detail.ItemId = Items.ItemId

                        and Detail.RequisitionId = Requisitions.RequisitionId

 where case isnull(Items.DistrictId,0) when 0 then Budgets.DistrictId else Items.Distri...

union (

SELECT Requisitions.RequisitionId, Headings.HeadingId, ISNULL(Items.KeywordId,0) Keywor...
```

```
'' as ItemBidType, 0 PageNo, Items.ItemCode AS Items_ItemCode, Items.Description AS Ite...

Items.SortSeq AS Items_SortSeq, 0 BidDiscountRate, 'Not Yet Bid' AS Vendors_Name, Units...

... (truncated)
```

vw_SearchItemsHeadings {dbo-vw-searchitemsheadings}

Property	Value
Schema	dbo
Created	2009-05-26 21:41:52.857000
Modified	2018-01-21 20:26:48.393000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	Title	varchar(255)	No
3	Description	varchar(4096)	Yes
4	HeadingId	int	No
5	SearchLetter	varchar(1)	No

Dependencies

Object	Type
dbo.BidItems	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Budgets	Table
dbo.CrossRefs	Table
dbo.Headings	Table
dbo.Items	Table

dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_SearchItemsHeadings] as

select Requisitions.RequisitionId, isnull(Headings.Title,'Last Year''s Addenda') Title,...

  from Requisitions with (nolock)

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join Bids on Bids.BidHeaderId = Requisitions.BidHeaderId

            and Bids.Active = 1

  join BidItems on BidItems.BidId = Bids.BidId

                and isnull(BidItems.Price,0) != 0

  join Items on Items.ItemId = BidItems.ItemId

             and Items.Active = 1

  join Headings on Headings.HeadingId = Items.HeadingId

                and Headings.Active = 1

 where case isnull(Items.DistrictId,0) when 0 then Budgets.DistrictId else Items.Distri...

 group by Requisitions.RequisitionId, Headings.Title, Headings.Description, Headings.He...

union (

select Requisitions.RequisitionId, isnull(Headings.Title,'Last Year''s Addenda') Title,...

  from Requisitions with (nolock)

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join Headings on Headings.CategoryId = Requisitions.CategoryId
```

```
                and Headings.Active = 1

    join Items on Items.HeadingId = Headings.HeadingId

              and Items.Active = 1

   where isnull(Requisitions.BidHeaderId,0) = 0

     and case isnull(Items.DistrictId,0) when 0 then Budgets.DistrictId else Items.Distri...

  ... (truncated)
```

vw_SearchItemsKeywords {dbo-vw-searchitemskeywords}

Property	Value
Schema	dbo
Created	2009-05-26 21:59:43.380000
Modified	2018-01-21 20:26:48.400000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	BidHeaderId	int	Yes
3	Title	varchar(255)	Yes
4	Description	varchar(4096)	Yes
5	HeadingId	int	Yes
6	Keyword	varchar(50)	Yes
7	KeywordId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.BidItems	Table
dbo.Bids	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Requisitions	Table

SQL Definition

```
create   view  [dbo].[vw_SearchItemsKeywords] as

select Requisitions.RequisitionId, BidHeaders.BidHeaderId, Headings.Title, Headings.Des...

  from Requisitions with (nolock)

  join BidHeaders on BidHeaders.BidHeaderId = Requisitions.BidHeaderId

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

            and Bids.Active = 1

  join BidItems on BidItems.BidId = Bids.BidId

  join Items on Items.ItemId = BidItems.ItemId

             and Items.Active = 1

  join Headings on Headings.HeadingId = Items.HeadingId

                and Headings.Active = 1

  left outer join dbo.Keywords Keywords on Keywords.KeywordId = Items.KeywordId

                                                  and Keywords.Active = 1

 group by Requisitions.RequisitionId, BidHeaders.BidHeaderId, Headings.Title, Headings....
```

vw_SessionCategories {dbo-vw-sessioncategories}

Property	Value
Schema	dbo
Created	2012-04-25 16:03:24.380000
Modified	2018-01-21 20:26:48.403000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryId	int	No
3	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCategory	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_SessionCategories] as
SELECT SessionTable.SessionId,
       Category.CategoryId,
       case isnull(rtrim(DistrictCategories.Title),'')
         when '' then Category.Name
         else rtrim(DistrictCategories.Title)
       end as Name
  FROM Category with (nolock)
  INNER JOIN PPCategory on PPCategory.CategoryId = Category.CategoryId
  INNER JOIN DistrictPP on DistrictPP.PricePlanId = PPCategory.PricePlanId
  inner join DistrictCategories on DistrictCategories.DistrictId = DistrictPP.DistrictId
                               and DistrictCategories.CategoryId = Category.CategoryId
                               and DistrictCategories.Active = 1
  inner join Budgets on Budgets.DistrictId = DistrictCategories.DistrictId
                    and Budgets.Active = 1
  inner join SessionTable on SessionTable.DistrictId = Budgets.DistrictId
                         and SessionTable.SessionEnd is null
  left outer join Users on Users.UserId = SessionTable.UserId
  WHERE Category.Active = 1
    and Category.Type = 1
    and GETDATE() between case when (isnull(Users.AllowEarlyAccess,0) = 1 or ISNULL(Ses...
  group by SessionTable.SessionId,
```

```
            Category.CategoryId,

            case isnull(rtrim(DistrictCategories.Title),'')

... (truncated)
```

vw_SessionCategoryVendors {dbo-vw-sessioncategoryvendors}

Property	Value
Schema	dbo
Created	2012-04-25 16:53:22.383000
Modified	2018-01-21 20:26:48.410000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes
4	VendorId	int	No
5	VendorName	varchar(50)	Yes
6	WebURL	varchar(255)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.BidsCatalogList	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.CXmlSession	Table

dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.PPCatalogs	Table
dbo.PPCategory	Table
dbo.SessionTable	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_SessionCategoryVendors] as

select SessionTable.SessionId, Category.CategoryId, Category.Name CategoryName, Vendors...

  from SessionTable with (nolock)

  join District on District.DistrictId = SessionTable.DistrictId

  join DistrictPP on DistrictPP.DistrictId = District.DistrictId

  join PPCategory on PPCategory.PricePlanId = DistrictPP.PricePlanId

  join Category on Category.CategoryId = PPCategory.CategoryId

               and Category.Type = 1

  join BidHeaders on BidHeaders.CategoryId = PPCategory.CategoryId

                 and BidHeaders.PricePlanId = PPCategory.PricePlanId

                 and BidHeaders.Active = 1

                 and GETDATE() between BidHeaders.EffectiveFrom and BidHeaders.Effectiv...

                 and BidHeaders.BidType = 1

  join Bids on Bids.BidHeaderId = BidHeaders.BidHeaderId

           and Bids.Active = 1

  join Vendors on Vendors.VendorId = Bids.VendorId

              and Vendors.VendorId != 7691

              and Vendors.Active = 1
```

```
    left outer join BidsCatalogList on BidsCatalogList.BidId = Bids.BidId

    left outer join Catalog on Catalog.CatalogId = BidsCatalogList.CatalogId

  ... (truncated)
```

vw_SessionTableBudgets {dbo-vw-sessiontablebudgets}

Property	Value
Schema	dbo
Created	2009-05-27 11:29:03.107000
Modified	2018-01-21 20:26:48.417000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	BudgetId	int	No
3	Name	varchar(30)	Yes
4	EndDate	datetime	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.SessionTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_SessionTableBudgets] as

SELECT SessionTable.SessionId, Budgets.BudgetId, Budgets.Name, Budgets.EndDate

  FROM SessionTable with (nolock)

  left outer join Users on Users.UserId = SessionTable.UserId

  join dbo.Budgets on Budgets.DistrictId = SessionTable.DistrictId

                  and Budgets.Active = 1

                  and GETDATE() between DATEADD(year,case SessionTable.ApprovalLevel

                                              when 9 then -5

                                              when 8 then -5

                                              when 5 then -2

                                              else 0

                                            end,case when ISNULL(Users.AllowEarlyAcces...

                  and dateadd(year,case SessionTable.ApprovalLevel

                               when 9 then 5

                               when 8 then 5

                               when 5 then 2

                               else 0

                             end, case isnull(SessionTable.AllowIncidentals,0)

when 0 then Budgets.VisibleUntil

else Budgets.EndDate

  end)

 group by SessionTable.SessionId, Budgets.BudgetId, Budgets.Name, Budgets.EndDate
```

```
--ORDER BY Budgets.EndDate, Budgets.Name
```

vw_ShortDescription {dbo-vw-shortdescription}

Property	Value
Schema	dbo
Created	2019-08-19 08:28:52.653000
Modified	2023-03-01 08:58:50.257000

Columns

#	Column	Type	Nullable
1	ItemId	int	No
2	VendorId	int	Yes
3	ShortDescription	varchar(4096)	Yes

Dependencies

Object	Type
dbo.CrossRefs	Table
dbo.Items	Table

SQL Definition

```
CREATE VIEW [dbo].[vw_ShortDescription]-- with schemabinding

AS

SELECT

   i.ItemId, i.VendorId,

   COALESCE (c.ShortDescription, i.ShortDescription, i.Description, c.FullDescription,...



FROM   dbo.Items AS i

LEFT OUTER JOIN dbo.CrossRefs AS c ON c.ItemId = i.ItemId

WHERE (i.Active = 1)

  and COALESCE (c.ShortDescription, i.ShortDescription, i.Description, c.FullDescriptio...

  and trim(COALESCE (c.ShortDescription, i.ShortDescription, i.Description, c.FullDescr...
```

vw_StatusDetailed {dbo-vw-statusdetailed}

Property	Value
Schema	dbo
Created	2009-09-21 11:24:20.753000
Modified	2018-01-21 20:26:48.420000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	No
2	Status	varchar(104)	No

Dependencies

Object	Type
dbo.Approvals	Table
dbo.Requisitions	Table
dbo.StatusTable	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_StatusDetailed] as

select Requisitions.RequisitionId, isnull((select top 1 StatusTable.Name + case isnull(...

  from Requisitions with (nolock)

  left outer join Approvals on Approvals.ApprovalId =

    (select Top 1 a.ApprovalId

       from Approvals a with (nolock)

      where a.RequisitionId = Requisitions.RequisitionId

      order by a.ApprovalDate desc, a.ApprovalId desc)
```

vw_StatusHistory {dbo-vw-statushistory}

Property	Value
Schema	dbo
Created	2012-07-02 21:09:09.087000
Modified	2021-09-01 15:04:05.597000

Columns

#	Column	Type	Nullable
1	RequisitionId	int	Yes
2	StatusName	varchar(104)	No
3	ApprovalDate	datetime	Yes
4	ActionUserId	int	No
5	ActionCometId	int	Yes
6	ActionAttention	varchar(50)	Yes
7	ApproverUserId	int	Yes
8	ApproverAttention	varchar(50)	Yes
9	ApproverCometId	int	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaderDetail	Table
dbo.BidHeaders	Table
dbo.Detail	Table
dbo.Requisitions	Table
dbo.StatusTable	Table
dbo.Users	Table

SQL Definition

```
CREATE   view  [dbo].[vw_StatusHistory] as

select Approvals.RequisitionId,

       isnull(case isnull(Approvals.StatusId,0)

         when 29 then

           StatusTable.Name + ' on Bid ' +

             isnull(cast((select top 1 BidHeaders.BidHeaderId

                            from BidHeaderDetail with (nolock)

                            join BidHeaders on BidHeaders.BidHeaderId = BidHeaderDetail...

                                           and BidHeaders.Active = 1

                                           and isnull(BidHeaders.BidType,2) = 2

                            join Detail on Detail.DetailId = BidHeaderDetail.DetailId

                            join Requisitions r on r.RequisitionId = Detail.RequisitionId

                                               and r.RequisitionId = Approvals.Requisit...

                           order by BidHeaders.BidHeaderId desc) as varchar(18)),'')

         when 2 then

           case ISNULL(na.UserId,0)

             when 0 then
```

```
      'Approved' +

     case isnull(Approvals.Level,0)

   ... (truncated)
```

vw_TMAwardedVendors {dbo-vw-tmawardedvendors}

Property	Value
Schema	dbo
Created	2015-04-13 15:47:15.117000
Modified	2018-01-21 20:26:48.427000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	VendorCode	varchar(16)	Yes
3	VendorName	varchar(50)	Yes
4	VendorNameAndAddress	varchar(394)	Yes
5	Address1	varchar(50)	Yes
6	Address2	varchar(50)	Yes
7	City	varchar(50)	Yes
8	State	char(2)	Yes
9	Zipcode	varchar(10)	Yes
10	Phone	varchar(25)	Yes
11	Fax	varchar(20)	Yes
12	EMail	varchar(255)	Yes
13	FullName	varchar(150)	Yes
14	BidHeaderId	int	Yes
15	BidMessage	varchar(1024)	Yes
16	VendorBidNumber	varchar(50)	Yes
17	Title	varchar(255)	No

18	PackageNumber	int	Yes
19	StateName	varchar(50)	Yes
20	CountyName	varchar(50)	No
21	AwardType	varchar(50)	Yes
22	EffectiveFrom	datetime	Yes
23	EffectiveUntil	datetime	Yes
24	BidAwardDate	datetime	Yes
25	StateId	int	Yes
26	HostDistrict	varchar(50)	Yes
27	ContactName	varchar(170)	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table
dbo.Salutations	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_TMAwardedVendors] as
select Vendors.VendorId, Vendors.Code VendorCode, Vendors.Name VendorName,
       case when Salutations.SalutationId is null then '' else Salutations.Title end +
       isnull(VendorContacts.FullName,'') + char(13) + char(10) +
       isnull(Vendors.Name,'') +
       case ISNULL(VendorContacts.Address1,'')
         when '' then ''
         else char(13) + char(10) + VendorContacts.Address1
       end +
       case ISNULL(VendorContacts.Address2,'')
         when '' then ''
         else char(13) + char(10) + VendorContacts.Address2
       end +
       case ISNULL(VendorContacts.City,'') + ISNULL(VendorContacts.State,'') + ISNULL(V...
         when '' then ''
         else char(13) + char(10) + ISNULL(VendorContacts.City,'') + ', ' + ISNULL(Vend...
       end VendorNameAndAddress,
       VendorContacts.Address1, VendorContacts.Address2, VendorContacts.City, VendorCon...
       VendorContacts.Phone, VendorContacts.Fax, VendorContacts.EMail, VendorContacts.F...
       BidHeaders.BidHeaderId, BidHeaders.BidMessage,
       BidImports.VendorBidNumber, BidTrades.Title, Trades.PackageNumber,
```

```
        Counties.State StateName, Counties.Name CountyName, TMAwards.AwardType,

        BidHeaders.EffectiveFrom, BidHeaders.EffectiveUntil, BidHeaders.BidAwardDate, Bi...

... (truncated)
```

vw_TMCountyTrades {dbo-vw-tmcountytrades}

Property	Value
Schema	dbo
Created	2011-10-17 15:21:40.740000
Modified	2018-07-13 15:14:02.090000

Columns

#	Column	Type	Nullable
1	TMSurveyId	int	No
2	BidTradeId	int	No
3	Description	varchar(255)	No
4	CountyId	int	No
5	TMYear	int	Yes
6	VendorCount	int	Yes
7	PrevTradeId	int	Yes
8	NextTradeId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Counties	Table
dbo.TMSurvey	Table

dbo.vw_TMTradesAwardedVendors	View

SQL Definition

```
--select * from vw_TMCountyTrades where TMSurveyId = 472 order by Description

--select * from Counties

CREATE   view  [dbo].[vw_TMCountyTrades] as

select TMSurvey.TMSurveyId, BidTrades.BidTradeId, BidTrades.Title Description, Counties...

       (select count(*)

  from BidTrades bt with (nolock)

  join BidTradeCounties btc on btc.BidTradeId = bt.BidTradeId

                   and btc.CountyId = TMSurvey.CountyId

  join BidHeaders bh on bh.BidHeaderId = bt.BidHeaderId

    and getdate() between bh.EffectiveFrom and bh.EffectiveUntil

  join vw_TMTradesAwardedVendors av on av.BidHeaderId = bh.BidHeaderId

                                   and av.BidTradeCountyId = btc.BidTradeCountyId

 where bt.BidTradeId = BidTrades.BidTradeId ) VendorCount,

       PrevTrade.BidTradeId PrevTradeId,

   NextTrade.BidTradeId NextTradeId

  from BidTrades with (nolock)

  join BidTradeCounties on BidTradeCounties.BidTradeId = BidTrades.BidTradeId

  join Counties on Counties.CountyId = BidTradeCounties.CountyId

  join TMSurvey on TMSurvey.CountyId = Counties.CountyId

  join BidHeaders on BidHeaders.BidHeaderId = BidTrades.BidHeaderId
```

```
                    and getdate() between BidHeaders.EffectiveFrom and BidHeaders.Effectiv...

    outer apply ( select top 1 bt.BidTradeId

    from BidTrades bt with (nolock)

    join BidTradeCounties btc on btc.BidTradeId = bt.BidTradeId

                              and btc.CountyId = TMSurvey.CountyId

  ... (truncated)
```

vw_TMLineItems {dbo-vw-tmlineitems}

Property	Value
Schema	dbo
Created	2012-04-02 21:54:52.393000
Modified	2018-01-21 20:26:48.440000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	Title	varchar(255)	No
4	ItemCode	varchar(50)	Yes
5	Description	varchar(512)	No
6	UnitCode	varchar(20)	No
7	BidPrice	decimal(33,13)	Yes
8	Alternate	varchar(512)	No
9	SortSeq	varchar(64)	Yes

Dependencies

Object	Type

dbo.BidImports	Table
dbo.BidItems	Table
dbo.Bids	Table
dbo.Headings	Table
dbo.Items	Table
dbo.Keywords	Table
dbo.Units	Table

SQL Definition

```
create   view  [dbo].[vw_TMLineItems] as

select BidImports.BidHeaderId, BidImports.BidImportId, isnull(Headings.Title,'') Title,...

  from Bids with (nolock)

  join BidImports on BidImports.BidImportId = Bids.BidImportId

  join BidItems on BidItems.BidId = Bids.BidId

  join Items on Items.ItemId = BidItems.ItemId

  join Units on Units.UnitId = Items.UnitId

  left outer join Headings on Headings.HeadingId = Items.HeadingId

  left outer join Keywords on Keywords.KeywordId = Items.KeywordId

 where Bids.Active = 1
```

vw_TMSurveyData {dbo-vw-tmsurveydata}

Property	Value
Schema	dbo

Created	2011-10-19 09:37:31.227000
Modified	2025-05-21 10:17:02.157000

Columns

#	Column	Type	Nullable
1	TMSurveyResultId	int	No
2	TMSurveyId	int	No
3	TMVendorId	int	No
4	Rating	int	Yes
5	Comments	varchar(MAX)	Yes
6	Name	varchar(50)	Yes
7	Sequence	varchar(50)	Yes
8	TradeId	int	No
9	BidTradeId	int	No
10	Title	varchar(255)	No

Dependencies

Object	Type
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.TMSurvey	Table
dbo.TMSurveyResults	Table
dbo.Vendors	Table
dbo.vw_TMTradesAwardedVendors	View

SQL Definition

```
--select * from vw_TMSurveyData where TMSurveyId = 642


CREATE   view  [dbo].[vw_TMSurveyData] as

select sr.TMSurveyResultId, sr.TMSurveyId, sr.TMVendorId, sr.Rating, sr.Comments, Vendo...

  from TMSurveyResults sr with (nolock)

  join TMSurvey on TMSurvey.TMSurveyId = sr.TMSurveyId

  join BidTradeCounties on BidTradeCounties.BidTradeCountyId = sr.BidTradeCountyId

  join vw_TMTradesAwardedVendors av on av.VendorId = sr.TMVendorId

                                    and av.BidTradeCountyId = BidTradeCounties.BidTradeC...

  join Vendors on Vendors.VendorId = av.VendorId

  join BidTrades on BidTrades.BidTradeId = BidTradeCounties.BidTradeId
```

vw_TMSurveys {dbo-vw-tmsurveys}

Property	Value
Schema	dbo
Created	2011-10-31 10:45:03.870000
Modified	2025-05-21 10:16:29.910000

Columns

#	Column	Type	Nullable
1	TMSurveyId	int	No
2	DistrictId	int	No
3	Submitter	varchar(255)	Yes
4	Title	varchar(255)	Yes
5	Email	varchar(255)	Yes
6	Started	datetime	Yes
7	Finished	datetime	Yes
8	CountyId	int	Yes
9	FirstTradeId	int	Yes

Dependencies

Object	Type
dbo.TMSurvey	Table
dbo.vw_TMCountyTrades	View

SQL Definition

```
CREATE     view  [dbo].[vw_TMSurveys] as

select *,

       (select ct.BidTradeId

      from vw_TMCountyTrades ct

 where ct.TMSurveyId = TMSurvey.TMSurveyId

   and ct.PrevTradeId is null) FirstTradeId

  from TMSurvey with (nolock)

 where TMSurvey.Started > DATEADD(month,-16,getdate())
```

vw_TMTrades {dbo-vw-tmtrades}

Property	Value
Schema	dbo
Created	2011-10-21 16:30:36.453000
Modified	2018-10-26 08:05:11.253000

Columns

#	Column	Type	Nullable
1	TMSurveyId	int	No
2	TradeId	int	No
3	TMYear	int	Yes
4	CountyId	int	No
5	Description	varchar(255)	No
6	PrevTradeId	int	Yes
7	NextTradeId	int	Yes

Dependencies

Object	Type
dbo.vw_TMCountyTrades	View

SQL Definition

```
CREATE   view  [dbo].[vw_TMTrades] as

  select ct.TMSurveyId, ct.BidTradeId TradeId, ct.TMYear, ct.CountyId, ct.Description, ...

    from vw_TMCountyTrades ct

   where ct.VendorCount > 0

/*select TMSurvey.TMSurveyId, TMVendors.TradeId, TMVendors.TMYear, TMSurvey.CountyId, T...

       (select Top 1 tmv.TradeId

          from TMVendors tmv with (nolock)

          join Trades tr on tr.TradeId = tmv.TradeId

         where TMV.TMYear = TMVendors.TMYear

           and TMV.CountyId = TMSurvey.CountyId

           and tr.Description < Trades.Description

         order by tr.Description desc) PrevTradeId,

       (select Top 1 tmv.TradeId

          from TMVendors tmv with (nolock)

          join Trades tr on tr.TradeId = tmv.TradeId

         where TMV.TMYear = TMVendors.TMYear

           and TMV.CountyId = TMSurvey.CountyId

           and tr.Description > Trades.Description

         order by tr.Description ) NextTradeId
```

```
    from TMSurvey

    join TMVendors on TMVendors.CountyId = TMSurvey.CountyId

  ... (truncated)
```

vw_TMTradesAwardedVendors {dbo-vw-tmtradesawardedvendors}

Property	Value
Schema	dbo
Created	2012-03-29 10:40:22.683000
Modified	2018-07-13 15:13:52.590000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	VendorCode	varchar(16)	Yes
3	VendorName	varchar(50)	Yes
4	VendorNameAndAddress	varchar(394)	Yes
5	Address1	varchar(50)	Yes
6	Address2	varchar(50)	Yes
7	City	varchar(50)	Yes
8	State	char(2)	Yes
9	Zipcode	varchar(10)	Yes
10	Phone	varchar(25)	Yes
11	Fax	varchar(20)	Yes
12	EMail	varchar(255)	Yes
13	FullName	varchar(150)	Yes
14	BidHeaderId	int	Yes
15	BidMessage	varchar(1024)	Yes

16	VendorBidNumber	varchar(50)	Yes
17	Title	varchar(255)	No
18	PackageNumber	int	Yes
19	StateName	char(2)	No
20	CountyName	varchar(50)	No
21	AwardType	varchar(50)	Yes
22	EffectiveFrom	datetime	Yes
23	EffectiveUntil	datetime	Yes
24	BidAwardDate	datetime	Yes
25	StateId	int	Yes
26	HostDistrict	varchar(50)	Yes
27	ContactName	varchar(170)	Yes
28	CategoryName	varchar(50)	Yes
29	CategoryId	int	No
30	AwardingType	varchar(10)	No
31	ReawardDate	datetime	Yes
32	ReawardFrom	datetime	Yes
33	ReawardUntil	datetime	Yes
34	PricePlanId	int	Yes
35	BidTradeCountyId	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.BidReawards	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Category	Table
dbo.Counties	Table
dbo.District	Table

dbo.Salutations	Table
dbo.TMAwards	Table
dbo.Trades	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_TMTradesAwardedVendors] as

select Vendors.VendorId, Vendors.Code VendorCode, Vendors.Name VendorName,

       case when Salutations.SalutationId is null then '' else Salutations.Title end +

       isnull(VendorContacts.FullName,'') + char(13) + char(10) +

       isnull(Vendors.Name,'') +

       case ISNULL(VendorContacts.Address1,'')

         when '' then ''

         else char(13) + char(10) + VendorContacts.Address1

       end +

       case ISNULL(VendorContacts.Address2,'')

         when '' then ''

         else char(13) + char(10) + VendorContacts.Address2

       end +

       case ISNULL(VendorContacts.City,'') + ISNULL(VendorContacts.State,'') + ISNULL(V...

         when '' then ''

         else char(13) + char(10) + ISNULL(VendorContacts.City,'') + ', ' + ISNULL(Vend...

       end VendorNameAndAddress,

       VendorContacts.Address1, VendorContacts.Address2, VendorContacts.City, VendorCon...
```

```
        VendorContacts.Phone, VendorContacts.Fax, VendorContacts.EMail, VendorContacts.F...

        BidHeaders.BidHeaderId, BidHeaders.BidMessage,

... (truncated)
```

vw_TMTradesSummary {dbo-vw-tmtradessummary}

Property	Value
Schema	dbo
Created	2014-05-19 22:34:56.487000
Modified	2018-01-21 20:26:48.457000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	No
2	BidTradeCountyId	int	No
3	CountyId	int	No
4	AwardType	varchar(50)	Yes
5	VendorName	varchar(101)	Yes

Dependencies

Object	Type
dbo.BidTradeCounties	Table
dbo.TMAwards	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_TMTradesSummary] as

select TMAwards.BidHeaderId, BidTradeCounties.BidTradeCountyId, BidTradeCounties.County...

  from TMAwards

  join BidTradeCounties on BidTradeCounties.BidTradeCountyId = TMAwards.BidTradeCountyId

  left outer join Vendors on Vendors.VendorId = TMAwards.VendorId

 where TMAwards.Active = 1

-- order by TMAwards.BidHeaderId, BidTradeCounties.CountyId, TMAwards.AwardType
```

vw_TMUsers {dbo-vw-tmusers}

Property	Value
Schema	dbo
Created	2012-03-29 14:06:36.290000
Modified	2018-01-21 20:26:48.460000

Columns

#	Column	Type	Nullable
1	DistrictCode	varchar(4)	Yes
2	DistrictName	varchar(50)	Yes
3	Attention	varchar(50)	Yes
4	UserNbr	varchar(5)	Yes
5	UserName	varchar(10)	Yes
6	Password	varchar(10)	Yes
7	userId	int	No
8	DistrictId	int	No

9	useCF	int	No

Dependencies

Object	Type
dbo.District	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_TMUsers] as

select District.DistrictCode, District.Name DistrictName, Users.Attention, right('00000...

  from Users

  join District on District.DistrictId = Users.DistrictId

               and District.TimeAndMaterialBids = 1

 where Users.AllowTM = 1

--   and District.DistrictCode = 'TU'
```

vw_TMVendorsForReports {dbo-vw-tmvendorsforreports}

Property	Value

Schema	dbo
Created	2012-04-03 23:37:05.993000
Modified	2018-01-21 20:26:48.470000

Columns

#	Column	Type	Nullable
1	BidTradeCountyId	int	Yes
2	BidImportId	int	Yes
3	BidHeaderId	int	Yes
4	BidCounty	varchar(30)	Yes
5	BidState	varchar(50)	Yes
6	TradeName	varchar(30)	Yes
7	PackageNumber	int	Yes
8	TradeDescription	varchar(30)	Yes
9	AwardType	varchar(15)	No
10	BidDate	datetime	Yes
11	BidAwardDate	datetime	Yes
12	EffectiveFrom	datetime	Yes
13	EffectiveUntil	datetime	Yes
14	VendorCode	varchar(16)	No
15	VendorName	varchar(50)	No
16	ContactName	varchar(150)	No
17	ContactPhone	varchar(25)	No
18	ContactFax	varchar(20)	No
19	ContactEmail	varchar(255)	No
20	Address1	varchar(50)	No
21	Address2	varchar(50)	No
22	City	varchar(50)	No
23	State	char(2)	No
24	Zipcode	varchar(10)	No
25	VendorContactInfo	varchar(1726)	Yes
26	HostName	varchar(50)	Yes

27	HostNameAndAddress	varchar(222)	Yes
28	CategoryType	int	Yes
29	CategoryName	varchar(1075)	Yes
30	Grouping	varchar(50)	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictContacts	Table
dbo.States	Table
dbo.TMAwards	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_TMVendorsForReports] as

select cast(null as int) BidTradeCountyId, BidImports.BidImportId, BidHeaders.BidHeader...

       cast(null as varchar) TradeName, cast(null as int) PackageNumber, cast(null as v...

       case (select COUNT(*)

               from Bids with (nolock)

              where Bids.BidHeaderId = BidHeaders.BidHeaderId

                and Bids.Active = 1

                and Bids.VendorId != 7691)

          when 0 then 'Trade Award'

          when 1 then 'Total Award'

          else 'Line Item Award'

       end AwardType,
```

```
        BidHeaders.BidDate, BidHeaders.BidAwardDate,

        BidHeaders.EffectiveFrom, BidHeaders.EffectiveUntil,

... (truncated)
```

vw_UsedAccountData {dbo-vw-usedaccountdata}

Property	Value
Schema	dbo
Created	2008-06-20 13:52:53.140000
Modified	2018-01-21 20:26:48.477000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	BudgetName	varchar(30)	Yes
3	SchoolId	int	No
4	SchoolName	varchar(50)	Yes
5	UserId	int	No
6	CometId	int	Yes
7	UserAttention	varchar(50)	Yes
8	RequisitionId	int	No
9	Attention	varchar(50)	Yes
10	TotalRequisitionCost	money	Yes
11	CategoryId	int	No
12	CategoryName	varchar(50)	Yes
13	UserAccountId	int	Yes
14	UseUserAllocations	tinyint	Yes
15	AllocationAmount	money	Yes
16	AllocationAvailable	money	Yes
17	AccountId	int	Yes

18	Code	varchar(50)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_UsedAccountData] as

select Budgets.BudgetId, Budgets.Name as BudgetName,

       School.SchoolId, School.Name as SchoolName,

       Users.UserId, Users.CometId, Users.Attention as UserAttention,

       Requisitions.RequisitionId, Requisitions.Attention, Requisitions.TotalRequisitio...

       Category.CategoryId, Category.Name as CategoryName,

       UserAccounts.UserAccountId, UserAccounts.UseAllocations as UseUserAllocations, U...

       Accounts.AccountId, Accounts.Code

  from Requisitions with (nolock)

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

  join School on School.SchoolId = Requisitions.SchoolId

  join Users on Users.UserId = Requisitions.UserId

  join Category on Category.CategoryId = Requisitions.CategoryId

  left outer join UserAccounts on UserAccounts.UserAccountId = Requisitions.UserAccountId

  left outer join Accounts on Accounts.AccountId = UserAccounts.AccountId
```

vw_UserNotificationOptions {dbo-vw-usernotificationoptions}

Property	Value
Schema	dbo

Created	2019-11-02 21:54:17.827000
Modified	2019-12-10 10:40:19.030000

Columns

#	Column	Type	Nullable
1	NotificationOptionId	int	No
2	Name	varchar(50)	No

Dependencies

Object	Type
dbo.NotificationOptions	Table

SQL Definition

```
CREATE   view [dbo].[vw_UserNotificationOptions] as

SELECTNotificationOptionId, Name

FROMNotificationOptions
```

vw_Users_Assoc_With_Bid {dbo-vw-users-assoc-with-bid}

Property	Value
Schema	dbo
Created	2016-08-30 13:19:55.083000
Modified	2022-07-28 14:46:16.697000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	DistrictId	int	No
3	UserId	int	No
4	ApproverId	int	Yes

Dependencies

Object	Type
dbo.Approvals	Table
dbo.BidHeaderDetail	Table
dbo.BidRequestItems	Table
dbo.Budgets	Table
dbo.Detail	Table
dbo.District	Table
dbo.Requisitions	Table
dbo.Users	Table

SQL Definition

```
CREATE   view  [dbo].[vw_Users_Assoc_With_Bid] as

select BHD.BidHeaderId, District.DistrictId, Users.UserId, Users.ApproverId

from BidHeaderDetail BHD

Join BidRequestItems BRI ON BRI.BidRequestItemId = BHD.BidRequestItemId AND BRI.Active ...

join Detail ON Detail.DetailId = BHD.DetailId

Join Requisitions Req ON Req.RequisitionId=Detail.RequisitionId

left outer Join Approvals ON Approvals.RequisitionId = Req.RequisitionId

                         and Approvals.ApprovalId = (Select Top 1 ApprovalId From Appro...

Join Users ON Users.UserId = Req.UserId

Join Budgets ON Budgets.BudgetId=Req.BudgetId

Join District ON District.DistrictId=Budgets.DistrictId

Where Req.Active=1
```

```
--      and Approvals.StatusId = 29  /* 29="Out to Bid - Waiting Response" */

      --and BHD.BidHeaderId = 7465

... (truncated)
```

vw_ValidLogins {dbo-vw-validlogins}

Property	Value
Schema	dbo
Created	2010-01-22 13:44:53.670000
Modified	2018-01-21 20:26:48.493000

Columns

#	Column	Type	Nullable
1	UserId	int	No
2	UserMatch	varchar(26)	Yes
3	Password	varchar(10)	No

Dependencies

Object	Type
dbo.District	Table
dbo.DistrictTypes	Table
dbo.Users	Table

SQL Definition

```
create   view  [dbo].[vw_ValidLogins] as

select Users.UserId, rtrim(District.DistrictCode) + '/' + RTRIM(cast(Users.CometId as v...

  from Users with (nolock)

  join District on District.DistrictId = Users.DistrictId

                and District.Active = 1

                and isnull(District.DisableLogins,0) = 0

  join DistrictTypes on DistrictTypes.DistrictTypeId = District.DistrictTypeId

                     and DistrictTypes.UsesOnline = 1

 where Users.Active = 1

   and case when ISNULL(rtrim(Users.Password),'') != '' then RTRIM(Users.Password) else...
```

vw_Vendor0528Items {dbo-vw-vendor0528items}

Property	Value
Schema	dbo
Created	2009-06-22 12:53:19.927000
Modified	2018-01-21 20:26:46.307000

Columns

#	Column	Type	Nullable
1	ItemCode	varchar(50)	Yes
2	VendorItemCode	varchar(50)	No
3	description	varchar(1024)	Yes
4	Code	varchar(20)	Yes

5	atReq	int	Yes
6	atPO	int	Yes

Dependencies

Object	Type
dbo.Items	Table
dbo.Units	Table
dbo.Vendors	Table
dbo.vw_RefList	View

SQL Definition

```
create   view  [dbo].[vw_Vendor0528Items] as

select rl.ItemCode, rl.VendorItemCode, rl.description, Units.Code, SUM(case isnull(RL.P...

  from vw_RefList rl

  join Vendors on Vendors.VendorId = rl.VendorId

               and Vendors.Code = '0528'

  join Items on Items.ItemId = rl.ItemId

  join Units on Units.UnitId = Items.UnitId

 group by rl.ItemCode, rl.VendorItemCode, rl.description, Units.Code, Items.SortSeq

 --order by Items.SortSeq
```

vw_VendorBidDocumentsList

{dbo-vw-vendorbiddocumentslist}

Property	Value
Schema	dbo
Created	2012-12-28 11:08:23.837000
Modified	2018-01-21 20:26:48.497000

Columns

#	Column	Type	Nullable
1	Name	varchar(50)	No

Dependencies

Object	Type
dbo.BidDocumentTypes	Table

SQL Definition

```
create   view  [dbo].[vw_VendorBidDocumentsList] as

select Name

  from BidDocumentTypes

 where isnull(VendorSpecific ,0) = 1

 group by Name
```

vw_VendorBidInfoStats {dbo-vw-vendorbidinfostats}

Property	Value
Schema	dbo
Created	2022-01-14 12:03:33.403000
Modified	2022-01-14 12:42:41.397000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	BidImportId	int	No
3	Name	varchar(50)	Yes
4	ItemsWon	int	Yes
5	UPC_ISBN_Provided	int	Yes
6	SDS_URLsProvided	int	Yes
7	URLsProvided	int	Yes
8	Max_URL_Duplicate_Cou	int	No
9	Max_Duplicate_URL	varchar(300)	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidRequestItems	Table
dbo.BidResults	Table
dbo.uf_LowestPriceId	Other
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_VendorBidInfoStats]
AS

Select BI.BidHeaderId, BI.BidImportId, V.Name,
       (Select Count(*)
        from BidResults BR
        LEFT OUTER JOIN dbo.BidRequestItems BRI ON  BRI.BIDREQUESTITEMID = BR.BIDREQUES...
        WHERE dbo.uf_LowestPriceId(BR.BidRequestItemId) = BR.BidResultsId AND BRI.Activ...
          and BR.BIDIMPORTID = BI.BidImportId
    ) ItemsWon,
       (Select Count(*)
        from BidResults BR
        LEFT OUTER JOIN dbo.BidRequestItems BRI ON  BRI.BIDREQUESTITEMID = BR.BIDREQUES...
        WHERE dbo.uf_LowestPriceId(BR.BidRequestItemId) = BR.BidResultsId AND BRI.Activ...
          and BR.BIDIMPORTID = BI.BidImportId
  and Isnull(BR.UPC_ISBN,'') != ''
    ) UPC_ISBN_Provided,
       (Select Count(*)
        from BidResults BR
        LEFT OUTER JOIN dbo.BidRequestItems BRI ON  BRI.BIDREQUESTITEMID = BR.BIDREQUES...
        WHERE dbo.uf_LowestPriceId(BR.BidRequestItemId) = BR.BidResultsId AND BRI.Activ...
```

```
            and BR.BIDIMPORTID = BI.BidImportId

    and Isnull(BR.SDS_URL,'') != ''

  ... (truncated)
```

vw_VendorBlast {dbo-vw-vendorblast}

Property	Value
Schema	dbo
Created	2012-05-04 16:33:54.363000
Modified	2018-01-21 20:26:46.727000

Columns

#	Column	Type	Nullable
1	VendorName	varchar(50)	Yes
2	VendorId	int	No
3	ContactFullName	varchar(150)	Yes
4	ContactEMail	varchar(255)	Yes
5	BidContact	tinyint	Yes
6	POContact	tinyint	Yes
7	CategoryId	int	Yes
8	BidHeaderId	int	Yes
9	BidScheduleId	int	Yes
10	VBCategoryId	int	Yes
11	AwardedBid	int	No
12	SubmittedBid	int	No
13	RegisteredToBid	int	No
14	DownloadedBid	int	No
15	RegisteredCategory	int	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.Bids	Table
dbo.BidSchedule	Other
dbo.BidScheduleCats	Other
dbo.DownloadLog	Other
dbo.RegCalendar	Other
dbo.Registrations	Other
dbo.regusers	Other
dbo.TMAwards	Table
dbo.vendorbids	Other
dbo.VendorContacts	Table
dbo.Vendors	Table
dbo.vw_BidVendorList	View

SQL Definition

```
create   view  [dbo].[vw_VendorBlast] as

select Vendors.Name VendorName,

       Vendors.VendorId,

       VendorContacts.FullName ContactFullName, VendorContacts.EMail ContactEMail,

       VendorContacts.BidContact, VendorContacts.POContact,

       bvl.CategoryId, bvl.BidHeaderId,

       vbv.BidScheduleId, vbv.CategoryId VBCategoryId,

       case isnull(ba.VendorId,0)

         when 0 then 0

         else 1

       end AwardedBid,

       case ISNULL(BidImports.BidImportId,0)

         when 0 then

           case isnull(vbs.VendorId,0)

             when 0 then 0

             else 1

           end

         else 1

       end SubmittedBid,

       case isnull(bvl.vendorId,0)

         when 0 then 0
```

```
            else 1

          end RegisteredToBid,

   ... (truncated)
```

vw_VendorBlast_AwardedByBid {dbo-vw-vendorblast-awardedbybid}

Property	Value
Schema	dbo
Created	2012-05-09 13:37:58.377000
Modified	2018-01-21 20:26:48.500000

Columns

#	Column	Type	Nullable
1	VendorID	int	Yes
2	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.Bids	Table
dbo.TMAwards	Table

SQL Definition

```
create   view  [dbo].[vw_VendorBlast_AwardedByBid] as

select Bids.VendorID, Bids.BidHeaderId

  from Bids with (nolock)

 where Bids.Active = 1

 group by Bids.VendorId, Bids.BidHeaderId

union (

  select TMAwards.VendorId, TMAwards.BidHeaderId

    from TMAwards with (nolock)

   where TMAwards.Active = 1

   group by TMAwards.VendorId, TMAwards.BidHeaderId

)
```

vw_VendorBlast_DownloadedBySchedule {dbo-vw-vendorblast-downloadedbyschedule}

Property	Value
Schema	dbo
Created	2012-05-09 13:37:58.633000
Modified	2018-01-21 20:26:48.503000

Columns

#	Column	Type	Nullable
1	VendorId	int	Yes

2	BidScheduleId	int	Yes

Dependencies

Object	Type
dbo.bidcalendar	Other
dbo.BidScheduleCats	Other
dbo.DownloadLog	Other
dbo.registrations	Other
dbo.regusers	Other

SQL Definition

```
create   view  [dbo].[vw_VendorBlast_DownloadedBySchedule] as

select reg.VendorId, bsc.BidScheduleId

  from VendorBids.dbo.DownloadLog dl with (nolock)

  join VendorBids.dbo.regusers ru with (nolock) on ru.reguserId = dl.reguserid

  join VendorBids.dbo.registrations reg with (nolock) on reg.registrationid = ru.regist...

  join VendorBids.dbo.bidcalendar bc with (nolock) on bc.calendarid = dl.calendarid

  join VendorBids.dbo.BidScheduleCats bsc with (nolock) on bsc.BSCId = bc.BSCId

 group by reg.VendorId, bsc.BidScheduleId
```

vw_VendorBlast_RegisteredByBid {dbo-vw-vendorblast-registeredbybid}

Property	Value

Schema	dbo
Created	2012-05-09 13:37:58.090000
Modified	2018-01-21 20:26:46.763000

Columns

#	Column	Type	Nullable
1	VendorId	int	Yes
2	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.vw_BidVendorList	View

SQL Definition

```
create   view  [dbo].[vw_VendorBlast_RegisteredByBid] as

select VendorId, BidHeaderId

  from vw_BidVendorList bvl with (nolock)

 group by VendorId, BidHeaderId
```

vw_VendorBlast_RegisteredByCategory {dbo-vw-vendorblast-registeredbycategory}

Property	Value
Schema	dbo

Created	2012-05-09 13:37:58.757000
Modified	2018-01-21 20:26:46.777000

Columns

#	Column	Type	Nullable
1	VendorId	int	Yes
2	CategoryId	int	No

Dependencies

Object	Type
dbo.vw_BidVendorList	View

SQL Definition

```
create   view  [dbo].[vw_VendorBlast_RegisteredByCategory] as

select VendorId, CategoryId

  from vw_BidVendorList bvl with (nolock)

 group by VendorId, CategoryId
```

vw_VendorBlast_RegisteredBySchedule {dbo-vw-vendorblast-registeredbyschedule}

Property	Value
Schema	dbo
Created	2012-05-09 13:37:58.520000

Modified	2018-01-21 20:26:48.507000

Columns

#	Column	Type	Nullable
1	VendorId	int	Yes
2	BidScheduleId	int	No

Dependencies

Object	Type
dbo.BidMgrVendorEmailListView	Other

SQL Definition

```
create   view  [dbo].[vw_VendorBlast_RegisteredBySchedule] as

select VendorId, BidScheduleId

  from VendorBids.dbo.BidMgrVendorEmailListView el with (nolock)

 group by VendorId, BidScheduleId
```

vw_VendorBlast_SubmittedByBid {dbo-vw-vendorblast-submittedbybid}

Property	Value
Schema	dbo
Created	2012-05-09 13:37:58.230000
Modified	2018-01-21 20:26:48.510000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	BidHeaderId	int	Yes

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.registrations	Other
dbo.vendorbids	Other
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_VendorBlast_SubmittedByBid] as

select Vendors.VendorId, BidHeaders.BidHeaderId

  from Vendors with (nolock)

  left outer join BidImports with (nolock) on BidImports.VendorId = Vendors.VendorId

  left outer join VendorBids.dbo.registrations reg with (nolock) on reg.vendorid = Vend...

  left outer join VendorBids.dbo.vendorbids vb with (nolock) on vb.registrationid = reg...

  join BidHeaders with (nolock) on BidHeaders.BidHeaderId = coalesce(BidImports.BidHead...

 where Vendors.Active = 1

 group by Vendors.VendorId, BidHeaders.BidHeaderId
```

vw_VendorCategoryBids {dbo-vw-vendorcategorybids}

Property	Value
Schema	dbo
Created	2009-11-16 11:18:28.963000
Modified	2023-03-30 11:36:08.490000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	VendorId	int	No
3	VendorName	varchar(50)	No
4	ContactInfo	varchar(548)	Yes
5	CategoryId	int	No

6	CategoryName	varchar(308)	Yes
7	BidHeaderId	int	Yes
8	VendorBidNumber	varchar(50)	No
9	AdditionalHandlingAmou	money	No
10	FreeHandlingAmount	money	No
11	BidComments	varchar(512)	No
12	CatalogId	int	Yes
13	EMail	varchar(255)	No
14	VendorCode	varchar(16)	No
15	DistrictVendorCode	varchar(20)	No
16	VendorsAccountCode	varchar(50)	No

Dependencies

Object	Type
dbo.Awards	Table
dbo.BidHeaders	Table
dbo.BidImportCatalogList	Table
dbo.BidImportCounties	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.BidTradeCounties	Table
dbo.BidTrades	Table
dbo.Budgets	Table
dbo.Catalog	Table
dbo.Category	Table
dbo.Counties	Table
dbo.CrossRefs	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.DistrictVendor	Table
dbo.TMAwards	Table
dbo.Trades	Table

dbo.vw_Vendors	View

SQL Definition

```
CREATE   view  [dbo].[vw_VendorCategoryBids] as

select Budgets.BudgetId, vw_Vendors.VendorId, vw_Vendors.Name VendorName, vw_Vendors.Co...

        case isnull([Catalog].CatalogId,0)

          when 0 then

            case Category.CategoryId

              when 15 then isnull((select Top 1 Cat.CatalogId

                                    from [Catalog] cat

                                   where cat.CategoryId = Category.CategoryId

                                     and cat.Active = 1

                                     and cat.Name = 'EDS'),0)

              else 0

            end

          else

            [Catalog].CatalogId

        end CatalogId, isnull(vw_Vendors.EMail,'') EMail,

        isnull(vw_Vendors.Code,'') as VendorCode,

        ISNULL(DistrictVendor.Value,'') DistrictVendorCode,
```

```
        ISNULL(DistrictVendor.VendorsAccountCode,'') VendorsAccountCode

    from Budgets

    join DistrictPP on DistrictPP.DistrictId = Budgets.DistrictId

    join BidHeaders on BidHeaders.PricePlanId = DistrictPP.PricePlanId

                   and BidHeaders.Active = 1

  ... (truncated)
```

vw_VendorCategoryBids_Cats {dbo-vw-vendorcategorybids-cats}

Property	Value
Schema	dbo
Created	2009-11-17 14:31:40.283000
Modified	2018-01-21 20:26:47.050000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	CategoryId	int	No
3	CategoryName	varchar(50)	Yes

Dependencies

Object	Type
dbo.vw_VendorCategoryBids	View

SQL Definition

```
create   view  [dbo].[vw_VendorCategoryBids_Cats] as

select BudgetId, CategoryId, CategoryName

  from vw_VendorCategoryBids

 group by BudgetId, CategoryId, CategoryName
```

vw_VendorCategoryBids_Vendors {dbo-vw-vendorcategorybids-vendors}

Property	Value
Schema	dbo
Created	2009-11-17 14:48:12.250000
Modified	2018-01-21 20:26:47.060000

Columns

#	Column	Type	Nullable
1	BudgetId	int	No
2	VendorId	int	No
3	VendorName	varchar(50)	No

Dependencies

Object	Type
dbo.vw_VendorCategoryBids	View

SQL Definition

```
create   view  [dbo].[vw_VendorCategoryBids_Vendors] as

select BudgetId, VendorId, VendorName

  from vw_VendorCategoryBids

 group by BudgetId, VendorId, VendorName
```

vw_VendorDocRequestStatus {dbo-vw-vendordocrequeststatus}

Property	Value
Schema	dbo
Created	2020-12-08 20:48:24.283000
Modified	2020-12-08 20:48:24.283000

Columns

#	Column	Type	Nullable
1	VendorDocRequestId	int	No
2	Status	varchar(18)	Yes
3	StatusDate	datetime	Yes
4	FollowUpDate	datetime	Yes
5	VendorDocRequestStatu	int	Yes

Dependencies

Object	Type
dbo.VendorDocRequest	Table

dbo.VendorDocRequestStatus	Table

SQL Definition

```
create   view  [dbo].[vw_VendorDocRequestStatus]

AS

SELECT VDR.VendorDocRequestId,

       Case Isnull(VDRS.StatusId,0)

       When 0 Then 'Unknown'

       When 1 Then 'Email Sent'

       When 2 Then 'Email Acknowledged'

       When 3 Then 'Partially Resolved'

       When 4 Then 'Email Re-sent'

       When 5 Then 'Resolved'

       When 6 Then 'Non-responsive'

       End Status,

       VDRS.StatusDate, VDRS.FollowUpDate, VDRS.VendorDocRequestStatusId
```

```
FROM dbo.VendorDocRequest VDR

Left Outer JOIN dbo.VendorDocRequestStatus VDRS ON VDRS.VendorDocRequestStatusId =

     ( Select Top 1 VendorDocRequestStatusId

       From VendorDocRequestStatus VDRS2

       Where VDRS2.VendorDocRequestId=VDR.VendorDocRequestId

... (truncated)
```

vw_VendorDocumentsList {dbo-vw-vendordocumentslist}

Property	Value
Schema	dbo
Created	2014-06-17 14:02:37.067000
Modified	2018-01-21 20:26:48.513000

Columns

#	Column	Type	Nullable
1	Name	varchar(50)	No

Dependencies

Object	Type
dbo.BidDocumentTypes	Table

SQL Definition

```
create   view  [dbo].[vw_VendorDocumentsList] as

select Name

  from BidDocumentTypes

 where isnull(VendorSpecific ,0) = 1

   and ISNULL(VendorUnique,0) = 1

 group by Name
```

vw_VendorPODistrictList {dbo-vw-vendorpodistrictlist}

Property	Value
Schema	dbo
Created	2009-04-08 01:06:17.073000
Modified	2018-01-21 20:26:48.517000

Columns

#	Column	Type	Nullable
1	name	varchar(50)	Yes
2	dataValue	int	No
3	VendorSessionId	int	No
4	VendorId	int	No
5	VendorsAccountCode	varchar(50)	No
6	SummaryName	varchar(106)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.VendorSessions	Table

SQL Definition

```
create   view  [dbo].[vw_VendorPODistrictList] as

select District.Name as name, District.DistrictId as dataValue, VendorSessions.VendorSe...

       rtrim(ltrim(District.Name)) + ' [ ' + isnull(DistrictVendor.VendorsAccountCode,'...

  from Budgets, District, VendorSessions, DistrictVendor with (nolock)

 where Budgets.Active = 1

   and getdate() between dateadd(month,-4,Budgets.StartDate) and dateadd(month,1,Budget...

   and District.DistrictId = Budgets.DistrictId

   and District.Active = 1

   and District.County != 'TEST'

   and isnull(District.State,'') != ''

   and DistrictVendor.DistrictId = District.DistrictId

   and DistrictVendor.VendorId = VendorSessions.VendorId

 group by District.DistrictId, VendorSessions.VendorSessionId, VendorSessions.VendorId,...
```

vw_VendorPODistricts {dbo-vw-vendorpodistricts}

Property	Value
Schema	dbo
Created	2009-04-07 18:51:16.330000
Modified	2018-01-21 20:26:48.520000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	VendorSessionId	int	No
3	VendorId	int	No
4	DistrictName	varchar(50)	Yes
5	VendorsAccountCode	varchar(50)	No
6	SummaryName	varchar(106)	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.VendorSessions	Table

SQL Definition

```
create   view  [dbo].[vw_VendorPODistricts] as

select District.DistrictId, VendorSessions.VendorSessionId, VendorSessions.VendorId, Di...

       rtrim(ltrim(District.Name)) + ' [ ' + isnull(DistrictVendor.VendorsAccountCode,'...

  from Budgets, District, VendorSessions, DistrictVendor with (nolock)

 where Budgets.Active = 1

   and getdate() between dateadd(month,-4,Budgets.StartDate) and dateadd(month,1,Budget...

   and District.DistrictId = Budgets.DistrictId

   and District.Active = 1

   and District.County != 'TEST'

   and isnull(District.State,'') != ''

   and DistrictVendor.DistrictId = District.DistrictId

   and DistrictVendor.VendorId = VendorSessions.VendorId

 group by District.DistrictId, VendorSessions.VendorSessionId, VendorSessions.VendorId,...
```

vw_VendorPODistrictsAndBudgets {dbo-vw-vendorpodistrictsandbudgets}

Property	Value
Schema	dbo
Created	2009-03-10 17:36:30.527000
Modified	2025-07-11 13:56:37.040000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	BudgetId	int	No
3	VendorSessionId	int	No
4	VendorId	int	No
5	DistrictName	varchar(50)	Yes
6	BudgetName	varchar(30)	Yes
7	VendorsAccountCode	varchar(50)	No
8	SummaryName	varchar(151)	Yes
9	BudgetFilterId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.VendorSessions	Table

SQL Definition

```
--select * from vw_VendorPODistrictsAndBudgets db where VendorSessionId = (select top 1...

--select max(VendorSessionId) from vw_VendorPODistrictsAndBudgets db where BudgetId = 7615

--select * from Budgets where BudgetId = 7615

--select * from PO where POId = 1435887



CREATE   view  [dbo].[vw_VendorPODistrictsAndBudgets] as

select District.DistrictId, Budgets.BudgetId,

       VendorSessions.VendorSessionId,

   VendorSessions.VendorId,

   District.Name as DistrictName,

   Budgets.Name as BudgetName,

   isnull(DistrictVendor.VendorsAccountCode,'') as VendorsAccountCode,

       rtrim(ltrim(District.Name)) + ' / ' + rtrim(ltrim(Budgets.Name)) +

 ' ( ' + cast(count(*) as varchar) + ' / ' + cast(sum(case when PO.UploadId is null a...

 CAST(substring(Budgets.Name,1,4) as int) as BudgetFilterId

  from PO with (nolock)

  join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

  join Budgets on Budgets.BudgetId = Requisitions.BudgetId

              and Budgets.Active = 1

              and Budgets.EndDate > dateadd(day,-30,getdate())

  join VendorSessions on VendorSessions.VendorId = PO.VendorId

  join DistrictVendor on DistrictVendor.VendorId = PO.VendorId
```

```
                        and DistrictVendor.DistrictId = Budgets.DistrictId

    join District on District.DistrictId = DistrictVendor.DistrictId

  ... (truncated)
```

vw_VendorPODistrictsAndBudgetsCF {dbo-vw-vendorpodistrictsandbudgetscf}

Property	Value
Schema	dbo
Created	2017-07-10 06:32:14.840000
Modified	2018-01-21 20:26:48.533000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	BudgetId	int	No
3	VendorSessionId	int	No
4	VendorId	int	No
5	DistrictName	varchar(50)	Yes
6	BudgetName	varchar(30)	Yes
7	VendorsAccountCode	varchar(50)	No
8	TotalPOCount	int	Yes
9	TotalPOAmount	money	No
10	ExportedPOCount	int	Yes
11	ExportedPOAmount	money	No
12	WaitingPOCount	int	Yes
13	WaitingPOAmount	money	No
14	BudgetFilterId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.VendorSessions	Table

SQL Definition

```
--select * from [vw_VendorPODistrictsAndBudgetsCF]


--select * from vw_VendorPODistrictsAndBudgets db where BudgetId = 7615 order by db.Dis...

--select max(VendorSessionId) from vw_VendorPODistrictsAndBudgets db where BudgetId = 7615

--select * from Budgets where BudgetId = 7615

--select * from PO where POId = 1435887


create   view  [dbo].[vw_VendorPODistrictsAndBudgetsCF] as

select District.DistrictId, Budgets.BudgetId, VendorSessions.VendorSessionId, VendorSes...

   (select COUNT(*)

      from Requisitions with (nolock)

      join PO on PO.RequisitionId = Requisitions.RequisitionId

             and PO.VendorId = VendorSessions.VendorId

             and PO.Cancelled is null

     where Requisitions.BudgetId = Budgets.BudgetId

       and Requisitions.OrderDate >= case PO.VendorId

                                          when 03 then CAST('12/01/' + CAST(year(Budgets....

                                          else cast('03/01/2010' as datetime)

                                        end) TotalPOCount,

   isnull((select SUM(Amount)
```

```
        from Requisitions with (nolock)

        join PO on PO.RequisitionId = Requisitions.RequisitionId

  ... (truncated)
```

vw_VendorPODistrictsAndBudgetsOld {dbo-vw-vendorpodistrictsandbudgetsold}

Property	Value
Schema	dbo
Created	2011-07-07 18:07:52.513000
Modified	2018-01-21 20:26:48.540000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	BudgetId	int	No
3	VendorSessionId	int	No
4	VendorId	int	No
5	DistrictName	varchar(50)	Yes
6	BudgetName	varchar(30)	Yes
7	VendorsAccountCode	varchar(50)	No
8	SummaryName	varchar(111)	Yes
9	BudgetFilterId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table

dbo.PO	Table
dbo.Requisitions	Table
dbo.VendorSessions	Table

SQL Definition

```
create   view  [dbo].[vw_VendorPODistrictsAndBudgetsOld] as

select District.DistrictId, Budgets.BudgetId, VendorSessions.VendorSessionId, VendorSes...

       rtrim(ltrim(District.Name)) + ' / ' + rtrim(ltrim(Budgets.Name)) +

         case (select count(*)

                 from PO with (nolock)

                 join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

                                  and Requisitions.BudgetId = Budgets.BudgetId

                                  and Requisitions.OrderDate >= case PO.VendorId when 3...

                where PO.VendorId = VendorSessions.VendorId)

           when 0 then ''

           else ' ( ' +

             cast((select count(*)

                     from PO with (nolock)

                     join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

                                      and Requisitions.BudgetId = Budgets.BudgetId

                                      and Requisitions.OrderDate >= case PO.VendorId wh...

                    where PO.VendorId = VendorSessions.VendorId

                      and PO.UploadId is null

                      and PO.Cancelled is null) as varchar(10))

             + ' / ' +
```

```
                cast((select count(*)

                        from PO with (nolock)

  ... (truncated)
```

vw_VendorPODistrictsAndBudgetsTest {dbo-vw-vendorpodistrictsandbudgetstest}

Property	Value
Schema	dbo
Created	2017-07-10 23:18:54.880000
Modified	2018-08-01 00:03:29.350000

Columns

#	Column	Type	Nullable
1	DistrictId	int	No
2	BudgetId	int	No
3	VendorSessionId	int	No
4	VendorId	int	No
5	DistrictName	varchar(50)	Yes
6	BudgetName	varchar(30)	Yes
7	VendorsAccountCode	varchar(50)	No
8	SummaryName	varchar(150)	Yes
9	BudgetFilterId	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.District	Table
dbo.DistrictVendor	Table

dbo.PO	Table
dbo.Requisitions	Table
dbo.VendorSessions	Table

SQL Definition

```
--select * from vw_VendorPODistrictsAndBudgets db where BudgetId = 7615 order by db.Dis...

--select max(VendorSessionId) from vw_VendorPODistrictsAndBudgets db where BudgetId = 7615

--select * from Budgets where BudgetId = 7615

--select * from PO where POId = 1435887



create   view  [dbo].[vw_VendorPODistrictsAndBudgetsTest] as

select District.DistrictId, Budgets.BudgetId, VendorSessions.VendorSessionId, VendorSes...

       rtrim(ltrim(District.Name)) + ' / ' + rtrim(ltrim(Budgets.Name)) +

/*         case ( select COUNT(*) TotalPOs

  from PO with (nolock)

  join Requisitions on Requisitions.RequisitionId = PO.RequisitionId

                   and Requisitions.BudgetId = Budgets.BudgetId

 where Requisitions.OrderDate >= CAST('12/01/' + CAST(year(Budgets.StartDate)-1 as ...

           when 0 then ''

           else ' ( ' +

             cast(( select COUNT(*) TotalPOs

  from Requisitions with (nolock)

  join PO on PO.RequisitionId = Requisitions.RequisitionId

         and PO.VendorId = DistrictVendor.VendorId

 where Requisitions.BudgetId = Budgets.BudgetId
```

```
    and Requisitions.OrderDate >=  CAST('12/01/' + CAST(year(Budgets.StartDate)-1 a...

                + ' / ' +

  ... (truncated)
```

vw_VendorPOView {dbo-vw-vendorpoview}

Property	Value
Schema	dbo
Created	2009-02-27 12:02:17.097000
Modified	2018-01-21 20:26:46.340000

Columns

#	Column	Type	Nullable
1	VendorSessionId	int	No
2	VendorId	int	No
3	DistrictId	int	No
4	POId	int	No
5	PONumber	varchar(24)	Yes
6	Amount	money	Yes
7	RequisitionNumber	varchar(24)	Yes
8	Attention	varchar(50)	No
9	TotalRequisitionCost	money	Yes
10	DistrictName	varchar(50)	Yes
11	SchoolName	varchar(50)	Yes
12	UserNbr	int	Yes
13	CategoryId	int	No
14	CategoryName	varchar(50)	Yes
15	BudgetId	int	No
16	BudgetName	varchar(30)	Yes
17	OrderDate	datetime	Yes

18	RequisitionId	int	No
19	UploadId	int	No
20	DateUploaded	datetime	No
21	FileName	varchar(255)	No
22	Tagged	int	No
23	POLines	int	Yes
24	PayloadId	varchar(255)	No
25	UploadUser	varchar(50)	No
26	VendorsAccountCode	varchar(50)	No
27	UploadEMailList	varchar(4096)	No
28	UploadType	int	No
29	VendorName	varchar(50)	No
30	Cancelled	tinyint	No

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictVendor	Table
dbo.PO	Table
dbo.PODetailItems	Table
dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.Users	Table
dbo.Vendors	Table
dbo.VendorSessions	Table
dbo.VendorUploads	Table

SQL Definition

```
create   view  [dbo].[vw_VendorPOView] as
select VendorSessions.VendorSessionId, Vendors.VendorId, District.DistrictId,
       PO.POId, PO.PONumber, PO.Amount,
       Requisitions.RequisitionNumber, isnull(Requisitions.Attention,'') Attention, Req...
       District.Name DistrictName, School.Name SchoolName, Users.CometId UserNbr,
       Category.CategoryId, Category.Name CategoryName,
       Budgets.BudgetId, Budgets.Name BudgetName,
       Requisitions.OrderDate, Requisitions.RequisitionId,
       isnull(PO.UploadId,0) UploadId, isnull(VendorUploads.DateUploaded, cast('01/01/1...
       /*isnull(VendorPOTags.Tagged,0)*/ case ISNULL(PO.UploadId,0) when 0 then 1 else ...
  (select count(*) from PODetailItems with (nolock) where PODetailItems.POId = PO.POId)...
  ISNULL(VendorUploads.PayloadID,'') PayloadId,
  ISNULL((select top 1 UploadSession.UserName from VendorSessions UploadSession where U...
  isnull(DistrictVendor.VendorsAccountCode,'') VendorsAccountCode,
  isnull(Vendors.UploadEMailList,'') UploadEMailList,
  isnull(Vendors.UploadType,0) UploadType,
```

```
    ISNULL(Vendors.Name,'') VendorName,

    ISNULL(PO.Cancelled,0) Cancelled

  ... (truncated)
```

vw_VendorPOView1 {dbo-vw-vendorpoview1}

Property	Value
Schema	dbo
Created	2009-03-19 00:45:16.450000
Modified	2018-01-21 20:26:46.350000

Columns

#	Column	Type	Nullable
1	VendorSessionId	int	No
2	VendorId	int	No
3	DistrictId	int	No
4	POId	int	No
5	PONumber	varchar(24)	Yes
6	Amount	money	Yes
7	RequisitionNumber	varchar(24)	Yes
8	Attention	varchar(50)	No
9	TotalRequisitionCost	money	Yes
10	DistrictName	varchar(50)	Yes
11	SchoolName	varchar(50)	Yes
12	UserNbr	int	Yes
13	CategoryId	int	No
14	CategoryName	varchar(50)	Yes
15	BudgetId	int	No
16	BudgetName	varchar(30)	Yes
17	OrderDate	datetime	Yes

18	RequisitionId	int	No
19	UploadId	int	No
20	DateUploaded	datetime	No
21	FileName	varchar(255)	No
22	Tagged	int	No
23	POLines	int	Yes
24	PayloadId	varchar(255)	No
25	UploadUser	varchar(50)	No
26	VendorsAccountCode	varchar(50)	No
27	UploadEMailList	varchar(4096)	No
28	UploadType	int	No
29	VendorName	varchar(50)	No
30	Cancelled	tinyint	No

Dependencies

Object	Type
dbo.vw_VendorPOView	View

SQL Definition

```
create   view  [dbo].[vw_VendorPOView1] as

select *

  from vw_VendorPOView with (nolock)
```

vw_VendorPOView2 {dbo-vw-vendorpoview2}

Property	Value
Schema	dbo
Created	2009-04-06 22:46:28.660000
Modified	2018-01-21 20:26:48.550000

Columns

#	Column	Type	Nullable
1	VendorSessionId	int	No
2	VendorId	int	No
3	DistrictId	int	No
4	POId	int	No
5	PONumber	varchar(24)	Yes
6	Amount	money	Yes
7	RequisitionNumber	varchar(24)	Yes
8	Attention	varchar(50)	Yes
9	TotalRequisitionCost	money	Yes
10	DistrictName	varchar(50)	Yes
11	SchoolName	varchar(50)	Yes
12	UserNbr	int	Yes
13	CategoryId	int	No
14	CategoryName	varchar(50)	Yes
15	BudgetId	int	No
16	BudgetName	varchar(30)	Yes
17	OrderDate	datetime	Yes
18	RequisitionId	int	No
19	UploadId	int	No
20	DateUploaded	datetime	No
21	FileName	varchar(255)	No
22	Tagged	tinyint	No
23	POLines	int	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.PO	Table
dbo.PODetailItems	Table

dbo.Requisitions	Table
dbo.School	Table
dbo.ShipLocations	Table
dbo.Users	Table
dbo.VendorPOtags	Table
dbo.Vendors	Table
dbo.VendorSessions	Table
dbo.VendorUploads	Table

SQL Definition

```
create   view  [dbo].[vw_VendorPOView2] as
select VendorSessions.VendorSessionId, Vendors.VendorId, District.DistrictId,
       PO.POId, PO.PONumber, PO.Amount,
       Requisitions.RequisitionNumber, Requisitions.Attention, Requisitions.TotalRequis...
       District.Name DistrictName, School.Name SchoolName, Users.CometId UserNbr,
       Category.CategoryId, Category.Name CategoryName,
       Budgets.BudgetId, Budgets.Name BudgetName,
       Requisitions.OrderDate, Requisitions.RequisitionId,
       isnull(PO.UploadId,0) UploadId, isnull(VendorUploads.DateUploaded, cast('01/01/1...
       isnull(VendorPOTags.Tagged,0) Tagged,
  (select count(*) from PODetailItems with (nolock) where PODetailItems.POId = PO.POId)...
  from PO with (nolock)
  join Vendors on Vendors.VendorId = PO.VendorId
  join Requisitions on Requisitions.RequisitionId = PO.RequisitionId
  join Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join District on District.DistrictId = Budgets.DistrictId
  join School on School.SchoolId = Requisitions.SchoolId
```

```
    join ShipLocations on ShipLocations.ShippingId = Requisitions.ShippingId

    join Users on Users.UserId = Requisitions.UserId

  ... (truncated)
```

vw_VendorQueryMSRPStatus {dbo-vw-vendorquerymsrpstatus}

Property	Value
Schema	dbo
Created	2014-02-28 13:52:29.553000
Modified	2018-01-21 20:26:48.557000

Columns

#	Column	Type	Nullable
1	VendorQueryMSRPId	int	No
2	BidHeaderId	int	Yes
3	VendorId	int	Yes
4	BidImportId	int	Yes
5	EmailAddress	varchar(255)	Yes
6	ContactName	varchar(255)	Yes
7	SendDate	datetime	Yes
8	VendorQueryMSRPNotes	varchar(1000)	Yes
9	Status	varchar(18)	Yes
10	StatusDate	datetime	Yes
11	FollowUpDate	datetime	Yes
12	VendorQueryMSRPStatus	int	Yes
13	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.VendorQueryMSRP	Table
dbo.VendorQueryMSRPStatus	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_VendorQueryMSRPStatus]

AS

SELECT VQ.VendorQueryMSRPId, VQ.BidHeaderId, VQ.VendorId, VQ.BidImportId,

       VQ.EmailAddress, VQ.ContactName, VQ.SendDate, VQ.VendorQueryMSRPNotes,

       Case Isnull(VQS.StatusId,0)

       When 0 Then 'Unknown'

       When 1 Then 'Email Sent'

       When 2 Then 'Email Acknowledged'

       When 3 Then 'Partially Resolved'

       When 4 Then 'Email Re-sent'

       When 5 Then 'Resolved'

       When 6 Then 'Non-responsive'

       End Status,

       VQS.StatusDate, VQS.FollowUpDate, VQS.VendorQueryMSRPStatusId,
```

```
        V.Name VendorName

FROM dbo.VendorQueryMSRP VQ

... (truncated)
```

vw_VendorQueryStatus {dbo-vw-vendorquerystatus}

Property	Value
Schema	dbo
Created	2011-07-29 17:50:05.307000
Modified	2018-01-21 20:26:48.560000

Columns

#	Column	Type	Nullable
1	VendorQueryId	int	No
2	Status	varchar(18)	Yes
3	StatusDate	datetime	Yes
4	FollowUpDate	datetime	Yes
5	VendorQueryStatusId	int	Yes

Dependencies

Object	Type
dbo.VendorQuery	Table
dbo.VendorQueryStatus	Table

SQL Definition

```
create   view  [dbo].[vw_VendorQueryStatus]
AS
SELECT VQ.VendorQueryId,
       Case Isnull(VQS.StatusId,0)
       When 0 Then 'Unknown'
       When 1 Then 'Email Sent'
       When 2 Then 'Email Acknowledged'
       When 3 Then 'Partially Resolved'
       When 4 Then 'Email Re-sent'
       When 5 Then 'Resolved'
       When 6 Then 'Non-responsive'
       End Status,
       VQS.StatusDate, VQS.FollowUpDate, VQS.VendorQueryStatusId  -- added VendorQueryS...
FROM dbo.VendorQuery VQ
Left Outer JOIN dbo.VendorQueryStatus VQS ON VQS.VendorQueryStatusId =
     ( Select Top 1 VendorQueryStatusId
       From VendorQueryStatus VQS2
       Where VQS2.VendorQueryId=VQ.VendorQueryId
```

```
        Order By VQS2.VendorQueryStatusId Desc)


... (truncated)
```

vw_VendorQueryTandMStatus {dbo-vw-vendorquerytandmstatus}

Property	Value
Schema	dbo
Created	2013-01-22 13:16:27.540000
Modified	2018-01-21 20:26:48.567000

Columns

#	Column	Type	Nullable
1	VendorQueryTandMId	int	No
2	BidHeaderId	int	Yes
3	VendorId	int	Yes
4	BidImportId	int	Yes
5	EmailAddress	varchar(255)	Yes
6	ContactName	varchar(255)	Yes
7	SendDate	datetime	Yes
8	VendorQueryTandMNote	varchar(1000)	Yes
9	Status	varchar(18)	Yes
10	StatusDate	datetime	Yes
11	FollowUpDate	datetime	Yes
12	VendorQueryTandMStatu	int	Yes
13	VendorName	varchar(50)	Yes

Dependencies

Object	Type
dbo.VendorQueryTandM	Table
dbo.VendorQueryTandMStatus	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_VendorQueryTandMStatus]

AS

SELECT VQ.VendorQueryTandMId, VQ.BidHeaderId, VQ.VendorId, VQ.BidImportId,

       VQ.EmailAddress, VQ.ContactName, VQ.SendDate, VQ.VendorQueryTandMNotes,

       Case Isnull(VQS.StatusId,0)

       When 0 Then 'Unknown'

       When 1 Then 'Email Sent'

       When 2 Then 'Email Acknowledged'

       When 3 Then 'Partially Resolved'

       When 4 Then 'Email Re-sent'

       When 5 Then 'Resolved'

       When 6 Then 'Non-responsive'

       End Status,

       VQS.StatusDate, VQS.FollowUpDate, VQS.VendorQueryTandMStatusId,

       V.Name VendorName
```

```
FROM dbo.VendorQueryTandM VQ

Join dbo.Vendors V ON V.VendorId = VQ.VendorId

... (truncated)
```

vw_Vendors {dbo-vw-vendors}

Property	Value
Schema	dbo
Created	2009-11-16 09:44:55.080000
Modified	2025-09-18 15:12:44.663000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	Code	varchar(16)	No
3	Name	varchar(50)	Yes
4	Address1	varchar(50)	No
5	Address2	varchar(50)	No
6	Address3	varchar(1)	No
7	City	varchar(50)	No
8	State	char(2)	No
9	Zipcode	varchar(10)	No
10	Phone	varchar(25)	No
11	Fax	varchar(20)	No
12	EMail	varchar(255)	No
13	ShippingPercentage	decimal(9,5)	No
14	ContactInfo	varchar(548)	Yes
15	FullName	varchar(150)	Yes

Dependencies

Object	Type
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
CREATE   view  [dbo].[vw_Vendors] as

select Vendors.VendorId,

       isnull(Vendors.Code,'') Code,

       coalesce(Vendors.DisplayAs,Vendors.Name,'') Name,

       ISNULL(VendorContacts.Address1,'') Address1,

       ISNULL(VendorContacts.Address2,'') Address2,

       '' Address3,

       isnull(VendorContacts.City,'') City,

       isnull(VendorContacts.State,'') State,

       isnull(VendorContacts.ZipCode,'') Zipcode,

       isnull(VendorContacts.Phone,'') Phone,

       isnull(VendorContacts.Fax,'') Fax,

       isnull(VendorContacts.EMail,'') EMail,

       isnull(Vendors.ShippingPercentage,0) ShippingPercentage,

       isnull(Vendors.Name,'') +

       case ISNULL(rtrim(VendorContacts.Address1),'')

         when '' then ''

         else char(13) + char(10) + rtrim(VendorContacts.Address1)

       end +

       case ISNULL(rtrim(VendorContacts.Address2),'')

         when '' then ''

         else char(13) + char(10) + rtrim(VendorContacts.Address2)
```

```
            end +

            char(13) + char(10) + ISNULL(rtrim(VendorContacts.City),'') + ', ' + ISNULL(Ven...

  ... (truncated)
```

vw_VendorsByBid {dbo-vw-vendorsbybid}

Property	Value
Schema	dbo
Created	2010-01-05 18:11:30.260000
Modified	2018-01-21 20:26:45.977000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorId	int	No
3	VendorName	varchar(50)	No

Dependencies

Object	Type
dbo.vw_ItemsByBid	View

SQL Definition

```
create   view  [dbo].[vw_VendorsByBid] as

select BidHeaderId, VendorId, VendorName

  from vw_ItemsByBid

 group by BidHeaderId, VendorId, VendorName
```

vw_VendorsTable {dbo-vw-vendorstable}

Property	Value
Schema	dbo
Created	2011-09-09 13:25:00.760000
Modified	2018-01-21 20:26:48.573000

Columns

#	Column	Type	Nullable
1	VendorId	int	No
2	Active	tinyint	Yes
3	Code	varchar(16)	Yes
4	Name	varchar(50)	Yes
5	Address1	varchar(50)	No
6	Address2	varchar(50)	No
7	Address3	varchar(50)	No
8	City	varchar(50)	No
9	State	varchar(12)	No
10	ZipCode	varchar(12)	No
11	Phone	varchar(25)	No
12	Fax	varchar(20)	No

13	EMail	varchar(255)	No
14	UseGrossPrices	tinyint	Yes
15	ShippingPercentage	decimal(9,5)	Yes
16	DistrictId	int	Yes
17	Password	varchar(50)	Yes
18	HostURL	varchar(255)	Yes
19	HostPort	int	Yes
20	HostDirectory	varchar(255)	Yes
21	HostUserName	varchar(255)	Yes
22	HostPassword	varchar(255)	Yes
23	UploadEMailList	varchar(4096)	Yes
24	UploadType	int	Yes
25	BusinessUnit	varchar(17)	Yes
26	POPassword	varchar(50)	Yes
27	cXMLAddress	varchar(255)	Yes
28	Emails	varchar(2048)	Yes
29	Phones	varchar(2048)	Yes

Dependencies

Object	Type
dbo.uf_VendorEmails	Other
dbo.uf_VendorPhones	Other
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
--select * from vw_Vendorstable where code = '0961'

create   view  [dbo].[vw_VendorsTable] as

SELECT [VendorId]

      ,[Active]

      ,[Code]

      ,[Name]

      ,case when (select count(*) from (select address1 from vendorcontacts vc with (no...

      ,case when (select count(*) from (select address2 from vendorcontacts vc with (no...

      ,isnull(Vendors.address3,'') [Address3]

      ,case when (select count(*) from (select city from vendorcontacts vc with (nolock...

      ,case when (select count(*) from (select state from vendorcontacts vc with (noloc...

      ,case when (select count(*) from (select zipcode from vendorcontacts vc with (nol...

      ,case when (select count(*) from (select phone from vendorcontacts vc with (noloc...

      ,case when (select count(*) from (select fax from vendorcontacts vc with (nolock)...

      ,case when (select count(*) from (select email from vendorcontacts vc with (noloc...

      ,[UseGrossPrices]

      ,[ShippingPercentage]

      ,[DistrictId]

      ,[Password]

      ,[HostURL]

      ,[HostPort]
```

```
        ,[HostDirectory]

        ,[HostUserName]

  ... (truncated)
```

vw_VPOLoginCheck {dbo-vw-vpologincheck}

Property	Value
Schema	dbo
Created	2010-03-23 12:55:58.173000
Modified	2018-01-21 20:26:48.580000

Columns

#	Column	Type	Nullable
1	VPORegistrationId	int	No
2	Active	tinyint	Yes
3	VPOUserCode	varchar(50)	No
4	VPOPassword	varchar(50)	No
5	VPOLastChange	datetime	No
6	VPOEMail	varchar(255)	No
7	VPOName	varchar(50)	No
8	VPOPhone	varchar(50)	No
9	VPOParentId	int	No
10	VPOCanCreateUser	tinyint	No
11	VPOStatus	tinyint	Yes

Dependencies

Object	Type
dbo.VPOLoginAttempts	Table
dbo.VPORegistrations	Table

SQL Definition

```
create   view  [dbo].[vw_VPOLoginCheck] as

select VPORegistrations.VPORegistrationId,

       VPORegistrations.Active,

       isnull(VPORegistrations.VPOUserCode,'') VPOUserCode,

       isnull(VPORegistrations.VPOPassword,'') VPOPassword,

       VPORegistrations.VPOLastChange,

       isnull(VPORegistrations.VPOEMail,'') VPOEMail,

       isnull(VPORegistrations.VPOName,'') VPOName,

       isnull(VPORegistrations.VPOPhone,'') VPOPhone,

       isnull(VPORegistrations.VPOParentId,0) VPOParentId,

       isnull(VPORegistrations.VPOCanCreateUser,0) VPOCanCreateUser,

       cast(case

              when (select count(*)

                      from VPOLoginAttempts vla with (nolock)

                     where vla.VPORegistrationId = VPORegistrations.VPORegistrationId

                       and vla.VPOEventDate between DATEADD(MINUTE,-30,GETDATE()) and G...

                       and LoginStatus != 1) > VPORegistrations.VPOAllowedRetries then 0

              else 1

            end as tinyint) as VPOStatus

     from VPORegistrations with (nolock)

    where VPORegistrations.Active = 1
```

vw_VPOVendors {dbo-vw-vpovendors}

Property	Value
Schema	dbo
Created	2010-03-24 11:59:52.387000
Modified	2018-01-21 20:26:48.583000

Columns

#	Column	Type	Nullable
1	VendorSessionId	int	No
2	VPORegistrationId	int	Yes
3	VendorId	int	No
4	Name	varchar(50)	Yes

Dependencies

Object	Type
dbo.Vendors	Table
dbo.VendorSessions	Table
dbo.VPOVendorLinks	Table

SQL Definition

```
create   view  [dbo].[vw_VPOVendors] as

select VendorSessions.VendorSessionId, VendorSessions.VPORegistrationId, Vendors.Vendor...

  from VendorSessions with (nolock)

  join VPOVendorLinks on VPOVendorLinks.VPORegistrationId = VendorSessions.VPORegistrat...

  join Vendors on Vendors.VendorId = VPOVendorLinks.VendorId

              and Vendors.Active = 1

 group by VendorSessions.VendorSessionId, VendorSessions.VPORegistrationId, Vendors.Ven...
```

vw_WincapVendors {dbo-vw-wincapvendors}

Property	Value
Schema	dbo
Created	2012-07-02 22:44:11.690000
Modified	2018-01-21 20:26:48.590000

Columns

#	Column	Type	Nullable
1	Vendor Code	varchar(16)	No
2	Vendors Name	varchar(50)	Yes
3	Full Name And Address	varchar(704)	Yes
4	Category	varchar(50)	Yes
5	Vendor Bid Number	varchar(50)	No
6	Comments	varchar(1024)	No
7	District Vendor Code	varchar(20)	No

Dependencies

Object	Type
dbo.AccountingFormats	Table
dbo.BidHeaders	Table
dbo.BidImports	Table
dbo.Bids	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.DistrictVendor	Table
dbo.PPCategory	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_WincapVendors] as

select isnull(Vendors.Code,'') [Vendor Code],

       Vendors.Name [Vendors Name],

       Vendors.Name +

       case isnull(vc.FullName,'')

         when '' then ''

         else char(13) + char(10) + 'attn:' + vc.FullName

       end +

       case isnull(vc.Address1,'')

         when '' then ''

         else char(13) + char(10) + vc.Address1

       end +

       case isnull(vc.Address2,'')

         when '' then ''

         else char(13) + char(10) + vc.Address2

       end +

       case isnull(vc.City,'') + ISNULL(vc.State,'') + ISNULL(vc.Zipcode,'')

         when '' then ''

         else char(13) + char(10) + isnull(vc.City,'') + ', ' + ISNULL(vc.State,'') + '...

       end +

       case isnull(vc.Phone,'')

         when '' then ''
```

```
            else char(13) + char(10) + 'Phone: ' + vc.Phone

          end +

   ... (truncated)
```

vw_WincapVendorsMaster {dbo-vw-wincapvendorsmaster}

Property	Value
Schema	dbo
Created	2012-07-02 22:49:02.307000
Modified	2018-01-21 20:26:48.597000

Columns

#	Column	Type	Nullable
1	Vendor Name	varchar(50)	Yes
2	Ed-Data Vendor Code	varchar(16)	No
3	Contact Name	varchar(150)	No
4	Address1	varchar(50)	No
5	Address2	varchar(50)	No
6	City	varchar(50)	No
7	State	char(2)	No
8	Zip	varchar(10)	No
9	Phone	varchar(25)	No
10	Fax	varchar(20)	No
11	Email	varchar(255)	No

Dependencies

Object	Type
dbo.BidHeaders	Table

dbo.Bids	Table
dbo.District	Table
dbo.DistrictCategories	Table
dbo.DistrictPP	Table
dbo.VendorContacts	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [dbo].[vw_WincapVendorsMaster] as

select Vendors.Name [Vendor Name],

       isnull(Vendors.Code,'') [Ed-Data Vendor Code],

       isnull(vc.FullName,'') [Contact Name],

       isnull(vc.Address1,'') [Address1],

       isnull(vc.Address2,'') [Address2],

       isnull(vc.City,'') [City],

       ISNULL(vc.State,'') [State],

       ISNULL(vc.Zipcode,'') [Zip],

       isnull(vc.Phone,'') [Phone],

       isnull(vc.Fax,'') [Fax],

       isnull(vc.EMail,'') [Email]

  from Vendors with (nolock)

  left outer join VendorContacts vc on vc.VendorContactId =

    (select Top 1 VendorContacts.VendorContactId

       from VendorContacts with (nolock)

      where VendorContacts.VendorId = Vendors.VendorId

        and VendorContacts.Active = 1

      order by VendorContacts.POContact desc, VendorContacts.VendorContactId)

 where Vendors.Active = 1

   and isnull(rtrim(Vendors.Name),'') != ''

   and exists(select VendorId
```

```
                    from Bids with (nolock)

                    join BidHeaders on BidHeaders.BidHeaderId = Bids.BidHeaderId

  ... (truncated)
```

vw_WinningMSRPEntryPrices {dbo-vw-winningmsrpentryprices}

Property	Value
Schema	dbo
Created	2013-12-12 15:03:09.433000
Modified	2018-01-21 20:26:47.130000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	VendorId	int	Yes
3	ManufacturerId	int	Yes
4	ManufacturerProductLine	int	Yes
5	MSRPOptionId	int	Yes
6	RangeBase	money	Yes
7	RangeValue	decimal(9,5)	Yes
8	BidMSRPResultPricesId	int	No
9	BidMSRPResultsProductL	int	No
10	BidMSRPResultsId	int	No

Dependencies

Object	Type
dbo.BidImports	Table
dbo.BidMSRPResultPrices	Table

dbo.BidMSRPResults	Table
dbo.BidMSRPResultsProductLines	Table
dbo.vw_BidMSRPRankedManufacturerProductLine	View
dbo.vw_BidMSRPRankedManufacturerProductLine	View

SQL Definition

```
create   view  [dbo].[vw_WinningMSRPEntryPrices] as
select rmpl.BidHeaderId, BidImports.VendorId, BidMSRPResults.ManufacturerId, BidMSRPRes...
  from vw_BidMSRPRankedManufacturerProductLines rmpl
  join BidMSRPResultsProductLines on BidMSRPResultsProductLines.ManufacturerProductLine...
                                  and BidMSRPResultsProductLines.MSRPOptionId = rmpl.MSR...
                                  and BidMSRPResultsProductLines.BidMSRPResultsProductLi...
    (select Top 1 bmrmplo.BidMSRPResultsProductLineId
   from vw_BidMSRPRankedManufacturerProductLinesOrdered bmrmplo
   join BidMSRPResults bmr on bmr.BidMSRPResultsId = bmrmplo.BidMSRPResultsId
      and bmr.Active = 1
   join BidImports bi on bi.BidImportId = bmr.BidImportId
 and bi.Active = 1
 and bi.BidHeaderId = rmpl.BidHeaderId
  where bmrmplo.ManufacturerProductLineId = rmpl.ManufacturerProductLineId
and bmrmplo.MSRPOptionId = rmpl.MSRPOptionId
  order by bmrmplo.SortKey)
  join BidMSRPResults on BidMSRPResults.BidMSRPResultsId = BidMSRPResultsProductLines.B...
  join BidMSRPResultPrices on BidMSRPResultPrices.BidMSRPResultsProductLineId = BidMSRP...
  join BidImports on BidImports.BidImportId = BidMSRPResults.BidImportId
  and BidImports.Active = 1
```

```
... (truncated)
```

vw_ZonalItems {dbo-vw-zonalitems}

Property	Value
Schema	dbo
Created	2014-04-11 16:34:33.023000
Modified	2025-10-27 20:12:50.647000

Columns

#	Column	Type	Nullable
1	CaptureName	nvarchar(50)	No
2	Folder	nvarchar(260)	Yes
3	CatalogName	nvarchar(50)	No
4	DocCategory	nvarchar(50)	No
5	DocType	nvarchar(50)	No
6	DocTypeFieldId	uniqueidentifier	No
7	TopLeftX	decimal(8,2)	Yes
8	TopLeftY	decimal(8,2)	Yes
9	TopRightX	decimal(9,2)	Yes
10	TopRightY	decimal(8,2)	Yes
11	BottomLeftX	decimal(8,2)	Yes
12	BottomLeftY	decimal(9,2)	Yes
13	BottomRightX	decimal(9,2)	Yes
14	BottomRightY	decimal(9,2)	Yes
15	ZonalRemovePage	bit	No
16	UseRegularExpression	bit	Yes
17	RegularExpression	nvarchar(1500)	Yes

18	DocTypeFieldRecognitio	uniqueidentifier	No
19	ScanJobId	int	No

Dependencies

Object	Type
dbo.CaptureJob	Other
dbo.Catalog	Other
dbo.DocType	Other
dbo.DocTypeField	Other
dbo.DocTypeFieldRecognitionZone	Other
dbo.ScanJobs	Table
dbo.ScannerZones	Table

SQL Definition

```
CREATE view [dbo].[vw_ZonalItems] as

select CaptureJob.Name CaptureName, CaptureJob.Folder, Catalog.Name CatalogName, DocTyp...

sz.LeftPosition - sz.HorizontalTolerance TopLeftX,

sz.TopPosition - sz.VerticalTolerance TopLeftY,

sz.LeftPosition + sz.Width + sz.HorizontalTolerance TopRightX,

sz.TopPosition - sz.VerticalTolerance TopRightY,

sz.LeftPosition - sz.HorizontalTolerance BottomLeftX,

sz.TopPosition + sz.Height + sz.VerticalTolerance BottomLeftY,

sz.LeftPosition + sz.Width + sz.HorizontalTolerance BottomRightX,

sz.TopPosition + sz.Height + sz.VerticalTolerance BottomRightY,

DocTypeFieldRecognitionZone.ZonalRemovePage,

DocTypeFieldRecognitionZone.UseRegularExpression,

DocTypeFieldRecognitionZone.RegularExpression,

sz.DocTypeFieldRecognitionZoneId,

sj.ScanJobId

  from ContentCentral.dbo.DocTypeFieldRecognitionZone DocTypeFieldRecognitionZone

  join dbo.ScannerZones sz on sz.DocTypeFieldRecognitionZoneId = DocTypeFieldRecognitio...

  join dbo.ScanJobs sj on sj.ScanJobId = sz.ScanJobId

  join ContentCentral.dbo.DocType DocType on DocType.Id = DocTypeFieldRecognitionZone.D...

  join ContentCentral.dbo.Catalog on Catalog.Id = DocType.CatalogId

  join ContentCentral.dbo.DocTypeField DocTypeField on DocTypeField.Id = DocTypeFieldRe...
```

```
join ContentCentral.dbo.CaptureJob CaptureJob on CaptureJob.DocTypeId = DocType.Id

                and CaptureJob.InputSource = 'Folder'

... (truncated)
```

Schema: EDSIQEndUser

Sessions {edsiqenduser-sessions}

Property	Value
Schema	EDSIQEndUser
Created	2011-03-01 16:45:50.610000
Modified	2018-01-21 20:26:48.603000

Columns

#	Column	Type	Nullable
1	SessionId	int	No
2	UserId	int	No
3	DistrictId	int	Yes
4	SchoolId	int	Yes
5	Attention	varchar(50)	Yes
6	AllowIncidentals	tinyint	Yes
7	CurrentBudgetId	int	Yes
8	NextBudgetId	int	Yes
9	jSession	varchar(255)	No
10	IPAddress	varchar(50)	Yes

Dependencies

Object	Type
dbo.jSessions	Table
dbo.SessionTable	Table

SQL Definition

```
create   view  [EDSIQEndUser].[Sessions] as

select SessionTable.SessionId, SessionTable.UserId, SessionTable.DistrictId, SessionTab...

  from dbo.jSessions as jSessions with (nolock)

  join dbo.SessionTable as SessionTable on SessionTable.SessionId = jSessions.SessionId
```

Schema: EDSIQWebUser

CategoryPP {edsiqwebuser-categorypp}

Property	Value
Schema	EDSIQWebUser
Created	2003-01-09 18:03:22.873000
Modified	2018-01-21 20:26:46.557000

Columns

#	Column	Type	Nullable

1	CategoryId	int	Yes
2	PricePlanId	int	Yes

Dependencies

Object	Type
dbo.PPCatalogs	Table

SQL Definition

```
create   view  [EDSIQWebUser].[CategoryPP] as

select CategoryId, PricePlanId

  from PPCatalogs with (nolock)

 group by CategoryId, PricePlanId
```

CoverView {edsiqwebuser-coverview}

Property	Value
Schema	EDSIQWebUser
Created	2005-08-19 08:20:39.653000
Modified	2018-01-21 20:26:48.610000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	Yes
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes
18	UserId	int	Yes
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(255)	Yes
29	PricePlanDescription	varchar(255)	Yes
30	UsesBooklet	int	Yes
31	UsesOnline	int	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BatchDetail	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.OrderBooks	Table
dbo.School	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [EDSIQWebUser].[CoverView] AS

select null DistrictId,
       '  ' DistrictCode,
       '' DistrictName,
       '' DistrictAddress1,
       '' DistrictAddress2,
       '' DistrictAddress3,
       '' DistrictCity,
       '' DistrictState,
       '' DistrictZipcode,
       null SchoolId,
       '' SchoolName,
       '' SchoolAddress1,
       '' SchoolAddress2,
       '' SchoolAddress3,
       '' SchoolCity,
       '' SchoolState,
       '' SchoolZipcode,
       null UserId,
```

```
        '' UserName,

        0 CometId,

... (truncated)
```

CoverViewSrc {edsiqwebuser-coverviewsrc}

Property	Value
Schema	EDSIQWebUser
Created	2002-09-20 13:01:36.153000
Modified	2009-03-25 06:55:28.223000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	DistrictCode	varchar(2)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	Yes
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes

18	UserId	int	Yes
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(255)	Yes
29	PricePlanDescription	varchar(255)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BatchDetail	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.OrderBooks	Table
dbo.School	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
CREATE         view CoverView AS

select null DistrictId,
       '  ' DistrictCode,
       '' DistrictName,
       '' DistrictAddress1,
       '' DistrictAddress2,
       '' DistrictAddress3,
       '' DistrictCity,
       '' DistrictState,
       '' DistrictZipcode,
       null SchoolId,
       '' SchoolName,
       '' SchoolAddress1,
       '' SchoolAddress2,
       '' SchoolAddress3,
       '' SchoolCity,
       '' SchoolState,
       '' SchoolZipcode,
```

```
        null UserId,

        '' UserName,

... (truncated)
```

MissingCoverView {edsiqwebuser-missingcoverview}

Property	Value
Schema	EDSIQWebUser
Created	2006-11-14 21:09:46.007000
Modified	2018-01-21 20:26:48.627000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	DistrictCode	varchar(4)	Yes
3	DistrictName	varchar(50)	Yes
4	DistrictAddress1	varchar(30)	Yes
5	DistrictAddress2	varchar(30)	Yes
6	DistrictAddress3	varchar(30)	Yes
7	DistrictCity	varchar(25)	Yes
8	DistrictState	varchar(2)	Yes
9	DistrictZipcode	varchar(10)	Yes
10	SchoolId	int	Yes
11	SchoolName	varchar(50)	Yes
12	SchoolAddress1	varchar(30)	Yes
13	SchoolAddress2	varchar(30)	Yes
14	SchoolAddress3	varchar(30)	Yes
15	SchoolCity	varchar(25)	Yes
16	SchoolState	varchar(2)	Yes
17	SchoolZipcode	varchar(10)	Yes

18	UserId	int	Yes
19	UserName	varchar(50)	Yes
20	CometId	int	Yes
21	AccountCode	varchar(50)	Yes
22	AccountCount	int	Yes
23	BudgetStartDate	datetime	Yes
24	BudgetEndDate	datetime	Yes
25	ItemCount	int	Yes
26	CategoryId	int	Yes
27	OrderBookId	int	Yes
28	CategoryDescription	varchar(255)	Yes
29	PricePlanDescription	varchar(255)	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.BatchDetail	Table
dbo.BudgetAccounts	Table
dbo.Budgets	Table
dbo.Category	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.OrderBooks	Table
dbo.School	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [EDSIQWebUser].[MissingCoverView] AS

select null DistrictId,
       '  ' DistrictCode,
       '' DistrictName,
       '' DistrictAddress1,
       '' DistrictAddress2,
       '' DistrictAddress3,
       '' DistrictCity,
       '' DistrictState,
       '' DistrictZipcode,
       null SchoolId,
       '' SchoolName,
       '' SchoolAddress1,
       '' SchoolAddress2,
       '' SchoolAddress3,
       '' SchoolCity,
       '' SchoolState,
       '' SchoolZipcode,
       null UserId,
```

```
        '' UserName,

        0 CometId,

... (truncated)
```

OrderBookDetailView {edsiqwebuser-orderbookdetailview}

Property	Value
Schema	EDSIQWebUser
Created	2002-10-17 11:02:36.467000
Modified	2018-01-21 20:26:48.633000

Columns

#	Column	Type	Nullable
1	OrderBookDetailId	int	No
2	OrderBookId	int	No
3	ItemCode	varchar(50)	Yes
4	UnitCode	varchar(20)	Yes
5	GrossPrice	money	Yes
6	CatalogPage	varchar(4)	Yes
7	CatalogYear	varchar(2)	Yes
8	VendorName	varchar(255)	Yes
9	VendorItemCode	varchar(50)	Yes
10	TotalQuantity	int	No
11	TotalRequisitions	int	No
12	ExpandAll	tinyint	Yes
13	Weight	int	No
14	SortSeq	varchar(64)	Yes
15	Active	tinyint	Yes

16	Alternate	varchar(1024)	Yes
17	VendorId	int	Yes
18	VendorCode	varchar(16)	Yes
19	ItemDescription	varchar(512)	Yes
20	HeadingId	int	Yes
21	HeadingCode	varchar(16)	Yes
22	HeadingTitle	varchar(255)	Yes
23	HeadingDescription	varchar(4096)	Yes

Dependencies

Object	Type
dbo.Headings	Table
dbo.Items	Table
dbo.OrderBookDetail	Table
dbo.OrderBooks	Table
dbo.Units	Table
dbo.Vendors	Table

SQL Definition

```
create   view  [EDSIQWebUser].[OrderBookDetailView] as

SELECT OrderBookDetailId, OrderBooks.OrderBookId, Items.ItemCode AS ItemCode, Units.Cod...
FROM dbo.OrderBookDetail OrderBookDetail with (nolock)
join dbo.OrderBooks OrderBooks on OrderBooks.OrderBookId = OrderBookDetail.OrderBookId
LEFT JOIN Items ON OrderBookDetail.ItemId = Items.ItemId
LEFT JOIN Units on Units.UnitId = Items.UnitId
LEFT JOIN Headings ON Items.HeadingId = Headings.HeadingId
left outer join Vendors on Vendors.VendorId = OrderBookDetail.VendorId
```

OrderBookView {edsiqwebuser-orderbookview}

Property	Value
Schema	EDSIQWebUser
Created	2002-10-16 11:23:57.530000
Modified	2018-01-21 20:26:48.637000

Columns

#	Column	Type	Nullable
1	OrderBookId	int	No
2	PricePlanDescription	varchar(255)	Yes
3	Category	varchar(255)	Yes
4	PricePlanId	int	Yes
5	CategoryId	int	Yes
6	AwardId	int	Yes
7	BookType	varchar(11)	No
8	Active	int	Yes
9	BidHeaderId	int	Yes
10	DistrictId	int	Yes

Dependencies

Object	Type
dbo.OrderBooks	Table

SQL Definition

```
create   view  [EDSIQWebUser].[OrderBookView] as

select OrderBookId, PricePlanDescription, Category, PricePlanId, CategoryId, AwardId,

case Type

  when 'O' then 'Order Book'

  when 'B' then 'Budget Book'

  else 'Unknown' end BookType,

Active, BidHeaderId, DistrictId

from dbo.OrderBooks with (nolock)
```

POAccountList {edsiqwebuser-poaccountlist}

Property	Value
Schema	EDSIQWebUser
Created	2003-04-03 16:06:08.653000
Modified	2018-01-21 20:26:48.640000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	PONumber	varchar(24)	Yes
3	AccountCode	varchar(50)	Yes
4	POAmount	money	Yes

Dependencies

Object	Type
dbo.Accounts	Table
dbo.Budgets	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.UserAccounts	Table
dbo.Users	Table

SQL Definition

```
create   view  [EDSIQWebUser].[POAccountList] as

select Budgets.DistrictId, PO.PONumber, Accounts.Code AccountCode, sum(PO.Amount) POAmount
  from PO with (nolock)
  join Requisitions on Requisitions.RequisitionId = PO.RequisitionId
  join Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join Users on Users.UserId = Requisitions.UserId
  join UserAccounts on UserAccounts.UserId = Users.UserId
  join Accounts on Accounts.AccountId = UserAccounts.AccountId
 group by Budgets.DistrictId, PO.PONumber, Accounts.Code
```

POAccountsUsed {edsiqwebuser-poaccountsused}

Property	Value
Schema	EDSIQWebUser
Created	2003-04-03 16:08:28.450000
Modified	2018-01-21 20:26:48.647000

Columns

#	Column	Type	Nullable
1	DistrictId	int	Yes
2	PONumber	varchar(24)	Yes
3	AccountCode	varchar(50)	Yes
4	POAmount	money	Yes

Dependencies

Object	Type
dbo.Budgets	Table
dbo.PO	Table
dbo.Requisitions	Table
dbo.Users	Table

SQL Definition

```
create   view  [EDSIQWebUser].[POAccountsUsed] as

select Budgets.DistrictId, PO.PONumber, Requisitions.AccountCode, sum(PO.Amount) POAmount
  from PO with (nolock)
  join Requisitions on Requisitions.RequisitionId = PO.RequisitionId
  join Budgets on Budgets.BudgetId = Requisitions.BudgetId
  join Users on Users.UserId = Requisitions.UserId
 group by Budgets.DistrictId, PO.PONumber, Requisitions.AccountCode
```

ScheduledByPricePlanCategory {edsiqwebuser-scheduledbypriceplancategory}

Property	Value
Schema	EDSIQWebUser
Created	2003-01-14 12:51:29
Modified	2018-01-21 20:26:46.563000

Columns

#	Column	Type	Nullable

1	PricePlanDescription	varchar(278)	No
2	CategoryName	varchar(50)	Yes
3	PercentIn	float	Yes
4	PercentOut	float	Yes
5	DistrictsIn	int	Yes
6	TotalDistricts	int	Yes

Dependencies

Object	Type
dbo.Category	Table
EDSIQWebUser.CategoryPP	View
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.TaskSchedule	Table

SQL Definition

```
create   view  [EDSIQWebUser].[ScheduledByPricePlanCategory] as
select ss.PricePlanDescription, ss.CategoryName, convert(float,(sum(Started) * 100)) / ...
  from (
select case isnull(TaskSchedule.StartDateActual,0) when 0 then 0 else 1 end Started, Di...
  from District with (nolock)
  join DistrictPP on DistrictPP.DistrictId = District.DistrictId
  join PricePlans on PricePlans.PricePlanId = DistrictPP.PricePlanId
  join TaskSchedule on TaskSchedule.DistrictId = District.DistrictId
  join Category on Category.CategoryId = TaskSchedule.CategoryId
  join CategoryPP on CategoryPP.PricePlanId = PricePlans.PricePlanId
                 and CategoryPP.CategoryId = Category.CategoryId
  left outer join CSRep on CSRep.CSRepId = District.CSRepId
  left outer join TaskSchedule ts1 on ts1.DistrictId = District.DistrictId -- kjm  Chan...
                       and ts1.ProjectTasksId = 1
                       and ts1.CategoryId = Category.CategoryId
```

```
                        and ts1.StartDateActual is not null

    where TaskSchedule.ProjectTasksId = 2 -- Booklets Received from District

   ... (truncated)
```

ScheduledByPricePlanCategoryRep {edsiqwebuser-scheduledbypriceplancategoryrep}

Property	Value
Schema	EDSIQWebUser
Created	2003-01-14 13:30:48.687000
Modified	2018-01-21 20:26:46.633000

Columns

#	Column	Type	Nullable
1	PricePlanDescription	varchar(278)	No
2	CategoryName	varchar(50)	Yes
3	PercentIn	float	Yes
4	PercentOut	float	Yes
5	DistrictsIn	int	Yes
6	TotalDistricts	int	Yes
7	RepName	varchar(30)	Yes

Dependencies

Object	Type
dbo.Category	Table
EDSIQWebUser.CategoryPP	View
dbo.CSRep	Table
dbo.District	Table
dbo.DistrictPP	Table

dbo.PricePlans	Table
dbo.TaskSchedule	Table

SQL Definition

```
create   view  [EDSIQWebUser].[ScheduledByPricePlanCategoryRep] as
select ss.PricePlanDescription, ss.CategoryName, convert(float,(sum(Started) * 100)) / ...
  from (
select case isnull(TaskSchedule.StartDateActual,0) when 0 then 0 else 1 end Started, Di...
  from District with (nolock)
  join DistrictPP on DistrictPP.DistrictId = District.DistrictId
  join PricePlans on PricePlans.PricePlanId = DistrictPP.PricePlanId
  join TaskSchedule on TaskSchedule.DistrictId = District.DistrictId
  join Category on Category.CategoryId = TaskSchedule.CategoryId
  join CategoryPP on CategoryPP.PricePlanId = PricePlans.PricePlanId
                 and CategoryPP.CategoryId = Category.CategoryId
  left outer join CSRep on CSRep.CSRepId = District.CSRepId
 where TaskSchedule.ProjectTasksId = 2 -- Booklets Received from District
   and District.Active = 1
   and PricePlans.Active = 1
   and Category.Active = 1
) ss
 group by ss.CategoryName, ss.PricePlanDescription, ss.RepName
```

ScheduledDistrictsByPricePlanCategory {edsiqwebuser-scheduleddistrictsbypriceplancategory}

Property	Value
Schema	EDSIQWebUser
Created	2003-01-14 12:56:35.310000
Modified	2018-01-21 20:26:46.630000

Columns

#	Column	Type	Nullable
1	PricePlanDescription	varchar(278)	No
2	CategoryName	varchar(50)	Yes
3	DistrictCode	varchar(4)	Yes
4	DistrictName	varchar(50)	Yes
5	PercentIn	float	Yes
6	PercentOut	float	Yes
7	DistrictsIn	int	Yes
8	TotalDistricts	int	Yes
9	RepName	varchar(30)	Yes

Dependencies

Object	Type
dbo.Category	Table
EDSIQWebUser.CategoryPP	View
dbo.CSRep	Table
dbo.District	Table

dbo.DistrictPP	Table
dbo.PricePlans	Table
dbo.TaskSchedule	Table

SQL Definition

```
create   view  [EDSIQWebUser].[ScheduledDistrictsByPricePlanCategory] as

select ss.PricePlanDescription, ss.CategoryName, ss.DistrictCode, ss.DistrictName, conv...

  from (

select case isnull(TaskSchedule.StartDateActual,0) when 0 then 0 else 1 end Started, Di...

  from District with (nolock)

  join DistrictPP on DistrictPP.DistrictId = District.DistrictId

  join PricePlans on PricePlans.PricePlanId = DistrictPP.PricePlanId

  join TaskSchedule on TaskSchedule.DistrictId = District.DistrictId

  join Category on Category.CategoryId = TaskSchedule.CategoryId

  join CategoryPP on CategoryPP.PricePlanId = PricePlans.PricePlanId

                 and CategoryPP.CategoryId = Category.CategoryId

  left outer join CSRep on CSRep.CSRepId = District.CSRepId

 where TaskSchedule.ProjectTasksId = 2 -- Booklets Received from District

   and District.Active = 1

   and PricePlans.Active = 1

   and Category.Active = 1

) ss

 group by ss.CategoryName, ss.PricePlanDescription, ss.RepName, ss.DistrictCode, ss.Dis...
```

Schema: VMS

vw_BidsByVendor {vms-vw-bidsbyvendor}

Property	Value
Schema	VMS
Created	2016-07-08 21:44:25.697000
Modified	2018-01-21 20:26:48.650000

Columns

#	Column	Type	Nullable
1	BidHeaderId	int	Yes
2	CategoryId	int	Yes
3	VendorId	int	Yes
4	Description	varchar(512)	Yes
5	BidMessage	varchar(1024)	Yes
6	EffectiveFrom	datetime	Yes
7	EffectiveUntil	datetime	Yes
8	ClosingDate	datetime	Yes
9	CategoryName	varchar(50)	Yes
10	PK	int	No

Dependencies

Object	Type
dbo.BidHeaders	Table
dbo.Bids	Table
dbo.Category	Table

SQL Definition

```
create   view  [VMS].[vw_BidsByVendor] as

-- View created for use with Catalog Importer Clarion Program

SELECT BH.BidHeaderId

 , BH.CategoryId

 , BIDS.VendorId

 , BH.Description

 , BH.BidMessage

 , BH.EffectiveFrom

 , BH.EffectiveUntil

 , Bids.ClosingDate

 , c.Name as CategoryName

 ,isnull(cast((row_number() over (order by BH.BidHeaderId)) as int),0) as PK

FROM BidHeaders BH with (nolock)

JOIN Bids ON Bids.BidHeaderId = BH.BidHeaderId and Bids.Active = 1

join Category c on c.CategoryId = BH.CategoryId

where GETDATE() between BH.EffectiveFrom and BH.EffectiveUntil and BH.Active=1

-- and Bids.VendorId = 317
```

vw_Login {vms-vw-login}

Property	Value
Schema	VMS
Created	2016-07-05 11:14:01.383000
Modified	2018-01-21 20:26:48.653000

Columns

#	Column	Type	Nullable
1	VendorContactId	int	No
2	VendorId	int	No
3	FullName	varchar(150)	Yes
4	LastName	varchar(50)	Yes
5	FirstName	varchar(50)	Yes
6	EMail	varchar(255)	Yes
7	Password	varchar(50)	Yes

Dependencies

Object	Type
dbo.VendorContacts	Table

SQL Definition

```
create   view  [VMS].[vw_Login]

AS

SELECT        VendorContactId, VendorId, FullName, LastName, FirstName, EMail, Password

FROM            dbo.VendorContacts

WHERE        (Active = 1) AND (EMail <> NULL) OR

                        (Active = 1) AND (RTRIM(EMail) <> '')
```