



WCT gross secondary production, Aug–Oct 2025

Median with 50% (thick) and 95% (thin) posterior intervals




WCT structural secondary production, Aug–Oct 2025

Median with 50% (thick) and 95% (thin) posterior intervals




Abundance posteriors – Depletion 1 vs 2

Depletion 1 (Aug) Depletion 2 (Oct)




Fish consumption vs GPP

Log.. – log.. scale




Fish gross production vs GPP

Log.. – log.. scale




Fish structural production vs GPP

Log.. – log.. scale




Fish total demand (P+R) vs GPP

Log.. – log.. scale




JAGS: $\log(P) \sim \text{GPP} + \text{Temp} + \text{Temp}^2 + \text{GPP}:\text{Temp}$ (gross)

Median $\pm$ 95% CRI; Temp^2 constrained ≤ 0




JAGS: marginal GPP effect on production (gross)

Log..-log..; Temp at mean; shading = 95% CRI




JAGS: quadratic temperature effect on production (gross)

Log.. P; GPP at mean; shading = 95% CRI




lm: log(P) ~ GPP + Temp + GPP:Temp (gross)

Estimate $\pm$ 95% CI (exploratory)




lm: fitted vs observed production (gross)

Log..-log..




lm: marginal effect of GPP on production (gross)

Log.-log.; temperature held at its mean




lm: marginal effect of temperature on production (gross)

Log.. P; GPP held at its mean




lm: GPP effect at low / mean / high temperature (gross)

Log.-log.; shading = 95% CI




lm: temperature effect at low / mean / high GPP (gross)

Log.. P; shading = 95% CI




JAGS: $\log(P) \sim \text{GPP} + \text{Temp} + \text{Temp}^2 + \text{GPP}:\text{Temp}$ (structural)

Median $\pm$ 95% CRI; Temp^2 constrained ≤ 0




JAGS: marginal GPP effect on production (structural)

Log..-log..; Temp at mean; shading = 95% CRI




JAGS: quadratic temperature effect on production (structural)

Log.. P; GPP at mean; shading = 95% CRI




lm: $\log(P) \sim \text{GPP} + \text{Temp} + \text{GPP}:\text{Temp}$ (structural)

Estimate $\pm$ 95% CI (exploratory)




lm: fitted vs observed production (structural)

Log..-log..




lm: marginal effect of GPP on production (structural)

Log.-log.; temperature held at its mean




lm: marginal effect of temperature on production (structural)

Log.. P; GPP held at its mean




Im: GPP effect at low / mean / high temperature (structural)

Log.-log.; shading = 95% CI




lm: temperature effect at low / mean / high GPP (structural)

Log.. P; shading = 95% CI




JAGS: fish consumption vs GPP

Log.-log.; beta_GPP >= 0; shading = 95% CRI



lm: fish consumption vs GPP

Log.-log.; shading = 95% CI



lm: log(C) ~ log(GPP) [n = 8]

Estimate $\pm$ 95% CI

