

What's new

Everything delivered between Wednesday 23 September and Sunday 27 September 2026, where each part runs, and what comes next.

COVERS	23 September 2026 to 27 September 2026
WRITTEN FOR	Owners, office admins, fleet managers, revenue clerks and the project team
BUILT TO	The XCODE Web and XCODE Mobile designs (version 0.9) and their build notes

You do not need any technical background to read this. Every change is described by what you will see on screen and what it means for your work. Where a change affects what you are allowed to do, that is said plainly.

Each item is marked with where it was delivered:

- API** The server behind every screen. It keeps the records, applies the rules and checks every action, whichever screen it comes from.
- WEB** XCODE Web, used in a browser on a computer or tablet.
- MOBILE** XCODE Mobile, the phone app for Android and iPhone.

Some things described here may be hidden for you. What you can see and do depends on the role and permissions your admin gave you.

Contents

- 1 Summary
 - 2 Signing in and staying signed in
 - 3 People and access
 - 4 Setting up the fleet
 - 5 Organization settings and your preferences
 - 6 The phone app
 - 7 The web app
 - 8 Where the build plan stands
 - 9 Reviews: already tightened
 - 10 Reviews: still open
 - 11 Points to settle
-

1 Summary

The first two phases of XCODE are in place. People sign in on the web and on their phones, an organization sets up its people, companies, vehicles and recurring costs, and every screen follows the organization's own settings and each person's permissions.

Sign in with a mobile number and a PIN API WEB MOBILE

Everyone signs in with their mobile number and a PIN. An email code confirms a new device, a first PIN and a PIN reset. A trusted phone opens with its PIN, even without internet.

Each person's access is set person by person API WEB

A role, any single permissions added or removed, which companies or vehicles they can see, and an approval limit. Menus, cards and buttons show only what a person may use, and the server checks every action again.

The fleet is set up API WEB

PSV companies, vehicles with dated weekly targets, recurring costs and savings split across vehicles, a report for each vehicle, and a change log of who changed what.

The organization's look and rules apply everywhere, straight away API WEB MOBILE

Colours, logo, currency, date format, time zone and the security policy are saved once and applied on the web and on phones, with no refresh needed.

A phone app rebuilt from the design MOBILE

Sign in, unlock, a home screen with the cards each person is allowed to see, a bottom menu, and "Your access".

What was delivered, and where

Every module delivered in the period, and the platforms it runs on.

MODULE	API	WEB	MOBILE
Sign in, email codes, first PIN, PIN reset, sign-in pause	Delivered	Delivered	Delivered
Unlock a trusted phone with the PIN	Delivered	—	Delivered works offline
Menus, dashboard layout and "Your access"	Delivered	Delivered	Delivered
People and access	Delivered	Delivered	View only your own access
PSV companies	Delivered	Delivered	On the web
Vehicles and the vehicle report	Delivered	Delivered	On the web
Recurring costs and savings	Delivered	Delivered	On the web
Change log	Delivered	Delivered	On the web
Organization settings and logo	Delivered	Delivered	Applied edited on the web
Your preferences	Delivered	Delivered	Applied edited on the web
Revenue capture	Next	Next	Next
Live figures on the dashboard cards	Next	Next	Next

Setup is done on the web by design. The phone's More menu lists the setup areas a person can use, marked "On XCODE Web".

2 Signing in and staying signed in

Sign-in was rebuilt on the web and on the phone to match the designs, and made harder to misuse.

EVERYONE

A mobile number and a PIN API WEB MOBILE

Sign in with your mobile number and your PIN. Email is used only to send codes.

Email codes API WEB MOBILE

A six-digit code is sent to your email for a new device, for your first PIN and for a PIN reset. A code lasts ten minutes and allows five wrong tries, after which it stops working. A new code can be requested once a minute; the phone shows the countdown and sends the code as soon as the sixth digit is entered.

First time here? Choose **Set your PIN**. The code is checked first, and then the new PIN is entered twice.

PIN rules API WEB MOBILE

- A PIN is four digits unless the organization asks for longer, up to eight. PINs already in use keep working when the organization raises its minimum.
- A PIN cannot be one digit repeated, or a run such as 1234 or 9876.
- Setting a new PIN signs that person out on every other device.

Too many wrong PINs API WEB MOBILE

After five wrong PINs, sign-in pauses for fifteen minutes. The organization can change both numbers in its security policy (chapter 5). The screen shows how many tries are left and how long the pause has to run. Resetting the PIN by email lifts the pause.

WHY THIS MATTERS

The sign-in screens never say whether a mobile number is registered. Every number gets the same answer, so the screens cannot be used to find out who works for the organization.

ON THE WEB

Remember this device, and staying signed in WEB

Remember this device ticked keeps the browser trusted after it closes; left unticked, the next sign-in asks for an email code again. While you work, the session renews by itself, and refreshing the page keeps you signed in. A PIN you have just chosen is never kept or shown afterwards, so the next person at the same computer cannot see it.

ON THE PHONE

Unlock, even without internet API MOBILE

A trusted phone opens on its PIN pad, greeting the person by name. Unlocking works offline: the phone keeps a secure check of the PIN, never the PIN itself, and five wrong offline tries pause it too. Leaving the app locks it. **Switch user** forgets the person on that phone and tells the server to stop trusting it.

3 People and access

Who can do what is now set person by person, from one screen, with safeguards built into the server.

OWNERS AND OFFICE ADMINS

The people list API WEB

Everyone in your view, with their mobile number, role, what they can see and whether they can sign in.

Adding or editing a person API WEB

A person's access is made of four parts, all on one page:

- **Role.** Owner, Office admin, Fleet manager or Revenue clerk. Each comes with its own set of permissions.
- **Permissions.** Single permissions can be added or removed for the person. Ticking one also ticks the permissions it needs; unticking one also unticks those that depend on it, and the screen says which.
- **What they can see.** All companies, chosen companies, or chosen vehicles.
- **Approval limit.** The most they may approve in a single entry, shown when their permissions include approving.

Removing access and signing someone out API WEB

Removing a person's access stops them signing in and keeps all their records. Access can be restored later. A person can also be signed out on every device at once.

SAFEGUARDS

- Nobody can change their own access.
- Only an Owner can change, remove or sign out another Owner.
- Changing single permissions or an approval limit needs the "Manage access" permission, and nobody can give a permission they do not hold themselves.
- Changing someone's email or mobile number needs someone who could have granted everything that person holds. It signs them out everywhere, and their next sign-in needs a code sent to the new email. Their PIN is kept.
- A change to someone's name, role or permissions applies on their very next action, without signing them out, and is written to the change log with what it was before and after.
- People who may only view the list do not see Add, Edit or Remove buttons.

EVERYONE

Your access API WEB MOBILE

Anyone can see their own role and permissions, grouped by area. On the web it is in the menu under your name; on the phone it is under More.

PROJECT TEAM

Bringing on a new organization API

A set-up command creates an organization with its default settings and gives its first people their roles, so a new customer starts without anyone editing the database. Each organization's records are kept apart, and the server checks that separation twice.

4 Setting up the fleet

Phase 2 of the build plan. Everything here is set up on the web; every list shows only the companies and vehicles in the person's own view.

OFFICE ADMINS AND FLEET MANAGERS

PSV companies API WEB

The companies the fleet runs under, each with how many vehicles it has. Companies can be added and renamed.

Vehicles API WEB

- Each vehicle has its registration, its PSV company, a weekly performance target and the date it joined the fleet. The list can be filtered by company.
- Registrations use the Kenyan format, for example KDA 482M, must be unique, and cannot be changed after the vehicle is added.
- The weekly target is dated. A change applies from today and past days keep the target they had. The vehicle shows its target history, and the screen shows the equivalent daily figure as the target is typed.

The vehicle report API WEB

For this week or this month, worked out from the organization's own business date: costs in each category (running costs, repairs and upkeep, crew costs, fixed commitments) and the savings set aside.

Recurring costs and savings API WEB

- An item runs daily, weekly on a chosen day, or monthly on a chosen date or the last day of the month, between a start date and an optional end date.
- Its amount is split across vehicles, and the split must equal the total before it can be saved. An even split is worked out to the cent.
- Items appear in each vehicle's report on their due dates. Savings are shown separately from costs.
- Editing an item that has already started begins a new version from today. Items are stopped, never deleted.
- An item that also covers vehicles you cannot see shows your vehicles' share "plus vehicles you can't see", and opens read-only with an explanation.

WHY THIS MATTERS

Targets and recurring items are never overwritten. Every version is kept with the date it applied from, so a report for a past week always comes out the same.

OWNERS, OFFICE ADMINS AND AUDITORS

The change log API WEB

One list of who changed what and when, across PSV companies, vehicles, recurring items, organization settings, the logo, and people and access. Saving something without changing it adds nothing to the log.

5 Organization settings and your preferences

Settings are saved once and take effect on every screen, on the web and on phones.

OWNERS AND OFFICE ADMINS

Organization settings API WEB

- **Organization details.** The name and its short form.
- **Brand.** Display name, legal name, support email and domain, and the primary, secondary and accent colours, each picked from a swatch or typed as a code.
- **Logo.** Upload, replace or remove. PNG, JPEG or WebP up to 256 KB. It appears in the top bar in place of the XCODE mark.
- **Locale and time.** Locale, time zone (business dates follow it), currency, date format, first day of the week, 12-hour clock, and whether people may choose their own locale and time zone.
- **Security policy.** The shortest new PIN, wrong PINs before a pause, how long the pause lasts, how often a session renews and how many days a person stays signed in. Only settings that actually do something are shown.

ABOUT THE LOGO

SVG images are refused because they can carry hidden script. Every upload is checked for its size and its real file type before it is opened.

EVERYONE

Your preferences API WEB

Every member has a Your preferences page for text size and reduced motion and, where the organization allows it, their own locale, time zone and clock. Settings the organization fixes for everyone show the value that applies and say so. The clock can be handed back to "Organization default".

Changes show straight away API WEB MOBILE

The person saving sees the change at once, without a refresh, and everyone else sees it the next time they open XCODE. On the web, colours drive buttons, links and the selected menu entry, and every amount and date follows the organization's currency and formats.

ON THE PHONE

The phone follows the same settings MOBILE

After every sign-in or unlock the phone app picks up the organization's settings. The primary colour drives buttons, links and the bottom menu; money follows the organization's currency; the person's text size and reduced motion apply. The unlock screen shows the organization's name, logo and colours even when the phone is offline.

6 The phone app

XCODE Mobile was rebuilt screen by screen from the XCODE Mobile design, for Android and iPhone. Everything on screen follows the person's permissions, and the server still checks every action.

EVERYONE

Home MOBILE

Your initials, name and role, a lock button, and a Today / This week / This month switch. The cards are the same set the web shows, one for each dashboard permission, with the dates each period covers. People who capture or spend start on Today; everyone else starts on the month so far. With nothing permitted, the screen says "Nothing to show yet".

FIGURES ON THE CARDS

The cards show zero until revenue and costs are connected to them (chapter 8). They never show made-up figures.

The bottom menu MOBILE

- **Home** and **More** for everyone.
- **Revenue** for people who can view or capture revenue.
- **Spend** for people with any petty cash or office bills permission.

Revenue and Spend list what the person will be able to do there. The screens themselves come with phase 3.

More MOBILE

The setup areas the person can use, marked "On XCODE Web"; Your access; Lock app; and Switch user.

Working offline MOBILE

Opened without a connection, the app says it is showing what the phone saved. If a session can no longer be renewed, the app returns to the unlock pad rather than failing.

7 The web app

Every XCODE Web screen was rebuilt against the XCODE Web design, so the pages look and behave alike.

EVERYONE

The frame around every page WEB

A top bar with the organization's logo, and a left menu with Dashboard, Revenue and a Setup group that can be folded away. Your initials open a menu with Your preferences, Your access and Sign out. Menu entries show only what you are permitted to use, and choosing one always opens that page fresh.

The dashboard WEB

A period switch (Today, This week, This month) and one card for each dashboard permission, such as revenue, net contribution, costs, missing revenue days, renewals due and records edited after capture. Cards carry shortcuts such as Capture revenue and View change log. Like the phone, they show zero until live figures are connected.

Loading and long lists WEB

While a page loads it shows grey placeholders, instead of wrongly saying "No companies yet". Long lists load in full and fill in as each part arrives, and they never flicker back to placeholders on a reload.

Messages that say what is wrong API WEB

When a save is refused, the page shows the reason, for example "Use the registration format KDA 482M" or "Vehicle shares must equal the total exactly", rather than a general error.

Amounts and dates WEB

Amounts show thousands separators in the organization's currency, and dates follow the organization's date format and time zone.

8 Where the build plan stands

Measured against the phases in the XCODE build notes.

PHASE	MODULES	STATUS	WHERE IT STANDS
1	Sign in, unlock, app shell, people and access	DELIVERED	On the API, the web and the phone. People are managed on the web; the phone shows each person their own access.
2	PSV companies, vehicles, recurring costs and savings, change log	DELIVERED	On the API and the web, as the build notes set out. Organization settings, the logo and personal preferences were added alongside.
3	Revenue: week grid, vehicle week detail, capture, day and week lists, offline capture on the phone	NEXT	The Revenue menu entries, the permissions and the "Capture revenue" shortcuts are in place. Recording revenue is the next piece of work.
Next	Connect the dashboard cards to live data	STARTED	The cards, the period switch and the permission rules are in place on the web and the phone. They show zero until revenue exists.

Also not yet built

- **Spend** (petty cash and office bills). The permissions exist and the phone's Spend tab appears for the right people; the screens are still to come.

9 Reviews: already tightened

The work was reviewed twice during the period: a code review of everything delivered, and a detailed review of settings and setup. These points were raised and already work today.

RAISED	WHAT HAPPENS NOW	WHERE
Email codes could be guessed	Wrong tries on a code are counted. After five the code stops working.	API
The security policy was saved but not used	PIN length, wrong PINs before a pause, pause length and session lifetimes all apply at sign-in.	API
Web sessions failed after ten minutes	Sessions renew by themselves, and a page refresh keeps you signed in.	WEB
Numbers typed as +254 were not found	0712... and +254712... find the same person.	API
A PIN request could reveal whether a number is registered	Every number gets the same answer.	API
An office admin could remove an Owner	Only an Owner can act on an Owner.	API
Changing someone's email could hand over their account	Needs someone who covers all their access, and signs the person out everywhere.	API
Anyone who could manage people could grant any permission	Needs "Manage access", and only for permissions the editor holds.	API WEB
Access changes waited for the next sign-in	They apply on the person's next action, and are in the change log.	API WEB
Lists stopped at 25 rows	Lists load in full.	WEB
Errors said only "Invalid setup change"	The actual reason is shown.	WEB
Settings were saved but changed nothing on screen	Colours, logo, currency, formats and preferences apply everywhere.	WEB MOBILE
Preferences offered choices the organization forbids	Only allowed choices are offered; the clock can return to the default.	WEB
Shared recurring items failed on save	They open read-only and say why.	API WEB
The vehicle report assumed September 2026	This week and this month follow the organization's business date.	API WEB
The phone dashboard showed made-up figures	It shows the permitted cards at zero until live data exists.	MOBILE
A newly chosen PIN stayed visible in the browser	It is never kept or shown.	WEB

10 Reviews: still open

These points from the reviews are still to be done. Each is listed with what exists today, so the remaining work is clear.

Seeing what a change was WEB

The change log records each change's before and after. The page shows who made the change, when, and what it was about, but not yet the before and after side by side.

Scoped admins editing people who reach further API WEB

An admin who sees only some companies cannot save a person whose access also covers companies outside their own. The save is refused, correctly, but the screen does not yet explain why or leave those companies untouched.

One source for each role's permissions API

Each role's standard permissions are held in two places, one shown on screen and one applied. The two can drift apart when a role's standard permissions change. Keeping a single list is the fix.

Two people saving at the same moment API

If two admins save different setup records at the same instant, one is asked to "Reload before saving". Nothing is lost, but the message is broader than it needs to be. Busy moments can also show a general error on a list, which a retry clears.

Smaller points API WEB

- **Today's date.** A few web screens take today from the computer's clock rather than the organization's business date, which can differ near midnight for someone in another time zone.
- **First vehicle in an empty company.** A vehicle manager without company rights cannot pick a company that has no vehicles yet.
- **Add company.** Shown to editors limited to some companies, although only organization-wide editors can add one.
- **Weekly target hint.** Always says "Monday to Sunday", whatever first day of the week the organization chose.
- **Target history.** A target just added shows in the history only after the vehicle is reopened.
- **Settings messages.** A refused locale or security setting says the section is invalid without naming the field.

11 Points to settle

These need a decision before the work can sensibly start.

When a vehicle leaves the fleet

A vehicle has a date it joined, but no date it left. A sold vehicle keeps its share of recurring costs posting and stays in every picker, and companies cannot be archived. Should a vehicle get a "left the fleet" date that ends its targets and shares, and should companies be archivable?

How far back a recurring item can start

A new item, or one that has not started yet, can be given a start date any distance in the past, which changes the reports for weeks already closed. Should backdating be limited, for example to the current month?

The lowest setting for wrong PINs

The security policy allows a pause after a single wrong PIN, lasting up to a day. At that setting, anyone who knows a colleague's number could lock them out with one wrong try. Should the lowest allowed value be three, and should the pause be capped at a few hours?

Which roles each role may give

Someone who manages people can give any role other than Owner. Deciding which roles each role may assign would close the last gap in the access rules.

Reasons for changes

Every change carries a reason in the change log. Today it is filled in automatically and names the record or section changed. Should people type their own reason when they save?

This guide covers 23 September 2026 to 27 September 2026 and describes XCODE as it stands at the end of that period. Chapters 9 and 10 record the two reviews held during the period.