

<b>A.</b>	<b>CAREGIVER STRENGTHS &amp; NEEDS</b>	<b>P.1</b>
1	Physical Health	
2	Developmental	
3	Mental Health	
4	Substance Use	
5	Partner Relationship	
6	Caregiver Adjustment to Trauma	
7	Legal	
8	Acculturation/ Language	
9	Culture Stress	
10	Self-Care/Daily-Living	
11	Organization	
12	Supervision	
13	Resourcefulness	
14	Decision-Making	
15	Parenting Stress	
16	Housing Safety	
17	Residential Stability	
18	Financial Resources	
19	Safety from Others	
20	Informal Supports	
21	Cultural Differences Within a Family	
22	Transportation of Child	
23	Knowledge	
24	Care/Treatment Involvement	
25	Knowledge Congruence	
26	Family Relationship to the System	

<b>B.</b>	<b>CHILD STRENGTHS</b>	<b>P.7</b>
27	Family Nuclear	
28	Family Extended	
29	Social Relationships With Peers	
30	Social Relationships With Adults	
31	Relationship Stability	
32	Optimism	
33	Resourcefulness	
34	Adaptability	
35	Persistence	
36	Resilience/Internal Strengths	
37	Talents/Interests	
38	Cultural Identity	
39	Spiritual/Religious	

<b>C.</b>	<b>CHILD NEEDS &amp; FUNCTIONING</b>	<b>P.10</b>
40	Living Situation	
41	Acculturation/ Language	
42	Peer Interactions	
43	Decision-Making/Judgment	
44	Sleep	
45	Physical Limitations	
46	Dental Needs	
47	Recreational	
48	Juvenile Justice/Legal	

<b>D.</b>	<b>SCHOOL/ACADEMIC FUNCTION</b>	<b>P.12</b>
49	Educational Partnership	
50	School Behavior	
51	School Achievement	
52	School Attendance	
53	Learning Ability	

<b>E.</b>	<b>RISK FACTORS &amp; BEHAVIORS</b>	<b>P.13</b>
54	Suicide	
55	Self-Injurious Behavior	
56	Other Self-Harm	
57	Danger to Others	
58	Fire Setting	
59	Sexually Reactive Behavior	
60	Sexual Aggression	
61	Delinquent Behavior	
62	Bullying	
63	Runaway	
64	Problematic Social Behavior	

<b>F.</b>	<b>ADVERSE CHILDHOOD EXPERIENCES</b>	<b>P.16</b>
65	Sexual Abuse	
66	Physical Abuse	
67	Emotional Abuse/Neglect	
68	Neglect	
69	Medical Trauma	
70	Domestic Violence	
71	Community Violence	
72	Exploitation	
73	School Violence	
74	Natural Disaster	
75	Criminal Activity	
76	Parental Incarceration	
77	Disruptions in Caregiving/Attachment	
78	Death of a Loved One	
79	Substance Exposure	
80	Sexual Orientation/Gender Identity	
81	Bullied	

<b>G. SCREENING QUESTIONS FOR MODULES</b>	
<b>P.19</b>	
82	Trauma Symptoms
83	Behavioral Health
84	Substance Use
85	Developmental
86	Medical Health
87	Self-Care Activities of Daily Living
88/ 89	Transition to Adulthood and Independent Activities of Daily Living

<b>82. TRAUMA SYMPTOMS MODULE</b>	
<b>P.21</b>	
A	Traumatic Grief
B	Re-experiencing
C	Hyperarousal
D	Avoidance
E	Numbing
F	Dissociation
G	Affective/Physiological Dysregulation

<b>83. BEHAVIORAL HEALTH MODULE</b>	
<b>P.24</b>	
A	Psychosis
B	Attention/Concentration
C	Impulsivity
D	Depression
E	Anxiety
F	Oppositional
G	Conduct
H	Emotional Control
I	Anger Control
J	Attachment

<b>84. SUBSTANCE USE MODULE</b>	
<b>P.26</b>	
A	Severity of Use
B	Duration of Use
C	Peer Influences
D	Stage of Recovery

<b>85. DEVELOPMENTAL MODULE</b>	
<b>P.27</b>	
A	Cognitive
B	Agitation
C	Self-Stimulation
D	Motor
E	Communication
F	Developmental Delay
G	Sensory

<b>86. MEDICAL MODULE</b>	
<b>P.29</b>	
A	Life Threatening
B	Chronicity
C	Diagnostic Complexity
D	Emotional Response
E	Impairment in Functioning
F	Intensity of Treatment
G	Organizational Complexity
H	Family Stress

<b>87. ACTIVITIES OF DAILY LIVING MOD</b>	
<b>Pg.31</b>	
A	Eating
B	Toileting
C	Bathing
D	Hygiene
E	Dressing
F	Mobility
G	Positioning
H	Transferring

<b>88. TRANSITION TO ADULTHOOD MODULE</b>	
<b>P.34</b>	
A	Knowledge of Condition
B	Youth Involvement
C	Youth Relationship to the System
D	Career Aspirations
E	Employment
F	Living Skills
G	Educational Attainment
H	Vocational
I	Intimate Relationships
J	Medication Adherence
K	Transportation

<b>89. INDEPENDENT ACTIVITIES OF DAILY LIVING MODULE</b>	
<b>P.37</b>	
A	Meal Preparation
B	Shopping
C	Housework
D	Money Management
E	Telephone Use
F	Housing Safety

**A. CAREGIVER STRENGTHS & NEEDS** The CANS score sheet has space to rate multiple caregivers, and a place to indicate the caregiver's relationship to the child, such as parent or kinship foster parent.

**If the child lives in a foster boarding home,** complete (at least) 2 caregiver sections – one for the foster parent and one for the parent(s) from who the child was removed.

**If the child is freed for adoption,** do not complete a caregiver section for the child's parents.

**If the child has a permanency goal other than return home,** complete a caregiver section on the intended permanency person (if identified).

**If the child lives in a congregate foster care setting,** there will be no foster parent to rate, so just rate the parent from who the child was removed and/or a different permanency resource person.

<b>1</b>	<b>PHYSICAL HEALTH:</b> <i>This item describes the presence of any medical or physical challenges to caregiving.</i>
0	Caregiver is generally healthy.
1	Caregiver is in recovery from medical/physical problems.
2	Caregiver has medical/physical problems that interfere with capacity to parent.
3	Caregiver has medical/physical problems that make it impossible for him/her to parent at this time.

<b>2</b>	<b>DEVELOPMENTAL:</b> <i>This item describes the presence of any developmental challenges to caregiving.</i>
0	Caregiver has no developmental needs.
1	Caregiver has developmental challenges but they do not currently interfere with parenting.
2	Caregiver has developmental challenges that interfere with the capacity to parent.
3	Caregiver has severe developmental challenges that make it impossible to parent at this time.

<b>3</b>	<b>MENTAL HEALTH:</b> <i>This item describes the presence of any mental health challenges to caregiving.</i>
0	Caregiver has no mental health needs.
1	Caregiver is in recovery from mental health difficulties.
2	Caregiver has some mental health difficulties that interfere with the capacity to parent.
3	Caregiver has mental health difficulties that make it impossible to parent at this time.

<b>4</b>	<b>SUBSTANCE USE:</b> <i>This item describes the presence of any substance use challenges to caregiving.</i>
0	Caregiver has no substance use needs.
1	Caregiver is in recovery from substance use difficulties.
2	Caregiver has some substance use difficulties that interfere with capacity to parent.
3	Caregiver has substance use difficulties that make it impossible for him/her to parent at this time.

<b>5</b>	<b>PARTNER RELATIONSHIP:</b> <i>This item refers to the primary caregiver's intimate relationship with another adult. If married, this refers to the primary caregiver's husband or wife.</i>
0	Caregiver has a strong, positive, partner relationship with another adult. This adult functions as a member of the family.
1	Caregiver has a generally positive partner relationship with another adult. This adult does not function as a member of the family.
2	Caregiver is currently involved in a negative, unhealthy relationship with another adult. This adult does not live with the caregiver and children (include recent break-ups here if the partner still has access to the household or has contact with the children).
3	Caregiver is currently involved in a negative, unhealthy relationship with another adult who is living with the primary caregiver and children.
NA	Primary Caregiver does not have an adult partner relationship.

<b>6</b>	<b>CAREGIVER ADJUSTMENT TO TRAUMA:</b> <i>This item is used to describe a caregiver who is having difficulty adjusting to traumatic experiences or events defined as traumatic by the caregiver. Informed speculation about why a person is displaying certain behavior, linking trauma and behavior, may be entertained.</i>
0	There is no evidence of problems associated with traumatic life events.
1	There is a history or suspicion of mild problems associated with a traumatic life event(s), or the caregiver is making progress adapting to trauma, or the caregiver recently experienced a trauma where the impact on their wellbeing is not yet known.
2	There is clear evidence of negative symptoms associated with a traumatic life event(s). The symptoms are interfering with the caregiver's functioning in at least one life domain and/or the caregiver has been diagnosed with a trauma-related disorder.
3	The caregiver has been diagnosed with PTSD or has an extensive history of trauma exposure and there is clear evidence of trauma symptoms (e.g., numbing, nightmares, anger, dissociation, etc.) that interfere with multiple areas of functioning.

<b>7</b>	<b>LEGAL:</b> <i>This item describes the caregiver's involvement in the legal system due to caregiver's behavior.</i>
0	Caregiver has no known legal difficulties.
1	Caregiver has a history of legal problems but is not currently involved with the legal system.
2	Caregiver has some legal problems and is currently involved in the legal system.
3	Caregiver has serious current or pending legal difficulties that place them at risk for incarceration or caregiver is currently imprisoned.

<b>8</b>	<b>ACCULTURATION/ LANGUAGE:</b> <i>This item includes both spoken and sign language.</i>
0	Caregiver(s) speaks and understands English well.
1	Care giver(s) speaks some English but potential communication problems exist due to limits on vocabulary or understanding of the nuances of the language.
2	Caregiver(s) does not speak English. A translator or native language speaker is needed for successful intervention and someone can be identified within natural supports (do not include children under 18 years of age).
3	Caregiver(s) does not speak English. A translator or native language speaker is needed for successful intervention and no such individual is available from among natural supports.

<b>9</b>	<b>CULTURE STRESS:</b> <i>Culture stress refers to experiences and feelings of discomfort and/or distress arising from friction (real or perceived) between an individual's own cultural identity and the predominant culture in which he/she lives.</i>
0	No evidence of stress between caregiver's cultural identify and current living situation.
1	Some mild or occasional stress resulting from friction between the caregiver's cultural identify and current living situation.
2	Caregiver is experiencing cultural stress that is causing problems of functioning in at least one life domain. Caregiver needs to learn how to manage culture stress.
3	Caregiver is experiencing a high level of cultural stress that is making functioning in any life domain difficult under the present circumstances. Caregiver needs immediate plan to reduce culture stress.

<b>10</b>	<b>SELF-CARE/DAILY LIVING:</b> <i>This item describes the caregiver's ability to provide for the basic needs (e.g., shelter, food, and clothing) of self and child.</i>
0	The caregiver has the skills needed to complete the daily task required to care for self and the child.
1	The caregiver needs verbal prompting to complete the daily tasks required to care for the child.
2	The caregiver needs physical prompting to complete the daily tasks required to care for the child.
3	The caregiver is unable to complete the daily living tasks required to care for the child.

<b>11</b>	<b>ORGANIZATION:</b> <i>This item describes the ability of the caregiver to organize and manage everyday responsibilities, including the household duties, as well as caregiver's and children's appointments and activities.</i>
0	Caregiver is well organized and efficient and the household runs smoothly
1	Caregiver has minimal difficulties with organizing and maintaining a household that supports children's needs and /or services.
2	Caregiver has moderate difficulty organizing and maintaining a household that supports children's needs and /or services.
3	Caregiver is unable to organize a household that supports children's needs and /or services.

<b>12</b>	<b>SUPERVISION:</b> <i>This item describes the caregivers' ability to monitor and discipline the child in all the ways that are required.</i>
0	Caregiver has good monitoring and discipline skills.
1	Caregiver provides generally adequate supervision; may need occasional help or technical assistance.
2	Caregiver reports difficulties monitoring and/or disciplining child. Caregiver needs assistance to improve supervision skills.
3	Caregiver is unable to monitor or discipline the child. Caregiver requires immediate and continuing assistance. Child is at risk of harm due to absence of supervision.

<b>13</b>	<b>RESOURCEFULNESS:</b> <i>This item describes the caregiver's ability to identify and use external resources necessary to manage challenges faced by self and/or child.</i>
0	Caregiver is quite skilled at finding resources that are useful in achieving and maintaining safety and well-being for self and child.
1	Caregiver has some skills in finding resources that are useful in achieving and maintaining safety and well-being for self and child, but sometimes requires assistance in identifying or accessing resources.
2	Caregiver has limited skills finding resources that are useful in achieving and maintaining safety and well-being for self and child. Caregiver requires temporary assistance with identifying and accessing resources.
3	Caregiver has no skills in finding resources that are useful in achieving and maintaining safety and well-being for self and child. Caregiver requires ongoing assistance with identifying and accessing resources.

<b>14</b>	<b>DECISION-MAKING:</b> <i>This item describes the caregiver's ability to comprehend and anticipate the consequences of decisions; to plan, implement, and monitor a course of action; and to judge and self-regulate behavior according to anticipated outcomes.</i>
0	The caregiver has no evidence of problems with decision-making.
1	The caregiver has mild or occasional problems thinking through problems or situations but decision-making abilities do not interfere with caregiver's functioning as a parent.
2	The caregiver has moderate or frequent problems thinking through problems or situations and this interferes with their ability to function as a parent.
3	The caregiver has severe problems with decision-making and judgment placing the child at risk.

<b>15</b>	<b>PARENTING STRESS:</b> <i>This item reflects the degree of stress or burden experienced by the caregiver as a result of the needs of all children in the household, including target child.</i>
0	Caregiver is able to manage the stress of the child/children's needs.
1	Caregiver has some problems managing the stress of the child/children's needs.
2	Caregiver has notable problems managing the stress of the child/children's needs. This stress interferes with their capacity to give care.
3	Caregiver is unable to manage the stress associated with the child/children's needs. This stress prevents caregiver from parenting.

<b>16</b>	<b>HOUSING SAFETY:</b> <i>This item describes whether the caregiver's current housing circumstances are safe and accessible. Consider the child's specific medical or physical challenges when rating this item.</i>
0	Current housing has no challenges with regard to fully supporting the child's health, safety, and accessibility.
1	Current housing has minor challenges with regard to fully supporting the child's health, safety and accessibility but these challenges do not currently interfere with functioning or present any notable risk to the child or others.
2	Current housing has notable limitations with regard to supporting the child's health, safety, and accessibility. These challenges interfere with or limit the child's functioning.
3	Current housing is unable to meet the child's health, safety, and accessibility needs. Housing presents a significant risk to the child's health and well-being.

<b>17</b>	<b>RESIDENTIAL STABILITY:</b> <i>This item describes the housing stability of the caregiver.</i>
0	Caregiver has stable housing for the foreseeable future.
1	Caregiver has relatively stable housing but either has moved in the past three months or there are indications of housing problems that might force them to move in the next three months.
2	Caregiver has moved multiple times in the past year. Housing is unstable.
3	Caregiver has experienced periods of homelessness in the past six months.

<b>18</b>	<b>FINANCIAL RESOURCES:</b> <i>This item refers to the income and other sources of money available to caregivers that can be used to address family need.</i>
0	No evidence of financial issues for the caregiver and/or caregiver has financial resources necessary to meet needs.
1	History or suspicion, or existence of mild difficulties. Caregiver has financial resources necessary to meet most needs; however, some limitations exist.
2	Moderate difficulties. Caregiver has financial difficulties that limit ability to meet significant family needs.
3	Significant difficulties. Caregiver is experiencing financial hardship, poverty.

<b>19</b>	<b>SAFETY FROM OTHERS:</b> <i>This item describes the caregiver's ability to ensure the child's safety within the home and community.</i>
0	Caregiver's household is safe and secure from potentially dangerous individuals. Child is not at risk from others.
1	Caregiver's household is safe but concerns exist about the safety of the child due to history or others in the neighborhood that might be abusive.
2	Child is in some danger from one or more individuals with access to the household.
3	Child is in immediate danger from one or more individuals with unsupervised access.

<b>20</b>	<b>INFORMAL SUPPORTS:</b> <i>This item refers to the caregiver's relationship with extended family, friends, and neighbors who can provide emotional and instrumental support.</i>
0	The caregiver has adaptive relationships. Extended family members, friends or neighbors play a central role in the functioning and well-being of the caregiver and family. Caregiver has predominately positive relationships and conflicts are resolved quickly.
1	The caregiver's relationships are mostly adaptive. Extended family members, friends, or neighbors play a supportive role in caregiver and family functioning. They generally have positive relationships. Conflicts may linger but are eventually resolved.
2	The caregiver has limited relationships. Extended family members, friends, or neighbors are marginally involved in the functioning and well-being of the caregiver and family. The caregiver has generally strained or absent relationships with these informal supports.

3	The caregiver has significant difficulties with relationships. The caregiver is not in contact or estranged from extended family members. They may report they have no friends and/or no contact with neighbors. The family has negative relationships involving continuing conflicts with extended family and friends. The family does not feel supported and may feel shunned by their neighbors.
---	---

<b>21</b>	<b>CULTURAL DIFFERENCES WITHIN A FAMILY:</b> Sometimes individual members within a family have different backgrounds, values and/or perspectives. In many cases, this may not cause any difficulties in the family as they are able to communicate about their differences, but for others it may cause conflict, stress, or disengagement between family members and impact the child's functioning. This might occur in a family where a child is adopted from a different race, culture, ethnicity, or socioeconomic status. The parent may struggle to understand or lack awareness of the child's experience of discrimination. Additionally this may occur in families where the parents are first generation immigrants to the United States. The child may refuse to adhere to certain cultural practices, choosing instead to participate more in popular U.S. culture.
0	No evidence of conflict, stress, or disengagement within the family due to cultural differences or family is able to communicate effectively in this area.
1	Child and family have struggled with cultural differences in the past, but are currently managing them well or there are mild issues of disagreement.
2	Child and family experience difficulties managing cultural differences within the family which negatively impacts the functioning of the child.
3	Child and family experience such significant difficulty managing cultural differences within the family that it interferes with the child's functioning and/or requires immediate action.

<b>22</b>	<b>TRANSPORTATION of CHILD:</b> <i>This item reflects the caregiver's ability to provide appropriate transportation for the child.</i>
0	Child and caregiver have no transportation needs. Caregiver is able to get child to appointments, school, activities, etc. consistently.
1	Child and caregiver have occasional transportation needs for appointments. Caregiver has difficulty getting child to appointments, school, activities, etc. less than once a month.
2	Child and caregiver have frequent transportation needs. Caregiver has difficulty getting child to appointments, school, activities, etc. regularly (e.g. once a week). Caregiver needs assistance transporting child and access to transportation resources.
3	Child and caregiver have no access to appropriate transportation and are unable to get child to appointments, school, activities, etc. Caregiver needs immediate intervention and development of transportation resources.

<b>23</b>	<b>KNOWLEDGE:</b> <i>This item seeks to identify whether the caregiver requires more information about the child's developmental, behavioral, and/or medical condition(s) in order to be the best advocate for the child.</i>
0	Caregiver is knowledgeable about the child's condition(s), needs and strengths.
1	Caregiver is generally knowledgeable about the child but may require additional information to improve their parenting capacity.
2	Caregiver has clear need for information to improve knowledge about the child. Current lack of information is interfering with ability to parent.
3	Caregiver's lack of knowledge places the child at risk for significant negative outcomes.

<b>24</b>	<b>CARE/TREATMENT INVOLVEMENT:</b> <i>This item describes the degree to which the caregiver is involved in seeking and supporting care/treatment to address the needs of the child.</i>
0	Caregiver is an effective advocate for child. Caregiver is actively involved in treatment and ensures that treatment is provided consistently.
1	Caregiver is open to support, education, and information. Caregiver is generally involved in treatment but may struggle to stay consistent and lapses are not significant.
2	Caregiver is generally uninvolved in treatment although they are sometimes compliant to treatment recommendations or lack of treatment consistency is having an effect on the child's health.
3	Caregiver does not wish to participate in services and/or interventions intended to assist the child. Caregiver's lapse in treatment involvement/consistency places child at imminent risk.

<b>25</b>	<b>KNOWLEDGE CONGRUENCE:</b> <i>This item refers to a family's explanation about their children's presenting issues, needs and strengths in comparison to the prevailing professional / helping culture(s) perspective.</i>
0	There is no evidence of differences/disagreements between the family's explanation of presenting issues, needs and strengths and the prevailing professional/helping cultural view(s), i.e., the family's view of the child is congruent with the prevailing professional/helping cultural perspective(s).
1	Small or mild differences between the family's explanation and the prevailing professional/helping cultural perspective(s), but these disagreements do not interfere with the family's ability to meet its needs.
2	Disagreement between the family's explanation and the prevailing professional/helping cultural perspective(s) creates challenges for the family and/or those who work with them.
3	Significant disagreement in terms of explanation between the family and the prevailing professional/helping cultural perspective(s) that places the family in jeopardy of significant problems or sanctions.

<b>26</b>	<b>FAMILY RELATIONSHIP TO THE SYSTEM:</b> There are situations and instances when people may be apprehensive to engage with formal helping systems. Clients and providers, bring their cultural experiences to the treatment relationship. Members of some cultural groups may be accustomed to the use of traditional healers or self-management of behavioral health issues or are simply distrustful of Western medicine. Undocumented individuals may be fearful of interaction with the health care system because of their legal status. These complicated factors may translate into generalized discomfort with the formal health care system. This item rates the degree to which the family's apprehension to engage with the formal health care system creates a barrier to receipt of care. The professionals' relationship with the family may require the clinician to reconsider their approach. For example, if a family refuses to see a psychiatrist due to their belief that medications are over-prescribed for children, a clinician must consider this belief and understand its impact on the family's choices.
0	The caregiver expresses no concerns about engaging with the formal helping system.
1	The caregiver expresses little or mild hesitancy to engage with the formal helping system that is easily rectified with clear communication about intentions or past issues engaging with the formal helping system.
2	The caregiver expresses moderate hesitancy to engage with the formal helping system that requires significant discussions and possible revisions to the treatment plan.
3	The caregiver expresses significant hesitancy to engage with the formal helping system that prohibits the family's engagement with the treatment team at this time. When this occurs, the development of an alternate treatment plan may be required.



**B. CHILD STRENGTHS**

<b>27</b>	<b>FAMILY-NUCLEAR:</b> <i>This item describes the degree to which positive and supportive relationships exist within the nuclear family as well as child's inclusion in family activities.</i>
0	Significant family strengths exist and family members display much love and respect for one another. Family members are central in each other's lives. Child is fully included in family activities.
1	Moderate level of strengths and family members are loving with generally good communication and ability to enjoy each other's company. There may be some problems between family members.
2	Mild level of family strengths and family members are able to communicate and participate in each other's lives; however, family members are not able to provide significant emotional or concrete support for each other.
3	This level indicates a child with no known family strengths. Child is not included in normal family activities.

<b>28</b>	<b>FAMILY-EXTENDED:</b> <i>This item describes the degree to which positive and supportive relationships exist within the extended family.</i>
0	Child has well established relationships with extended family that serve to support child's growth and development. Family members are a significant support to parents and involved most of the time with the child.
1	Child has extended family relationships that are supportive most of the time. Extended family participates in the child's life as well as the lives of other members of the child's nuclear family.
2	Child has infrequent contact with extended family members. The support the child receives is not harmful but inconsistent.
3	Child has no contact with extended family members or the contact with extended family is detrimental to the child.

<b>29</b>	<b>SOCIAL RELATIONSHIPS WITH PEERS:</b> <i>This item describes the child's social relationships with peers.</i>
0	Child has positive social relationships with same age peers.
1	Child is having some minor problems in social relationships with same age peers.
2	Child is having some moderate problems in social relationships with same age peers.
3	Child is experiencing severe disruptions in social relationships with same age peers.

<b>30</b>	<b>SOCIAL RELATIONSHIPS WITH ADULTS:</b> <i>This item describes child's social relationships with adults.</i>
0	Child has positive social relationships with adults.
1	Child is having some minor problems in social relationships with adults.
2	Child is having some moderate problems in social relationships with adults.
3	Child is experiencing severe disruptions in social relationships with adults.

<b>31</b>	<b>RELATIONSHIP STABILITY:</b> <i>This item refers to the stability of significant relationships in the child's life. This likely includes family members but may also include other individuals.</i>
0	Child has stable relationships. Family members, friends, and community have been stable for most of life and are likely to remain so in the foreseeable future
1	Child has had stable relationships but there is some concern about instability in the near future due to such things as impending transitions such as an illness, divorce, or move.
2	Child has had at least one stable relationship over lifetime but has experienced other instability through factors such as divorce, moving, removal from home, or death. A child in foster care would be rated here.
3	Child does not have stability in relationships. A child for whom parental rights are terminated would be rated here.

<b>32</b>	<b>OPTIMISM:</b> <i>This item refers to the child's positive orientation toward self and the future.</i>
0	Child has a strong and stable optimistic outlook on life.
1	Child is generally optimistic.
2	Child has difficulties maintaining a positive view of self and life; child may vary from overly optimistic to overly pessimistic.
3	Child has difficulties seeing <i>any</i> positives about self or future life.

<b>33</b>	<b>RESOURCEFULNESS:</b> <i>This item describes the child's ability to identify and use external resources necessary to manage challenges.</i>
0	Child is quite skilled at finding resources required to aid in managing challenges.
1	Child has some skills at finding resources required to aid in managing challenges but sometimes requires assistance in identifying or accessing these resources.
2	Child has limited skills for finding resources required to aid in managing challenges and requires temporary assistance both with identifying and accessing these resources.
3	Child has no skills for finding the resources to aid in managing challenges and requires ongoing assistance with both identifying and accessing these resources.

<b>34</b>	<b>ADAPTABILITY:</b> <i>This item describes the child's ability to respond to changing circumstances.</i>
0	Child has a strong ability to adjust to changes and transitions.
1	Child has the ability to adjust to changes and transitions, when challenged the child is successful with caregiver support.
2	Much of the time, child has difficulties adjusting to changes and transitions even with caregiver support.
3	Most of the time, child has difficulties coping with changes and transitions. Adults are minimally able to impact child's difficulties in this area.

<b>35</b>	<b>PERSISTENCE:</b> <i>This item describes the act of persevering or working towards accomplishing tasks/activities.</i>
0	Child has a strong ability to continue an activity that is challenging even in the face of obstacles or distractions.
1	Child has some ability to continue an activity that is challenging. Adults are able to assist the child to continue attempting the task or activity.
2	Child has limited ability to continue an activity that is challenging and adults are only sometimes able to assist the infant/child in this area.
3	Child has difficulties most of the time coping with challenging tasks. Support from adults minimally impacts the child's ability to demonstrate persistence.

<b>36</b>	<b>RESILIENCE/INTERNAL STRENGTHS:</b> <i>This item refers to the child's ability to recognize his or her strengths and use them in times of need or to support his or her own healthy development</i>
0	Child is able to both identify and use internal strengths to better self and successfully manage difficult challenges.
1	Child is able to identify some internal strengths and is able to partially utilize them constructively.
2	Child is able to identify some internal strengths but is not able to utilize them constructively.
3	Child is not yet able to identify any internal strengths.

<b>37</b>	<b>TALENTS/INTEREST:</b> <i>This item refers to the broad array of possible activities that the child may enjoy and help enable child's healthy development .Examples include athletics, art, singing, cooking, etc.</i>
0	Child has a talent that provides pleasure and/or self-esteem.
1	Child has a talent, interest, or hobby with the potential to provide pleasure and self-esteem but child is not fully engaged.
2	Child has identified interests but needs assistance converting those interests into a talent or hobby. For example, the child may lack resources needed to access these activities.
3	Child has no identified talents, interests or hobbies.

<b>38</b>	<b>CULTURAL IDENTITY:</b> <i>Cultural identity refers to the child's view of him/herself as belonging to a specific cultural group. Culture may be defined by factors including race, religion, ethnicity, geography or lifestyle.</i>
0	Child has clear and consistent cultural identity and is connected to others who share the same cultural identity.
1	Child is experiencing some confusion or concern regarding cultural identity.
2	Child has significant struggles with own cultural identity; child may have cultural identity but is not connected with others who share this culture.
3	Child has no cultural identity or is experiencing significant problems due to conflict regarding own cultural identity.

<b>39</b>	<b>SPIRITUAL/RELIGIOUS:</b> <i>This item describes the child's involvement in spiritual and religious practices and communities. For younger children, family involvement with the child in these activities can be rated as strength.</i>
0	Child receives comfort and support from religious and/or spiritual beliefs and practices.
1	Child is involved in a religious community whose members provide support.
2	Child has expressed some interest in religious or spiritual belief and practices.
3	Child has neither identified religious or spiritual beliefs nor interest in these pursuits.

**C. CHILD NEEDS & FUNCTIONING**

<b>40</b>	<b>LIVING SITUATION:</b> <i>This item describes the child's functioning in their current living environment.</i>
0	No evidence of problem with functioning in current living environment.
1	Mild problems with functioning in current living situation; caregivers are concerned about child's behavior in living situation.
2	Moderate to severe problems with functioning in current living situation; child has difficulties maintaining acceptable behavior in this setting, creating significant problems for others in the residence.
3	Profound problems with functioning in current living situation; child is at immediate risk of being removed from living situation due unacceptable behavior.

<b>41</b>	<b>ACCULTURATION/ LANGUAGE:</b> <i>This item includes both spoken and sign language.</i>
0	Child speaks and understands English well.
1	Child speaks some English but potential communication problems exist due to limits on vocabulary or understanding nuances in the language.
2	Child does not speak English. A translator or native language speaker is needed for successful intervention and a qualified individual can be identified within natural supports.
3	Child does not speak English. A translator or native language speaker is needed for successful intervention and no such individual is available from among natural supports.

<b>42</b>	<b>PEER INTERACTIONS:</b> <i>This item refers to any problems with the child's ability to relate to same age individuals. These may involve either a problem with making or maintaining friends and social contacts or with having social contact with peers who engage in and support destructive personal behavior.</i>
0	No evidence of any problems with peers. Child has friends and has developmentally appropriate peer interactions.
1	Mild to moderate levels of problems making friends or getting along with peers. Child may get into arguments or have difficulty maintaining multiple friendships.
2	Significant level of problems making friends or getting along with peers. Child may engage in developmentally inappropriate peer behavior. Child may affiliate with a peer group that has problems.
3	Severe problems making friends or getting along with peers. Child may constantly fight with peers or have no significant social contacts. Alternatively this rating would be used to describe a child whose only peer interactions are with a highly problematic peer group.

<b>43</b>	<b>DECISION-MAKING/JUDGMENT:</b> <i>This item describes the child's ability to comprehend and anticipate the consequences of decisions; to plan, implement, and monitor a course of action; and to judge and self-regulate behavior according to anticipated outcomes, in a developmentally appropriate manner.</i>
0	The child has no evidence of problems with decision-making.
1	The child has mild or occasional problems thinking through problems or situations but decision-making abilities do not interfere with functioning.
2	The child has problems thinking through problems or situations and decision-making abilities interfere with functioning.
3	The child has severe problems with decision-making and judgment. Poor decision-making places the child at risk.

<b>44</b>	<b>SLEEP:</b> <i>This item describes any challenges for the child or environment with regards to pattern of sleeping.</i>
0	Child gets a full night's sleep each night.
1	Child has some problems sleeping. Child gets a full night's sleep but occasionally problems arise such as waking up due to bed wetting, nightmares, or night terrors.
2	Child is having problems with sleep. Sleep is often disrupted and child seldom obtains a full night of sleep. Sleeping too much could also be rated here.
3	Child is rarely able to get a full night's sleep and is generally sleep deprived. Excessive sleep that is preventing functioning in at least one life domain could also be rated here.

<b>45</b>	<b>PHYSICAL LIMITATIONS:</b> <i>This item refers to any changes in body structures, functioning or health that negatively impacts child's performance in activities. Aspects of physical health affecting performance include gross and fine motor deficits, sensory deficits related to vision and hearing, and health status. Please review the child's most recent health assessment to assist with completion of this section.</i>
0	Child has no physical limitations.
1	Child has one or more physical conditions that place mild limitations on activities. Conditions such as impaired hearing or vision would be rated here. Treatable medical conditions that result in physical limitations (e.g. asthma) could also be rated here.
2	Child has one or more physical conditions that moderately impact activities. Sensory disorders such as blindness, deafness, or significant motor difficulties would be rated here.
3	Child has physical limitations due to multiple physical conditions that severely impact activities.

<b>46</b>	<b>DENTAL NEEDS:</b> <i>This item refers to the child's need for dental health services.</i>
0	No evidence of any dental health needs.
1	Child has not received dental health care and requires a checkup. Child may have some dental health needs but they are not clearly known at this time.
2	Child has dental health needs that require attention.
3	Child has serious dental health needs that require intensive and/or extended treatment/intervention.

<b>47</b>	<b>RECREATIONAL:</b> <i>This item describes any needs in the child's use of leisure time.</i>
0	No evidence of any problems with recreational functioning. Child has access to sufficient enjoyable activities.
1	Child participates in some recreational activities although problems may exist, such as lack of frequency of variety.
2	Child is having moderate problems with recreational activities. Child may experience some problems with constructive use of leisure time. Child may also be unable to identify activities of interest and/or has limited access to any activities.
3	Child has no access to or interest in recreational activities. Child has significant difficulties making constructive use of leisure time.

<b>48</b>	<b>JUVENILE JUSTICE/ LEGAL:</b> <i>This item describes the child's involvement in the court system due to own behavior (i.e. juvenile justice involvement, PINS petitions, and criminal court)</i>
0	Child has no known legal difficulties.
1	Child has a history of legal problems but currently is not involved with the legal system.
2	Child has some legal problems and is currently involved in the legal system.
3	Child has serious current/pending legal difficulties that create risk of court ordered out of home placement.

**D. SCHOOL & ACADEMIC FUNCTION**

<b>49</b>	<b>EDUCATIONAL PARTNERSHIP:</b> <i>This item rates the degree of partnership between the school and others in meeting the child's educational needs, including but not limited to any medical accommodations needed.</i>
0	School works closely with child and family to identify and successfully address child's educational needs, or child excels in school.
1	School works with child and family to identify and address educational needs.
2	School is currently unable to adequately identify and/or address child's needs.
3	School is unable and/or unwilling to work to identify and address child's needs.
NA	Youth has graduated HS or has GED

<b>50</b>	<b>SCHOOL BEHAVIOR:</b> <i>This item describes behavior when attending school.</i>
0	Child is behaving well in school.
1	Child is behaving adequately in school although some behavior problems exist.
2	Child is having moderate behavioral problems at school. Child is disruptive and may have received sanctions including suspensions.
3	Child is having severe problems with behavior in school. Child is frequently or severely disruptive. School placement may be in jeopardy due to behavior.
NA	Youth has graduated HS, has GED or is home schooled

<b>51</b>	<b>SCHOOL ACHIEVEMENT:</b> <i>This item is rated based on developmental age rather than chronological age.</i>
0	Child is doing well in school.
1	Child is doing adequately in school although some problems with achievement exist.
2	Child is having moderate problems with school achievement. He/she may be failing some subjects.
3	Child is having severe achievement problems. He/she may be failing most subjects or is more than one year behind same age peers in school achievement.
NA	Youth has graduated HS or has GED

<b>52</b>	<b>SCHOOL ATTENDANCE</b> <i>This item describes any challenge, including medically excused absences, with regard to being physically present at school.</i>
0	Child attends school regularly.
1	Child has some problems attending school but generally goes to school; may miss up to one day per week on average, OR if moderate to severe problem in the past six months, but has been attending school regularly in the past month.
2	Child is having problems with school attendance and is missing at least two days each week on average.
3	Child is generally truant, refuses to go to school, or medical needs significantly interfere with attendance.
NA	Youth has graduated HS, has GED or is home schooled

<b>53</b>	<b>LEARNING ABILITY:</b> <i>This item refers to the child's ability to learn. Learning disabilities are rated as a '2' or '3' depending on severity. Special educational strategies may be needed to create an environment where child can learn.</i>
0	The child appears fully able to effectively learn.
1	There is a history, suspicion of, or evidence of a mild learning disability.
2	There is evidence of a moderate learning disability. The child is struggling to learn and unless challenges are addressed, learning will remain impaired.
3	There is evidence of a severe learning disability. The child is currently unable to learn as current challenges are preventing any progress.

**E. RISK FACTORS AND RISK BEHAVIORS** Lifetime histories, as well as the recency of acts, are considered when rating child risk factors and behaviors.

<b>54</b>	<b>SUICIDE RISK:</b> <i>This item describes any circumstances involving suicidal thoughts or efforts by the child.</i>
0	No evidence of suicide risk.
1	History but no recent ideation or gesture.
2	Within the past 30 days, has evidenced ideation or gesture but not in the past 24 hours.
3	Current ideation and intent or command hallucinations that involves self-harm.

<b>55</b>	<b>SELF-INJURIOUS BEHAVIOR:</b> <i>This item describes repetitive self-harm, non-suicidal self-injury that is generally serving a self-soothing purpose.</i>
0	No evidence of self-injurious behavior.
1	History of self-injurious behavior.
2	Within the past 30 days has engaged in self injurious behavior that does not require medical attention.
3	Within the past 30 days has engaged in self injurious behavior that requires medical attention.

<b>56</b>	<b>OTHER SELF HARM:</b> <i>This item describes reckless behavior other than suicide or self-injury that places the child at risk of physical harm.</i>
0	No evidence of behaviors other than suicide or self-mutilation that place the child at risk of physical harm.
1	There is a history of behavior other than suicide or self-mutilation that places child at risk of physical harm; this includes possibly endangering reckless and risk-taking behavior.
2	Within the past 30 days, the child has engaged in behavior other than suicide or self-mutilation that places child at risk of physical harm; this includes reckless behavior or intentional risk-taking behavior.
3	Within the past 30 days the child engaged in behavior other than suicide or self-mutilation that places child at immediate risk of death; this includes reckless behavior or intentional risk-taking behavior.

<b>57</b>	<b>DANGER TO OTHERS:</b> <i>This item describes the level of physical risk to others from the child's behavior. (Do not rate fire-setting here. There is a dimension solely for fire-setting)</i>
0	No evidence of danger to others.
1	There is a history of homicidal ideation or physically harmful aggression that endangered the child or others.
2	Recent homicidal ideation or physically harmful aggression, but not in the past 24 hours.
3	Acute homicidal ideation with a plan, physically harmful aggression or command hallucinations that involve harming others.

<b>58</b>	<b>FIRE SETTING:</b> <i>This item describes behavior related to setting fires whether intentional or accidental.</i>
0	No evidence of fire setting.
1	History of unintentional fire setting but <i>not in the past six months</i> .
2	The child set a fire that did not endanger the lives of others within the past six months or the child has <b>repeatedly</b> displayed non-endangering fire-setting behavior over a period of the past two years, including at least once in the past six months.
3	Current acute threat of fire setting or a history of intentionally setting a fire that endangered others (i.e., tried to burn down a house).

<b>59</b>	<b>SEXUALLY REACTIVE BEHAVIOR:</b> <i>This item refers to sexual behavior that may not be age-appropriate and may put youth at-risk for adverse outcomes, such as victimization, pregnancy, or STIs.</i>
0	No evidence of problems with sexually reactive behaviors.
1	Some evidence of sexually reactive behavior. Child may exhibit occasional inappropriate sexual language or behavior, flirts when age-inappropriate, or engages in unprotected sex with single partner. This behavior does not place child at great risk. A history of sexually provocative behavior would be rated here.
2	Moderate problems with sexually reactive behavior that places child at some risk. Child may frequently exhibit sexually provocative behaviors, engage in promiscuous sexual behaviors or have unprotected sex with multiple partners.
3	Significant problems with sexually reactive behaviors. Child exhibits sexual behaviors that place child or others at immediate risk.

<b>60</b>	<b>SEXUAL AGGRESSION:</b> <i>This item describes the child's perpetration of sexually aggressive behavior.</i>
0	No evidence of any history of sexually aggressive behavior; no sexual activity with younger children, non-consenting others, or children not able to understand consent.
1	History of overtly sexually aggressive behavior prior to one year ago.
2	Child has engaged in sexually aggressive behavior in the past year but not in the past 30 days.
3	Child has engaged in sexually aggressive behavior in the past 30 days.

<b>61</b>	<b>DELINQUENT BEHAVIOR:</b> <i>This item describes behavior that could get the child arrested.</i>
0	No evidence of illegal or delinquent behavior.
1	History of delinquency.
2	Minor acts of delinquency within the past 30 days.
3	Severe acts of delinquency that place others at risk of significant loss or injury or place child at risk of legal sanctions within the past 30 days.

<b>62</b>	<b>BULLYING:</b> <i>This item describes the child's behavior that involves intimidation (either verbal or physical, or both) of peers and younger children; threatening others with harm if they do not comply with the child or youth's demands is rated here. Cyber-bullying could be rated here.</i>
0	Child has never engaged in bullying at school or in the community.
1	Child has been involved with groups that have bullied other child either in school or the community; however, child has not had a leadership role in these groups.
2	Child has bullied other child in school or community. Child has either bullied the other child individually or led a group that bullied other child.
3	Child has repeatedly utilized threats or actual violence to bully other children in school and/or in the community.

<b>63</b>	<b>RUNAWAY:</b> <i>This item describes behavior related to attempts to escape an environment by leaving without permission.</i>
0	No evidence of runaway behavior.
1	History of running away from home or other settings but no known current ideation.
2	Recent runaway behavior with concerns for possible near future recurrence.
3	Child is currently a runaway.



<b>64</b>	<b>PROBLEMATIC SOCIAL BEHAVIOR:</b> <i>This item refers to problematic social behavior that often leads to sanctions from adults. These behaviors occur in such a way that the child or youth is seeking sanctions and negative attention, or acting out, or the behavior could also be seen as a cry for help.</i>
0	No evidence of problematic social behavior; child does not typically engage in behavior that results in sanctions from adults.
1	Mild level of problematic social behavior that might include occasional inappropriate social behavior that provokes adults to sanction the child; infrequent inappropriate comments to strangers or infrequent unusual behavior in social settings.
2	Moderate level of problematic social behavior that is causing problems in the child's life at home and/or in the community or school. This may include frequent moderately disruptive behavior in a variety of settings, including home and school and provokes adults to sanction child.
3	Severe level of problematic social behavior that includes frequent serious inappropriate social behavior that provokes adults to seriously and/or repeatedly sanction the child; or inappropriate social behaviors that are sufficiently severe that they place the child at risk of significant sanctions (e.g. expulsion from school and/or removal from the community).

**F. EXPOSURE TO POTENTIALLY TRAUMATIC/ADVERSE CHILDHOOD EXPERIENCES**

*This section is answered about LIFETIME exposure to adverse childhood experiences.*

<b>65</b>	<b>SEXUAL ABUSE:</b> <i>This item describes if the child has experienced sexual abuse at any point in the child's lifetime.</i>
0	There is <b>NO</b> evidence that the child has experienced sexual abuse.
1	Child has experienced or there is a suspicion that child has experienced sexual abuse.
<b>66</b>	<b>PHYSICAL ABUSE:</b> <i>This item describes if the child has experienced physical abuse at any point in the child's lifetime.</i>
0	There is <b>NO</b> evidence that the child has experienced physical abuse.
1	Child has experienced or there is a suspicion that child has experienced physical abuse.
<b>67</b>	<b>EMOTIONAL ABUSE/NEGLECT:</b> <i>This item describes if the child has experienced emotional abuse at any point in the child's lifetime, including verbal and nonverbal forms. This item includes both "emotional abuse," which would include psychological maltreatment such as insults or humiliation towards a child and/or "emotional neglect" defined as the denial of emotional attention and/or support from caregivers.</i>
0	There is <b>NO</b> evidence that the child has experienced emotional abuse.
1	Child has experienced or there is a suspicion that child has experienced emotional abuse or neglect.
<b>68</b>	<b>NEGLECT:</b> <i>This item describes if the child has experienced neglect at any point in the child's lifetime. Neglect can refer to a lack of food, shelter or supervision (physical neglect) or a lack of access to needed medical care (medical neglect) or failure to receive academic instruction (educational neglect).</i>
0	There is <b>NO</b> evidence that the child has experienced neglect.
1	Child has experienced or there is a suspicion that child has experienced physical, medical, or educational neglect.
<b>69</b>	<b>MEDICAL TRAUMA:</b> <i>This item describes if the child has experienced medical trauma at any point in the child's lifetime. Medical trauma results when a medical experience is perceived by the child as mentally or emotionally overwhelming. Potential traumas include but are not limited to: the onset of a life threatening illness; sudden painful medical events; chronic medical conditions resulting from an injury or illness or another type of medically related traumatic event.</i>
0	There is <b>NO</b> evidence that the child has experienced medical trauma.
1	Child has experienced a medical trauma.
<b>70</b>	<b>DOMESTIC VIOLENCE:</b> <i>This item describes if the child has been exposed to domestic violence between adults at any point in the child's lifetime.</i>
0	There is <b>NO</b> evidence that the child has been exposed to domestic violence.
1	Child has been exposed or there is a suspicion that child has been exposed to domestic violence.
<b>71</b>	<b>COMMUNITY VIOLENCE:</b> <i>This item describes if the child has been exposed to community violence at any point in the child's lifetime. Community violence may include direct victimization or hearing/seeing fights, muggings, gunshots, people being killed, etc.</i>
0	There is <b>NO</b> evidence that child has been exposed to violence in the community.
1	Child has been exposed or there is a suspicion that child has been exposed community violence.

<b>72</b>	<b>EXPLOITATION:</b> <i>This item describes if the child has been forced into unlawful activities such as prostitution, drug dealing or forced labor at any point in the child's lifetime.</i>
0	There is <b>NO</b> evidence that child has been exploited.
1	Child has been exploited or there is a suspicion that child has been exploited.

<b>73</b>	<b>SCHOOL VIOLENCE:</b> <i>This item describes if the child has been exposed to school violence at any point in the child's lifetime. School violence may include direct victimization or hearing/seeing fights, gunshots, muggings, people being killed, etc.</i>
0	There is <b>NO</b> evidence that child has been exposed to school violence.
1	Child has been exposed or there is a suspicion that child has been exposed to school violence.

<b>74</b>	<b>NATURAL OR MANMADE DISASTERS:</b> <i>This item describes if the child has experienced a natural or man-made disaster at any point in the child's lifetime.</i>
0	There is <b>NO</b> evidence that the child has been exposed to natural or man-made disasters.
1	Child has been exposed to a natural or manmade disaster.

<b>75</b>	<b>CRIMINAL ACTIVITY:</b> <i>This item describes if the child has been exposed to criminal activity at any point in the child's lifetime. Criminal behavior includes any behavior for which an adult could go to prison including drug dealing, prostitution, assault, or battery.</i>
0	There is <b>NO</b> evidence that the child has been victimized or witnessed significant criminal activity.
1	Child has been exposed or there is a suspicion that child has been exposed to criminal activity.

<b>76</b>	<b>PARENTAL INCARCERATION:</b> <i>This item describes whether child's parents have ever been incarcerated during child's lifetime (include both biological and stepparents, and other legal guardians, not foster parents).</i>
0	There is <b>NO</b> evidence that the child's parents have ever been incarcerated.
1	Child's parents have a history of incarceration or are currently incarcerated.

<b>77</b>	<b>DISRUPTIONS IN CAREGIVING/ATTACHMENT:</b> <i>This item describes if the child has experienced disruptions in caregiving involving separation from primary attachment figure(s) and/or attachment losses. Children, who have had placement changes, including stays in foster care, residential treatment facilities or juvenile justice settings, are rated here. Short term hospital stays or brief juvenile detention stays, during which the child's caregiver remains the same, would not be included in this item.</i>
0	There is <b>NO</b> evidence that the child has experienced disruptions in caregiving and/or attachment losses.
1	Child has experienced disruptions in caregiving and/or attachment losses.

<b>78</b>	<b>DEATH OF A LOVED ONE:</b> <i>This item describes if the child has experienced the death of a loved one. This includes anyone who the child had a significant attachment to including, grandparents, siblings, and other caregivers.</i>
0	There is <b>NO</b> evidence that the child has experienced the death of a loved one.
1	Child has experienced the death of a loved one.

<b>79</b>	<b>SUBSTANCE EXPOSURE:</b> <i>This item describes the child's exposure to substance use and abuse before birth.</i>
0	Child had <b>NO</b> exposure to alcohol and/or drugs while in utero.
1	Child was exposed to alcohol and/or drugs while in utero.

<b>80</b>	<b>SEXUAL ORIENTATION/GENDER IDENTITY OR EXPRESSION:</b> <i>This item refers to times when child may have been bullied, physically or emotionally abused by peers or adults, including the child's parents, because of the child's sexual orientation, gender identity or expression.</i>
0	Child has <b>NOT</b> been targeted for physical or emotional abuse due to sexual orientation, gender identity or expression.
1	Child has been targeted for physical or emotional abuse due to sexual orientation, gender identity or expression.

<b>81</b>	<b>BULLIED:</b> <i>This item refers to times when child may have been bullied, physically or emotionally abused by peers for reasons other than sexual orientation, gender identity or expression. Bullying could have occurred at school or in the community. Include bullying via social media.</i>
0	Child has <b>NOT</b> been targeted for physical or emotional abuse.
1	Child has been targeted for physical or emotional abuse.

**G. SCREENING QUESTIONS**

<b>82</b>	<p><b>TRAUMA SYMPTOMS:</b> <i>This item is used to describe an individual who is having difficulties adjusting to a traumatic experience. Please note that to rate this item a traumatic event needs to have occurred. (Please refer back to the Adverse Childhood Experiences Domain – if any item is checked off as having occurred and there appears to be an impact on functioning then proceed with the screener). A rating of ‘0’ would describe a person who has not experienced any trauma or whose exposure to traumatic/adverse experiences did not impact functioning.</i></p> <p><b>Note: A score of 1, 2 or 3 on this item means that both the Trauma Symptoms and Behavioral Health Modules must be completed.</b></p>
0	There is no history or suspicion of exposure to potentially traumatic or adverse childhood experiences, or the exposure to traumatic/adverse events has not affected the child’s functioning. In order to fully determine no impact on functioning, the event must have occurred at least 12 months before assessment.
1	There is a history of exposure or suspicion of potentially traumatic or adverse childhood experiences. Child may display mild trauma symptoms and/or functional limitations or the child is too young, and/or the adverse childhood experiences occurred too recently to determine traumatic effects.
2	There is a known history of exposure to traumatic or adverse childhood events and child displays moderate trauma symptoms and/or functional limitations.
3	There is a known history of exposure to traumatic or adverse childhood events and child displays severe trauma symptoms and/or functional limitations.

  

<b>83</b>	<p><b>BEHAVIORAL HEALTH:</b> <i>This item relates information regarding a child’s behavioral and emotional issues. Diagnosis is not required in rating these items, as you are only rating symptoms and behaviors. When rating these items, it is important to take the child’s development into account. Remember we are rating the “What” not the “Why”. This means for the purpose of this assessment you are looking at what is, what you can see, what is known, evidence of behavior, but not trying to identify why some behavior is present.</i></p> <p><b>Note: A score of 1, 2, 3, on this item means that the Behavioral Health Module must be completed. If the child has a score of 1 or more in the Trauma Screening question then the Behavioral Health module must also be completed.</b></p>
0	Child has no emotional or behavioral difficulties.
1	Child has some emotional or behavioral difficulties but these challenges do not interfere with current functioning.
2	Child has notable emotional or behavioral difficulties that currently interfere with the child, family or community functioning.
3	Child has dangerous or disabling emotional or behavioral difficulties.

  

<b>84</b>	<p><b>SUBSTANCE USE:</b> <i>This item rates the severity of the child’s substance use which includes alcohol, illegal drugs and inappropriate use of prescription medications.</i></p> <p><b>Note: A score of 1, 2, or 3, means that the Substance Use Module must be completed.</b></p>
0	No evidence of substance use.
1	History or suspicion of substance use.
2	Clear evidence of substance use that interferes with functioning in any life domain.
3	Child requires detoxification OR is addicted to alcohol and/or drugs (include here a child who is intoxicated at time of the assessment, e.g., currently under influence).

<b>85</b>	<b>DEVELOPMENTAL:</b> <i>This item compares the child's progress to standard developmental milestones such as talking, walking, toileting, cooperative play, etc.</i> <b>Note: A score of 1, 2, or 3 means that the Developmental Module must be completed.</b>
0	Child has no known delay in development
1	Child is suspected of having, or is known to have a mild delay in development.
2	Child has a moderate delay in development.
3	Child has a severe delay in development.

<b>86</b>	<b>MEDICAL HEALTH:</b> <i>This item rates the child's current health status. This item does not rate depression or other mental health issues. Most transient, treatable conditions would receive a rating of '1.' Most chronic conditions (e.g. diabetes, severe asthma, HIV) would receive a rating of '2.' The rating of '3' is reserved for life threatening medical conditions or a disabling physical condition.</i> <b>Note: A score of 1, 2, or 3 means that the Medical Module must be completed.</b>
0	Child is healthy.
1	Child has some medical problems that require medical treatment. These problems are acute and not expected to have a duration of a year or more.
2	Child has chronic illness that requires ongoing medical intervention.
3	Child has life threatening or disabling medical condition.

<b>87</b>	<b>SELF-CARE ACTIVITIES OF DAILY LIVING:</b> <i>This item rates the ability of the child to perform the self-care activities of daily living, such as personal hygiene, obtaining and eating food, dressing, avoiding injury.</i> <b>Note: A score of 1, 2, or 3 indicates that Activities of Daily Living Module must be completed.</b>
0	No evidence of problems with self-care activities of daily living. Child is fully independent across these areas, as developmentally appropriate.
1	Mild problems with self-care activities of daily living. Child is generally good with self-care activities but may require some adult support to complete some specific developmentally appropriate activities.
2	Moderate problems with self-care activities of daily living. Child has difficulties with developmentally appropriate self-care activities.
3	Severe problems with self-care activities of daily living. Child requires significant and consistent adult support to complete developmentally appropriate self-care activities.

<b>88/ 89</b>	<b>73. TRANSITION TO ADULTHOOD and INDEPENDENT ACTIVITIES OF DAILY LIVING:</b> <i>If the child is 14 or older then complete the Transition to Adulthood Module and the Independent Activities of Daily Living Module</i>
0	Child is under 14 years of age.
1	Child is 14 or older. <b>Complete both the Transition to Adulthood Module and the Independent Activities of Daily Living Module</b>

**82. TRAUMA SYMPTOMS MODULE**

<b>A</b>	<b>TRAUMATIC GRIEF:</b> <i>This item describes the level of traumatic grief the child is experiencing due to death or separation from significant caregivers, siblings, or other significant figures.</i>
0	There is no evidence that the child is experiencing traumatic grief reactions or separation from the loss of significant caregivers. Either the child has not experienced a traumatic loss (e.g., death of a loved one) or the child has adjusted well to separation.
1	Child is experiencing a mild level of traumatic grief due to death or loss/separation from a significant person in a manner that is expected and/or appropriate given the recent nature of loss or separation.
2	Child is experiencing a moderate level of traumatic grief or difficulties with separation in a manner that impairs functioning in some, but not all areas of daily functioning. This could include withdrawal or isolation from others or other problems with day-to-day functioning.
3	Child is experiencing significant traumatic grief reactions. Child exhibits impaired functioning across most or all areas (e.g., interpersonal relationships, school) for a significant period of time following the loss or separation. Symptoms require immediate or intensive intervention.

  

<b>B</b>	<b>RE-EXPERIENCING:</b> <i>These symptoms consist of intrusive memories or reminders of traumatic events, including nightmares, flashbacks, intense reliving of the events, and repetitive play with themes of specific traumatic experiences.</i>
0	No evidence of intrusive symptoms.
1	Child presents with mild problems with re-experiencing symptoms, such as occasional intrusive thoughts, distressing memories, and/or nightmares about traumatic events.
2	Child presents with moderate difficulties with re-experiencing, such as frequent intrusive symptoms/distressing memories. The child may have recurrent frightening dreams (i.e., multiple times a week) with or without recognizable content or recurrent distressing thoughts, images, perceptions or memories of traumatic events. The child may exhibit trauma-specific reenactments through repetitive play with themes of trauma or intense physiological reactions (i.e., racing heart, somatic complaints) to exposure to traumatic cues. These symptoms interfere with child's functioning in at least one area.
3	Child presents with significant problems with re-experiencing, such as frequent and overwhelming intrusive symptoms/distressing memories. The child may exhibit trauma-specific reenactments that include sexually or physically harmful behavior that could be traumatizing to other children or sexual play with adults or related behaviors that put the safety of the child or others at risk. The child may also exhibit persistent flashbacks, delusions or hallucinations related to the trauma that impede functioning in multiple areas.

<b>C</b>	<b>HYPERAROUSAL:</b> <i>These symptoms include difficulty falling or staying asleep, irritability or outbursts of anger, difficulty concentrating, hypervigilance and/or exaggerated startle response. Children may also commonly manifest physical symptoms such as stomach-aches and headaches.</i>
0	No evidence of hyperarousal symptoms.
1	Child exhibits mild hyperarousal that does not significantly interfere with his or her day-to-day functioning. Children may also occasionally manifest distress-related physical symptoms such as stomach-aches and headaches.
2	Child exhibits moderate symptoms of hyperarousal or physiological reactivity associated with the traumatic event(s). The child may exhibit one or more of the following symptoms: difficulty falling or staying asleep, irritability or outbursts of anger, difficulty concentrating, hypervigilance and/or exaggerated startle response. Children who commonly manifest distress-related physical symptoms such as stomach-aches and headaches would be rated here. Symptoms are distressing for the child and/or caregiver(s) and negatively impact day-to-day functioning.
3	Child exhibits multiple and or severe hyperarousal symptoms including alterations in arousal and physiological and behavioral reactivity associated with traumatic event(s). This may include difficulty falling or staying asleep, irritability or outbursts of anger, difficulty concentrating, hypervigilance and/or exaggerated startle response. The intensity or frequency of these symptoms are overwhelming for the child and/or caregiver(s) and impede day-to-day functioning in many areas.

<b>D</b>	<b>AVOIDANCE:</b> <i>These symptoms include efforts to avoid stimuli associated with traumatic experiences.</i>
0	No evidence of avoidance symptoms.
1	Child exhibits some avoidance. The child may exhibit one primary avoidant symptom, including efforts to avoid thoughts, feelings or conversations associated with the trauma.
2	Child presents with moderate symptoms of avoidance. In addition to avoiding thoughts or feelings associated with the trauma, the child may also avoid activities, places, or people that arouse recollections of the trauma.
3	Child exhibits significant or multiple avoidant symptoms. The child may avoid thoughts and feelings as well as situations and people associated with the trauma and may be unable to recall important aspects of the trauma.

<b>E</b>	<b>NUMBING:</b> <i>These symptoms include numbing responses such as loss of interest in activities child once enjoyed; a difficult displaying happiness, love, anger, or sadness; or a sense of distance from others.</i>
0	No evidence of numbing responses.
1	Child exhibits some problems with numbing. The child may have a restricted range of affect or be unable to express or experience certain emotions (e.g., anger or sadness).
2	Child presents with moderately severe numbing responses. The child may have a blunted or flat emotional state or have difficulty experiencing intense emotions or feel consistently detached or estranged from others following the traumatic experience.
3	Child presents with significant numbing responses or multiple symptoms of numbing. The child may have a markedly diminished interest or participation in significant activities and a sense of a foreshortened future.



<b>F</b>	<b>DISSOCIATION:</b> <i>Symptoms include daydreaming, spacing or blanking out, forgetfulness, fragmentation, detachment, and rapid changes in personality often associated with traumatic experiences.</i>
0	No evidence of dissociation.
1	Child presents with minor dissociative problems, including some emotional numbing, avoidance or detachment, and some difficulty with forgetfulness, daydreaming, spacing or blanking out.
2	Child presents with a moderate level of dissociation. This can include amnesia for traumatic experiences or inconsistent memory for trauma (e.g., remembers in one context but not another), more persistent or perplexing difficulties with forgetfulness (e.g., loses things easily, forgets basic information), frequent daydreaming or trance-like behavior, depersonalization and/or derealization.
3	Child presents with severe dissociative disturbance. This can include significant memory difficulties associated with trauma that also impede day to day functioning. Child is frequently forgetful or confused about things he/she should know about (e.g., no memory for activities or whereabouts of previous day or hours). Child shows rapid changes in personality or evidence of distinct personalities.

<b>G</b>	<b>AFFECTIVE AND/OR PHYSIOLOGICAL DYSREGULATION:</b> <i>These symptoms are characterized by difficulties with arousal regulation. This can include difficulties modulating or expressing emotions and energy states such as emotional outbursts or marked shifts in emotions, overly constricted emotional responses, intense emotional responses, and/or evidence of constricted, hyper-aroused, or quickly fluctuating energy level. The child may demonstrate such difficulties with a single type or a wide range of emotions and energy states. This can also include difficulties with regulation of body functions, including disturbances in sleeping, eating, and elimination; over-reactivity or under-reactivity to touch and sounds; and physical or somatic complaints. This can also include difficulties with describing emotional or bodily states. The child's behavior likely reflects their difficulty with affective and physiological regulation, especially for younger children. This can be demonstrated as excessive and chronic silly behavior, excessive body movements, difficulties regulating sleep/wake cycle, and inability to fully engage in activities.</i> <i>NOTE: This item should be rated in the context of what is normative for a child's age/developmental stage.</i>
0	No difficulties regulating emotional or physiological responses. Emotional responses and energy level are appropriate to the situation.
1	Child presents with minor, occasional difficulties with affect/physiological regulation. The child could have some difficulty tolerating intense emotions and become somewhat jumpy or irritable in response to emotionally charged stimuli, or more watchful or hyper-vigilant in general or have some difficulties with regulating body functions (e.g., sleeping, eating or elimination). The child may also have some difficulty sustaining involvement in activities for any length of time or have some physical or somatic complaints.
2	Child presents with moderate problems with affect/physiological regulation. The child has difficulty/may be unable to modulate emotional responses or have more persistent difficulties in regulating bodily functions. The child may exhibit marked shifts in emotional responses (e.g., from sadness to irritability to anxiety) or have contained emotions with a tendency to lose control of emotions at various points (e.g., normally restricted affect punctuated by outbursts of anger or sadness). The child may also exhibit persistent anxiety, intense fear or helplessness, lethargy/loss of motivation, or have persistent physical or somatic complaints. The child's behavior likely reflects difficulties with affective or physiological over-arousal or reactivity (e.g., silly behavior, loose active limbs) or under-arousal (e.g., lack of movement and facial expressions, slowed walking and talking).
3	Child presents with severe and chronic problems with highly dysregulated affective and/or physiological responses. The child may have more rapid shifts in mood and an inability to modulate emotional responses (feeling out of control of emotions or lacking control over their movement as it relates to emotional states). The child may exhibit tightly contained emotions with intense outbursts under stress. Alternately, the child may be characterized by extreme lethargy, loss of motivation or drive, and no ability to concentrate or sustain engagement in activities (emotionally "shut down"). The child may have more persistent and severe difficulties regulating sleep/wake cycle, eating patterns or elimination problems.

**83. BEHAVIORAL HEALTH MODULE**

<b>A</b>	<b>PSYCHOSIS:</b> <i>The key symptoms of psychosis include hallucinations, delusions (consider age), very bizarre thoughts, or very bizarre behavior.</i>
0	No evidence of psychosis.
1	History or suspicion of hallucinations, delusions or bizarre behavior that might be associated with some form of psychotic disorder.
2	Clear evidence of hallucinations, delusions or bizarre behavior that might be associated with some form of psychotic disorder within the past 30 days.
3	Clear evidence of dangerous hallucinations, delusions, or bizarre behavior that may be associated with a psychotic disorder which places the child or others at risk of physical harm within the past 30 days.

<b>B</b>	<b>ATTENTION/CONCENTRATION:</b> <i>Problems with attention, concentration and task completion would be rated here. These may include symptoms that are part of DSMV Attention Deficit/Hyperactivity Disorder. Inattention/distractibility not related to opposition would be rated here.</i>
0	No evidence of attention or concentration problems. Child stays on task in an age-appropriate manner.
1	Minor problems with attention and concentration. Child may have some difficulties staying on task for an age-appropriate time period on school or play.
2	In addition to problems with sustained attention, child may become easily distracted or forgetful in daily activities, have trouble following through on activities, and become reluctant to engage in activities that require sustained effort. A child who meets DSM-V diagnostic criteria for ADHD would be rated here.
3	Child has severe impairment of attention or concentration. A child with profound symptoms of ADHD or significant attention difficulties related to another diagnosis would be rated here.

<b>C</b>	<b>IMPULSIVITY:</b> <i>Problems with impulse control, impulsive behaviors, including motoric disruptions would be rated here.</i>
0	No evidence of age-inappropriate impulsivity in action or thought.
1	Child may be impulsive in action or thought, such as occasional difficulty waiting turn or yelling out answers in class that are inappropriate for child's age.
2	Child is frequently impulsive and may represent a significant management problem. Child intrudes on others, demonstrates motoric difficulties (such as pushing or shoving others), or is impulsively aggressive.
3	Frequent impulsive behavior carries considerable safety risk (e.g., running into the street, dangerous driving or bike riding). The child may be impulsive on a nearly continuous basis. He or she endangers self or others without thinking.

<b>D</b>	<b>DEPRESSION:</b> <i>With children the mood state might be irritable rather than sad. This item rates displayed symptoms of a change in emotional state and can include sadness, irritability and diminished interest in previously enjoyed activities.</i>
0	No evidence of depression.
1	History or suspicion of depression; or within the past 30 days, mild to moderate depression associated with a recent negative life event with minimal impact on life domain functioning at this time.
2	Within the last 30 days, clear evidence of depression associated with either depressed mood or significant irritability which has interfered significantly in child's ability to function in at least one life domain.
3	Within the last 30 days, clear evidence of disabling level of depression that makes it virtually impossible for the child to function in any life domain.

<b>E</b>	<b>ANXIETY:</b> <i>This item describes worries or fearfulness that interferes with functioning.</i>
0	No evidence of anxiety.
1	History or suspicion of anxiety problems, or mild to moderate anxiety associated with a recent negative life event with minimal impact on life domain functioning at this time.
2	Anxious mood or significant fearfulness that interferes significantly in child's ability to function in at least one life domain.
3	A debilitating level of anxiety that makes it virtually impossible for the child to function in any life domain.

<b>F</b>	<b>OPPOSITIONAL:</b> <i>This item describes deviance or non-compliance with authority figures.</i>
0	No evidence of oppositional behavior.
1	History or recent onset (past 6 weeks) of defiance towards authority figures.
2	Oppositional and/or defiant behavior towards authority figures, which is currently interfering with the child's functioning in at least one life domain; behavior may cause emotional harm to others.
3	A dangerous level of oppositional behavior involving the threat of physical harm to others.

<b>G</b>	<b>CONDUCT:</b> <i>This item describes antisocial behavior.</i>
0	No evidence of antisocial behavior.
1	History or suspicion of problems associated with antisocial behavior including but not limited to lying, stealing, manipulating others, sexual aggression, violence towards people, property or animals.
2	Clear evidence of antisocial behavior including but not limited to lying, stealing, manipulating others, sexual aggression, violence towards people, property, or animals.
3	Evidence of a severe level of conduct problems as described above that places the child or community at significant risk of physical harm due to these behaviors.

<b>H</b>	<b>EMOTIONAL CONTROL:</b> <i>This item describes the child's ability to manage emotions (positive and/or negative). It describes symptoms of affect dysregulation.</i>
0	Child has no problems with emotional control.
1	Child has mild problems with emotional control that can be overcome with caregiver support.
2	Child has a moderate level of problems with emotional control that interferes most of the time with functioning. Children may quickly become excitable or frustrated and react aggressively or impulsively.
3	Child has a significant level of emotional control problems that are interfering with development and put child at imminent risk of harming self or others. Caregivers are not able to mediate the effects.

<b>I</b>	<b>ANGER CONTROL:</b> <i>This item describes problems associated with anger; it may or may not be associated with loss of control of behavior.</i>
0	No evidence of any significant anger control problems.
1	Some problems with controlling anger; child may sometimes become verbally aggressive when frustrated; peers and family may be aware of and may attempt to avoid stimulating angry outbursts.
2	Moderate anger control problems; child's temper has gotten him/her in significant trouble with peers, family and/or school; anger may be associated with physical violence; others are likely quite aware of anger potential.
3	Severe anger control problems; child's temper is likely associated with frequent fighting that is often physical; others likely fear him/her.

<b>J</b>	<b>ATTACHMENT:</b> <i>This item describes the child's ability to form relationships with significant caregivers in an age appropriate way.</i>
0	No evidence of attachment problems; parent-child relationship is characterized by satisfaction of needs and child's development of a sense of safety, security and trust.
1	Mild problems with attachment; this could involve either mild problems with separation or detachment.
2	Moderate problems with attachment; child is having problems with attachment that require intervention; child who displays behaviors of disorganized attachment would be rated here (e.g., fear around caregiver, role-reversal such as parentified or punitive behavior towards the caregiver).
3	Severe problems with attachment; child who is unable to separate or appears to have severe problems with forming or maintaining relationships with caregivers would be rated here. Child who meets the criteria for an Attachment Disorder diagnosis (e.g., Reactive Attachment Disorder) would be rated here.

#### 84. SUBSTANCE USE MODULE

<b>A</b>	<b>SEVERITY OF USE:</b> <i>This item describes the frequency and intensity of child's use of alcohol and/or substances.</i>
0	Child is currently abstinent and has maintained abstinence for at least six months.
1	Child is currently abstinent but only in the past 30 days or child has been abstinent for more than 30 days but less than 6 months.
2	Child actively uses alcohol and/or substances but not daily within the past 30 days.
3	Child has used alcohol and/or substances on a daily basis within the past 30 days.

<b>B</b>	<b>DURATION OF USE:</b> <i>This item describes the duration of time a child has been using alcohol or substances.</i>
0	Child has begun use in the past year.
1	Child has been using alcohol and/or substances for at least one year but has had periods of at least 30 days where he/she did not have any use.
2	Child has been using alcohol and/or substances for at least one year (but less than 5 years), but not daily.
3	Child has been using alcohol and/or substances <i>on a daily basis</i> for more than the past year or intermittently for at least 5 years.

<b>C</b>	<b>PEER INFLUENCES:</b> <i>This item describes the child's network of peer influences and their alcohol and/or substance use</i>
0	Child's primary peer social network does not engage in alcohol and/or substance use.
1	Child has peers in primary peer social network who do not engage in alcohol and/or substance use but has some peers who do.
2	Child predominately socializes with peers who frequently engage in alcohol and/or substance use.
3	Child identifies with/is a member of a peer group that consistently engages in alcohol and/or substance use.

<b>D</b>	<b>STAGE OF RECOVERY:</b> <i>This item rates the child's willingness to address alcohol and/or substance use</i>
0	Child is in the maintenance stage of recovery. He/she is abstinent and able to recognize and avoid risk factors for future alcohol and/or substance use.
1	Child is actively trying to use treatment to remain abstinent.
2	Child is in contemplation phase, recognizing a problem but not willing to take steps for recovery.
3	Child is in denial regarding the existence of any alcohol and/or substance use problem.

**85. DEVELOPMENTAL MODULE**

<b>A</b>	<b>COGNITIVE:</b> <i>This item refers to the cognitive or intellectual functioning of the child. Cognitive functions include the child's ability to comprehend ideas and involve aspects of perception, thinking, reasoning, remembering, awareness, and judgment. Cognitive functioning is most often measured through an IQ test. If the child does not have an identified IQ test score, please use available information in order to score the item, including input from child and family team members.</i>
0	Child's intellectual functioning appears to be in normal range.
1	Child has mild intellectual disabilities.
2	Child has moderate intellectual disabilities.
3	Child has profound intellectual disabilities.

<b>B</b>	<b>AGITATION:</b> <i>This item includes a child's unintentional aggressive and non-aggressive behaviors. For example, hand-wringing, dressing and undressing, general restlessness, scratching, grabbing, and spitting.</i>
0	Child does not exhibit agitated behavior.
1	Child becomes agitated on occasion but can be calmed relatively easily.
2	Child becomes agitated often and/or can be difficult to calm.
3	Child exhibits a dangerous level of agitation. Child becomes agitated often and easily becomes aggressive towards self and/or others.

<b>C</b>	<b>SELF STIMULATION:</b> <i>This item describes refers to self-stimulation behavior (pacing, rocking, gesticulating, some verbalizations, and other stereotypical behaviors; this rating does not include masturbation), related to the over- or under-stimulation of the sensory environment. Children are not able to control the circumstances (where, when,) or how often they repeat the behavior so it is impairing their ability to function in life activities.</i>
0	No evidence of self-stimulation when exposed to sensory stimuli.
1	Mild level of self-stimulation including such behaviors as periodic pacing or rocking; sensitivity to touch or texture or to loud or bright environments; or the child seeks out stimulation. The child's self-stimulating behaviors do not impact on their ability to function in their daily activities or the child easily responds to intervention from a care giver.
2	Moderate to severe level of self-stimulation. Examples may include frequent rocking, odd behaviors, pacing, etc. The child does not respond to intervention from a caregiver and will continue with behaviors having a moderate impact on their ability to participate in their daily activities. The child may be easily distressed by stimulation of their senses: touch (tactile), taste, noise (hearing), lights (sight), smell, and kinesthesia/proprioception (movement/pressure).
3	Severe or profound level of self-stimulation causes physical harm to self, others, or destruction of property. Child is unable to tolerate stimulation of senses. The child does not respond to intervention from a caregiver. The child has significant difficulty participating in their daily life activities.

<b>D</b>	<b>MOTOR:</b> <i>This item describes the child's fine (e.g. hand grasping and manipulation) and gross (e.g. walking, running) motor functioning.</i>
0	No evidence of problems with motor functioning.
1	Mild to moderate fine or gross motor skill deficits.
2	Moderate to severe motor deficits. A non-ambulatory child with fine motor skills or an ambulatory child with significant fine motor deficits or a child who meets criteria for a motor disorder would be rated here.
3	Severe or profound motor deficits. A non-ambulatory child with fine motor skill deficits is rated here.

<b>E</b>	<b>COMMUNICATION:</b> <i>This item refers to the child's ability to communicate at an age and developmentally appropriate level. Communication is made up of two parts: receptive and expressive communication. Receptive communication refers to the way a listener receives and understands a message. Expressive communication refers to how one conveys a message by gesturing, speaking, writing, or signing and includes how much meaning is relayed by using specific body language or vocal inflection. If the child does not have an identified assessment regarding their communication ability, use information to score the item, including input from child and family team members regarding the child's ability to communicate.</i>
0	Child's receptive and expressive communication appears developmentally appropriate; there is no reason to believe that the child has any problems communicating.
1	Child has a history of communication problems but currently is not experiencing problems. Child is able to communicate wants/needs.
2	Child has either receptive or expressive language problems that moderately interfere with functioning. Children may be unable to understand more complex conversations or have difficulty carrying out multi-step commands. Child may rely on alternative communication systems (including, but not limited to signing or electronic communication device) for most of communication needs.
3	Child has serious communication difficulties and is unable to summon assistance or cannot communicate in any way, including pointing or grunting.

<b>F</b>	<b>DEVELOPMENTAL DELAY:</b> <i>This item rates whether the child has a suspected or diagnosed developmental delay or disorder. Developmental delays are life-long disabilities attributable to mental and/or physical impairments and can include both psychological and/or physical disorders. Developmental delays or disorders may affect a single area of development (specific developmental disorders) or several (pervasive developmental disorders). If the child does not have an identified diagnosis or assessment regarding their developmental ability, please use available information in order to score the item, including input from child and family team members regarding the developmental level of the child.</i>
0	Child's development appears within normal range; there is no reason to believe that the child has any developmental problems.
1	Evidence of a mild developmental delay.
2	Evidence of a pervasive developmental disorder including Autism, Tourette's, Down's Syndrome or other significant developmental delay.
3	Severe developmental disorder.

<b>G</b>	<b>SENSORY:</b> <i>This item describes the child's ability to use all senses including vision, hearing, smell, touch, and kinesthetic.</i>
0	The child's sensory functioning appears normal. There is no reason to believe that the child has any problems with sensory functioning.
1	The child has mild impairment on a single sense (e.g. mild hearing deficits, correctable vision problems).
2	The child has moderate impairment on a single sense or mild impairment on multiple senses (e.g. difficulties with sensory integration, diagnosed need for occupational therapy).
3	The child has significant impairment on one or more senses (e.g. profound hearing or vision loss).

**86. MEDICAL MODULE**

<b>A</b>	<b>LIFE THREATENING:</b> <i>This item refers to conditions that pose an impending danger to life or carry a high risk of death if not treated. An infant with frequent apneic episodes requiring tactile stimulation or respiratory treatment or a child who has experienced frequent, uncontrolled seizures requiring respiratory treatment within the past month would be rated a 3.</i>
0	Child's medical condition has no implications for shortening child's life.
1	Child's medical condition may shorten life but not until later in adulthood.
2	Child's medical condition places child at some risk of premature death before reaching adulthood.
3	Child's medical condition places child at imminent risk of death.

<b>B</b>	<b>CHRONICITY:</b> <i>This item refers to a condition that is persistent or long-lasting in its effects or a disease that develops gradually over time and is expected to last a long time even with treatment (e.g., development of Type 2 diabetes in child who has been obese for many years). Chronic conditions are in contrast to acute conditions which have a sudden onset; a child may fully recover from an acute condition or it may become chronic.</i>
0	Child is expected to fully recover from current medical condition within the next six months to one year. Note: A child with this rating does not have a chronic condition.
1	Child's chronic condition is minor or well controlled with current medical management (e.g., an adolescent with acne).
2	Child's chronic condition(s) is moderate in nature with significant effects/exacerbations despite medical management. Child may experience more frequent medical visits, including ER visits, surgeries and/or hospitalizations for acute manifestation or complications of chronic condition.
3	Child's chronic condition(s) is severe and places the child at risk for prolonged inpatient hospitalization or out of home placement (or in home care with what would be equivalent to institutionalized care).

<b>C</b>	<b>DIAGNOSTIC COMPLEXITY:</b> <i>The items refers to the degree to which symptoms can be attributed to medical, developmental, or behavioral conditions, and/or there is an acknowledgement that symptoms/behaviors may overlap, and are contributing to the complexity.</i>
0	The child's medical diagnoses are clear and there is no doubt as to the correct diagnoses; symptom presentation is clear.
1	Although there is some confidence in the accuracy of child's diagnoses, there also exists sufficient complexity in the child's symptom presentation to raise concerns that the diagnoses may not be accurate.
2	There is substantial concern about the accuracy of the child's medical diagnoses due to the complexity of symptom presentation.
3	It is currently not possible to accurately diagnose the child's medical condition(s).

<b>D</b>	<b>EMOTIONAL RESPONSE:</b> <i>This item refers to the strain the child's medical conditions are placing on the individual child. This family response will be measured in the FAMILY STRESS item in the MEDICAL MODULE.</i>
0	Child is coping well with medical condition.
1	Child is experiencing some emotional difficulties related to medical condition but these difficulties do not interfere with other areas of functioning.
2	Child is having difficulties coping with medical condition. Child's emotional response is interfering with functioning in other life domains.
3	Child is having a severe emotional response to medical condition that is interfering with treatment and functioning.

<b>E</b>	<b>IMPAIRMENT IN FUNCTIONING:</b> <i>This item refers to either a reduction in physical or mental capacity that is sufficient to interfere with managing day-to-day tasks of life. This limitation can range from a slight loss of function to a total impairment which is usually considered a disability. Some impairments may be short term while others may be permanent. Assessing the impairment can help identify the best course of treatment and whether it is responding to treatment.</i>
0	Child's medical condition is not interfering with functioning in other life domains.
1	Child's medical condition has a limited impact on functioning in at least one other life domain.
2	Child's medical condition is interfering in more than one life domain or is disabling in at least one.
3	Child's medical condition has disabled child in most other life domains.

<b>F</b>	<b>INTENSITY OF TREATMENT:</b> <i>This item refers to special medical services or equipment provided to a child.</i>
0	Child's medical treatment involves taking daily medication or visiting a medical professional for routine follow up no more than 2 times a year.
1	Child's medical treatment involves taking multiple medications daily and visiting a medical professional(s) 3-4 times a year.
2	Child's medical treatment is daily but non-invasive; treatment can be administered by a caregiver. Non-invasive treatments could include daily nebulizer treatments, chest percussion therapy, application of splints/braces and stretching exercises etc. Without a caregiver, this child's care might be provided in an alternate setting (i.e. intermediate care facility). The child could require visits every 4-6 weeks to a medical professional(s) for adjustments in medication dosing and treatment and take multiple daily medications with dosing spaced throughout the day.
3	Child's medical treatment is daily and invasive and requires either a medical professional to administer or a well-trained caregiver. Examples of treatment provided by medical professional or well-trained caregiver include catheterization of bladder, suctioning of tracheostomy tube, provision of tube feedings etc. Without a well-trained caregiver or medical professional, this child's care would be provided in a skilled alternate setting (i.e. hospital, nursing home).

<b>G</b>	<b>ORGANIZATIONAL COMPLEXITY:</b> <i>This item how effectively organizations and medical professionals caring for a child work together. The more organizations and professionals, the increased likelihood of complexity and need for ongoing communication and collaboration. A child who receives primary and specialty care from one institution in which professionals are successfully communicating (i.e. within a tertiary medical center) would score lower than a child who receives primary care from a community provider, behavioral health care from another community provider, specialty medical care from a tertiary care center and communication issues exist amongst professionals regarding the treatment plan.</i>
0	All medical care is provided by a single medical professional.
1	Child's medical care is generally provided by a coordinated team of medical professionals who all work for the same organization.
2	Child's medical care requires collaboration of multiple medical professionals who work for more than one organization but current communication and coordination is effective.
3	Child's medical care requires the collaboration of multiple medical professionals who work for more than one organization and problems currently exist in communication among these professionals.

<b>H</b>	<b>FAMILY STRESS:</b> <i>This item refers to the mental, emotional, physical and financial strain on the parents, caregivers, siblings and other family members involved in the child's care.</i>
0	Child's medical condition is not adding any stress to the family.
1	Child's medical condition is a mild stressor on the family.
2	Child's medical condition is a stressor on the family and is interfering with healthy family functioning.
3	Child's medical condition is a severe stressor on family and is significantly impacting family functioning.



**87. ACTIVITIES OF DAILY LIVING (ADL) MODULE**

<b>A</b>	<b>EATING:</b> This item refers to the process of getting food into the body by any means.
0	No evidence of problems related to eating.
1	Mild problems with eating that have been present in the past or are currently present some of the time. Child some difficulty eating but manages by self.
2	Moderate problems with eating are present. Child may overeat, have few food preferences or not have a clear pattern of when they eat. Child may need help from another person or the use of adaptive equipment (e.g., adapted utensils, etc.) to feed self but manages by self.
3	Severe problems with eating are present putting the child at risk developmentally. Child need to be totally fed (including parental nutrition) or the child and family are very distressed and unable to overcome problems in this area.

<b>B</b>	<b>TOILETING:</b> <i>Toileting includes the process of elimination and the ability to transfer on and off the commode, adjust clothing, clean oneself following elimination, and washing hands.</i>
0	There is no evidence of elimination problems and child is able to complete the task of toileting independently as needed.
1	Child may have a history of elimination difficulties but is presently not experiencing this other than on rare occasion. Child is able to complete toileting tasks with occasional cues/supervision from another person.
2	Child demonstrates problems with elimination on a consistent basis or elimination is maintained with the use of an appliance or catheter. This is interfering with child's functioning. Children may completely lack a routine in elimination and as a result develop constipation along with encopresis and enuresis. Child may need moderate assistance (cueing or physical assistance) from another person to initiate or complete toileting tasks or child may require the use of adaptive equipment (e.g., toilet tissue holder, reachers) in order to complete toileting tasks.
3	Child demonstrates significant difficulty with elimination to the extent that child/parent is in significant distress or interventions have failed. Child is completely dependent upon others for completion of toileting tasks.

<b>C</b>	<b>BATHING:</b> <i>This item refers to washing oneself by sponge bath; or in either a tub or shower (Bathing does not include personal hygiene tasks as presented in the <b>HYGIENE</b> item in ADL Module)</i>
0	No evidence of challenges with bathing. Child has age appropriate skills and bathing is consistent with same age peers.
1	Child has some mild challenges with bathing. Child has some difficulty but manages by self with minimal supervision, occasional assistance or cueing from another person regarding certain tasks related to bathing.
2	Child has notable challenges with bathing. These challenges interfere with functioning (child or caregiver) either at home, in school or in the community. Child needs regular assistance (cueing or physical assistance) from another person to initiate or complete bathing thoroughly or child may require use of adaptive equipment (e.g. bath seats, long handled brushes, etc.) in order to bathe self.
3	Child has severe challenges with bathing. These challenges prevent functioning in at least one life domain. Child needs constant cueing/supervision from another person to initiate and complete bathing safely or needs total physical assistance from another person to complete bathing.

<b>D</b>	<b>HYGIENE:</b> <i>This item describes the child's ability to take care of personal hygiene. Personal Hygiene looks at skills such as brushing hair, brushing teeth, wiping face while eating, washing hands, etc. (Hygiene does not include bathing/showering as presented in the <b>BATHING</b> item in ADL module)</i>
0	Child is fully independent in ability to take care of personal hygiene.
1	Child is generally independent in addressing personal hygiene but may have some challenges with aspects of maintaining personal hygiene. Child may require occasional cueing/supervision from another person in order to complete hygiene tasks.
2	Child struggles with personal hygiene. Moderate problems with maintaining personal hygiene are present and impair the child's functioning. Child may need moderate assistance (cueing or physical assistance) from another person to initiate or complete hygiene tasks or child may require the use of adaptive equipment (e.g. long-handled brush, adapted or electric toothbrush, etc.) in order to complete hygiene tasks.
3	Child is not currently able to take care of own personal hygiene. Child needs constant cueing/supervision from another person to initiate and complete personal hygiene tasks or needs total physical assistance from another person to complete these tasks.

<b>E</b>	<b>DRESSING:</b> <i>This item refers to putting on and taking off all items of clothing and any necessary braces, fasteners or artificial limbs. This includes buttoning buttons and tying shoes (Dressing does not include pulling clothes up or down during toileting as presented in the <b>TOILETING</b> item in ADL Module)</i>
0	No evidence of challenges with dressing or undressing.
1	Child has some mild challenges with dressing or undressing. Child may need occasional assistance or reminders to initiate or complete dressing.
2	Child has notable challenges with dressing or undressing. These challenges interfere with functioning (child or caregiver) either at home, in school or the community. Child requires regular assistance (cueing or physical assistance) from another person to initiate or complete dressing (including the selection of appropriate clothing for the situation) or child may require the use of adaptive equipment (e.g., reachers, button hooks, etc.) in order to dress self.
3	Child has severe challenges with dressing or undressing. These challenges prevent functioning in at least one life domain. Child needs constant cueing/supervision from another person to initiate and complete dressing or needs total physical assistance from another person to complete dressing.

<b>F</b>	<b>MOBILITY:</b> <i>This item refers to how the child walks.</i>
0	Child is fully independent in ability to move own body.
1	Child is generally independent in mobility but has some adaptive technology that facilitates independent mobility. Mobility challenges do not have a notable impact on functioning.
2	Child has notable challenges with mobility that interfere with functioning. Limited mobility for short distances or short periods of time can occur when assisted by another person or adaptive technology.
3	Child has severe motor challenges that prevent from any mobility without total assistance of another person or support of an adaptive device (e.g., wheelchair or crutches)

<b>G</b>	<b>POSITIONING:</b> <i>This item refers to the process of moving a limb or the entire body while in a chair or bed.</i>
0	Child is fully independent in ability to position body.
1	Child is generally independent in position but has some adaptive technology that facilitates independent positioning. Positioning challenges do not have a notable impact on functioning.
2	Child has notable challenges with positioning that interfere with functioning. Physical assistance from others and/or adaptive technology provides some independence in positioning
3	Child is unable to reposition self and requires 24 hour monitoring and physical assistance from others to reposition self.

<b>H</b>	<b>TRANSFERRING:</b> <i>This item refers to the process of moving between positions (e.g., to and from bed, chair to standing) (Does not include transferring to/from toilet as presented in the <b>TOILETING</b> item in ADL Module)</i>
0	Child is fully independent in ability to transfer (e.g., in and out of bed, sitting to standing, etc.).
1	Child is generally independent in mobility. Child has some difficulty but is able to transfer unassisted and transfer challenges do not have a notable impact on functioning. May require the use of assistive devices.
2	Child has notable challenges with transfers that interfere with functioning; child needs some assistance from another person to transfer. May or may not require the use assistive devices.
3	Child is unable to transfer without assistance from another person.

**88. TRANSITION TO ADULthood**

<b>A</b>	<b>KNOWLEDGE OF CONDITION:</b> <i>This item reflects the youth's ability to understand the rationale for the treatment or management of youth's transition to adulthood.</i>
0	Youth is fully knowledgeable about own condition, including medications and treatments, strengths and weaknesses, talents, and limitations.
1	Youth is generally knowledgeable about own condition, including medications and treatments, but, has some mild deficits in knowledge or understanding of condition, talents, skills, and assets.
2	Youth's lack of knowledge or understanding about own condition, including medications and treatments, interferes with maintaining or improving health and well-being.
3	Youth has little or no knowledge or understanding of current condition, including medications and treatments, or fails to accept the situation and is at imminent risk of harm or other negative health outcomes

<b>B</b>	<b>YOUTH INVOLVEMENT:</b> <i>This item refers to the youth's participation in efforts to address identified needs.</i>
0	Youth helps direct planning to address needs.
1	Youth is fully participates in planning to address needs.
2	Youth somewhat participates in plans to address needs.
3	Youth is not willing to participate in any process to address needs.

<b>C</b>	<b>YOUTH RELATIONSHIP TO THE SYSTEM:</b> <i>This item rates the degree to which the youth's apprehension to engage with the formal health care system creates a barrier for receipt of care. There are situations and instances when people may be apprehensive to engage with the formal helping systems. Clients, as well as providers, bring their cultural experiences to the treatment relationship. Members of some cultural groups may be accustomed to the use of traditional healers or self-management of behavioral health issues or are simply distrustful of Western medicine. Undocumented individuals may be fearful of interaction with the health care system because of their legal status. These complicated factors may translate into generalized discomfort with the formal helping systems. A clinician must consider this experience and understand its impact on the youth's choices.</i>
0	The youth expresses no concerns about engaging with the formal helping system.
1	The youth expresses little or mild hesitancy to engage with the formal helping system that is easily rectified with clear communication about intentions or past issues engaging with the formal helping system.
2	The youth expresses moderate hesitancy to engage with the formal helping system that requires significant discussions and possible revisions to the treatment plan.
3	The youth expresses significant hesitancy to engage with the formal helping system that prohibits the family's engagement with the treatment team at this time. When this occurs, the development of an alternate treatment plan may be required.

<b>D</b>	<b>CAREER ASPIRATIONS:</b> <i>This item describes the youth's development of a career plan.</i>
0	Youth has clear and feasible career plans.
1	Youth has career plans, but a minor barrier may exist to achieving these plans.
2	Youth wants to work, but does not have a clear idea regarding jobs or careers and/or multiple minor or one major barrier exists to any possible plan.
3	Youth has no career plans or aspirations.

<b>E</b>	<b>EMPLOYMENT:</b> <i>This item rates the performance of the youth in work settings. In addition to traditional employment, this can include supported employment, sheltered workshops, long term volunteer experiences and internships. Performance can include issues of behavior, attendance or productivity.</i>
0	No evidence of problems related to work.
1	Youth experiences a mild degree of problems with work functioning. Youth may have some problems in work environment involving attendance, productivity, or relations with others. Or if the youth is not currently working, youth is motivated and actively seeking work.
2	A moderate degree of work problems including disruptive behavior and/or difficulties with performing required work is indicated. Supervisors likely have warned individual about problems with work performance. Or if despite wanting to work, youth is not working due to anxiety about the employment process and is unable to independently get a job.
3	A severe degree of work problems including aggressive behavior toward peers or superiors or severe attendance problems is evidenced. Youth may be recently fired or at very high risk of firing (e.g. on notice). OR The youth has a long history of unemployment.

<b>F</b>	<b>LIVING SKILLS:</b> <i>This item is used to describe the youth's ability to take responsibility for and also manage self in an age appropriate way.</i>
0	Youth is maturing at an average or advanced pace to eventually live independently. There is no evidence of deficits in learning independent living skills at this time.
1	Youth is somewhat delayed in acquiring information about independent living or delayed in demonstrating age appropriate independent living skills. Some problems exist in maintaining reasonable cleanliness, diet, finances, or time management, but youth is expected to develop these skills over time.
2	Youth is moderately delayed in acquiring information about independent living skills or moderately delayed in demonstrating those skills. Notable problems exist in maintaining reasonable cleanliness, diet, finances, or time management.
3	Youth is severely delayed in acquiring information about independent living skills and/or is clearly not demonstrating those skills. Given current age and impairments, the youth will almost certainly need a structured and supervised living environment in young adulthood.

<b>G</b>	<b>EDUCATIONAL ATTAINMENT:</b> <i>This item rates the progress of the youth toward completing planned education.</i>
0	Youth has achieved all educational goals. Or, if no educational goals were present, educational attainment has no impact on goals for lifetime vocational functioning.
1	Youth has set educational goals and is currently making progress towards achieving all of them.
2	Youth has set educational goals but is currently not making progress towards achieving goals.
3	Youth has no educational goals and lack of educational attainment is interfering with lifetime vocational functioning.

<b>H</b>	<b>VOCATIONAL:</b> <i>This item describes the degree of job/career related skills possessed by the youth.</i>
0	Youth has vocational skills and work experience.
1	Youth has some vocational skills or work experience.
2	Youth has some prevocational skills.
3	Youth needs significant assistance developing vocational skills.

<b>I</b>	<b>INTIMATE RELATIONSHIPS:</b> <i>This item is used to rate the youth's current status in terms of romantic/intimate relationships.</i>
0	Youth has a strong, positive relationship with another youth or young adult.
1	Youth has a generally positive relationship with another youth or young adult.
2	Youth is not involved in a relationship with another youth or young adult and is significantly distressed about not having a relationship.
3	Youth is involved in a negative, unhealthy relationship with another youth or young adult.
NA	Youth is satisfied with not being in a relationship at this time.

<b>J</b>	<b>MEDICATION ADHERENCE:</b> <i>This item focuses on the individual's level of willingness or ability to collaborate and participate in taking prescribed medications. As youth transition to adulthood, they become responsible for their own medical care. Thus while medication adherence is the responsibility of caregivers for youth, youth need to begin to take responsibility for their personal management of any prescribed medications. This item is used to describe any challenges youth experience following prescribed medication regimens. <b>A youth who is not currently taking medication would have a rating of '0.'</b></i>
0	Youth is not currently on any medication or takes medication as prescribed.
1	Youth sometimes needs reminders to take medication regularly. A history of inability or unwillingness to take medication as prescribed, but no current problems would be rated here.
2	Youth is periodically unable or unwilling to collaborate or take medication as prescribed or may overuse medications. Youth might adhere to prescription plans for periods of time (1-2 weeks) but generally does not sustain taking medication following the prescribed dose or protocol. Youth needs daily medication reminder systems to organize/track adherence or daily oversight/administration of medication.
3	Youth has refused to take prescribed medications during the past 30-day period. A youth who has abused his or her medications to a significant degree (i.e., overdosing or over using medications to a dangerous degree) would be rated here. Medications might need to be locked up or youth may need to be directly observed to ensure each dose of medication is taken.

<b>K</b>	<b>TRANSPORTATION:</b> <i>This item rates the unmet transportation needs preventing the youth from participating in treatment and in other life activities. Only unmet transportation needs should be rated here.</i>
0	Youth has no unmet transportation needs.
1	Youth has occasional unmet transportation needs (e.g., appointments). These unmet needs occur no than monthly and not require a special device (i.e. wheelchair) or vehicle.
2	Youth has frequent unmet transportation needs. Youth has difficulty getting to appointments, work, or activities regularly (e.g. once a week) or may require a special device (wheelchair) or vehicle to participate in treatment or activities.
3	Youth has no access to appropriate transportation and is unable to get to appointments, activities etc. Transportation device (wheelchair) or vehicle may be broken or unavailable. Youth needs immediate intervention and development of resources.

**89. INDEPENDENT ACTIVITIES OF DAILY LIVING MODULE**

<b>A</b>	<b>MEAL PREPARATION:</b> <i>This item describes youth's ability to prepare healthy meals for self.</i>
0	Youth is fully independent preparing meals. Youth is able to select and safely prepare food that is reasonable health.
1	Youth is generally independent preparing meals, but makes somewhat poor choices for eating or relies on prepared meals or fast food.
2	Youth struggles with safe meal preparation. Youth has difficulty selecting and preparing meals in appropriate portions, or using utensils, appliances, or stove properly. Youth can prepare basic foods like cereal and sandwiches but does not cook.
3	Youth is not currently able to safely prepare meals or select appropriate portion size (too little or too much) which results in harm or danger.

<b>B</b>	<b>SHOPPING:</b> <i>This item describes youth's ability to budget, select items, or plan for multiple shopping needs at one time (i.e., food, clothing, toiletries, etc.).</i>
0	Youth can shop independently to meet all of needs.
1	Youth can shop independently for self, but may struggle with spending or item selection or have some other shopping problem.
2	Youth struggles with shopping for self. Youth may be able to do some shopping, but challenges occur with shopping choices, habits, or expenditures that interfere with functioning.
3	Youth is unable to shop to meet basic needs, or choices, habits or expenditures pose significant risk to well-being, health, or safety.

<b>C</b>	<b>HOUSEWORK:</b> <i>This item describes youth's ability to keep a functioning and clean living space independently or seeking out the necessary resources to do so.</i>
0	Youth does house work independently. Youth maintains a functioning and clean living space and take care of challenges that happen as a routine aspect of living (e.g. clogged toilet, broken refrigerator).
1	Youth can maintain a reasonably clean living space but may struggle with common challenges that happen with housing.
2	Youth has challenges with housework. Youth currently does not maintain a clean living environment or need prompts, cues, or reminders about housework.
3	Youth is currently not able to do house work or living environment potentially poses a health risk.

<b>D</b>	<b>MONEY MANAGEMENT:</b> <i>This item describes youth's ability to manage finances by keeping a budget or adjusting expenses to meet all or as many needs as possible.</i>
0	Youth manages money independently. Youth appears to understand the relationship between income and expenditures and is able to keep expenditures within budget.
1	Youth may have some challenges with aspects of money management (e.g. over spending, losing small amount of money, etc.) but these challenges do not have a notable impact on functioning.
2	Youth has challenges with money management that notably interfere with functioning.
3	Youth is currently not able to manage money.

<b>E</b>	<b>TELEPHONE USE:</b> <i>This item refers to youth's ability to use a phone to communicate with others, properly monitor phone use, cover the costs of phone use, and adequately care for phone.</i>
0	Youth uses and manages telephone appropriately and independently.
1	Youth has some challenges with aspects of phone (e.g. boundary issues with sharing phone number, losing or damaging phone multiple times, etc.); however, these challenges do not notably impact functioning.
2	Youth has challenges with phone use. This may include technical problems using the phone or limited access to a phone because of financial reasons or it may include challenges with judgment regarding appropriate phone use.
3	Youth is currently unable to use a phone or engages in dangerous or highly inappropriate activity with phones.

<b>F</b>	<b>HOUSING SAFETY:</b> <i>This item describes whether the youth's current housing circumstances are safe and accessible. Consider the child's specific medical or physical challenges when rating this item.</i>
0	Current housing has no challenges with regard to fully supporting the youth's health, safety and accessibility.
1	Current housing has minor challenges with regard to fully supporting the youth's health, safety and accessibility but these challenges do not currently interfere with functioning or present any notable risk to the youth or others.
2	Current housing has notable limitations with regard to supporting the youth's health, safety, and accessibility. These challenges interfere with or limit the youth's functioning.
3	Current housing is unable to meet the youth's health, safety, and accessibility needs. Housing presents a significant risk to the youth's health and well-being.