
Bentley Configuration Explorer

Table of Contents

Copyright Notice	3
Trademark Notice	4
About Bentley Configuration Explorer	5
Bentley Configuration Explorer Scan Logic	6
Scanned Workspace	6
Starting Bentley Configuration Explorer	8
The Ribbon Interface	9
Bentley Configuration Explorer Backstage	9
Bentley Configuration Explorer Quick Access Toolbar	11
Bentley Configuration Explorer Tools	12
Process Configuration	12
To Process a Workspace	13
Application Manager	13
To Add an Application to Application Manager	14
To Remove an Application from Application Manager	15
Load Configuration	15
Reload Configuration	16
Variable Explorer	16
Variable Dossier	18
File History	20
Event History	21
Search	23
Path Validator	24
Variable Validator	24
Shortcut Creator	25
To Generate a Shortcut	28
View Tab	29
Help Tab	30

Copyright Notice

Copyright © 2017, Bentley Systems, Incorporated. All Rights Reserved.

Including software, file formats, and audiovisual displays; may only be used pursuant to applicable software license agreement; contains confidential and proprietary information of Bentley Systems, Incorporated and/or third parties which is protected by copyright and trade secret law and may not be provided or otherwise made available without proper authorization.

For reference, a copy of the End User License Agreement named `EULA.pdf` is installed in the same folder in which you installed the product.


Trademark Notice

Bentley and the "B" Bentley logo are either registered or unregistered trademarks or service marks of Bentley Systems, Incorporated. All other marks are the property of their respective owners.

About Bentley Configuration Explorer

Bentley Configuration Explorer optimizes productivity and maximizes collaboration by enabling you to customize the operation and behavior of Bentley applications to accommodate a wide-range of workflow, processes, organizations and projects.

It enables easy exploration of configuration files and variables in the same manner as they are evaluated when using a Bentley application. Bentley Configuration Explorer follows the functional behavior of Bentley's configuration logic. It has an easy to navigate interface.



Bentley Configuration Explorer provides live editing capabilities, a descriptive variable library, a variable generator, and a detailed feature to compare two workspaces. It also provides the following:

- Error/ Syntax Checking - an easily read output report of configuration errors and warnings and enables direct access to the configuration.
- An extensive user-extendable database of configuration variables used by many Building, Civil, Foundation, GeoSpatial, and Plant applications.
- An examination of configuration variables and generates a detailed summary of each variable which includes an itemization of original modifications (pre-pending, post-pending, redefining), final values, parent and child variables, references, and configuration levels.

Bentley Configuration Explorer utilities, components and functionality are available from the Bentley backstage menu and toolbar icons as well as from the ribbon group tools.

Bentley Configuration Explorer Scan Logic

Bentley Configuration Explorer searches for applications based on their shortcuts. It searches for shortcuts in the following directories:

1. Desktop (C:\Users\ActiveUserName\Desktop).
2. Start Menu\Programs\Bentley (All applications in starting with Bentley in the Start Menu):
 - C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Bentley
 - C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Bentley Engineering
 - C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Bentley Multi-Install
3. Quick Launch (C:\Users\ActiveUserName\AppData\Roaming\Microsoft\Internet Explorer\Quick Launch).

Note: In Operating systems, where Desktop and Start Menu folders may exist separately for Active and All users, it searches both.

Following is the criteria for an application to be a valid target:

1. The shortcut specifies a configuration file in its target path with a -wc switch: "C:\Program Files\Bentley\MicroStation CONNECT Edition\MicroStation\ustation.exe"
-wc"C:\Program Files\Bentley\MicroStation CONNECT Edition\Triforma\config\atflocal.cfg"
2. Alternatively, if a configuration file is not mentioned in the shortcut but an mslocal.cfg is present in the TargetExe folder\ config folder, it becomes a valid target. If the configuration file is not specified in the example above, the existence of "C:\Program Files\Bentley\MicroStation CONNECT Edition\MicroStation\config\mslocal.cfg" makes it a valid candidate.

The unique search criteria are the shortcut name and exe path. So if two shortcuts have the same name but different target paths, or different names but the same target paths, then Bentley Configuration Explorer recognizes them as different applications.


The target path is the exe path. In the example above, it is "C:\Program Files\Bentley\MicroStation CONNECT Edition\MicroStation\microstation.exe". Additionally, if two shortcuts are found at different paths but share same name and target path, Bentley Configuration Explorer recognizes them as the same application. So the location of the shortcut does not make a difference.

Scanned Workspace

A scanned workspace is created when **Process** is clicked on the **Process Configuration** dialog and the results are displayed in the **Bentley Configuration Explorer** dialog.

About Bentley Configuration Explorer

Scanned Workspace



Starting Bentley Configuration Explorer

You can start Bentley Configuration Explorer from the **Start** menu or by double-clicking the desktop icon




The Ribbon Interface

Bentley Configuration Explorer Backstage

The Ribbon Interface

Bentley Configuration Explorer's user interface is based on a ribbon design which helps users to easily access different tools.



Bentley Configuration Explorer's ribbon is composed of the following:

1. Backstage view - Opens the [Bentley Configuration Explorer Backstage](#) (on page 9) view where different tools are available to Process, Load, Save, Import and Export configuration variables.
2. Tabs - Contain one or more groups.
3. Quick Access Toolbar - Contains frequently used tools for quick access.
4. Ribbon Group - A labeled set of closely related tools.


Bentley Configuration Explorer Backstage



You can access this menu from the **Bentley** icon in the top left corner.

The Ribbon Interface

Bentley Configuration Explorer Backstage



Process Configuration

Opens the **Process Configuration** dialog.

Load Configuration

Invokes the **Open Workspace From File** dialog, to open a BCF file.

Save

Invokes the **Save workspace to file** dialog to save a scanned workspace (BCF file).

Import

Invokes the **Open msdebug file** dialog to import an MSdebug.txt file.

Export

Opens the following list of items to export:

- Errors - Opens the **Export workspace details to text file** dialog, to export a list of errors and warnings, found in a workspace to a text file..
- VariableList
 - To Text File - Opens the **Export variable list to text file** dialog, to export a list of variables to a text file.
 - Compiled CFG - Opens the **Export workspace details to text file** dialog where a user-named configuration file containing all variables (set to their final expansion) is created and saved.
- Workspace - Opens the **Export workspace details to text file** dialog, to export a complete list of workspace history and final variable values, resembling the MSdebug.txt file, to a text file.
- File List
 - To Text - Opens the **Export workspace details to text file** dialog, to export a list of configuration variables to a text file.
 - To Excel - Opens the **Export variable list to text file** dialog, to export a list of configuration variables to Excel file.


Close

Closes the active workspace.

The Ribbon Interface

Bentley Configuration Explorer Quick Access Toolbar

Bentley Configuration Explorer Quick Access Toolbar



Process Configuration



Opens the **Process Configuration** dialog box.

Reload



Reloads the active configuration (BCF file).

Open



Invokes the **Open Workspace From File** dialog, to load a BCF file.

Save



Invokes the **Save workspace to file** dialog, to save a scanned workspace (BCF file).

Quick Access Toolbar Split Button



Used to customize the Quick Access toolbar. The checked items appear in the Quick Access toolbar. You can also change the Quick Access toolbar location and minimize the ribbon.

Bentley Configuration Explorer Tools


Bentley Configuration Explorer offers the following tools to manage configuration files and variables:

Process Configuration




Used to create a new workspace scan (BCF file). The dialog opens at the start of Bentley Configuration Explorer.

You can also access this tool from the following:



- Ribbon: **Home** > **Analyze**
- **Quick Access toolbar** > **Process**
- Keyboard shortcut: <CTRL+N>
- Bentley Configuration Explorer Backstage menu.



Open Application Manager Opens the **Application Manager** dialog. Allows you to modify the list of applications.

Application Allows you to choose the desired application.

Workspace Allows you to choose a desired Workspace.

Bentley Configuration Explorer Tools

Application Manager

Workset	Allows you to choose the desired Workset.
Process	Scans the selected Workspace.
Cancel	Exits the dialog.

To Process a Workspace

1. Select the **Process Configuration** tool (**Home > Analyze > Process Configuration**).




2. Select the desired **Application**, **User**, and **Project**.
3. Select **Process**.
The workspace is scanned and the results are displayed in the **Configuration Explorer** dialog.

Application Manager




Used to manage the applications that are available for scanning. New applications can also be added by dragging a windows shortcut, or a Start menu item, and dropping it onto the dialog listbox.

You can access this tool from the following:




- Ribbon: **Tools > Applications > Application Manager**



Add	Allows you to add an application to the Application Manager from the available Bentley applications. It opens the Installed Bentley Applications dialog which displays all the installed Bentley applications.
------------	--

Bentley Configuration Explorer Tools

Application Manager



- Copy to clipboard - Copies selected application(s) text to the clipboard.
- Product - Displays the list of available applications.
- Version - Displays the version of the application.
- Add - Adds the selected application to the **Application Manager** dialog.
- Cancel - Closes the

Remove	Allows you to remove an application from the list of applications in the Application Manager .
Name	Displays the names of all added applications.
Exe Path	Displays the executable file (EXE) directory location for all applications.
Configuration Path	Displays the directory locations for optional configuration files, specified in the command line.
Command Line Arguments	Displays optional command line switches.
Version	Displays the version of the application.
Rules	Displays a semicolon delimited list of additional rules for testing.
Ok	Saves changes to Bentley Configuration Explorer configuration file (cesettings.cfg) and closes the Application Manager dialog.
Cancel	Closes the Application Manager dialog without saving any changes.

To Add an Application to Application Manager

1. Select the **Application Manager** tool (**Tools > Applications > Application Manager**).



The **Application Manager** dialog opens.

2. Click **Add**.
The **Installed Bentley Applications** dialog opens.
3. Select the desired application from the list.
4. Click **Add**
The application gets added to the list of available applications for scanning in the **Application Manager** dialog.

To Remove an Application from Application Manager

1. Select the **Application Manager** tool (**Tools** > **Applications** > **Application Manager**).



The **Application Manager** dialog opens.


2. Select the desired application from the list of available applications.
3. Click **Remove**.

Load Configuration



Used to load a scanned workspace (BCF file) in Bentley Configuration Explorer. It opens the **Open WorkSpace From File** dialog.


You can access this tool from the following:



- Ribbon: **Home** > **Analyze** > **Load Configuration**
- Bentley Configuration Explorer backstage menu.
- **Quick Access toolbar** > **Open**

Bentley Configuration Explorer Tools


Reload Configuration



Reload Configuration



Used to rescan an open configuration file. You can access this tool from the following:



- Ribbon: **Home** > **Analyze** > **Reload Configuration**
- **Quick Access Toolbar** > **Reload**

Variable Explorer




This dialog lists all variables found in a scanned workspace.

You can access this dialog from the following:

Bentley Configuration Explorer Tools

Variable Explorer



- Ribbon: **Home > Explore > Variable Explorer**
- Scanned workspace list: **Variables**

Current File:	Done
Depth:	0
Lines:	2327
Variables:	268
Files:	38
Events:	1595
Warnings:	46
Errors:	4

- Keyboard Shortcut: **<CTRL+E>**

Variable Explorer - MicroStation CONNECT Edition - Example - MetroStation - 6/30/2017 4:57:14 AM

Name Filter: Clear Expansion Filter: Clear 268 variables

Variable	Category	Applicatio	Level	Expansion
_BUNDLE_DEPLOYMENTIMAGE_GUID			0 System	
_ROOTDIR	Configura...	Microsta...	-1 Windows S...	C:\Program Files\Bentley\MicroStation CONNECT Edit
_USTN_APPL	Configura...	Microsta...	0 System	C:\Program Files\Bentley\MicroStation CONNECT Edit
_USTN_AUDIT_APPS		Microsta...	0 System	modelmanager;detailingsymbol;fixdhdrprobits;levela
_USTN_BENTLEYROOT	Configura...	Microsta...	0 System	C:\Program Files\Bentley\MicroStation CONNECT Edit
_USTN_BUNDLE_UPGRADE_GUID			0 System	{ED65DD81-E82B-485A-8975-4E780513843D}
_USTN_CAPABILITY_DWG	Configura...	Microsta...	0 System	+CAPABILITY_ITEMTYPE_ALLOW_MODIFY;+CAPABI
_USTN_CONFIGURATION			0 System	C:\ProgramData\Bentley\MicroStation CONNECT Edit
USTN_CUSTOM_CONFIGURATION			0 System	

Current Value:
Example

Current Expansion:
Example

Description:

Bentley Configuration Explorer Tools

Variable Explorer


- | | |
|-------------------------------------|--|
| Name Filter | Filters the list of variable names that match completely or partially. |
| Expansion Filter | Filters the list of variables where the expansion matches completely or partially. |
| Right-click
Menu Options | <ul style="list-style-type: none">• Export - Export the variable list to a text or Excel file.• Open Variable - Opens the selected variable in the Variable Dossier (on page 18) dialog, to show more detail. You can also open the Variable Dossier (on page 18) dialog by double-clicking on a variable in the Variable Explorer dialog.• View Locations - Opens the Locations dialog to display any file or folder that the variable is pointing to.• Copy - Copies the contents of the selected cell. |

Variable Dossier

Used to display the details of a selected variable. You can access this dialog by right-clicking or double-clicking a variable in the **Variable Explorer** dialog.

Bentley Configuration Explorer Tools

Variable Explorer



Current Value

Shows each value and corresponding expansions. Right-clicking a value in the listbox opens the following menu:

- View Locations - Opens the **View Locations** dialog to display any file or folder that correspond to the variable.
- Open Definition in Editor - Opens the configuration file and locates the line that corresponds to the definition.

History

Shows a list of everything that has happened to the selected variable. Right-clicking a value in the listbox opens the following menu:

- Go to Line in Viewer - Opens the configuration file and locates the line that corresponds to the definition.
- Open File in Editor - Opens the selected file in a text editor.
- Open File in Viewer - Opens the selected configuration file in the File Viewer dialog.
- View Locations - Opens the **View Locations** dialog to display any file or folder that the variable is pointing to.
- Export - Exports the list to an Excel or text file.

Bentley Configuration Explorer Tools

File History


- Parents** Shows a list of variables that have produced the selected variable.
- Children** Shows a list of variables that are influenced by the selected variable.
- Levels** Shows the value of the variable at each level of processing.

File History




Provides a detailed look at the files and processing structure of a workspace.

You can access this tool from the following:



- Ribbon: **Home > Explore > File History**
- Scanned workspace list: **Files**



Bentley Configuration Explorer Tools

Event History

Highlight Modified Files Displays any recently modified file in bold and blue in the tree in the dialog.

File Tree Displays a list of files, ordered by processing and arranged in hierarchical order. Right-clicking any file on the tree opens the following menu:

- Open in Editor - Opens the selected file in a text editor.
- Open Containing Folder - Opens the folder that contains the selected configuration file.
- Open All in Editor - Opens the configuration files in a text editor.
- Open Include Event - Opens the configuration file and highlights the line that includes the selected configuration file.
- Show Events - Opens the **Workspace History** dialog and filters all events for the selected configuration file.
- Export - Exports the list of files to Excel, a Text file or an image.

Status Area (Top right panel) Displays statistics about the selected file.

Configuration File area Displays the text in the selected file. User can edit the text in this area. Right-clicking on the text here opens the following menu:

- Open in Editor - Opens the selected file in a text editor.
- Open Containing Folder - Opens the folder that contains the selected configuration file.
- Copy - Copies selected text to the clipboard.
- Paste - Pastes the clipboard content.
- Toggle Comment Block - Comments or un-comments selected text.
- Auto Format - Formats the Configuration File editor window to show the full directory path.


Line Description area Displays details about a selected line in a configuration file and shows the results of the line.

Event History



Used to display everything that happened while scanning the workspace. The event list can be filtered by Errors, Warnings, Includes, Others and by a specific Configuration file.

You can access the tool from the following:



- Ribbon: **Home > Explore > Event History**
- Scanned workspace list: **Events**

Bentley Configuration Explorer Tools

Event History

Current File:	Done
Depth:	0
Lines:	2327
Variables:	268
Files:	38
Events:	1595
Warnings:	46
Errors:	4

Event History -MicroStation CONNECT Edition - Example - MetroStation - 6/30/201...					
☒ Show Errors ☒ Show Warnings ☒ Show Includes ☒ Show Others					
Filter By File:					
ID	Description	Variable	Level	File	Line
0000	Variable created...	_ROOTDIR	-1 Windows Syst...		
0001	Variable created...	_WORKDIR	-1 Windows Syst...		
0002	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0003	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0004	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0005	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0006	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0007	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0008	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0009	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0010	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0011	Variable created...	_USTN_PRODUC...	-1 Windows Syst...		
0012	Variable created...	_VERSION_8_11	-1 Windows Syst...		

Show Errors Displays all errors, detected during the workspace scan. When you click **Errors** in the Bentley Configuration Explorer scanned workspace the **Event History** dialog opens with **Show Errors** check box on and other settings off.

Show Warnings Displays all warnings, detected during the workspace scan. When you click **Warnings** in the Bentley Configuration Explorer scanned workspace the **Event History** dialog opens with **Show Warnings** check box on and other settings off.

Right-Click menu options Right-clicking on any item in the list opens the following menu:

- Go to Line in Viewer - The selected event line is opened in a File Viewer dialog.
- Open Variable in Dossier - The selected event is opened in the Variable Dossier dialog.
- Open File in Editor - The selected event is opened in a Notepad text editor.

Bentley Configuration Explorer Tools

Search


- Open File in Viewer - The selected file is opened in a File Viewer dialog.
- Export - Exports the list of files to Excel or a text file.

Search




Used to search all configuration files and variables for specified text. The search is also conducted inside variable libraries for matching text when the **Include results from Variable Library** setting is on.

You can access this tool from the following:



- Ribbon: **Home > Explore > Search**
- Keyboard Shortcut: **<F3>**



Search

Allows you to type in search words.

Bentley Configuration Explorer Tools


Path Validator

- Find It**
- Clicking this launches the search and displays the results in the dialog.
- Clear Results**
- Clears all the displayed results for the search.
- Include results from variable library**
- If on, displays search results that include variables from the variable library.


Path Validator



Used to verify that all paths point to files or folders that exist. Files and folders that are not found are reported with a Status of Missing File or Missing Folder respectively. You can access this tool from the following:



- Ribbon: **Home > Validate > Path Validator**




Variable Validator




Scans the workspace for specific problems based on variable rule files. Files containing variable rules are located in the Configuration Explorer install directory, Rules folder. You can access this tool from the following:

Bentley Configuration Explorer Tools

Shortcut Creator




- Ribbon: **Home > Validate > Variable Validator**



Shortcut Creator



Used to generate shortcuts to Bentley Applications. You can access this tool from here:



- Ribbon: **Tools > Application > Shortcut Creator**

Bentley Configuration Explorer Tools

Shortcut Creator

Shortcut Creator

Use Existing Application as Shortcut Template:
MicroStation CONNECT Edition

Shortcut Name:
MicroStation CONNECT Edition

Target Application: (.exe)
C:\Program Files\Bentley\MicroStation CONNECT Edition\MicroStation\microstation.exe

Append Configuration File: (.cfg)
-wc

Additional Command Line Arguments:

Shortcut Command Line Preview:
"C:\Program Files\Bentley\MicroStation CONNECT Edition\MicroStation\microstation.exe"

Shortcut Output Folder:
C:\

CreateCancel

Use Existing Application as Shortcut Template	Allows you to select an existing application as a template for shortcut. Once an application is selected the remaining fields in the dialog get automatically populated. How ever you can also manually add information in the other fields.
Shortcut Name	Allows you to select a shortcut name for the application. In case Existing Application is selected, this field is automatically populated.
Target Application	Allows you to select a target application.
Additional Command Line Arguments	Allows you to specify Command Line Arguments.
Shortcut Output Folder	Allows you to specify an output folder for the shortcut.
Create	Creates the shortcut.
Cancel	Exits the dialog without creating any shortcuts.

Note: You can also use Command Line Arguments from the following table:

Bentley Configuration Explorer Tools

Shortcut Creator

Argument	Result
-Debug	Writes the configuration variables and their settings to a debugging variable definition file, and exits.
-Help OR -?	Displays the entire list of command line arguments for ustation.exe
-I<parameters>	Passes parameters to MS_INITAPPS, which is a list of initial startup MDL applications.
-M<model_name>	Specifies the model to open at startup.
-O	Does not open any references.
-QP<password>	Specifies a password for a protected file.
-R	Opens the DGN file in read-only mode.
-RestoreDefaults	Restores the default settings, and exits.
-RestoreDefaultsQuiet	Restores the default settings, and exits with no output.
-S<startup_file>	Writes text to the command queue, in the startup file, after startup.
-WA<mdl_application>	Specifies an MDL application to initialize at startup. (This is the same as MS_INITAPPS.)
-WC<path_to_configuration_file >	Specifies the configuration file to use at startup, and the path to that file. Example: -wcC:\Program Files\Bentley\MicroStation V8i (SELECTseries)\MicroStation\config\MyConfig.cf g
-WD<database>	Specifies the database configuration.
-WI<interface>	Specifies the interface configuration.
-WP<project>	Specifies the project configuration.
-WS<configuration_variable>	Specifies a configuration variable to be defined. Example: -wsMS_SECURITY_LEVEL=HIGH
-WU<user>	Specifies the user configuration.
-WR<path>	Specifies the path to the workspace's root (_USTN_WORKSPACEROOT). Example: -wrC:\Bentley\Workspace


To Generate a Shortcut

1. Click the **Shortcut Creator** icon (**Tools > Application**).




2. Choose an existing application from the Shortcut Template option menu.
All other fields populate based on the Application Manager.
3. (Optional) You can also create shortcuts to other applications, and specify a configuration file to append, by manually completing entries in those fields.
4. (Optional) Enter command line arguments.
5. Set the Shortcut output folder.
6. Click **Create**.

The View tab in Bentley Configuration Explorer has the following groups of tools:



Show This group has the following tools:

- Status Bar - If on, shows the **Status bar** located at the bottom of the Bentley Configuration Explorer dialog.
- Tabbed Variable Dossier - If on, the Variable Dossier (on page 18) dialog opens with tabs, one tab for each of the list boxes in the non-tabbed configuration.




Arrange Windows Provides following options to arrange the open dialogs:

- Cascade - Arranges all open dialogs in cascade fashion, one overlapping the other.
- Tile Horizontal - Arranges all open dialogs horizontally, one next to the other.
- Tile Vertical - Arranges all open dialogs vertically, one below the other.

Window

- Reset Position - Opens all dialogs directly one on top of the other.
- Close All Windows - Closes all open dialog boxes.
- Grouped in Main Window - If on, all dialog boxes opened by tools and utilities are opened within the Bentley Configuration Explorer window. If off dialogs can be moved outside of the Bentley Configuration Explorer window.

The Help tab in Bentley Configuration Explorer has the following tools:



Help




Opens Bentley Configuration help.

About



Shows the Version and Copyright information for Bentley Configuration Explorer in a new dialog.



Index

B

Backstage 9

C

Children 20

D

Dossier

Variable 18

E

Explorer

Configuration 5

Export 10

G

Group

ribbon 9

H

Help 30

History 19

I

Import 10

L

Levels 20

List

Variable 10

Load

Configuration 10

P

Parents 20

path

validator 24

Process

Configuration 10, 11

R

Ribbon 9

Ribbon interface 9

T

Tabs 9

V

Validator 24