

Flowify Saver Pro Documentation

Version: 0.9.0

Author: BERG

Blender Version: 4.3.0 and above

Category: System

License: GPL-2.0-or-later

Tagline: Streamline your Blender workflow with automated saves and easy file management.

Flowify Saver Pro is a powerful add-on designed to enhance your Blender workflow by providing robust auto-save, backup, and file management tools. With a sleek interface accessible via the 3D View header and N-panel, it offers versioned or timestamped backups, recent file access, and customizable save options. This documentation guides you through installation, usage, and troubleshooting to ensure a seamless experience.

Table of Contents

1. [Installation](#)
2. [Features](#)
3. [User Interface](#)
4. [Usage Instructions](#)
5. [Configuration Options](#)
6. [Troubleshooting](#)
7. [Support](#)

Installation

Requirements

- Blender 4.3.0 or higher.
- Windows, macOS, or Linux.
- Write permissions for the Blender user scripts directory (e.g., `C:\Users\<YourUser>\AppData\Roaming\Blender Foundation\Blender\4.3\scripts\addons` on Windows).

Steps

1. **Download the Add-on:**
 - Obtain `flowify_saver_pro.zip` from the official distribution source.
2. **Install in Blender:**

- Open Blender 4.3.
- Go to **Edit > Preferences > Extensions**.
- Click **Install**, navigate to `flowify_saver_pro.zip`, and select it.
- Click **Install Extension**.
- Find “System: Flowify Saver Pro” in the Extensions list and check the box to enable it.

3. Verify Installation:

- Confirm the add-on appears in the Extensions list with:
 - Name: Flowify Saver Pro
 - Version: 0.9.0
 - Maintainer: BERG
 - Permissions: Files
- Look for the Flowify icon (●/○) in the 3D View header (top of the viewport).

Notes

- Ensure no older versions of Flowify Saver Pro are installed. Remove them via **Edit > Preferences > Extensions** before installing.
- The add-on creates a database (`flowify_versions.db`) and logs (`flowify_pro_logs/`) in the Blender scripts directory for backup tracking and debugging.

Features

Flowify Saver Pro offers the following features to streamline file management:

- **Auto-Save:** Automatically save your project at configurable intervals, either overwriting the current file or creating versioned/timestamped backups. Auto-save is disabled by default and must be enabled manually. Versioned backups replace the existing version number (e.g., `project_v009.blend` auto-saves as `project_v010.blend`). Timestamped backups replace the existing timestamp (e.g., `project_backup_04052025_11-10-32.blend` auto-saves as `project_backup_04052025_11-11-15.blend`).
- **Manual Backup:** Create instant backups with versioned (`_v001`) or timestamped (`_backup_DDMMYYYY_HH-MM-SS`) suffixes.
- **Save As:** Save your project to a new location with a file picker. The filename automatically receives a `.blend` extension if omitted or incorrect (e.g., `project` or `project.txt` becomes `project.blend`).
- **Open Project:** Open any `.blend` file with a file picker.
- **Open Recent:** Quickly access up to 10 recent `.blend` files from Blender’s `recent-files.txt`.
- **Open Backup Folder:** Open the directory of the current project or a default folder in your system’s file explorer.

- **Customizable Settings:** Configure auto-save intervals, modes (Overwrite or Suffix), and backup patterns (Versioned or Timestamped).
- **Intuitive UI:** Access all features via a header icon dropdown or the N-panel in the 3D View.
- **Professional Notifications:** Receive sleek, non-intrusive notifications in the 3D View for saves, backups, errors, and warnings. Notifications appear in the top-right corner with a modern design (rounded corners, semi-transparent dark background, color-coded icons) and fade in/out automatically after 3 seconds.

User Interface

Flowify Saver Pro integrates seamlessly into Blender's 3D View with two primary interfaces:

Header Icon and Popover Panel


- **Location:** 3D View header (top of the viewport).
- **Appearance:** A circular icon (● when auto-save is enabled, ○ when disabled).
- **Function:** Click the icon to open a popover panel with all controls and settings.
- **Screenshot:** See [screenshots/header_dropdown.png](#).

N-Panel


- **Location:** 3D View > N-panel (sidebar) > "Flowify Pro" tab.
- **Appearance:** A dedicated tab with a **TOOL_SETTINGS** icon, mirroring the popover panel's controls.
- **Function:** Provides an alternative access point for all features, ideal for docked workflows.
- **Screenshot:** See [screenshots/n_panel.png](#).

Notifications

- **Location:** Top-right corner of the 3D View.
- **Appearance:** A modern, static notification with:
 - Semi-transparent dark background and rounded corners.
 - White text for title (e.g., "Flowify Saver Pro") and message (e.g., "Auto-saved in 'project_backup_04052025_11-11-15.blend'").
 - Color-coded icon (blue for **INFO**, yellow for **WARNING**, red for **ERROR**).
 - Smooth fade-in/fade-out animation, auto-dismissing after 3 seconds.
- **Function:** Displays feedback for auto-saves, manual backups, file operations, and errors without following the cursor or blocking interaction.



- **Screenshot:** See [screenshots/notification.png](#) (TODO: Capture a screenshot of the notification in Blender and place it in [screenshots/notification.png](#)).



Both interfaces offer identical functionality, including buttons for Save As, Create Manual Backup, Open, Open Recent, Open Backup Folder, and settings for auto-save.

Usage Instructions

Follow these steps to use Flowify Saver Pro effectively:

1. Save As

- **Purpose:** Save your project to a new file.
- **Steps:**
 1. Click the Flowify icon (●/○) in the 3D View header or open the N-panel > Flowify Pro.
 2. Click **Save As** ([FILE_TICK](#) icon).
 3. In the file picker, choose a directory and enter a filename (e.g., [project](#), [project.blend](#), or [project.txt](#)).
 4. Click **Save As**.
- **Result:** The project is saved with a [.blend](#) extension (e.g., [project.blend](#)), and a notification appears in the 3D View (e.g., “Project saved: [project.blend](#)”). If no extension or a non-[.blend](#) extension is provided, [.blend](#) is automatically appended.
- **Note:** Invalid filenames (e.g., containing `<>:"/\|?*`) or directories without write permissions trigger an error notification.

2. Create Manual Backup

- **Purpose:** Create a backup of the current project with a versioned or timestamped suffix.
- **Steps:**
 1. Ensure the project is saved (has a filepath).
 2. Click **Create Manual Backup** ([FILE_BACKUP](#) icon) in the popover or N-panel.
- **Result:** A backup is created (e.g., [project_v001.blend](#) or [project_backup_04052025_11-10-32.blend](#)), and a notification confirms.
- **Note:** If the file is unsaved, a warning notification appears.

3. Auto-Save

- **Purpose:** Automatically save the project at set intervals.
- **Steps:**


1. In the popover or N-panel, enable **Auto-Save** (toggle from `CHECKBOX_DEHLT` to `CHECKBOX_HLT`).
 2. Set **Interval (minutes)** (e.g., 5).
 3. Choose **Auto-save Mode**:
 - **Overwrite**: Overwrites the current file.
 - **Suffix**: Creates a new file with a suffix (default).
 4. Select **Backup Pattern** (for Suffix mode):
 - **Versioned**: Adds `_v001`, `_v002`, etc., replacing the current file's version if applicable (e.g., `project_v009.blend` becomes `project_v010.blend`).
 - **Timestamped**: Adds `_backup_DDMMYYYY_HH-MM-SS`, replacing the current file's timestamp if applicable (e.g., `project_backup_04052025_11-10-32.blend` becomes `project_backup_04052025_11-11-15.blend`).
- **Result**: After enabling, auto-saves occur at each interval, and a notification confirms in the 3D View (e.g., "Auto-saved in 'project_v010.blend'" or "Auto-saved in 'project_backup_04052025_11-11-15.blend'").
 - **Note**: Auto-save is disabled by default. Enable it manually to start auto-saving. Auto-save skips unsaved files, showing a warning notification.

4. Open Project

- **Purpose**: Open a `.blend` file.
- **Steps**:
 1. Click **Open** (`FILE` icon) in the popover or N-panel.
 2. Select a `.blend` file in the file picker.
 3. Click **Open**.
- **Result**: The file opens, and a notification confirms (e.g., "Opened: project.blend").
- **Note**: Non-`.blend` files or nonexistent files trigger an error notification.

5. Open Recent

- **Purpose**: Open a recently used `.blend` file.
- **Steps**:
 1. Click **Open Recent** (`FILE_REFRESH` icon).
 2. In the dialog, select a file from the list (up to 10 recent files).
 3. Click **OK**.
- **Result**: The file opens, and a notification confirms.
- **Note**: If no recent files exist, a warning notification appears. See [screenshots/open_recent.png](#).



6. Open Backup Folder

- **Purpose:** Open the directory of the current project or a default folder.
- **Steps:**
 1. Click **Open Backup Folder** (`FILE_FOLDER` icon).
- **Result:** The folder opens in your system's file explorer (e.g., File Explorer on Windows), and a notification confirms.
- **Note:** For unsaved files, it opens `~/Documents`.

Configuration Options

Customize Flowify Saver Pro via the popover or N-panel:

- **Auto-Save** (`CHECKBOX_HLT/CHECKBOX_DEHLT`):
 - Enable or disable auto-saving. Disabled by default.
- **Interval (minutes)** (`TIME` icon):
 - Set the auto-save frequency (1–60 minutes, default: 5).
- **Auto-save Mode** (`FILE_CACHE` icon):
 - **Overwrite:** Saves over the current file.
 - **Suffix:** Creates a new file with a suffix (default).
- **Backup Pattern** (`OUTLINER_DATA_GP_LAYER` icon):
 - **Versioned:** Uses incrementing numbers (e.g., `_v001`), replacing the current file's version if applicable.
 - **Timestamped:** Uses date/time (e.g., `_backup_04052025_11-10-32`), replacing the current file's timestamp if applicable.

Changes are applied instantly and persist across Blender sessions.

Troubleshooting

Common issues and solutions:

Add-on Not Loading

- **Symptom:** “Flowify Saver Pro” doesn’t appear in Extensions or the 3D View header.
- **Solution:**
 - Ensure Blender is version 4.3.0 or higher.
 - Reinstall `flowify_saver_pro.zip` via **Edit > Preferences > Extensions**.
 - Delete residual files:
 - `C:\Users\<YourUser>\AppData\Roaming\Blender Foundation\Blender\4.3\extensions\user_default\flowify_saver_pro`
 - `C:\Users\<YourUser>\AppData\Roaming\Blender Foundation\Blender\4.3\scripts\addons\flowify_versions.db`

- `C:\Users\<YourUser>\AppData\Roaming\Blender Foundation\Blender\4.3\scripts\addons\flowify_pro_logs`
- Check the System Console (Window > Toggle System Console) for errors.

Notifications Not Appearing

- **Symptom:** No notifications appear in the 3D View for saves or backups.
- **Solution:**
 - Ensure the add-on is enabled in **Edit > Preferences > Extensions**.
 - Check `flowify_pro.log` in `C:\Users\<YourUser>\AppData\Roaming\Blender Foundation\Blender\4.3\scripts\addons\flowify_pro_logs` for errors (e.g., “Failed to draw notification”).
 - Verify you’re in the 3D View when triggering actions (e.g., manual backup).
 - Restart Blender.
 - Test with a manual backup, as auto-save is now disabled by default.

Auto-Save Not Working

- **Symptom:** No auto-saves occur, even after enabling.
- **Solution:**
 - Ensure **Auto-Save** is enabled (`CHECKBOX_HLT`) in the popover or N-panel.
 - Verify the project is saved (has a filepath).
 - Check write permissions for the project directory.
 - Set **Interval (minutes)** to a low value (e.g., 1) for testing.
 - Disable Blender’s default auto-save (**Edit > Preferences > Save & Load > Auto Save Timer = 0**).

Save As Saves Without .blend Extension

- **Symptom:** Saving a project with **Save As** results in a file without `.blend` (e.g., `project` instead of `project.blend`).
- **Solution:**
 - Ensure you’re using the latest add-on version (0.9.0).
 - The add-on now automatically appends `.blend` to filenames. If the issue persists, reinstall the add-on.
 - Check `flowify_pro.log` for errors related to filename handling.
 - Test with a simple filename (e.g., `project`) in a local directory.

Backup Creation Failed

- **Symptom:** Error “Backup creation failed” when using Timestamped pattern.
- **Solution:**
 - Ensure the project is saved to a local directory (not OneDrive).

- Check `flowify_pro.log` for detailed error messages (e.g., invalid file name or regex failure).
- Verify the file name doesn't contain invalid characters.
- Reinstall the add-on with the latest version.
- Test with a simple file name (e.g., `project.blend`) in a local directory.

Incorrect Version or Timestamp Increments

- **Symptom:** Auto-save creates files like `project_v009_v001.blend` or `project_backup_04052025_11-10-32_001.blend` incorrectly.
- **Solution:**
 - Ensure you're using the latest add-on version (0.9.0).
 - Verify **Backup Pattern** is set correctly (Versioned or Timestamped).
 - Reinstall the add-on if the issue persists.
 - Check `flowify_pro.log` for errors related to suffix generation.

Recent Files Not Showing

- **Symptom:** "Open Recent" shows "No recent files".
- **Solution:**
 - Ensure **Edit > Preferences > Save & Load > Recent Files** is greater than 0.
 - Save a `.blend` file to populate `recent-files.txt`.

OneDrive Issues

- **Symptom:** Errors when saving to OneDrive folders (e.g., `C:\Users\<YourUser>\OneDrive`).
- **Solution:**
 - Pause OneDrive sync during Blender sessions.
 - Save projects to a local directory (e.g., `C:\Users\<YourUser>\Desktop`).

Support

For questions, bug reports, or feature requests:

- **Contact:** BERG (replace with your preferred contact method, e.g., email or website).
- **Logs:** Include `flowify_pro.log` from `C:\Users\<YourUser>\AppData\Roaming\Blender Foundation\Blender\4.3\scripts\addons\flowify_pro_logs` when reporting issues.
- **System Info:** Provide your Blender version, OS, and a description of the issue.

Thank you for using Flowify Saver Pro! Streamline your workflow and keep your projects safe with confidence.
