### КИИИ Лаб 1

#### 1. Init Git + Create Content

```
berat@Citadel MINGW64 /c/Users
$ cd ..
berat@Citadel MINGW64 /c
$ cd Users
berat@Citadel MINGW64 /c/Users
$ cd Berat
berat@Citadel MINGW64 /c/Users/Berat
$ cd Documents
berat@Citadel MINGW64 /c/Users/Berat/Documents
$ cd Github
bash: cd: Github: No such file or directory
 perat@Citadel MINGW64 /c/Users/Berat/Documents
$ cd GITHUB
bash: cd: GITHUB: No such file or directory
berat@Citadel MINGW64 /c/Users/Berat/Documents
$ cd..
bash: cd..: command not found
berat@Citadel MINGW64 /c/Users/Berat/Documents
$ cd ..
berat@Citadel MINGW64 /c/Users/Berat
$ cd OneDrive
berat@Citadel MINGW64 /c/Users/Berat/OneDrive
$ cd Documents
berat@Citadel MINGW64 /c/Users/Berat/OneDrive/Documents
$ cd Github
berat@Citadel MINGW64 /c/Users/Berat/OneDrive/Documents/Github
$ mkdir KIILAB2
berat@Citadel MINGW64 /c/Users/Berat/OneDrive/Documents/Github
$ mkdir KIIILab1
berat@Citadel MINGW64 /c/Users/Berat/OneDrive/Documents/Github
$ cd KIIILab1
berat@Citadel MINGW64 /c/Users/Berat/OneDrive/Documents/Github/KIIILab1
$ git init
Initialized empty Git repository in C:/Users/berat/OneDrive/Documents/Github/KII
ILab1/.git/
berat@Citadel MINGW64 /c/Users/Berat/OneDrive/Documents/Github/KIIILab1 (master)
$ git add README.md
fatal: pathspec 'README.md' did not match any files
berat@Citadel MINGW64 /c/Users/Berat/OneDrive/Documents/Github/KIIILab1 (master)
```

#### 2. Initial Commit

```
No commits yet

Changes to be committed:
    (use "git rm --cached <file>..." to unstage)
    new file: Content.txt

C:\Users\berat\OneDrive\Documents\Github\KIIILabl>git commit -m "Initial Commit"
[master (root-commit) f9ecab4] Initial Commit
1 file changed, 1 insertion(+)
    create mode 100644 Content.txt

C:\Users\berat\OneDrive\Documents\Github\KIIILabl>git remote add origin https://github.com/BeratAhmetaj/KIII_Labl.git

C:\Users\berat\OneDrive\Documents\Github\KIIILabl>git remote add origin https://github.com/BeratAhmetaj/KIII_Labl.git
error: remote origin already exists.

C:\Users\berat\OneDrive\Documents\Github\KIIILabl>git push -u origin master
info: please complete authentication in your browser...
Enumerating objects: 100% (3/3), done.
Writing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 230 bytes | 230.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/BeratAhmetaj/KIII_Labl.git
    * [new branch] master -> master
branch 'master' set up to track 'origin/master'.

C:\Users\berat\OneDrive\Documents\Github\KIIILabl>|


C:\Users\berat\OneDrive\Documents\Github\KIIILabl>|
```

3. Branch Creating

```
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>git push --set-upstream origin Develop
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 301 bytes | 301.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'Develop' on GitHub by visiting:
remote:
             https://github.com/BeratAhmetaj/KIII_Lab1/pull/new/Develop
emote:
To https://github.com/BeratAhmetaj/KIII_Lab1.git
* [new branch]
                    Develop -> Develop
oranch 'Develop' set up to track 'origin/Develop'.
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>git merge main
merge: main – not something we can merge
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>git checkout main
error: pathspec 'main' did not match any file(s) known to git
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>git checkout master
oranch 'master' set up to track 'origin/master'.
Switched to a new branch 'master'
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>git branch -M main
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>git checkout main
Your branch is up to date with 'origin/master'.
::\Users\berat\OneDrive\Documents\Github\KIIILab1>git merge Develop
Jpdating f9ecab4..07e1a07
ast-forward
Content.txt | 4 +++-
ContentDEVELOP.txt | 3 +++
2 files changed, 6 insertions(+), 1 deletion(-)
create mode 100644 ContentDEVELOP.txt
::\Users\berat\OneDrive\Documents\Github\KIIILab1>git push
fatal: The upstream branch of your current branch does not match
```

# 5. Push Branches and changes to github

```
::\Users\berat\OneDrive\Documents\Github\KIIILab1>git merge Develop
Jpdating f9ecab4..07e1a07
ast-forward
Content.txt
ContentDEVELOP.txt | 3 +++
2 files changed, 6 insertions(+), 1 deletion(-)
create mode 100644 ContentDEVELOP.txt
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>git push
fatal: The upstream branch of your current branch does not match
the name of your current branch. To push to the upstream branch
on the remote, use
   git push origin HEAD:master
To push to the branch of the same name on the remote, use
   git push origin HEAD
To choose either option permanently, see push.default in 'git help config'.
To avoid automatically configuring an upstream branch when its name
won't match the local branch, see option 'simple' of branch.autoSetupMerge
in 'git help config'.
::\Users\berat\OneDrive\Documents\Github\KIIILab1>git    push origin HEAD:master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Fo https://github.com/BeratAhmetaj/KIII_Lab1.git
  f9ecab4..07e1a07 HEAD -> master
C:\Users\berat\OneDrive\Documents\Github\KIIILab1>
```



## 6. Fork & Contribute

