

# VI LENA Supplement

Erin Campbell

2025-01-08

## Equivalence Testing

```
# Adult Word Count: d=0.3
```

```
TOSTER::t_TOST(AWC_per_hour ~ group, data = LENA_counts, hypothesis = "EQU", paired = TRUE,  
var.equal = TRUE, eqb = .3, eqbound_type = "SMD", alpha = .05)
```

```
##  
## Paired t-test  
##  
## The equivalence test was non-significant, t(14) = 1.14, p = 0.14  
## The null hypothesis test was non-significant, t(14) = -0.0202p = 0.98  
## NHST: don't reject null significance hypothesis that the effect is equal to zero  
## TOST: don't reject null equivalence hypothesis  
##  
## TOST Results  
##  
##          t df p.value  
## t-test   -0.02022 14  0.984  
## TOST Lower  1.14168 14  0.136  
## TOST Upper -1.18211 14  0.128  
##  
## Effect Sizes  
##          Estimate      SE      C.I. Conf. Level  
## Raw          -3.630515 179.5779 [-319.9229, 312.6619]      0.9  
## Hedges's g(z) -0.004934  0.2582  [-0.4063, 0.3966]      0.9  
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Adult Word Count: d=0.5
```

```
TOSTER::t_TOST(AWC_per_hour ~ group, data = LENA_counts, hypothesis = "EQU", paired = TRUE,  
var.equal = TRUE, eqb = .5, eqbound_type = "SMD", alpha = .05)
```

```
##  
## Paired t-test  
##  
## The equivalence test was significant, t(14) = 1.92, p = 0.04  
## The null hypothesis test was non-significant, t(14) = -0.0202p = 0.98  
## NHST: don't reject null significance hypothesis that the effect is equal to zero  
## TOST: reject null equivalence hypothesis  
##  
## TOST Results
```

```
##               t df p.value
## t-test      -0.02022 14  0.984
## TOST Lower  1.91627 14  0.038
## TOST Upper -1.95671 14  0.035
##
## Effect Sizes
##               Estimate      SE      C.I. Conf. Level
## Raw          -3.630515 179.5779 [-319.9229, 312.6619]      0.9
## Hedges's g(z) -0.004934  0.2582  [-0.4063, 0.3966]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Adult Word Count: d=0.7
```

```
TOSTER::t_TOST(AWC_per_hour ~ group, data = LENA_counts, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was significant, t(14) = 2.69, p < 0.01
## The null hypothesis test was non-significant, t(14) = -0.0202p = 0.98
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: reject null equivalence hypothesis
##
## TOST Results
##               t df p.value
## t-test      -0.02022 14  0.984
## TOST Lower  2.69087 14  0.009
## TOST Upper -2.73131 14  0.008
##
## Effect Sizes
##               Estimate      SE      C.I. Conf. Level
## Raw          -3.630515 179.5779 [-319.9229, 312.6619]      0.9
## Hedges's g(z) -0.004934  0.2582  [-0.4063, 0.3966]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Manual Word Count: d=0.3
```

```
TOSTER::t_TOST(MWC_per_hour ~ group, data = manual_word_tokens, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .3, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = -0.1, p = 0.46
## The null hypothesis test was non-significant, t(14) = 1.06p = 0.31
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##               t df p.value
## t-test        1.0600 14  0.307
## TOST Lower  2.2219 14  0.022
## TOST Upper -0.1019 14  0.460
##
```

```
## Effect Sizes
##           Estimate      SE          C.I. Conf. Level
## Raw       301.7333 284.6477 [-199.6195, 803.0862]      0.9
## Hedges's g(z) 0.2587 0.2634      [-0.155, 0.6635]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").

# Manual Word Count: d=0.5
TOSTER::t_TOST(MWC_per_hour ~ group, data = manual_word_tokens, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .5, eqbound_type = "SMD", alpha = .05)

##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = -0.88, p = 0.2
## The null hypothesis test was non-significant, t(14) = 1.06p = 0.31
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      1.0600 14 0.307
## TOST Lower  2.9965 14 0.005
## TOST Upper -0.8765 14 0.198
##
## Effect Sizes
##           Estimate      SE          C.I. Conf. Level
## Raw       301.7333 284.6477 [-199.6195, 803.0862]      0.9
## Hedges's g(z) 0.2587 0.2634      [-0.155, 0.6635]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").

# Manual Word Count: d=0.7
TOSTER::t_TOST(MWC_per_hour ~ group, data = manual_word_tokens, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)

##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = -1.7, p = 0.06
## The null hypothesis test was non-significant, t(14) = 1.06p = 0.31
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      1.060 14 0.307
## TOST Lower  3.771 14 0.001
## TOST Upper -1.651 14 0.060
##
## Effect Sizes
##           Estimate      SE          C.I. Conf. Level
## Raw       301.7333 284.6477 [-199.6195, 803.0862]      0.9
## Hedges's g(z) 0.2587 0.2634      [-0.155, 0.6635]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Conversational Turn Count: d=0.3
TOSTER::t_TOST(CTC_per_hour ~ group, data = LENA_counts, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .3, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = -0.74, p = 0.23
## The null hypothesis test was non-significant, t(14) = 0.418p = 0.68
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.4176 14  0.683
## TOST Lower  1.5795 14  0.068
## TOST Upper -0.7443 14  0.235
##
## Effect Sizes
##           Estimate      SE      C.I. Conf. Level
## Raw           2.5570 6.123 [-8.2267, 13.3407]      0.9
## Hedges's g(z)  0.1019 0.259 [-0.3025, 0.5028]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Conversational Turn Count: d=0.5
TOSTER::t_TOST(CTC_per_hour ~ group, data = LENA_counts, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .5, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = -1.5, p = 0.08
## The null hypothesis test was non-significant, t(14) = 0.418p = 0.68
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.4176 14  0.683
## TOST Lower  2.3541 14  0.017
## TOST Upper -1.5188 14  0.076
##
## Effect Sizes
##           Estimate      SE      C.I. Conf. Level
## Raw           2.5570 6.123 [-8.2267, 13.3407]      0.9
## Hedges's g(z)  0.1019 0.259 [-0.3025, 0.5028]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Conversational Turn Count: d=0.7
TOSTER::t_TOST(CTC_per_hour ~ group, data = LENA_counts, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was significant,  $t(14) = -2.3$ ,  $p = 0.02$ 
## The null hypothesis test was non-significant,  $t(14) = 0.418$ ,  $p = 0.68$ 
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.4176 14  0.683
## TOST Lower  3.1287 14  0.004
## TOST Upper -2.2934 14  0.019
##
## Effect Sizes
##           Estimate      SE      C.I. Conf. Level
## Raw           2.5570 6.123 [-8.2267, 13.3407]      0.9
## Hedges's g(z)  0.1019 0.259 [-0.3025, 0.5028]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Proportion of Child-Directed Speech: d=0.3
TOSTER::t_TOST(prop_CDS ~ group, data = xds_props_wide, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .3, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was non-significant,  $t(14) = -0.92$ ,  $p = 0.19$ 
## The null hypothesis test was non-significant,  $t(14) = 0.244$ ,  $p = 0.81$ 
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.2439 14  0.811
## TOST Lower  1.4058 14  0.091
## TOST Upper -0.9180 14  0.187
##
## Effect Sizes
##           Estimate      SE      C.I. Conf. Level
## Raw           0.01632 0.06693 [-0.1016, 0.1342]      0.9
## Hedges's g(z)  0.05953 0.25848 [-0.3434, 0.4604]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Proportion of Child-Directed Speech: d=0.5
TOSTER::t_TOST(prop_CDS ~ group, data = xds_props_wide, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .5, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was non-significant,  $t(14) = -1.7$ ,  $p = 0.06$ 
## The null hypothesis test was non-significant,  $t(14) = 0.244$ ,  $p = 0.81$ 
```

```
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.2439 14  0.811
## TOST Lower  2.1804 14  0.023
## TOST Upper -1.6926 14  0.056
##
## Effect Sizes
##           Estimate      SE      C.I. Conf. Level
## Raw           0.01632 0.06693 [-0.1016, 0.1342]      0.9
## Hedges's g(z) 0.05953 0.25848 [-0.3434, 0.4604]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Proportion of Child-Directed Speech: d=0.7
TOSTER::t_TOST(prop_CDS ~ group, data = xds_props_wide, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was significant, t(14) = -2.5, p = 0.01
## The null hypothesis test was non-significant, t(14) = 0.244p = 0.81
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.2439 14  0.811
## TOST Lower  2.9550 14  0.005
## TOST Upper -2.4672 14  0.014
##
## Effect Sizes
##           Estimate      SE      C.I. Conf. Level
## Raw           0.01632 0.06693 [-0.1016, 0.1342]      0.9
## Hedges's g(z) 0.05953 0.25848 [-0.3434, 0.4604]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Type-Token Ratio: d=0.3
TOSTER::t_TOST(mean_ttr ~ group, data = TTR_calculations, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .3, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = 0.2, p = 0.42
## The null hypothesis test was non-significant, t(14) = -0.96p = 0.35
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
```

```

## t-test      -0.9597 14    0.353
## TOST Lower   0.2022 14    0.421
## TOST Upper -2.1216 14    0.026
##
## Effect Sizes
##           Estimate      SE          C.I. Conf. Level
## Raw          -0.01233 0.01285  [-0.035, 0.0103]      0.9
## Hedges's g(z) -0.23423 0.26249  [-0.6381, 0.1777]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").

# Type-Token Ratio: d=0.5
TOSTER::t_TOST(mean_ttr ~ group, data = TTR_calculations, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .5, eqbound_type = "SMD", alpha = .05)

##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = 0.98, p = 0.17
## The null hypothesis test was non-significant, t(14) = -0.96p = 0.35
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      -0.9597 14    0.353
## TOST Lower   0.9768 14    0.173
## TOST Upper -2.8962 14    0.006
##
## Effect Sizes
##           Estimate      SE          C.I. Conf. Level
## Raw          -0.01233 0.01285  [-0.035, 0.0103]      0.9
## Hedges's g(z) -0.23423 0.26249  [-0.6381, 0.1777]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").

# Type-Token Ratio: d=0.7
TOSTER::t_TOST(mean_ttr ~ group, data = TTR_calculations, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)

##
## Paired t-test
##
## The equivalence test was non-significant, t(14) = 1.75, p = 0.05
## The null hypothesis test was non-significant, t(14) = -0.96p = 0.35
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: don't reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      -0.9597 14    0.353
## TOST Lower   1.7514 14    0.051
## TOST Upper -3.6708 14    0.001
##
## Effect Sizes

```

```
##           Estimate      SE          C.I. Conf. Level
## Raw      -0.01233 0.01285  [-0.035, 0.0103]          0.9
## Hedges's g(z) -0.23423 0.26249 [-0.6381, 0.1777]          0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Proportion of Highly Visual Words: d=0.3
```

```
TOSTER::t_TOST(prop_Visual ~ group, data = sensory_props_wide, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was significant, t(14) = -1.9, p = 0.04
## The null hypothesis test was non-significant, t(14) = 0.778p = 0.45
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.7776 14  0.450
## TOST Lower  3.4887 14  0.002
## TOST Upper -1.9335 14  0.037
##
## Effect Sizes
##           Estimate      SE          C.I. Conf. Level
## Raw          0.01399 0.01799 [-0.0177, 0.0457]          0.9
## Hedges's g(z) 0.18980 0.26103 [-0.2192, 0.5922]          0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

```
# Proportion of Highly Visual Words: d=0.5
```

```
TOSTER::t_TOST(prop_Visual ~ group, data = sensory_props_wide, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)
```

```
##
## Paired t-test
##
## The equivalence test was significant, t(14) = -1.9, p = 0.04
## The null hypothesis test was non-significant, t(14) = 0.778p = 0.45
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.7776 14  0.450
## TOST Lower  3.4887 14  0.002
## TOST Upper -1.9335 14  0.037
##
## Effect Sizes
##           Estimate      SE          C.I. Conf. Level
## Raw          0.01399 0.01799 [-0.0177, 0.0457]          0.9
## Hedges's g(z) 0.18980 0.26103 [-0.2192, 0.5922]          0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```




```
# Proportion of Highly Visual Words, d=0.7
TOSTER::t_TOST(prop_Visual ~ group, data = sensory_props_wide, hypothesis = "EQU", paired = TRUE,
               var.equal = TRUE, eqb = .7, eqbound_type = "SMD", alpha = .05)
```


```
##
## Paired t-test
##
## The equivalence test was significant, t(14) = -1.9, p = 0.04
## The null hypothesis test was non-significant, t(14) = 0.778p = 0.45
## NHST: don't reject null significance hypothesis that the effect is equal to zero
## TOST: reject null equivalence hypothesis
##
## TOST Results
##           t df p.value
## t-test      0.7776 14   0.450
## TOST Lower  3.4887 14   0.002
## TOST Upper -1.9335 14   0.037
##
## Effect Sizes
##           Estimate      SE      C.I. Conf. Level
## Raw           0.01399 0.01799 [-0.0177, 0.0457]      0.9
## Hedges's g(z) 0.18980 0.26103 [-0.2192, 0.5922]      0.9
## Note: SMD confidence intervals are an approximation. See vignette("SMD_calcs").
```

## Age Interactions

Quantity




| term                  | estimate | std.error | statistic | p.value |
|-----------------------|----------|-----------|-----------|---------|
| (Intercept)           | 831.32   | 260.89    | 3.19      | .004    |
| groupBlind            | 515.61   | 364.94    | 1.41      | .170    |
| Age_months            | 13.96    | 14.34     | 0.97      | .339    |
| groupBlind:Age_months | -31.85   | 20.22     | -1.57     | .127    |




| term                  | estimate | std.error | statistic | p.value |
|-----------------------|----------|-----------|-----------|---------|
| (Intercept)           | 2,662.53 | 545.85    | 4.88      | < .001  |
| groupBlind            | -753.27  | 763.56    | -0.99     | .333    |
| Age_months            | -22.34   | 30.00     | -0.74     | .463    |
| groupBlind:Age_months | 27.86    | 42.31     | 0.66      | .516    |

Interaction




| term                  | estimate | std.error | statistic | p.value |
|-----------------------|----------|-----------|-----------|---------|
| (Intercept)           | 6.67     | 10.32     | 0.65      | .524    |
| groupBlind            | 10.92    | 14.44     | 0.76      | .456    |
| Age_months            | 1.78     | 0.57      | 3.14      | .004    |
| groupBlind:Age_months | -0.81    | 0.80      | -1.01     | .323    |




| term                  | estimate | std.error | statistic | p.value |
|-----------------------|----------|-----------|-----------|---------|
| (Intercept)           | 0.39     | 0.11      | 3.66      | .001    |
| groupBlind            | 0.05     | 0.15      | 0.31      | .756    |
| Age_months            | 0.01     | 0.01      | 1.85      | .076    |
| groupBlind:Age_months | 0.00     | 0.01      | -0.45     | .656    |

Linguistic




| term                  | estimate | std.error | statistic | p.value |
|-----------------------|----------|-----------|-----------|---------|
| (Intercept)           | 0.60     | 0.02      | 33.05     | < .001  |
| groupBlind            | 0.02     | 0.03      | 0.61      | .550    |
| Age_months            | 0.00     | 0.00      | 1.58      | .127    |
| groupBlind:Age_months | 0.00     | 0.00      | -0.12     | .908    |




| term                  | estimate | std.error | statistic | p.value |
|-----------------------|----------|-----------|-----------|---------|
| (Intercept)           | 4.99     | 0.48      | 10.37     | < .001  |
| groupBlind            | -0.07    | 0.67      | -0.11     | .912    |
| Age_months            | 0.00     | 0.03      | -0.04     | .971    |
| groupBlind:Age_months | 0.04     | 0.04      | 1.06      | .300    |

## Conceptual





| term                                        | estimate | std.error | statistic | p.value |
|---------------------------------------------|----------|-----------|-----------|---------|
| (Intercept)                                 | 0.45     | 0.02      | 22.96     | < .001  |
| ModalityAuditory                            | -0.39    | 0.03      | -14.26    | < .001  |
| ModalityGustatory                           | -0.45    | 0.03      | -16.22    | < .001  |
| ModalityHaptic                              | -0.45    | 0.03      | -16.21    | < .001  |
| ModalityInteroceptive                       | -0.44    | 0.03      | -16.10    | < .001  |
| ModalityMultimodal                          | -0.01    | 0.03      | -0.46     | .645    |
| ModalityOlfactory                           | -0.45    | 0.03      | -16.18    | < .001  |
| ModalityVisual                              | -0.39    | 0.03      | -14.23    | < .001  |
| groupBlind                                  | -0.03    | 0.03      | -0.98     | .328    |
| Age_months                                  | 0.00     | 0.00      | -3.65     | < .001  |
| ModalityAuditory:groupBlind                 | 0.05     | 0.04      | 1.30      | .194    |
| ModalityGustatory:groupBlind                | 0.03     | 0.04      | 0.69      | .492    |
| ModalityHaptic:groupBlind                   | 0.03     | 0.04      | 0.77      | .444    |
| ModalityInteroceptive:groupBlind            | 0.03     | 0.04      | 0.73      | .464    |
| ModalityMultimodal:groupBlind               | 0.00     | 0.04      | 0.06      | .954    |
| ModalityOlfactory:groupBlind                | 0.03     | 0.04      | 0.73      | .464    |
| ModalityVisual:groupBlind                   | 0.05     | 0.04      | 1.27      | .206    |
| ModalityAuditory:Age_months                 | 0.00     | 0.00      | 2.35      | .020    |
| ModalityGustatory:Age_months                | 0.00     | 0.00      | 2.58      | .011    |
| ModalityHaptic:Age_months                   | 0.00     | 0.00      | 2.64      | .009    |
| ModalityInteroceptive:Age_months            | 0.00     | 0.00      | 2.60      | .010    |
| ModalityMultimodal:Age_months               | 0.00     | 0.00      | 3.14      | .002    |
| ModalityOlfactory:Age_months                | 0.00     | 0.00      | 2.58      | .011    |
| ModalityVisual:Age_months                   | 0.01     | 0.00      | 4.77      | < .001  |
| groupBlind:Age_months                       | 0.00     | 0.00      | 1.75      | .082    |
| ModalityAuditory:groupBlind:Age_months      | 0.00     | 0.00      | -1.68     | .095    |
| ModalityGustatory:groupBlind:Age_months     | 0.00     | 0.00      | -1.24     | .217    |
| ModalityHaptic:groupBlind:Age_months        | 0.00     | 0.00      | -1.26     | .210    |
| ModalityInteroceptive:groupBlind:Age_months | 0.00     | 0.00      | -1.27     | .207    |
| ModalityMultimodal:groupBlind:Age_months    | 0.00     | 0.00      | -0.93     | .353    |
| ModalityOlfactory:groupBlind:Age_months     | 0.00     | 0.00      | -1.25     | .213    |
| ModalityVisual:groupBlind:Age_months        | 0.00     | 0.00      | -2.26     | .025    |



| term                  | estimate | std.error | statistic | p.value |
|-----------------------|----------|-----------|-----------|---------|
| (Intercept)           | 0.32     | 0.03      | 9.44      | < .001  |
| groupBlind            | -0.01    | 0.05      | -0.30     | .765    |
| Age_months            | 0.00     | 0.00      | -0.89     | .384    |
| groupBlind:Age_months | 0.00     | 0.00      | 1.52      | .141    |