





EVERY TIME.




Cummins Industrial Engine




4B Series

- **High fuel efficiency** 20% fewer oil consumption than Other competitive products.
- **The turbo charger with wastegated design** optimizes operation across the torque curve resulting in excellent low-end torque.
- **Compacted yet durable and dependable engine** B series engine contains up to 40% fewer parts than competitive engines in its class. this result in a better power to weight ration, a less chance of failure and lower repair cost.
- **Advanced design and manufacturing** make the engine delivers superior performance and lower cost than competitive engines.
- **Excellent cold start performance** optional assistant cold starter with improved 6kw starter and intake air heater
- **Excellent performance and advantage** adopt advanced design to achieve higher horse power and lower weight horsepower per liter reached 24,9 Kw/l




6B Series

- **High fuel efficiency** 20% fewer oil consumption than Other competitive products.
- **The turbo charger with wastegated design** optimizes operation across the torque curve resulting in excellent low-end torque.
- **Compacted yet durable and dependable engine** B series engine contains up to 40% fewer parts than competitive engines in its class. this result in a better power to weight ration, a less chance of failure and lower repair cost.
- **Advanced design and manufacturing** make the engine delivers superior performance and lower cost than competitive engines.
- **Excellent cold start performance** optional assistant cold starter with improved 6,6kw starter and intake air heater
- **Excellent performance and advantage** adopt advanced design to achieve higher horse power and lower weight horsepower per liter reached 22,4 Kw/l



C Series

- **High fuel efficiency** 20% fewer oil consumption than Other competitive products.
- **The turbo charger with wastegated design** optimizes operation across the torque curve resulting in excellent low-end torque.
- **Compacted yet durable and dependable engine** B series engine contains up to 40% fewer parts than competitive engines in its class. this result in a better power to weight ration, a less chance of failure and lower repair cost.
- **Advanced design and manufacturing** make the engine delivers superior performance and lower cost than competitive engines.
- **Excellent cold start performance** optional assistant cold starter with improved 7,8kw starter and intake air heater
- **Excellent performance and advantage** adopt advanced design to achieve higher horse power and lower weight horsepower per liter reached 23,0 Kw/l



L Series

- **24 Valve cylinder head** for increased air flow improved low end torque and response, higher power density improved fuel consumption and improved emissions.
- **heavy duty features** repiaceable wet liners, roller followers, 2 piece steel articulated pistons, by pass oil filtration and targeted piston cooling.
- **Durable and dependable** articulated pistons with a forged steel crown and aluminum skirt for high durability.
- **Excellent performance and advantage** adopt advanced design to achieve higher horsepower and lower height. horsepower per liter reached 23,0Kw/l

PRODUCTS.

Ratings

	Mode	Power kW/r/min	Torque N.m/r/min
B3.9	4BT3.9-C80	60/2900	330/1500
	4BT3.9-C100	75/2900	330/1500
	4BT3.9-C105	77/2900	330/1500
	4BTA3.9-C110	82/2900	460/1400
	4BTA3.9-C125	93/2900	475/1500
	4BTA3.9-C130	97/2900	475/1500
B5.9 (6BT)	6BT5.9-C115	85/2900	430/1500
	6BT5.9-C120	87/2900	436/1500
	6BT5.9-C125	92/2900	425/1500
	6BT5.9-C130	97/2900	560/1500
	6BT5.9-C135	100/2900	570/1500
	6BT5.9-C135	100/2900	590/1500
	6BT5.9-C135	100/2900	560/1500
	6BT5.9-C145	106/2900	580/1500
	6BT5.9-C150	110/2900	560/1500
	6BT5.9-C150	112/2900	565/1500
	6BT5.9-C150	110/2900	580/1500
	6BT5.9-C150	112/2900	580/1500

	Mode	Power kW/r/min	Torque N.m/r/min
B5.9 (6BTA)	6BTA5.9-C150	112/2900	630/1400
	6BTA5.9-C155	114/2900	637/1500
	6BTA5.9-C170	125/2900	630/1400
	6BTA5.9-C175	128/2900	680/1500
	6BTA5.9-C180	132/2900	750/1500
C8.3	6CTA8.3-C145	105/2900	674/1400
	6CTA8.3-C175	128/2900	820/1100
	6CTA8.3-C180	134/2900	837/1400
	6CTA8.3-C195	145/2900	820/1500
	6CTA8.3-C215	160/2900	908/1500
	6CTA8.3-C215	160/2900	908/1500
	6CTA8.3-C230	172/2900	1000/1500
	6CTA8.3-C245	179/2900	1028/1500
L8.9	6LTAA8.9-C325	250/2900	1350/1400



PT. BERJAYA MAKMUR INDONESIA

Komplek DDN, Jl Danau Cibubur Asri II, Kav.23, Harjamukti,
Cimanggis, Kota Depok, Jawa Barat 16454
Email : berjayamakmur99@gmail.com
Website : <http://www.arthur.comli.com>