90

100

80


100

Start: Dec 30, 9:59:40.663 PM End: Dec 30, 10:01:56.235 PM **Duration: 2 m 15.572 s** Scenarios **Features** Steps PASSED - 0 PASSED - 1 PASSED - 14 SKIPPED - 0 SKIPPED - 0 SKIPPED - 169 11 27 209 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80

90


| Feature | | Scenario | | | | Step | | | | |
|-----------------------------------|--------------|----------|---|---|---|------|----|---|----|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Grade Levels Functionality | 1 m 12.642 s | 3 | 1 | 2 | 0 | 22 | 12 | 2 | 8 | |
| Position Categories Functionality | 1 m 2.670 s | 3 | 0 | 3 | 0 | 20 | 2 | 3 | 15 | |
| Attestations Functionality | 0.026 s | 3 | 0 | 3 | 0 | 22 | 0 | 3 | 19 | |
| Document Types Functionality Test | 0.024 s | 3 | 0 | 3 | 0 | 24 | 0 | 3 | 21 | |
| Fields Functionality Test | 0.026 s | 3 | 0 | 3 | 0 | 22 | 0 | 3 | 19 | |
| Position Functionality | 0.024 s | 3 | 0 | 3 | 0 | 22 | 0 | 3 | 19 | |
| SubjectCategories Functionality | 0.024 s | 3 | 0 | 3 | 0 | 22 | 0 | 3 | 19 | |
| Departments Fuctionality | 0.004 s | 1 | 0 | 1 | 0 | 14 | 0 | 1 | 13 | |
| Departments School Locations | 0.007 s | 1 | 0 | 1 | 0 | 15 | 0 | 1 | 14 | |
| BankAccounts Functionality | 0.031 s | 3 | 0 | 3 | 0 | 23 | 0 | 3 | 20 | |
| Login Functionality | 0.002 s | 1 | 0 | 1 | 0 | 3 | 0 | 1 | 2 | |

FEATURES SUMMARY -- 3 --




| # | Feature Name | T | P | F | S | Duration |
|----|-----------------------------------|---|---|---|---|--------------|
| 1 | Grade Levels Functionality | 3 | 1 | 2 | 0 | 1 m 12.642 s |
| 2 | Position Categories Functionality | 3 | 0 | 3 | 0 | 1 m 2.670 s |
| 3 | Attestations Functionality | 3 | 0 | 3 | 0 | 0.026 s |
| 4 | Document Types Functionality Test | 3 | 0 | 3 | 0 | 0.024 s |
| 5 | Fields Functionality Test | 3 | 0 | 3 | 0 | 0.026 s |
| 6 | Position Functionality | 3 | 0 | 3 | 0 | 0.024 s |
| 7 | SubjectCategories Functionality | 3 | 0 | 3 | 0 | 0.024 s |
| 8 | Departments Fuctionality | 1 | 0 | 1 | 0 | 0.004 s |
| 9 | Departments School Locations | 1 | 0 | 1 | 0 | 0.007 s |
| 10 | BankAccounts Functionality | 3 | 0 | 3 | 0 | 0.031 s |

FEATURES SUMMARY -- 4




| # | Feature Name | T | P | F | S | Duration |
|----|---------------------|---|---|---|---|----------|
| 11 | Login Functionality | 1 | 0 | 1 | 0 | 0.002 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------------|----------------------------|----|----|---|---|----------|
| 1 | Grade Levels Functionality | Create Grade Levels | 10 | 10 | 0 | 0 | 9.717 s |
| 2 | Grade Levels Functionality | Edit Grade Levels | 6 | 1 | 1 | 4 | 31.631 s |
| 3 | Grade Levels Functionality | Delete Grade Levels | 6 | 1 | 1 | 4 | 31.254 s |
| 4 | Position Categories Functionality | Create Position Categories | 8 | 1 | 1 | 6 | 31.261 s |
| 5 | Position Categories Functionality | Edit Position Categories | 7 | 1 | 1 | 5 | 31.386 s |
| 6 | Position Categories Functionality | Delete Position Categories | 5 | 0 | 1 | 4 | 0.006 s |
| 7 | Attestations Functionality | Add Attestations | 8 | 0 | 1 | 7 | 0.006 s |
| 8 | Attestations Functionality | Edit Attestations | 8 | 0 | 1 | 7 | 0.004 s |
| 9 | Attestations Functionality | Delete Attestations | 6 | 0 | 1 | 5 | 0.003 s |
| 10 | Document Types Functionality Test | Add Document Types | 10 | 0 | 1 | 9 | 0.004 s |

SCENARIOS SUMMARY -- 6 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------------|-----------------------|---|---|---|---|----------|
| 11 | Document Types Functionality Test | Edit Document Types | 8 | 0 | 1 | 7 | 0.004 s |
| 12 | Document Types Functionality Test | Delete Document Types | 6 | 0 | 1 | 5 | 0.004 s |
| 13 | Fields Functionality Test | Add Fields | 8 | 0 | 1 | 7 | 0.003 s |
| 14 | Fields Functionality Test | Edit Fields | 8 | 0 | 1 | 7 | 0.004 s |
| 15 | Fields Functionality Test | Delete Fields | 6 | 0 | 1 | 5 | 0.004 s |
| 16 | Position Functionality | Add Position | 8 | 0 | 1 | 7 | 0.003 s |
| 17 | Position Functionality | Edit Position | 8 | 0 | 1 | 7 | 0.005 s |
| 18 | Position Functionality | Delete Position | 6 | 0 | 1 | 5 | 0.005 s |
| 19 | SubjectCategories Functionality | Add Position | 8 | 0 | 1 | 7 | 0.004 s |
| 20 | SubjectCategories Functionality | Edit Position | 8 | 0 | 1 | 7 | 0.003 s |


SCENARIOS SUMMARY -- 7 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------------------|--|----|---|---|----|----------|
| 21 | SubjectCategories Functionality | Delete Position | 6 | 0 | 1 | 5 | 0.003 s |
| 22 | Departments Fuctionality | Add Departments | 14 | 0 | 1 | 13 | 0.004 s |
| 23 | Departments School Locations | Add School Locations | 15 | 0 | 1 | 14 | 0.007 s |
| 24 | BankAccounts Functionality | Create BankAccounts | 10 | 0 | 1 | 9 | 0.010 s |
| 25 | BankAccounts Functionality | Edit Bank Accounts | 7 | 0 | 1 | 6 | 0.004 s |
| 26 | BankAccounts Functionality | Delete Bank Accounts | 6 | 0 | 1 | 5 | 0.004 s |
| 27 | Login Functionality | Login with valid username and password | 3 | 0 | 1 | 2 | 0.002 s |

DETAILED SECTION -- 8 --

Grade Levels Functionality




Create Grade Levels



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to campus | PASSED | 3.918 s |
| 2 | When Enter username and password click login button | PASSED | 1.710 s |
| 3 | Then User should login successfully | PASSED | 0.674 s |
| 4 | And Click on the element in left nav | PASSED | 1.400 s |
| | setupOne parametersG gradeLevels | | |
| 5 | And Click on the element in the Dialog | PASSED | 0.653 s |
| | addButton | | |
| 6 | And User sending the keys in Dialog content | PASSED | 0.432 s |
| | nameInputgulGL01shortName_5ggl01order1 | | |
| 7 | And Click on the element in the Dialog | PASSED | 0.206 s |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | schools schoolsOption | | |
| 8 | And Click on the tab in the Dialog | PASSED | 0.038 s |
| 9 | And Click on the element in the Dialog | PASSED | 0.120 s |
| | saveButton | | |
| 10 | Then Success message should be displayed | PASSED | 0.555 s |

Edit Grade Levels




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | PASSED | 1.355 s |
| 2 | When Enter username and password click login button | FAILED | 30.270 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By. cssSelector: input[formcontrolname='username]' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.waitUntilVisiable(Parent.java:36) at Pages.Parent.sendKeysFunction(Parent.java:21) at Pages.DialogContent.findAndSend(DialogContent.java:156) at StepDefinitions.LoginSteps.enterUsernameAndPasswordClickLoginButton(LoginSteps.java:20) at ?.Enter username and password click login button(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/ 10_GradeLevels.feature:5) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"input[formcontrolname='username]"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, findElement {using=css selector, value=input[formcontrolname='username]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo. | | |
| | , se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at Pages.Parent.waitUntilVisiable(Parent.java:36) | | |
| | at Pages.Parent.sendKeysFunction(Parent.java:21) | | |
| | at Pages.DialogContent.findAndSend(DialogContent.java:156) | | |
| | at StepDefinitions.LoginSteps.enterUsernameAndPasswordClickLoginButton(LoginSteps.java:20) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84) | | |
| | at org.testng.internal.Invoker.invokeMethod(Invoker.java:714) | | |
| | at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901) | | |
| | at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:767) | | |
| | at org.testng.TestRunner.run(TestRunner.java:617) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:334) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:240) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1149) | | |
| | at org.testng.TestNG.run(TestNG.java:1057) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Click on the element in left nav | SKIPPED | 0.000 s |
| | setupOne | | |
| | parametersG | | |
| | gradeLevels | | |
| 5 | And User edit item from Dialog content | SKIPPED | 0.001 s |
| | nameInput gulGL02 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |

Delete Grade Levels




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to campus | PASSED | 1.219 s |
| 2 | When Enter username and password click login button | FAILED | 30.032 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By. cssSelector: input[formcontrolname='username]' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.timeoutException(WebDriverWait.java:87) at Pages.Parent.waitUntilVisiable(Parent.java:36) at Pages.Parent.sendKeysFunction(Parent.java:21) at Pages.DialogContent.findAndSend(DialogContent.java:21) at Pages.DialogContent.findAndSend(DialogContent.java:156) at StepDefinitions.LoginSteps.enterUsernameAndPasswordClickLoginButton(LoginSteps.java:20) at ?.Enter username and password click login button(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/10_GradeLevels.feature:5) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector": "input[formcontrolname='username']"] (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0'.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, findElement {using=css selector, value=input[formcontrolname='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0a3868ee06, userDataDir: C:Ubsers\userlappData\userlappData\userlappCoal}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWs, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, s | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at Pages.Parent.waitUntilVisiable(Parent.java:36) | | |
| | at Pages.Parent.sendKeysFunction(Parent.java:21) | | |
| | at Pages.DialogContent.findAndSend(DialogContent.java:156) | | |
| | at StepDefinitions.LoginSteps.enterUsernameAndPasswordClickLoginButton(LoginSteps.java:20) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |


DETAILED SECTION -- 14 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84) | | |
| | at org.testng.internal.Invoker.invokeMethod(Invoker.java:714) | | |
| | at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901) | | |
| | at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:767) | | |
| | at org.testng.TestRunner.run(TestRunner.java:617) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:334) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:240) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1149) | | |
| | at org.testng.TestNG.run(TestNG.java:1057) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Click on the element in left nav | SKIPPED | 0.000 s |
| | setupOne | | |
| | parametersG | | |
| | gradeLevels | | |
| 5 | And User delete item from Dialog without search | SKIPPED | 0.000 s |
| | | | |
| | deleteButton | | |
| | deleteDialogBtn | | |
| 6 | Then Success message should be displayed | SKIPPED | 0.001 s |
| | | | |

Position Categories Functionality



Create Position Categories




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | PASSED | 1.123 s |
| 2 | When Enter username and password click login button | FAILED | 30.135 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By. cssSelector: input[formcontrolname='username]' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.waitUntilVisiable(Parent.java:36) at Pages.Parent.sendKeysFunction(Parent.java:21) at Pages.DialogContent.findAndSend(DialogContent.java:156) at StepDefinitions.LoginSteps.enterUsernameAndPasswordClickLoginButton(LoginSteps.java:20) at ?.Enter username and password click login button(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/ 1_PositionCategories.feature:5) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"input[formcontrolname='username']} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, findElement {using=css selector, value=input[formcontrolname='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:Users\user\user\uperApData\user\user\uperApData\user\user\uperamentame", platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/levtoo, se:cdp/version: 108.0.5359.125, setWindowRect: true, strictFielInteractability: false, timeouts: {implicit: 0, pageLoad: 300000}, | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at Pages.Parent.waitUntilVisiable(Parent.java:36) | | |
| | at Pages.Parent.sendKeysFunction(Parent.java:21) | | |
| | at Pages.DialogContent.findAndSend(DialogContent.java:156) | | |
| | at StepDefinitions.LoginSteps.enterUsernameAndPasswordClickLoginButton(LoginSteps.java:20) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(TestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.testng.internal.MethodInvocationHelper.invokeMethodI(MethodInvocationHelper.java:84) at org.testng.internal.Invoker.invokeMethodI(Invoker.java:1714) at org.testng.internal.Invoker.invokeTestMethodS(Invoker.java:1231) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:1211) at org.testng.internal.TestMethodWorker.runCfestMethodWorker.java:111) at org.testng.internal.TestMethodWorker.runCfestMethodWorker.java:111) at org.testng.TestRunner.runTestRunner.java:317 at org.testng.SuiteRunner.runTestRunner.java:327) at org.testng.SuiteRunner.runTestRunner.java:317 at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) at org.testng.SuiteRunner.runSequentially(TestNG.java:1224) at org.testng.SuiteRunner.runSextern.fusiteRunner.java:329) at org.testng.SuiteRunner.fusite | | |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Position Categories humanResource_1 setup_1 positionCategory_1 | SKIPPED | 0.000 s |
| 5 | And Click on the element in the Position Categories addButton | SKIPPED | 0.000 s |
| 6 | And User sending the key in Position Categories nameInput Group_4 | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 7 | And Click on the element in the Position Categories | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Edit Position Categories




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | PASSED | 1.245 s |
| 2 | When Enter username and password click login button | FAILED | 30.140 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, findElement {using=css selector, value=input[formcontrolname='username']}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.endec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementF | | |

DETAILED SECTION -- 19 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy26.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4213) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4213) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at Pages.Parent.waitUntilVisiable(Parent.java:36) at Pages.Parent.waitUntilVisiable(Parent.java:21) at Pages.DialogContent.findAndSend(DialogContent.java:156) at StepDefinitions.LoginSteps.enterUsernameAndPasswordClickLoginButton(LoginSteps.java:20) at ?Enter username and password click login button(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/ 1_PositionCategories.feature:5) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Position Categories humanResource_1 setup_1 positionCategory_1 | SKIPPED | 0.000 s |
| 5 | And Click on the element in the Position Categories editButton | SKIPPED | 0.000 s |
| 6 | And User sending the key in Position Categories nameInput Group_44 | SKIPPED | 0.000 s |
| 7 | And Click on the element in the Position Categories saveButton | SKIPPED | 0.000 s |

Delete Position Categories

DETAILED SECTION -- 20 --



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get [url=https://lest.mersys.io/] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\user\AppData\user\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61197/devtoo, se.cdp/version: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {(implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/java.lang.reflect.Constructor.HandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:347) at org.openqa.selenium.remote.RemoteWebDriver.g | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | | | 0.000 s |
| - | Then User should login successfully | SKIPPED | |
| 4 | And Navigate to Position Categories | SKIPPED | 0.000 s |
| | humanResource_1 setup_1 | | |


DETAILED SECTION -- 21 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | positionCategory_1 | | |
| 5 | And Click on the element in the Position Categories | SKIPPED | 0.002 s |
| | deleteButton deleteDialogBtn | | |

Attestations Functionality

| FAILED DURATION - 0.026 s | Scenarios | | Steps | |
|--|-----------|---|------------|----|
| | Total - 3 | | Total - 22 | |
| / 10:01:55.995 PM // 10:01:56.021 PM / | Pass - 0 | 3 | Pass - 0 | 22 |
| | Fail - 3 | | Fail - 3 | |
| | Skip - 0 | | Skip - 19 | |

Add Attestations




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 | | |

DETAILED SECTION -- 22 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/2_Attestations.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Attestations | SKIPPED | 0.000 s |
| | humanResource_1 setup_1 attestations_1 | | |
| 5 | And Click on the element in the Attestations | SKIPPED | 0.000 s |
| | addButton | | |
| 6 | And User sending the key in Attestation | SKIPPED | 0.000 s |
| | nameInput Group_4 | | |
| 7 | And Click on the element in the Attestations | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Edit Attestations


DETAILED SECTION -- 23 --



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get [4rl=https://lest.mersys.io/] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\user\AppData\user\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdp\version: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:147) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.java:141) at ?.Navigate to campus(filez//C:Users/local/Pojects/CCP | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | | SKIPPED | 0.000 s |
| - | Then User should login successfully | | |
| 4 | And Navigate to Attestations humanResource_1 setup_1 | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | attestations_1 | | |
| 5 | And Click on the element in the Attestations | SKIPPED | 0.000 s |
| | editButton | | |
| 6 | And User sending the key in Attestation | SKIPPED | 0.000 s |
| | nameInput Group_4 is here | | |
| 7 | And Click on the element in the Attestations | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Delete Attestations




| | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| 1 | . | Given Navigate to campus | FAILED | 0.002 s |
| | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |


DETAILED SECTION -- 25 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/2_Attestations.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Attestations | SKIPPED | 0.000 s |
| | humanResource_1 setup_1 attestations_1 | | |
| 5 | And Click on the element in the Position Categories | SKIPPED | 0.000 s |
| | deleteButton deleteDialogBtn | | |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |

Document Types Functionality Test




Add Document Types



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get [url=https://lest.mersys.io/] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\user\AppData\user\Local}, goog:chromeOptions: (debuggerAddress: localhost:61197), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:61197/devtoo, sec.dp\version: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/java.lang.reflect.Constructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteW | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | | SKIPPED | 0.000 s |
| - | Then User should login successfully | | |
| 4 | When Navigate to Document Types setup parameters | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | documentTypes | | |
| 5 | And Click on the elements in the Document Types | SKIPPED | 0.000 s |
| | addButton | | |
| 6 | And Send keys in the Document Types | SKIPPED | 0.000 s |
| | nameInput Group_4 | | |
| 7 | And Click on the elements in the Document Types | SKIPPED | 0.000 s |
| | stageInput studentRegist | | |
| 8 | And switch to Save button | SKIPPED | 0.000 s |
| 9 | And Click on the elements in the Document Types | SKIPPED | 0.000 s |
| | saveButton | | |
| 10 | Then Success message should be displayed | SKIPPED | 0.001 s |

Edit Document Types




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |

DETAILED SECTION -- 28 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/3_DocumentTypes.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | When Navigate to Document Types | SKIPPED | 0.000 s |
| | setup parameters documentTypes | | |
| 5 | And Click on the elements in the Document Types | SKIPPED | 0.000 s |
| | editButton | | |
| 6 | And Send keys in the Document Types | SKIPPED | 0.000 s |
| | nameInput anotherName1 | | |
| 7 | And Click on the elements in the Document Types | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Delete Document Types

DETAILED SECTION -- 29 --



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:UsersluserAppDatalLocal}, goog.chromeOptions: {debuggerAddress: localhost:61197/devtoo, se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, urhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jaki.nternal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navig | | |
| 2 | * Not displayable characters are replaced by '?'. When Enter username and password click login button | SKIPPED | 0.000 s |
| _ | | | |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | When Navigate to Document Types | SKIPPED | 0.000 s |
| | setup parameters | | |


DETAILED SECTION -- 30 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | documentTypes | | |
| 5 | And Click on the elements in the Document Types | SKIPPED | 0.000 s |
| | deleteButton deleteDialogBtn | | |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |

Fields Functionality Test

| FAILED | DURATION - 0.026 s | Scenarios | | Steps | |
|----------------------|--------------------|-----------|-----|------------|----|
| | | Total - 3 | | Total - 22 | |
| / 10:01:56.066 PM // | 10:01:56.092 PM / | Pass - 0 | 3 | Pass - 0 | 22 |
| | | Fail - 3 | , J | Fail - 3 | |
| | | Skip - 0 | | Skip - 19 | |
| | | | | | |

Add Fields




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |

DETAILED SECTION -- 31 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.createException(W3cHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/4_Fields.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | When Navigate to Fields | SKIPPED | 0.000 s |
| | setup parameters fields | | |
| 5 | And Click on the elements in the Fields | SKIPPED | 0.000 s |
| | fieldsAddButton | | |
| 6 | And Send keys in the Fields | SKIPPED | 0.000 s |
| | nameInput newName1 | | |
| 7 | And Click on the elements in the Fields | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |


Edit Fields



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get [url=https://lest.mersys.io/] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\user\AppData\user\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61197/devtoo, se.cdp\version: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/java.lang.reflect.Constructor.HandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteW | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | When Navigate to Fields | SKIPPED | 0.000 s |
| | setup parameters | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | fields | | |
| 5 | And Click on the elements in the Fields | SKIPPED | 0.000 s |
| | editButton | | |
| 6 | And Send keys in the Fields | SKIPPED | 0.000 s |
| | nameInput anotherName1 | | |
| 7 | And Click on the elements in the Fields | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Delete Fields




| # | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| 1 | | Given Navigate to campus | FAILED | 0.003 s |
| | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |


DETAILED SECTION -- 34 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/4_Fields.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | Setup parameters fields | SKIPPED | 0.000 s |
| 5 | And Click on the elements in the Fields deleteButton deleteDialogBtn | SKIPPED | 0.000 s |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |

Position Functionality




Add Position



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 3g7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:UsersluserAppDataLocal), goog:chromeOptions: {debuggerAddress: localhost.61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost.61197/devtoo, se:cdp/version: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jaki.nternal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(D | | |
| 2 | * Not displayable characters are replaced by '?'. And Enter username and password click legin button | SKIPPED | 0.000 s |
| 2 | And Enter username and password click login button | | |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Positions Under HR Setup | SKIPPED | 0.000 s |
| | humanResource_1 setup_1 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | positions_5 | | |
| 5 | And Click on the element in the Positions | SKIPPED | 0.000 s |
| | addButton | | |
| 6 | And User sending the key in Positions | SKIPPED | 0.000 s |
| | nameInput Group_4_can shortName_5 candeneme | | |
| 7 | And Click on the element in the Positions | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |


Edit Position



| | # | Step / Hook Details | Status | Duration |
|---|-----|--|--------|----------|
| 1 | . [| Given Navigate to campus | FAILED | 0.004 s |
| | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/5_Positions.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | And Enter username and password click login button | SKIPPED | 0.001 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Positions Under HR Setup | SKIPPED | 0.000 s |
| | humanResource_1 setup_1 positions_5 | | |
| 5 | And Click on the element in the Positions | SKIPPED | 0.000 s |
| | editButton | | |
| 6 | And User sending the key in Positions | SKIPPED | 0.000 s |
| | nameInput Group_4_can_edit | | |
| 7 | And Click on the element in the Positions | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Delete Position




DETAILED SECTION -- 38 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session Info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\userNapDataL\userSuser\uperNapDataL\userSuser\uperNapDataL\userSuser\uperNapDataL\uperNapDataL\uperNa | | |
| 2 | And Enter username and password click login button | SKIPPED | 0.001 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Positions Under HR Setup humanResource_1 setup_1 positions_5 | SKIPPED | 0.000 s |
| 5 | And Click on the element in the Position Categories deleteButton deleteDialogBtn | SKIPPED | 0.000 s |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |

SubjectCategories Functionality

DETAILED SECTION -- 39 --



Add Position




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.121, debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WiNDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |

DETAILED SECTION -- 40 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C://Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/6_SubjectCategories.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | And Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to SubjectCategories Under Education Education_6 EducationSetup_6 SubjectCategories_6 | SKIPPED | 0.000 s |
| 5 | And Click on the element in the SubjectCategories addButton | SKIPPED | 0.001 s |
| 6 | And User sending the key in SubjectCategories nameInput Group_4_can code_6 candeneme | SKIPPED | 0.000 s |
| 7 | And Click on the element in the SubjectCategories saveButton | SKIPPED | 0.000 s |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Edit Position




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |

DETAILED SECTION -- 41 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:540) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at StepDefi | | |
| 2 | And Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to SubjectCategories Under Education Education_6 EducationSetup_6 SubjectCategories_6 | SKIPPED | 0.000 s |
| 5 | And Click on the element in the Positions editButton | SKIPPED | 0.000 s |
| 6 | And User sending the key in Positions nameInput Group_4_can_edit | SKIPPED | 0.000 s |
| 7 | And Click on the element in the Positions saveButton | SKIPPED | 0.000 s |
| 8 | Then Success message should be displayed | SKIPPED | 0.000 s |

Delete Position




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get (url=https://lest.mersys.io/)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\UserS\user\AppData\Local,), goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnable: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDr | | |
| 2 | And Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | | | 0.000 s |
| - | Then User should login successfully | SKIPPED | |
| 4 | And Navigate to Positions Under HR Setup Education_6 EducationSetup_6 | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | SubjectCategories_6 | | |
| 5 | And Click on the element in the Position Categories | SKIPPED | 0.000 s |
| | deleteButton deleteDialogBtn | | |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |

Departments Fuctionality

| FAILED | DURATION - 0.004 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 14 | |
| / 10:01:56.164 P | PM // 10:01:56.168 PM / | Pass - 0 | 1 | Pass - 0 | 14 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 13 | |
| | | | | | |

Add Departments



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | 3c7b74402d22714ef7350ced3dac2ac5 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.service.bnverCommandExecutor.execute(bnverCommandExecutor.java.142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java.310) | | |
| | at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) | | |
| | at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/7 Departments.feature:3) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to Departments | SKIPPED | 0.000 s |
| | setup school_setup_f departments_f | | |
| 5 | And Click on the element in the Departments | SKIPPED | 0.000 s |
| | addButton | | |
| 6 | And User sending the key in Departments | SKIPPED | 0.000 s |
| | nameInput Group_4 code_f 1234 | | |
| 7 | And Click on the element in the Departments | SKIPPED | 0.000 s |
| | saveButton | | |
| 8 | And Success message should be displayed | SKIPPED | 0.000 s |
| 9 | And Click on the element in the Departments | SKIPPED | 0.000 s |
| | editButton | | |
| 10 | And User sending the key in Departments | SKIPPED | 0.000 s |
| | nameInput Group_04 | | |
| 11 | And Click on the element in the Departments | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | saveButton | | |
| 12 | And Success message should be displayed | SKIPPED | 0.000 s |
| 13 | And Click on the element in the Departments | SKIPPED | 0.000 s |
| | deleteButton deleteDialogBtn | | |
| 14 | Then Success message should be displayed | SKIPPED | 0.000 s |

Departments School Locations

| FAILED | DURATION - 0.007 s | Scenarios | | Steps | |
|----------------------|--------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 15 | |
| / 10:01:56.176 PM // | 10:01:56.183 PM / | Pass - 0 | 1 | Pass - 0 | 15 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 14 | |

Add School Locations



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) | | |
| | at StepDelinitions.LoginSteps.havigate rocampus(LoginSteps.java.14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/8_SchoolLocations.feature:3) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to School Locations setup school_setup_f locations_f | SKIPPED | 0.000 s |
| 5 | And Click on the element in the School Locations addButton | SKIPPED | 0.000 s |
| 6 | And User sending the key in School Locations nameInput Group_4 shortname_f G4 capacity_8 50 | SKIPPED | 0.000 s |
| 7 | And Click on the element in the Form Content locationtype selecttype | SKIPPED | 0.000 s |
| 8 | And Click on the element in the School Locations saveButton | SKIPPED | 0.000 s |
| 9 | And Success message should be displayed | SKIPPED | 0.001 s |
| 10 | And Click on the element in the School Locations | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | editButton | | |
| 11 | And User sending the key in School Locations | SKIPPED | 0.000 s |
| | nameInput Group_04 | | |
| 12 | And Click on the element in the School Locations | SKIPPED | 0.000 s |
| | saveButton | | |
| 13 | And Success message should be displayed | SKIPPED | 0.000 s |
| 14 | And Click on the element in the School Locations | SKIPPED | 0.000 s |
| | deleteButton deleteDialogBtn | | |
| 15 | Then Success message should be displayed | SKIPPED | 0.000 s |

BankAccounts Functionality

| FAILED | DURATION - 0.031 s | Scenarios | | Steps | |
|----------------|-------------------------|-----------|-----|------------|----|
| | | Total - 3 | | Total - 23 | |
| / 10:01:56.198 | PM // 10:01:56.229 PM / | Pass - 0 | 3 | Pass - 0 | 23 |
| | | Fail - 3 | , J | Fail - 3 | 20 |
| | | Skip - 0 | | Skip - 20 | |

Create BankAccounts


| Olouto | Damin tooodinto | | | | | | | | | | | | | | |
|----------------|---------------------------|------|---|---|---|---|---|---|---|---|---|---|----|------------|----|
| FAILED | DURATION - 0.010 s | 0.15 | 7 | - | - | - | - | - | | - | | - | | Steps | |
| / 10,01,50 100 | DM // 10:01:FC 200 DM / | | | | | | | | | | | | | Total - 10 | |
| / 10:01:56.198 | 3 PM // 10:01:56.208 PM / | 0.1 | | | | | | | | | | | | Pass - 0 | |
| BankAccounts | Functionality | .05 | - | | | | ; | ! | | | | | | Fail - 1 | 10 |
| | | | | | | | | | | | - | | | Skip - 9 | |
| | | 0 | 1 | - | | L | ' | ! | | | | ' | ! | | |
| | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | |
| | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/j} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.17 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(HttpCommandExecutor.java:144) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file://IC:Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/9 BankAccounts.feature:4) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Click on the element in left nav setupOne parametersG bankAccounts | SKIPPED | 0.000 s |
| 5 | And Click on the element in the Dialog addButton | SKIPPED | 0.000 s |
| 6 | And User sending the keys in Dialog content nameInput gulB11 ibanInput BA11 | SKIPPED | 0.000 s |
| 7 | And Click on the element in the Dialog currency1 currencyUSD | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 8 | And User sending the keys in Dialog content | SKIPPED | 0.000 s |
| | integrationCodeBA BA111 | | |
| 9 | And Click on the element in the Dialog | SKIPPED | 0.000 s |
| | saveButton | | |
| 10 | Then Success message should be displayed | SKIPPED | 0.000 s |

Edit Bank Accounts




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org. openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) | PAILED | 0.003 \$ |

DETAILED SECTION -- 50 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/9_BankAccounts.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Click on the element in left nav setupOne parametersG bankAccounts | SKIPPED | 0.000 s |
| 5 | And User search before edit item from Dialog content searchInput gulB11 | SKIPPED | 0.000 s |
| 6 | And User edit item from Dialog content nameInput gul1 | SKIPPED | 0.000 s |
| 7 | Then Success message should be displayed | SKIPPED | 0.000 s |

Delete Bank Accounts




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:61197}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |

DETAILED SECTION -- 51 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61197/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c7b74402d22714ef7350ced3dac2ac5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions.LoginSteps.navigateToCampus(LoginSteps.java:14) at ?.Navigate to campus(file:///C:/Users/user/IdeaProjects/CP%20Project/src/test/java/FeatureFiles/9_BankAccounts.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Click on the element in left nav setupOne parametersG bankAccounts | SKIPPED | 0.000 s |
| 5 | And User delete item from Dialog gul1 | SKIPPED | 0.000 s |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |

Login Functionality



DETAILED SECTION -- 52 --

Login with valid username and password



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Navigate to campus | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c7b74402d22714ef7350ced3dac2ac5, get {url=https://test.mersys.io/}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:Ulsers\u00eduser\u00edppDataLl.coal | | |
| 2 | When Enter username and password click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |