

## 1 Welcome to CS 61B

The semester has just started and the CS 61B staff are adding some finishing touches to the course infrastructure, but they need your help! You'll need to use the `CS61BStudent` class as defined in the slides, copied below for your convenience.

```
public class CS61BStudent { // Class Declaration
    public int idNumber; // Instance Variables
    public int grade;
    public static String instructor = "Hug"; // Class (Static) Variables

    public CS61BStudent(int id) { // Constructor
        this.idNumber = id;
        this.grade = 100;
    }

    public void watchLecture() { // Instance Method
        ...
    }

    public static String getInstructor() { // Static Method
        ...
    }
}
```

All of the following parts involve filling in the CS61B class on page 3. You may use any of the types discussed in lecture. It's up to you to decide which types would work best for each variable and method signature!

- (a) We need to declare (also possibly instantiate and assign!) a few important variables. Recall that variables in the body of the class are compiled even before the constructor fully creates an instance of the class; in other words, carefully consider what information we have access to. Define the following variables within the class:
  1. **university**: the name of the university, which should be “UC Berkeley” **for all semesters of CS61B**
  2. **semester**: the semester that the course is being taught
  3. **students**: the CS61BStudents enrolled in this semester's CS61B. Remember that the course has a fixed capacity!
- (b) Each CS61B instance represents one semester of the course. Create a constructor that takes in a **capacity** for the maximum number of students enrollable, an array **signups** consisting of the students who signed up for the course (in order), and the **semester** (e.g. “Fall 2023”).  
 In the constructor, we want to enroll **capacity** students from **signups** and initialize the **semester** instance variable.  
*Hint: We have both a constructor variable and instance variable named semester. How can we distinguish them?*
- (c) Let's now implement some highly-requested features as methods. Consider what the method should return, its argument types, whether it should be **static**, etc.
  1. **makeStudentsWatchLecture**: makes every CS61BStudent *enrolled* in this semester of the course watch lecture (excluding waitlisted students).
  2. **changeUniversity**: takes in a new university name **newUniversity**. Changes the **university for all semesters of CS61B** to **newUniversity**
- (d) Modify your existing implementation to support **expand**, which allows our infrastructure to handle course expansions. Whenever the course expands, students that were originally waitlisted should be enrolled, up until the new capacity.

*Challenge:* Support course expansions without additional usages of **new**.

