

2023-03-08

1.create project student

```
composer create-project laravel/laravel example-app
```

```
composer create-project laravel/laravel student
```

安裝指定版本

```
composer create-project laravel/laravel=8.* blog
```

2.進入laravel folder

```
cd student
```

pwd 看現在的位置

```
spatie/laravel-ignition .....  
..... DONE  
  
80 packages you are using are looking for funding.  
Use the `composer fund` command to find out more!  
> @php artisan vendor:publish --tag=laravel-assets --ansi --force  
  
[INFO] No publishable resources for tag [laravel-assets].  
  
No security vulnerability advisories found  
> @php artisan key:generate --ansi  
  
[INFO] Application key set successfully.  
  
user@Teacher MINGW64 /c/kai_web2022  
$ pwd  
/c/kai_web2022  
  
user@Teacher MINGW64 /c/kai_web2022
```

error

```
user@Teacher MINGW64 /c/kai_web2022
$ php artisan
Could not open input file: artisan
```

right

```
user@Teacher MINGW64 /c/kai_web2022
$ cd student

user@Teacher MINGW64 /c/kai_web2022/student
$
```


```
user@Teacher MINGW64 /c/kai_web2022/student
$ php artisan
Laravel Framework 10.3.0

Usage:
  command [options] [arguments]

Options:
  -h, --help            Display help for the given command. When no command
given display help for the list command
  -q, --quiet           Do not output any message
  -V, --version          Display this application version
      --ansi|--no-ansi  Force (or disable --no-ansi) ANSI output
  -n, --no-interaction  Do not ask any interactive question
      --env[=ENV]       The environment the command should run under
```

3.xampp http.conf

DocumentRoot "C:/kai_web2022/student/public"
<Directory "C:/kai_web2022/student/public">



4.route ? controller

php artisan make:controller PhotoController --resource

php artisan make:controller StudentController --resource

php artisan make:controller HotelController --resource

如果建立Xxxxxcontroller 出現失敗畫面git bash內
route erro message

web.php

把Xxxxxcontroller 先註解起來

5.route web.php link controller
route.php 5.2

web.php 5.6

```
use App\Http\Controllers\PhotoController;  
Route::resource('photos', PhotoController::class);
```


```
use App\Http\Controllers\StudentController;
```

```
Route::resource('students',  
PhotoController::class);
```

5. 網址記得 複數

localhost/students

error



6.view

```
student/index.blade.php
```

7. controller 自定義

action/method/function/public function

```
StudentController  
    public function excel()
```

```
{  
    dd('hello student excel');  
}
```

```
看官往 basic controller  
web.php  
Route::get('/user/{id}',  
[UserController::class, 'show']);
```

7.php artisan route:list

8. 暫存頁面清除

php artisan view:cache

php artisan view:clear

9.blade layouts

```
<html>
<head>
  <title>App Name - @yield('title')</title>
</head>
<body>
  @section('sidebar')
    This is the master sidebar.
  @show

  <div class="container">
    @yield('content')
  </div>
</body>
</html>
```

app.blade.php

```
@extends('layouts.app')

@section('title', 'Page Title')

@section('sidebar')
  @parent
  <p>This is appended to the master sidebar.</p>
@endsection

@section('content')
  <p>This is my body content.</p>
@endsection
```

child.blade.php

app.blade.php

child.blade.php

```
1 @extends('layouts.appHotel')
2
3 @section('title', 'F1 Title')
4
5 @section('content')
6   <p>
7     hello F1 中式料理
8   </p>
9 @endsection
10
11
12
13
```

```
56
57 /**
58  * Remove the specified
59  * resource from storage.
60  */
61 public function destroy(string
62   $id)
63 {
64   //
65 }
66
67 public function f1()
68 {
69   return view('hotel.f1');
70 }
71
72 public function f2()
73 {
74   return view('hotel.f2');
75 }
76
77 public function f3()
78 {
79   return view('hotel.f1');
80 }
81 }
```

```
1 <!DOCTYPE html>
2 <html Lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport"
6     content="width=device-width,
7     initial-scale=1.0">
8   <meta
9     http-equiv="X-UA-Compatible"
10    content="ie=edge">
11   <title>@yield('title')</title>
12 </head>
13 <body>
14   <h1>泰山大飯店</h1>
15   @yield('content')
16 </body>
17 </html>
```

```
33 // HotelController
34 Route::get('f1',
35   [HotelController::class, 'f1'])
36   ->name('hotels.1');
37
38 Route::get('f2',
39   [HotelController::class, 'f2'])
40   ->name('hotels.2');
41
42 Route::get('f3',
43   [HotelController::class, 'f3'])
44   ->name('hotels.3');
45
46 Route::resource('hotels',
47   HotelController::class);
48
```

連線db

1. .env

```
10
11 DB_CONNECTION=mysql
12 DB_HOST=127.0.0.1
13 DB_PORT=3306
14 DB_DATABASE=db_laravel
15 DB_USERNAME=root
16 DB_PASSWORD=
17
```

2.phpmyadmin

建立db_laravel

3.php artisan migrate

Running Migrations

2

To run all of your outstanding migrations, run the following command:

```
php artisan migrate
```

If you would like to see which migrations have been run, you can run the following command:

```
php artisan migrate:status
```

phpMyAdmin

最近使用 最愛

- db
- db_kai
- db_laravel
- db04
- db08
- db10
- db18
- file
- information_schema
- mysql
- northwind
- performance_schema
- phpmyadmin
- school
- store
- test

伺服器: 127.0.0.1 資料庫: db_laravel

結構 SQL 搜尋 查詢 匯出 匯入 操作 權限 預存程序

篩選

包含這個字:

3

資料表	動作	資料列數	類型
<input type="checkbox"/> failed_jobs	★ 瀏覽 結構 搜尋 新增 清空 刪除	0	InnoDB
<input type="checkbox"/> migrations	★ 瀏覽 結構 搜尋 新增 清空 刪除	4	InnoDB
<input type="checkbox"/> password_reset_tokens	★ 瀏覽 結構 搜尋 新增 清空 刪除	0	InnoDB
<input type="checkbox"/> personal_access_tokens	★ 瀏覽 結構 搜尋 新增 清空 刪除	0	InnoDB
<input type="checkbox"/> users	★ 瀏覽 結構 搜尋 新增 清空 刪除	0	InnoDB
5 張資料表 總計		4	InnoDB

↑ ☐ 全選 已選擇項目: ▾

列印 資料字典