Juniper & Slate Studio Operations Manual

32 operating standards for a fictional creative agency

Purpose and safe use

This manual is a deliberately fictional, long-form retrieval and workflow test set for a Gombey AI staging workspace. All businesses, people, budgets, dates, offers, and performance targets are invented. Use synthetic questions only. The documents are designed to test exact fact retrieval, cross-document synthesis, citations, uncertainty handling, approval boundaries, and safe drafting; they are not real customer guidance.

How to evaluate

Upload the three manuals to one admin-managed shared File Search agent. Ask members to select that agent, request a cited fact, compare it with the separate answer key, ask at least one unsupported question, and ask for a draft action plan. A pass requires correct facts, a relevant source citation, no invented answer, and a clear statement when the platform cannot perform an external action.

Corpus map

Manual 1 defines fictional studio operations and approval rules. Manual 2 contains 30 separate campaign briefs with unique dates, budgets, owners, offers, channels, metrics, and claims boundaries. Manual 3 contains 30 operational procedures with role, trigger, inputs, steps, evidence, and stop conditions.

Synthetic workspace: Juniper & Slate Creative Studio

Fictional office hours are Monday through Friday, 9:00 a.m. to 5:00 p.m. Eastern. Owner: Morgan Ellis. Operations lead: Riley Chen. Creative director: Dana Patel. Account leads: Priya Nair and Elliot Brooks. Performance analyst: Marcus Reed. Every customer-facing release requires the named client approver.

01. Lead intake and qualification

Capture the business problem before discussing tools. Separate verified facts from assumptions and do not promise a delivery date until capacity and dependencies are checked.

Process owner: Account lead

Use this procedure when: A new inquiry arrives by phone, referral, or web form.

Required sequence

- Record the contact, business type, requested outcome, urgency, budget range, decision-maker, and preferred follow-up channel.
- Ask what work repeats, who performs it today, what source material is used, and how the team will recognize a useful result.
- Classify the inquiry as discovery, qualified opportunity, or not-fit; explain the reason in neutral language.

Record and verify: Save a dated CRM note with the prospect's own wording, unknowns, next action, and named owner.

Stop or escalate: Escalate requests involving regulated advice, sensitive personal records, guaranteed business outcomes, or access to client systems before proposing scope.

Application note: For lead intake and qualification, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

02. Discovery call preparation

A discovery call is a short fact-finding conversation, not a technical proof or a promise that every requested feature exists. The goal is to understand one recurring workflow and decide whether a bounded pilot is appropriate.

Process owner: Account lead

Use this procedure when: A prospect accepts an introductory meeting.

Required sequence

- Review only public company information and the prospect's volunteered context; do not collect personal records in advance.
- Prepare five questions about the current process, volume, handoffs, error cost, source documents, and approval owner.
- Send an agenda and state that the meeting will not include a production-data upload or a binding estimate.

Record and verify: Record a summary, evidence, unresolved questions, and a yes/no/hold recommendation within one business day.

Stop or escalate: Stop the conversation if the buyer expects legal, financial, insurance, medical, or safety advice from an AI system.

Application note: For discovery call preparation, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

03. Workflow selection

Select one narrow workflow with frequent repetition, a stable source set, a human reviewer, and a measurable output. The workflow must be useful without granting the model authority to publish, spend money, or contact customers.

Process owner: Operations lead

Use this procedure when: The prospect names several possible use cases.

Required sequence

- Map the request from trigger through inputs, decisions, output, reviewer, and final destination.
- Estimate examples per week and identify a baseline time or error measure using the prospect's own estimate.
- Choose the smallest task that can be tested with synthetic or approved low-risk material.

Record and verify: Keep one signed workflow statement with scope, exclusions, success measure, and a named approver.

Stop or escalate: Reject work that depends on undocumented judgment, broad system access, or an outcome that cannot be checked by a person.

Application note: For workflow selection, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

04. Proposal and scope control

The proposal must describe deliverables and boundaries in plain language. A price is not evidence that an untested capability is production-ready, and the proposal must not imply compliance certification or guaranteed accuracy.

Process owner: Owner

Use this procedure when: Discovery indicates a possible fit.

Required sequence

- List the chosen workflow, source set, user roles, included setup, acceptance tests, and delivery checkpoint.
- List exclusions such as automatic retrieval in every chat, self-service invitations, integrations, and unattended actions unless explicitly implemented and tested.
- State which model and embedding accounts the customer owns and pays for, along with the approved data path.

Record and verify: Retain the dated proposal version and customer acceptance in the access-controlled account record.

Stop or escalate: Do not begin paid setup until the scope, deposit, customer data owner, and provider billing responsibility are written down.

Application note: For proposal and scope control, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

05. Customer onboarding and identity

Public registration stays disabled. The customer names one owner and each employee receives a separate account. Gombey provisions accounts through the supported operator workflow until self-service invitations are implemented and tested.

Process owner: Deployment operator

Use this procedure when: A signed pilot is ready for account setup.

Required sequence

- Verify the requesting customer's authority using the agreed business contact, then record the approval without storing identity documents in chat.
- Create the owner account through the loopback-only bootstrap and immediately disable bootstrap registration.
- Create each member account individually, test sign-in, and share the approved knowledge agent with the USER role as Viewer.

Record and verify: Keep the account roster, role, creation date, and revocation contact in the secured customer record.

Stop or escalate: Pause if the customer requests shared passwords, open signup, or access for an unverified person.

Application note: For customer onboarding and identity, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

06. Provider key ownership

The customer controls and funds its own provider account. A ChatGPT subscription is not an API key. Customer keys are entered only through the approved secret field or secret manager and are never pasted into chat or source control.

Process owner: Customer admin

Use this procedure when: A model or embedding provider is selected.

Required sequence

- Explain separately where chat prompts and retrieved excerpts go and where source documents go for embedding.
- Have the customer create a limited, budget-capped provider credential with only the permissions needed for the pilot.
- Verify a small synthetic request, confirm which account is billed, and record provider name without recording the key.

Record and verify: Record provider owner, model name, embedding provider, billing owner, and test timestamp; omit credential values.

Stop or escalate: Stop if the only available key belongs to Gombey or if the customer cannot authorize the chosen provider's data handling terms.

Application note: For provider key ownership, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

07. Approved document intake

Only documents approved by the customer owner for this purpose may be uploaded. Shared knowledge is attached to the Company Knowledge Assistant; an ordinary new chat does not automatically search that corpus.

Process owner: Customer admin

Use this procedure when: The team chooses documents for the shared assistant.

Required sequence

- Confirm owner, source, version, effective date, sensitivity, permitted audience, and whether the file contains personal or regulated data.
- Remove drafts, duplicates, secrets, unrelated personal data, and obsolete versions before upload.
- Upload the approved copy to the shared agent and test one known fact with a citation before inviting members.

Record and verify: Keep a source register with filename, version, owner approval, upload date, and replacement or deletion date.

Stop or escalate: Reject files without a clear right to use them or files that exceed the signed pilot's data category.

Application note: For approved document intake, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

08. Knowledge-source change control

A shared assistant is only as current as its approved source set. Replacing a file does not authorize an undocumented policy change, and old versions should not remain retrievable unintentionally.

Process owner: Customer admin

Use this procedure when: A policy, price, service, or process document changes.

Required sequence

- Identify the changed pages, effective date, owner, and downstream questions affected.
- Upload the approved version, remove or retire the superseded source, and wait for indexing to complete.
- Run the old-fact and new-fact regression questions and verify the citations point to the current source.

Record and verify: Record old version, new version, change owner, test results, and completion time.

Stop or escalate: Pause member use if two current-looking sources conflict or if the change affects a high-impact decision.

Application note: For knowledge-source change control, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

09. Project and file naming

Names should identify the client code, workflow, date, and version without putting sensitive personal data in a filename. A filename is an index, not an access-control boundary.

Process owner: Project coordinator

Use this procedure when: A new project or source file is created.

Required sequence

- Use the pattern CLIENTCODE_workflow_YYYY-MM-DD_vNN_status.ext.
- Use the controlled client code rather than an individual's full name, account number, or confidential matter.
- Mark drafts, approved sources, and archived records consistently; do not reuse a version number for changed content.

Record and verify: Store the naming convention in the project kickoff record and review it during the first source upload.

Stop or escalate: Escalate any name that exposes a secret, personal identifier, or information the customer did not approve for the workspace.

Application note: For project and file naming, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

10. Meeting notes and decisions

Notes must distinguish a decision from a suggestion. Do not record credentials, unnecessary personal details, or AI-generated claims as if a person verified them.

Process owner: Account lead

Use this procedure when: A discovery, review, or delivery meeting ends.

Required sequence

- Capture attendees by role, date, decision, rationale, owner, due date, and open question.
- Read back material scope, price, timing, and data-handling decisions before closing the meeting.
- Send a concise recap through the approved business channel and invite corrections.

Record and verify: Save the final recap in the controlled project folder and link it from the CRM record.

Stop or escalate: Escalate a disputed price, unapproved scope change, or disagreement about who may authorize source data.

Application note: For meeting notes and decisions, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

11. Brand asset authorization

A supplied asset may be used only for the agreed work and channel. Possession of a file does not establish a license for every campaign or public use.

Process owner: Creative director

Use this procedure when: A client supplies a logo, photography, or brand guide.

Required sequence

- Record who supplied the asset, any license or usage window, required attribution, and approved channels.
- Check dimensions, color variants, accessibility contrast, and whether the asset includes a third-party mark.
- Keep original files unchanged and export working copies with an explicit version label.

Record and verify: Maintain an asset register that links each approved file to its client, source, license note, and expiration date.

Stop or escalate: Do not publish an asset when ownership, model release, music rights, or usage period is unclear.

Application note: For brand asset authorization, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

12. Copy drafting and claims

Drafts must be grounded in the approved brief and source material. Quantified, comparative, testimonial, environmental, health, and guaranteed-result claims require explicit evidence and client approval.

Process owner: Copy lead

Use this procedure when: A brief requires public-facing text.

Required sequence

- Extract only approved facts and label missing proof instead of filling gaps with plausible copy.
- Draft a version with a clear audience, benefit, offer, channel, and call to action.
- Use a claims checklist and route sensitive or comparative wording to the named client approver.

Record and verify: Retain source links or document citations beside each material claim and preserve the approved final copy.

Stop or escalate: Remove or flag claims that lack evidence; do not let an AI rewrite turn an estimate into a guarantee.

Application note: For copy drafting and claims, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

13. Design and accessibility review

Visual quality includes legibility and accessibility, not only brand appearance. A design preview must be checked at its intended size and must not imply a feature, product, or endorsement the client did not approve.

Process owner: Design lead

Use this procedure when: A visual asset is ready for review.

Required sequence

- Check safe margins, text size, contrast, hierarchy, logo clear space, image rights, and crop at the target placement.
- Review the mobile view and a plain-text alternative for essential information.
- Compare the design against the approved brief and log each requested correction by page or frame.

Record and verify: Store the approved source file, export dimensions, accessibility notes, reviewer, and final version.

Stop or escalate: Hold delivery if critical offer terms are unreadable, a required disclaimer is missing, or a third-party asset is unlicensed.

Application note: For design and accessibility review, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

14. Campaign schedule and dependencies

A launch date is a goal until dependencies are accepted. Schedule backwards from the date using review, revision, technical QA, and client approval buffers.

Process owner: Project coordinator

Use this procedure when: A campaign has a target launch date.

Required sequence

- List copy, design, destination page, tracking, client review, legal or platform review, and access dependencies.
- Assign a responsible person and a due date to each item; identify a single final approver.
- Reforecast immediately when an input or approval misses its date; never silently compress QA.

Record and verify: Keep a dated schedule with status, owner, dependency, and next checkpoint.

Stop or escalate: Escalate a missed approval that leaves fewer than two business days for final QA; agree a revised date in writing.

Application note: For campaign schedule and dependencies, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

15. Client approval and release

Only the named client approver can authorize public release. Internal review by Gombey is not client approval, and a thumbs-up on one asset does not approve unreviewed variants.

Process owner: Client approver

Use this procedure when: A draft is proposed for publication or delivery.

Required sequence

- Send a numbered proof with channel, audience, date, offer, destination, and any factual claims visible.
- Request an explicit approval or an itemized correction list; resolve ambiguous replies before release.
- Check the approved version hash or filename against the final export before any authorized handoff.

Record and verify: Record approver, timestamp, approved version, scope of approval, and any conditions.

Stop or escalate: Do not publish, schedule, or send if approval is implied, partial, or attached to a different version.

Application note: For client approval and release, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

16. Change request and revisions

A revision corrects a deliverable within scope; a change request alters the audience, offer, channel, strategy, volume, or approved timeline. The distinction is documented before work begins.

Process owner: Project coordinator

Use this procedure when: A client asks for work outside the approved brief.

Required sequence

- Restate the request and identify which agreed deliverable or acceptance condition it affects.
- Estimate the schedule and cost effect, then obtain written client approval for the change.
- Update the versioned brief and dependencies before assigning production work.

Record and verify: Keep the original request, impact note, approval, revised brief, and any price change together.

Stop or escalate: Pause the affected work if the request conflicts with platform rules, a license, or a previously approved claim.

Application note: For change request and revisions, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

17. Landing-page content review

The destination must match the advertised offer and must explain eligibility, material limits, and next steps. Gombey does not submit or alter a client's production site without a separate written authorization.

Process owner: Web producer

Use this procedure when: A campaign directs users to a page or form.

Required sequence

- Test the page on mobile and desktop, check the URL, form labels, keyboard path, and confirmation state.
- Verify offer amount, dates, eligibility, privacy link, contact route, and tracking consent language against the approved brief.
- Capture the final URL and a timestamped preview for the client approver.

Record and verify: Record browser, device class, URL, form result, approved version, and any known limitation.

Stop or escalate: Stop if the form collects unnecessary sensitive data or if the page's actual terms contradict the promotion.

Application note: For landing-page content review, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

18. Email campaign quality

Gombey may prepare a draft and checklist. The customer owns recipient consent, sending account, list hygiene, and final send authorization unless a separate tested integration is explicitly scoped.

Process owner: Email producer

Use this procedure when: An approved email is ready for a customer list.

Required sequence

- Check sender identity, subject, preview text, links, merge fields, unsubscribe, and plain-text rendering.
- Send a synthetic test to an approved internal address and verify mobile rendering and destination URLs.
- Deliver the approved draft package to the customer; do not press send without explicit authorization and an available integration.

Record and verify: Retain test recipient, rendering result, approved copy version, and client send decision.

Stop or escalate: Hold if consent status is unknown, a list export is exposed, or any recipient field is unverified.

Application note: For email campaign quality, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

19. Social content and moderation

The customer retains account ownership and publishing authority. A draft must not imply that Gombey posted it, and replies involving complaints, safety, refunds, or personal information go to a human owner.

Process owner: Social lead

Use this procedure when: A social post or reply is drafted.

Required sequence

- Check tone, caption, alt text, tag permissions, links, date, and the exact approved media variant.
- Provide a response suggestion only when the source and escalation path are known.
- Route account-specific disputes and personal messages to the client's designated human responder.

Record and verify: Record status as draft, reviewed, approved, or customer-published; do not label a draft as live.

Stop or escalate: Escalate threats, personal data, legal demands, platform enforcement, or a public safety concern immediately.

Application note: For social content and moderation, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

20. Analytics and KPI definitions

Every KPI needs a defined numerator, denominator, date range, source, attribution rule, and data owner. Platform metrics from different sources should not be presented as interchangeable.

Process owner: Performance analyst

Use this procedure when: A campaign metric is reported.

Required sequence

- Write the metric formula before collecting results and note the reporting timezone.
- Use only customer-authorized exports or read-only access; exclude unrelated account data.
- Label estimates and attribution limits; compare against the stated baseline rather than an invented benchmark.

Record and verify: Save a metric dictionary and report snapshot with date range, source, and caveats.

Stop or escalate: Escalate missing or contradictory tracking; never claim causal lift from a simple before/after comparison without qualification.

Application note: For analytics and kpi definitions, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

21. Ad platform policy screening

Platform rules change and eligibility depends on targeting, geography, product, and account status. A copy review is not a platform-policy certification or an ad account approval.

Process owner: Campaign strategist

Use this procedure when: A draft may be used in paid advertising.

Required sequence

- Identify the platform, geography, audience, destination, offer, and category restrictions.
- Check current official platform guidance before recommending a sensitive targeting choice.
- Mark uncertain claims for client review and keep a dated link to the applicable policy.

Record and verify: Record platform, policy URL, review date, risk note, and customer approval owner.

Stop or escalate: Do not promise ad acceptance, account reinstatement, reach, or conversion performance.

Application note: For ad platform policy screening, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

22. Vendor and contractor access

Access is least-privilege, time-limited, and scoped to the customer's approved project. Sharing an account password is not an acceptable access method.

Process owner: Owner

Use this procedure when: A contractor needs project access.

Required sequence

- Confirm the project owner, requested task, data categories, and end date.
- Use a named account and the minimum access role available; avoid adding the contractor to unrelated projects.
- Revoke access at the end date and verify the contractor no longer appears in the roster.

Record and verify: Record approver, named identity, role, scope, start, end, and revocation check.

Stop or escalate: Pause when a vendor asks for shared credentials, an administrator role without need, or unapproved customer data.

Application note: For vendor and contractor access, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

23. Incident triage and escalation

Preserve evidence and limit access before attempting repair. A support conversation is not an incident-response guarantee; material exposure is escalated to the customer owner promptly.

Process owner: Operations lead

Use this procedure when: A user reports a privacy, security, or availability incident.

Required sequence

- Record time, timezone, affected service, account, sanitized symptom, and business impact.
- Avoid copying customer prompts or documents into the ticket; secure necessary evidence under the agreed procedure.
- Contain the specific account, key, or service only under authorization, then identify the customer decision-maker.

Record and verify: Maintain an incident timeline, containment action, owner, notification, and recovery evidence.

Stop or escalate: Escalate suspected cross-user exposure, compromised credentials, unexpected public access, or unapproved provider use immediately.

Application note: For incident triage and escalation, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

24. Provider outage handling

A provider outage can interrupt model or retrieval behavior. The system must not silently invent a grounded answer after retrieval fails, and no switch to another provider occurs without customer approval.

Process owner: Operations lead

Use this procedure when: A model or embeddings provider is unavailable or returns errors.

Required sequence

- Capture sanitized error, timestamp, provider, model, and whether the failure affects chat, embeddings, or both.
- Retry only within the documented safe limit and avoid uploading the same file repeatedly.
- Notify the customer and offer a non-AI fallback or a pause while the selected provider recovers.

Record and verify: Record provider status, retry count, user impact, fallback, and recovery verification.

Stop or escalate: Escalate repeated failures, duplicate charges, or any response that appears to claim retrieval succeeded when it did not.

Application note: For provider outage handling, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

25. Backup creation and custody

Backups contain customer data and secrets and must be encrypted. The recovery key is stored separately from the archive, and an archive is not considered useful until restore is tested.

Process owner: Deployment operator

Use this procedure when: A scheduled backup or pre-change backup is due.

Required sequence

- Pause writers as documented and create the database, app-data, upload, and environment snapshots.
- Encrypt the archive and store it in the customer-approved destination with restricted access.
- Verify checksums and manifest without exposing document bodies or secrets.

Record and verify: Record backup timestamp, versions, destination reference, checksum, retention date, and key-custody reference.

Stop or escalate: Do not place an unencrypted customer backup or its recovery key on a general-purpose external drive.

Application note: For backup creation and custody, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

26. Restore rehearsal

Restore only into a fresh isolated project. Never test recovery over the active deployment or a second customer's volumes.

Process owner: Deployment operator

Use this procedure when: A backup is introduced or a recovery drill is scheduled.

Required sequence

- Create a clean project with unique network and storage identifiers.
- Restore each database and file component, apply the intended secrets, and check the service health route.
- Verify one synthetic account, approved agent, source citation, and deletion behavior; then remove the disposable restore only after evidence is recorded.

Record and verify: Keep restore start/end, archive identifiers, components, test cases, and cleanup confirmation.

Stop or escalate: Stop if the restore points to production volumes or if the encryption key is missing or unverified.

Application note: For restore rehearsal, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

27. Member offboarding

The customer confirms the identity and authority for the request. Removing a member account does not automatically delete that member's historical records or backup copies.

Process owner: Customer admin

Use this procedure when: The customer requests removal of a member.

Required sequence

- Verify the request with the authorized customer admin using the agreed channel.
- Disable the account using the supported procedure and test that sign-in is denied.
- Review ownership of personal files and the customer's retention instruction before deleting data.

Record and verify: Record requester, account identifier, action time, sign-in denial, and retention decision.

Stop or escalate: Escalate a disputed request, legal hold, or unclear ownership of a shared source before deletion.

Application note: For member offboarding, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

28. Forgotten-password recovery

Public email reset remains disabled until secure email is configured and tested. The operator verifies the request, uses the interactive hidden prompt, and delivers the temporary password through an approved secure channel.

Process owner: Deployment operator

Use this procedure when: A member cannot sign in and requests a reset.

Required sequence

- Verify the member and request through the customer's admin or agreed support channel.
- Run the pinned app's supported reset command over the approved operator session; never pass a password in shell history.
- Confirm the affected member can sign in and that the password-version change invalidated old sessions.

Record and verify: Record verification and completion without writing the password into a ticket or shared notes.

Stop or escalate: Do not reset an account based only on an unverified email or a message from another employee.

Application note: For forgotten-password recovery, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

29. Data retention and deletion

Deletion scope includes active app records, indexes, files, and later backup expiration. Do not promise immediate erasure of retained encrypted backups unless the agreed retention procedure supports it.

Process owner: Customer admin

Use this procedure when: A file, account, or deployment reaches its retention date.

Required sequence

- Identify the exact customer, file version, vector scope, and instruction authorizing deletion.
- Remove the active source through the supported path and confirm the retrieval no longer returns its unique synthetic marker.
- Track the separate backup-expiry date and document what is retained until that date.

Record and verify: Keep a deletion record with scope, timestamp, verification, and backup-retention end date.

Stop or escalate: Pause deletion if the request conflicts with a hold, export request, or another customer's shared source.

Application note: For data retention and deletion, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

30. Support boundaries and response targets

A response-time target means acknowledgment in the agreed period, not a guaranteed fix time or uptime level. Provider outages, new features, and out-of-scope work are separately estimated.

Process owner: Account lead

Use this procedure when: A customer asks for help or an urgent guarantee.

Required sequence

- Collect a sanitized symptom, affected workflow, impact, time, recent changes, and workaround.
- Acknowledge within the signed target and state who owns the next update.
- Estimate resolution and any out-of-scope work before making changes or exceeding support allowance.

Record and verify: Track severity, acknowledgment time, next update, support time, and customer-approved work.

Stop or escalate: Escalate a suspected security issue immediately; do not promise round-the-clock coverage unless contracted.

Application note: For support boundaries and response targets, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

31. Delivery acceptance

Acceptance is tied to agreed tests, not a subjective claim that the model is perfect. A failed test is documented, scoped, and either fixed or explicitly accepted as a limitation.

Process owner: Owner and customer approver

Use this procedure when: The agreed setup has reached its delivery checkpoint.

Required sequence

- Run the signed account, shared-source, privacy, provider billing, and workflow questions.
- Review each result against the stated expected answer and identify any retrieval miss or unsupported assertion.
- Collect written acceptance or a dated issue list and agree the next corrective step.

Record and verify: Store the completed acceptance record, software versions, known limitations, and customer sign-off.

Stop or escalate: Do not mark delivery complete while a data-isolation test or a required critical workflow check is unresolved.

Application note: For delivery acceptance, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.

32. Renewal and cancellation

The recurring service begins on the contractually agreed date, with explicit customer consent and a valid payment method. Cancellation and data export timing are explained before the first recurring charge.

Process owner: Owner

Use this procedure when: A monthly service term is approaching renewal or a customer asks to stop.

Required sequence

- Check the signed plan, start date, amount, launch term, tax treatment, and saved-payment consent.
- Notify the customer of the next charge date and how to cancel through the approved payment channel.
- At cancellation, follow the agreed data export, access removal, backup retention, and DNS steps.

Record and verify: Retain consent evidence, invoice/renewal status, cancellation request, and offboarding checklist.

Stop or escalate: Do not activate a recurring charge from a one-time setup payment without clear customer consent.

Application note: For renewal and cancellation, the operator should explain what is known, identify what remains unknown, and leave a human owner accountable for the next consequential decision. A polished document or plausible model response is not approval. When the procedure involves a source file, retain a dated version and test at least one expected fact plus one absent fact before declaring the task complete.