Juniper & Slate Workflow SOPs and QA

30 human-reviewed procedures, controls, and stop conditions

Purpose and safe use

This manual is a deliberately fictional, long-form retrieval and workflow test set for a Gombey AI staging workspace. All businesses, people, budgets, dates, offers, and performance targets are invented. Use synthetic questions only. The documents are designed to test exact fact retrieval, cross-document synthesis, citations, uncertainty handling, approval boundaries, and safe drafting; they are not real customer guidance.

How to evaluate

Upload the three manuals to one admin-managed shared File Search agent. Ask members to select that agent, request a cited fact, compare it with the separate answer key, ask at least one unsupported question, and ask for a draft action plan. A pass requires correct facts, a relevant source citation, no invented answer, and a clear statement when the platform cannot perform an external action.

Corpus map

Manual 1 defines fictional studio operations and approval rules. Manual 2 contains 30 separate campaign briefs with unique dates, budgets, owners, offers, channels, metrics, and claims boundaries. Manual 3 contains 30 operational procedures with role, trigger, inputs, steps, evidence, and stop conditions.

Synthetic workspace: Juniper & Slate Creative Studio

Fictional office hours are Monday through Friday, 9:00 a.m. to 5:00 p.m. Eastern. Owner: Morgan Ellis. Operations lead: Riley Chen. Creative director: Dana Patel. Account leads: Priya Nair and Elliot Brooks. Performance analyst: Marcus Reed. Every customer-facing release requires the named client approver.

01. Intake a workflow request

Purpose: This procedure standardizes intake a workflow request for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Account lead

Trigger: A prospect describes a repetitive task.

Required inputs: Current process description, example input, expected output, reviewer, volume, and consequence of error.

Procedure

- Write the trigger and source of the request in the prospect's terms.
- Ask which steps are rules and which depend on judgment.
- Select a safe example and identify data that must not be shared.

Completion evidence: A one-page workflow map with a human decision owner.

Stop condition: Hold if there is no reviewer or errors could cause regulated or safety-critical harm.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

02. Create a measurable baseline

Purpose: This procedure standardizes create a measurable baseline for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Performance analyst

Trigger: The prospect wants to know whether a pilot helps.

Required inputs: One workflow, sample period, current time estimate, output quality measure, and known confounders.

Procedure

- Define the unit of work and sample period.
- Record the customer's estimated current effort separately from measured data.
- Choose a quality measure that a person can verify.

Completion evidence: A baseline sheet that labels estimates, sample size, and source.

Stop condition: Do not claim causal improvement from an anecdote or a single example.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

03. Write acceptance questions

Purpose: This procedure standardizes write acceptance questions for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Workflow reviewer

Trigger: A test source set is approved.

Required inputs: Known facts, known absent facts, role boundaries, and an expected-answer reference.

Procedure

- Write direct lookup questions for dates, amounts, owners, and policy rules.
- Add cross-section questions requiring two sources.
- Add unsupported and action-boundary questions.

Completion evidence: Questions and expected answers are kept separate from uploaded sources.

Stop condition: Stop if the answer key contains a fact not actually present in the source.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

04. Draft an answer with citations

Purpose: This procedure standardizes draft an answer with citations for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Shared assistant

Trigger: A member asks about approved shared knowledge.

Required inputs: Question, selected Company Knowledge Assistant, indexed sources, and member access.

Procedure

- Retrieve relevant approved passages before drafting.
- Answer only supported facts and cite the source shown by File Search.
- State uncertainty if the source is silent or contradictory.

Completion evidence: A fact answer with a source citation or a clear not-found statement.

Stop condition: Do not state a retrieved fact without a relevant citation when the question is document-grounded.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

05. Prepare a meeting agenda

Purpose: This procedure standardizes prepare a meeting agenda for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Account lead

Trigger: A discovery or review call is booked.

Required inputs: Meeting purpose, tier, attendees, customer question, and available time.

Procedure

- Allocate time for goals, current process, source material, risks, and next step.
- Put scope and decision owner near the top.
- Mark any claim that still needs verification.

Completion evidence: A short agenda that does not promise unbuilt capabilities.

Stop condition: Do not ask the prospect to send sensitive files before a secure intake path is agreed.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

06. Turn discovery notes into a brief

Purpose: This procedure standardizes turn discovery notes into a brief for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Campaign strategist

Trigger: A prospect has described one workflow.

Required inputs: Approved notes, confirmed facts, unknowns, use case, reviewer, and constraints.

Procedure

- Separate confirmed statements from assumptions in two labeled lists.
- Draft one workflow and measurable outcome.
- Add explicit exclusions and customer responsibilities.

Completion evidence: Versioned brief ready for customer correction.

Stop condition: Hold if the draft silently upgrades a suggestion into a commitment.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

07. Generate a content calendar draft

Purpose: This procedure standardizes generate a content calendar draft for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Social lead

Trigger: The client approves a campaign brief.

Required inputs: Launch date, channel, deliverable list, approval deadlines, and timezone.

Procedure

- Sequence draft, client review, revision, final QA, and publication handoff.
- Place a human approval checkpoint before each public post.
- Label dates as proposed until the customer approves them.

Completion evidence: Calendar with status legend, owner, and source brief.

Stop condition: Do not schedule or publish content through a disconnected platform.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

08. Check a promotion

Purpose: This procedure standardizes check a promotion for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Copy lead

Trigger: A draft uses a discount or offer.

Required inputs: Exact offer text, dates, eligibility, inventory, and customer approver.

Procedure

- Compare every offer term with the source brief.
- Check that amount, start/end date, eligibility, and CTA match.
- Flag missing terms rather than inventing a deadline.

Completion evidence: A checked offer matrix and an approved copy version.

Stop condition: Fail release if a material term is absent or inconsistent.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

09. Review a customer quote

Purpose: This procedure standardizes review a customer quote for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Copy lead

Trigger: A testimonial is proposed for public copy.

Required inputs: Original quote, permission, identity display preference, date, and edits.

Procedure

- Verify permission covers the channel and context.
- Preserve meaning and mark any edits for approval.
- Do not add outcome figures that the speaker did not provide.

Completion evidence: Permission reference and exact approved quote.

Stop condition: Do not publish an unattributed or materially altered endorsement.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

10. Create a proof package

Purpose: This procedure standardizes create a proof package for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Design lead

Trigger: Copy and visual assets are ready for client review.

Required inputs: Approved brief, copy version, image rights, dimensions, and review date.

Procedure

- Bundle only the intended review versions.
- Label draft status and exact approval deadline.
- Include questions where the client must verify a fact or offer.

Completion evidence: One numbered proof package tied to the source version.

Stop condition: Hold if the proof makes a draft look already published.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

11. Run final pre-launch QA

Purpose: This procedure standardizes run final pre-launch qa for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Project coordinator

Trigger: The customer has approved the proof.

Required inputs: Approved version, destination, schedule, tracking definition, and checklist.

Procedure

- Compare the release file to the approved proof.
- Test links, mobile layout, alt text, dates, and measurement tags.
- Record final status and customer release authority.

Completion evidence: Signed-off QA record with no unresolved critical defect.

Stop condition: Do not release a changed version without fresh client approval.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

12. Handle a source conflict

Purpose: This procedure standardizes handle a source conflict for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Customer admin

Trigger: Two approved files disagree.

Required inputs: Both versions, owners, effective dates, and affected questions.

Procedure

- Identify the conflicting facts and quote the relevant source locations.
- Ask the designated owner which version is authoritative.
- Retire the superseded file and rerun regression questions.

Completion evidence: One current source or an explicit unresolved conflict response.

Stop condition: Do not let the model select a policy version based on recency alone.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

13. Respond to an unsupported question

Purpose: This procedure standardizes respond to an unsupported question for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Shared assistant

Trigger: A member asks for a fact absent from the corpus.

Required inputs: Question, selected agent, and available source list.

Procedure

- Search only the approved sources in the selected shared agent.
- State that the requested fact is not specified.
- Ask the customer owner for an approved source if the fact is needed.

Completion evidence: A clear answer that does not make up a value or cite unrelated material.

Stop condition: Fail if the assistant guesses or claims certainty without source support.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

14. Draft an email without sending

Purpose: This procedure standardizes draft an email without sending for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Email producer

Trigger: A user asks for customer-facing outreach copy.

Required inputs: Recipient context, approved facts, tone, offer, CTA, and sender.

Procedure

- Produce a draft with subject and body.
- Mark it clearly as a draft and identify facts requiring review.
- Provide a checklist for a human sender.

Completion evidence: Draft text and explicit not-sent status.

Stop condition: Never claim the email was sent when no email integration and authorization exist.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

15. Prepare an action plan

Purpose: This procedure standardizes prepare an action plan for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Shared assistant

Trigger: A member asks how to carry out an approved workflow.

Required inputs: Relevant SOP, current status, owner, deadline, and available integrations.

Procedure

- Summarize the steps and source-based dependencies.
- Separate actions the member can do from actions requiring owner approval.
- List the exact confirmation needed before a consequential action.

Completion evidence: A proposed plan with owners, sequence, and open questions.

Stop condition: Do not claim that a calendar, CRM, ad platform, or payment action occurred without a connected tool result.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

16. Escalate a regulated request

Purpose: This procedure standardizes escalate a regulated request for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Operations lead

Trigger: A customer asks for regulated or licensed advice.

Required inputs: Request wording, product category, affected users, and desired decision.

Procedure

- Acknowledge the request without offering a professional conclusion.
- Identify the licensed customer or advisor who must decide.
- Offer a narrow administrative drafting task only if scope and review are explicit.

Completion evidence: A written referral or safe alternative path.

Stop condition: Stop if the AI answer could be mistaken for legal, accounting, insurance, medical, or investment advice.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

17. Update a source version

Purpose: This procedure standardizes update a source version for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Customer admin

Trigger: An approved policy file is replaced.

Required inputs: New source, effective date, version owner, prior file, and test markers.

Procedure

- Confirm the new source is authorized and complete.
- Replace the active document and retire the old version.
- Test a new fact and one retired fact after indexing.

Completion evidence: A source register with previous/current version and test evidence.

Stop condition: Do not keep conflicting versions active without a clear warning.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

18. Review an AI-generated summary

Purpose: This procedure standardizes review an ai-generated summary for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Workflow reviewer

Trigger: A summary will be shared with a team member.

Required inputs: Source citation, summary, intended audience, and critical facts list.

Procedure

- Check names, dates, amounts, qualifications, and exception rules.
- Mark interpretation or inference separately from source language.
- Correct omissions before distributing the summary.

Completion evidence: Reviewer and checked version recorded.

Stop condition: Fail if a critical exception or approval gate was omitted.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

19. Calculate a campaign target

Purpose: This procedure standardizes calculate a campaign target for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Performance analyst

Trigger: A target needs arithmetic from approved inputs.

Required inputs: Approved numerator, denominator, period, and calculation method.

Procedure

- Restate inputs with units.
- Calculate the result and show the formula.
- Label it as a calculation, not a forecast.

Completion evidence: Reproducible formula and checked result.

Stop condition: Ask for clarification when units or denominator are ambiguous.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

20. Prepare a customer handoff

Purpose: This procedure standardizes prepare a customer handoff for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Account lead

Trigger: The setup passes acceptance testing.

Required inputs: Accepted configuration, admin contact, member roster, source register, and known limits.

Procedure

- Explain how to sign in and select the shared assistant.
- Explain provider billing and source-document updates.
- Provide support, backup, recovery, and cancellation boundaries.

Completion evidence: Customer receives a concise written handoff and acceptance record.

Stop condition: Do not imply self-service invites, automatic retrieval in every chat, or 24/7 support.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

21. Review a data minimization request

Purpose: This procedure standardizes review a data minimization request for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Customer admin

Trigger: A workflow asks for a new data field.

Required inputs: Purpose, field, users, retention, destination, and customer owner.

Procedure

- Ask whether the task works without the field.
- Document the minimum necessary value and retention.
- Test with a synthetic value before any production use.

Completion evidence: An approved field list and data-handling note.

Stop condition: Reject collection of sensitive data without an approved purpose and secure path.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

22. Check deletion from retrieval

Purpose: This procedure standardizes check deletion from retrieval for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Workflow reviewer

Trigger: A source has been removed or superseded.

Required inputs: Unique synthetic marker, source scope, deletion time, and expected absence.

Procedure

- Search for the exact marker in the affected agent.
- Search a neighboring scope to confirm isolation remains intact.
- Check a related current fact still retrieves from the replacement source.

Completion evidence: Evidence of absence in retired scope and presence in current scope.

Stop condition: Fail if deleted text remains retrievable or unrelated scope changes.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

23. Review an account access request

Purpose: This procedure standardizes review an account access request for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Customer admin

Trigger: A member asks to see or change a shared agent.

Required inputs: Member identity, assigned role, request type, and owner policy.

Procedure

- Confirm the member can use the shared agent as Viewer.
- Confirm editing and source management remain owner-only.
- Route an access change to the authorized admin.

Completion evidence: Access result and request owner documented.

Stop condition: Do not grant a broader role to solve a content question.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

24. Triage a blank response

Purpose: This procedure standardizes triage a blank response for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Operations lead

Trigger: The UI shows an empty assistant message.

Required inputs: Sanitized timestamp, model, request type, context size, and network status.

Procedure

- Distinguish a slow stream from a completed empty response.
- Check model and provider error without repeating a paid request unnecessarily.
- Reproduce with a short synthetic question and report a safe workaround.

Completion evidence: Failure class, safe reproduction, and next action recorded.

Stop condition: Do not claim success just because an HTTP request returned 200.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

25. Triage context exhaustion

Purpose: This procedure standardizes triage context exhaustion for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Workflow reviewer

Trigger: A long conversation exceeds the model context.

Required inputs: Selected model context, history size, documents, and shortest useful question.

Procedure

- Start a fresh conversation and attach only the relevant source.
- Ask one focused question and request a concise citation.
- Split independent questions instead of increasing context blindly.

Completion evidence: Known limitation and successful minimal prompt recorded.

Stop condition: Do not silently truncate source context or claim the model saw the entire history.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

26. Check provider budget exposure

Purpose: This procedure standardizes check provider budget exposure for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Customer admin

Trigger: A test will use a paid model or embeddings account.

Required inputs: Provider, model, estimated tokens, rate card, and account budget cap.

Procedure

- Estimate input and output volume using current provider rates.
- Set a small test scope and monitor the provider usage dashboard.
- Stop after the agreed test count or spend cap.

Completion evidence: Estimated and actual cost recorded without credential values.

Stop condition: Do not run an unbounded batch or upload customer files under a personal key.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

27. Review privacy boundaries

Purpose: This procedure standardizes review privacy boundaries for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Operations lead

Trigger: A prospect asks whether the system is private.

Required inputs: Deployment topology, model provider, embeddings provider, access roles, and retention terms.

Procedure

- Explain what stays on the dedicated VPS and what is sent to providers.
- Explain that workspace admin and VPS operator are privileged roles.
- Describe member chat privacy and the shared-agent-only knowledge boundary.

Completion evidence: Written data-path summary acknowledged by the customer.

Stop condition: Never promise local-only inference or zero provider retention without verified terms.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

28. Document a manual fallback

Purpose: This procedure standardizes document a manual fallback for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Customer admin

Trigger: An AI or provider service is unavailable.

Required inputs: Workflow owner, source-of-truth location, fallback steps, and escalation contact.

Procedure

- Identify the approved non-AI process.
- State which outputs must wait for human review.
- Test the fallback with a synthetic example.

Completion evidence: A written fallback and tested contact path.

Stop condition: Do not continue an action task when required source or reviewer is unavailable.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

29. Approve an out-of-scope request

Purpose: This procedure standardizes approve an out-of-scope request for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Owner

Trigger: A request changes integration, volume, support, or data category.

Required inputs: Original scope, requested change, technical risk, cost, and customer approval authority.

Procedure

- Write the request and affected terms.
- Estimate a separate time, cost, and validation plan.
- Obtain explicit approval and update the contract before work.

Completion evidence: Signed change approval and revised acceptance checks.

Stop condition: Do not begin on a verbal assumption when the change affects price, privacy, or access.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

30. Close a pilot safely

Purpose: This procedure standardizes close a pilot safely for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Owner and customer admin

Trigger: A pilot is accepted, extended, or terminated.

Required inputs: Acceptance record, billing state, export request, data retention, and access roster.

Procedure

- Confirm the decision and next billing date.
- Export or delete data according to the signed terms.
- Revoke access and verify service and DNS actions only when authorized.

Completion evidence: Closure or extension record with each data and billing milestone.

Stop condition: Do not leave a public endpoint, active payment schedule, or undocumented backup after termination.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

31. Evaluate a model change

Purpose: This procedure standardizes evaluate a model change for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Workflow reviewer

Trigger: A model, context limit, or provider changes.

Required inputs: Current model, proposed model, customer billing owner, evaluation questions, and approved synthetic corpus.

Procedure

- Run the same direct, cross-source, unsupported, citation, and action-boundary questions on both models.
- Compare correctness, citations, latency, context behavior, and current provider rates.
- Ask the customer owner to approve the new provider and data path before making it the default.

Completion evidence: A side-by-side scorecard, rollback model, owner approval, and dated configuration change.

Stop condition: Do not switch silently or use a new provider with customer data before its terms are reviewed.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.

32. Assess an MCP integration request

Purpose: This procedure standardizes assess an mcp integration request for the fictional Juniper & Slate Creative Studio pilot. It is an operational guide for a human-reviewed workflow, not an authorization to access a customer system or perform an external action.

Accountable role: Owner and operations lead

Trigger: A prospect requests calendar, email, CRM, or file-system actions.

Required inputs: Named business outcome, tool list, data path, read/write permissions, user consent, and a synthetic test account.

Procedure

- Classify each tool as read-only or write-capable and request the least privilege possible.
- Test only against synthetic records and verify confirmation prompts, audit trail, and failure behavior.
- Keep the base pilot File Search-only unless a separately scoped integration passes security and acceptance review.

Completion evidence: An integration risk note, permission inventory, test evidence, customer approval, and rollback plan.

Stop condition: Do not enable write access or connect a real customer account without explicit scoped approval.

Quality note: The operator should be able to show what source supported the result, which person owned the next decision, and what was deliberately not done. If the workflow changes after a test, rerun the affected acceptance question and update the evidence record before telling a customer that the behavior is ready.