Sample documents. A complete walkthrough.

Property-purchase intake for one notary office · 30 October 2026

Use the enclosed German PDF samples to demonstrate extraction, source review, approval and a verified handoff. The guide is in English; all case data is fictional.

1. Open the demo

Open http://127.0.0.1:8010/presentation/ on the computer running LexFlow.

Account	Role in the demonstration
keller.clerk	Upload, review sources, resolve conflicts and confirm fields
keller.notar	Approve the reviewed case and create/send its export
admin	Configure reusable workflows and destination mappings

Synthetic demo password for these accounts: lexflow-demo-2026

2. Choose one sample scenario

Folder	Upload together	What it demonstrates
property-conflict	All three PDFs	Register sheet 812 versus 872 blocks approval
property-matching	All three PDFs	Matching source values; price confirmation still required
scan-review	The single scanned PDF	Local OCR and mandatory original-source acknowledgement

Create a separate intake for each scenario. Keep the conflict and matching folders in separate cases; combining them would introduce the intentional conflict again.

3. Add a case

Sign in as keller.clerk. Open New intake, enter the subject Kaufvertrag – PDF demonstration, and choose the PDFs from one scenario folder. Select Manual upload, leave Process with LexFlow right away checked, then select Add to inbox.

The guide itself is presenter material. Upload the sample source PDFs from a scenario folder.

Resolve the disagreement

Upload the three PDFs in property-conflict. The draft contract deliberately disagrees with the questionnaire and register extract.

Field	Expected case data
Buyer / birth date	Anna Schmidt / 12.03.1985
Buyer address	Sonnenallee 24, 80331 München
Seller	Peter Müller
Property	Leopoldstraße 118, 80802 München
Purchase price	850.000,00 EUR
Parcel / handover	1234/5 / 01.12.2026

Source PDF	Land-register sheet
01_Kaeuferfragebogen.pdf	München Blatt 812
02_Grundbuchauszug.pdf	München Blatt 812
03_Kaufvertragsentwurf.pdf	München Blatt 872 — intentional conflict

Review as the clerk

1. Confirm that the case shows Transfer blocked. Click Land register sheet to see the source evidence and its highlights.

2. Compare the original PDFs. Choose the Grundbuchauszug candidate with Use this, selecting München Blatt 812 for this synthetic case.

3. Select Confirm for the purchase price. Resolve any remaining blockers shown by the case. It should reach Ready for approval.

The clerk can review the case; approval is available to the notary or another authorized approver.

Approve, send and verify

4. Sign out, sign in as keller.notar, open the case, and select Approve for transfer. The approved values and mappings are frozen.

5. Select HTTP reference receiver, then Create approved export. Select Send to HTTP destination and show the verified receipt and Delivered status.

6. Open Audit and show the review, approval, export and receipt events, together with the verified chain.

The HTTP option uses the independent synthetic reference receiver. It demonstrates the transport contract; it is not a connection to a named notary vendor.

Show the other paths

Matching documents

Create a new intake using all three PDFs in property-matching. It uses Anna Schmidt's same case data, with München Blatt 812 in every source. No land-register conflict should appear. Explicitly confirm the price and any other displayed review requirements before notary approval.

An image-only PDF

Create another intake with scan-review/01_Gescannter_Kaeuferfragebogen.pdf. This is a PDF containing an image, with no searchable text layer. LexFlow must use local OCR to propose the values.

Field	Expected scanned case data
Buyer / birth date	Maria Beispiel / 21.08.1987
Buyer address	Lindenweg 12, 10115 Berlin
Seller	Thomas Muster
Property	Parkstraße 9, 10115 Berlin
Purchase price	425.500,00 EUR
Register / parcel	Berlin Blatt 421 / 123/4
Handover	15.02.2027

Open the original scan and compare every value. Check I read the original and checked its values against the matter., then select Record source review. Confirm the purchase price and resolve all remaining blockers before approval.

OCR requires Tesseract with German/English language packs and Poppler. If OCR is unavailable, the original stays available for manual review; record verified values and acknowledge the source before proceeding.

File export alternative

For a local file handoff, select Notary software import, create the approved export, then select Run demo receiver and verify receipt. Show the separate export and delivery events.

Start the local demo again

Run this command from the LexFlow project folder:

```
.venv/bin/python tools/presentation_demo.py
--http-handoff --port 8010
```

The command is one line. Restarting reuses the existing isolated demonstration. To repeat a scenario without resetting it, upload the samples into a new intake.

What to show at the end

Source-linked values → resolved review requirements → frozen approval → approved export → verified destination receipt → audit history.

All sample PDFs are visibly marked as synthetic. The register extract and contract draft are demonstration fixtures, with fictional persons, addresses and entries.

Read the pilot report

Open Overview → Pilot analytics, or http://127.0.0.1:8010/#analytics-summary. The six summary cards and all report sections use the same filters.

Select the cohort

Choose a receipt period: 7, 14, 30 or 90 days, or Custom dates up to 366 days. Narrow by workflow and intake source, choose the data cohort, then select Apply filters. The demonstration defaults to Synthetic demonstration; live-office data is separate.

Dates use the configured reporting timezone and select when intakes were received. Current outcomes include their later reviews and receipts. Prior-period comparisons use the preceding interval of equal length with the same filters.

Analytics tab	What to demonstrate
Summary	Intake volume, initial coverage, review/approval backlog, median approval time, cases with receipts, current pending exports, daily trends and workflow links.
Extraction and review	First-extraction coverage/prefill, current field states, changed fields, source files, OCR acknowledgements and field review priorities.
Workload and timing	Median/P90 elapsed durations and sample counts, unfinished-case aging, source breakdown, paginated case links and recorded reviewer actions.
Delivery and audit	Verified receipts, pending/failed exports, HTTP retries, connector reliability, current receipts needing attention and audit coverage/integrity.

Explore and export

Workflow and source links narrow the report. Open a case reference to inspect the underlying record. Every chart includes View chart data for exact values. Download analytics CSV exports aggregate metadata for the applied filters, without source text or extracted case values.

Explain the measurements

Confidence scores are heuristic. First-extraction coverage stays distinct from fields completed by people. Elapsed approval time includes waiting; staff handling time and manual re-keying errors need separate office measurements. Baselines are context, with no inferred savings. Empty samples show no rate/duration.

Receipt rate includes all selected exports; the closed-export rate uses delivered + failed records. Pending exports from superseded approvals remain in historical totals and are excluded from the current action list. A created export alone is not delivered.

Navigation and account recovery

Arrow keys, Home and End switch section tabs. Section/field links reveal the relevant panel. Tabs preserve unsaved form values, and all sections remain readable without JavaScript. The sign-in eye button toggles password visibility. Forgot password? starts a single-use reset link valid for one hour; the local demo prints the email in the server terminal. Deployed offices must configure SMTP delivery.

Review the complete case

Additional participants, companies, representatives, properties and office references can now be reviewed in LexFlow. Their values and destination mapping revisions are frozen at approval.

Demonstrate on a separate unapproved synthetic case

1. Enable. Sign in as admin, open Connectors and choose Enable structured case exports. This adds one Case JSON download destination per active workflow. Fresh/reset demos need this step; repeating it does not duplicate destinations.

2. Review details. Open Case details · parties and properties. Add a second participant/company and property, plus a case designation or office reference. Primary names, dates and property identifiers remain linked to Extracted data. Additional records are entered by staff and encrypted.

3. Check and approve. Inspect Export readiness, resolve source conflicts and complete the required source/price review. As the notary, approve the matter. Readiness checks mappings locally; it does not prove vendor acceptance.

4. Export. Choose Case JSON — Property purchase or the matching workflow. Inspect the participants and properties arrays and mapping version. The data is frozen and the forms are locked; download alone does not confirm delivery.

Compatibility and existing approvals

Legacy XML/JSON/CSV exports reject cases with saved additional details so data cannot be silently omitted. A mapping enabled after approval requires reopening and reapproving an undelivered case. Existing exports retain their original data and mapping revision. Delivered cases require a new intake for amendments.

What is available for the next integration

The canonical-json-v1 adapter and versioned mappings are implemented. The approved-case API returns the complete frozen lexflow.case/1 object. ProNotar32 import is not implemented. Obtain the office's exact version, supported import schema, accepted sample files and test environment before implementing and accepting its adapter.

See integrations/PRONOTAR32_READINESS.txt for the schema, configuration command, extension contract and troubleshooting. All 152 tests passed on PostgreSQL 17 on 30 October; desktop/mobile browser checks covered the new workflow. No vendor was contacted.

Connect the next systems

Extend the existing intake and approved-handoff contracts. The entries below distinguish implemented capabilities from proposed integrations.

Capability	Status in this build
Remote scanner / saved email	Implemented token-authenticated API client; retains originals and deduplicates repeated submissions.
XML / JSON / CSV exports	Implemented LexFlow formats. A vendor's exact import schema needs separate mapping and acceptance.
Case JSON / mapping revisions	Implemented additional records, frozen profiles, approved-case API and adapter registry. ProNotar32 import remains unavailable.
Authenticated HTTP destination	Implemented signed handoff/receipt contract with an independent synthetic reference receiver. No named vendor connection is supplied.
Outlook / Word / cloud intake	Proposed native integrations. They require their own client/adapter, authentication and target-system validation.

Recommended implementation order

1. ProNotar32 adapter. Validate representative case data, obtain the supported import contract and test the adapter against accepted vendor fixtures. Verify identity matching, duplicates and durable receipts.

2. Plugin access and setup. Add separate scoped credentials, connection tests and queued delivery. These remain proposed capabilities; the rendering/mapping foundation is implemented.

3. Outlook intake. Submit selected mail/attachments and show case status, preserving the existing review and approval workflow.

4. Word and cloud sources. Fill agreed Word templates from approved data, then add the office's chosen cloud document source.

Current configuration boundaries

Security → Plugin access issues one active office token for intake and case reads, including approved-case reads. Rotation affects every client. Individual scopes/expiry and background retries remain planned. Connectors shows destinations, mapping revisions, adapter availability and transfers; HTTP setup is operator-managed.

An adapter must preserve frozen approval/export bytes and duplicate protection. Record delivery only after verified destination acceptance. The reference receiver proves the LexFlow contract; each real vendor needs its own acceptance evidence.

Developer and operator handoff

Read integrations/EXPANSION_GUIDE.txt for API requests/responses, current limits, proposed adapter operations and acceptance cases; integrations/HANDOFF_V1.txt for the exact signed wire contract; and deployment/OPERATIONS.txt for credentials, configuration and recovery.

Platform references: Microsoft Outlook add-ins and Microsoft Word add-ins. These describe implementation options; they do not establish an installed LexFlow integration.