ALLGIFT TECHNOLOGIES LTD

LexFlow AI

Demonstration guide

From source documents to reviewed,
approved structured data.

PRESENTER EDITION

A 12-minute walkthrough with exact actions, expected results, screenshots and client talking points.

Version 0.10.0-prototype · 23 October 2026

THE STORY TO TELL

Receive a document. Surface disagreement.
Let a person decide. Keep the evidence.

Receive › **Extract** › **Review** › **Approve** › **Export**

Use the supplied fictional records throughout. The local receiver demonstrates an accepted handoff; a live notary vendor is not connected.

This guide documents the working prototype. It does not claim production certification or measured client savings.

BEFORE THE MEETING

Prepare the demonstration

Use the Keller administrator account for the full walkthrough. Allow one rehearsal before presenting.

Current local demo: http://127.0.0.1:8001
To start it from the project folder on Linux/macOS:

```
LEXFLOW_PORT=8001 ./start.sh
```

The launcher requires Python 3.12 and installs dependencies on first use. Docker (**docker compose up --build**) and Windows (**.\start.ps1**) use port **8000** by default.

Account	Use during the demonstration
admin@keller.demo	Review, approve, teach rules and record baselines
reviewer@keller.demo	Review, approve and export
assistant@keller.demo	Read-only review and approval controls
admin@weber.demo	Show a separate office workspace

Shared demo password: `LexFlowDemo2026!`
If an account password was previously changed, use its current password.


Time	Screen and purpose	Page
0:00–4:00	Opening, guided case, review and approval	3–4
4:00–5:00	Generate an approved export	5
5:00–6:30	Send to the local receiver; inspect receipt	6
6:30–8:30	Teach a reusable extraction label	7
8:30–12:00	Pilot evidence, security and close	8–10

Preflight: confirm the server opens, sign in, locate **Start guided demo**, and keep the downloaded export folder ready. Each guided run creates a fresh matter.

01 / OPENING AND INTAKE

Start a fresh case

The shortest convincing story starts with two documents that disagree about one important field.



The Overview screen introduces the source → human approval workflow.

1. **Sign in.** Open the local demo, use the Keller admin account and select **Enter your workspace**.
2. **Create the scenario.** On **Overview**, select **Start guided demo**. A fresh “Demo — Sonnenallee property purchase” matter opens.
3. **Inspect the inputs.** Open the buyer questionnaire and fictional land-register extract in the source-document list. Point out the source names and extracted evidence.
4. **Show the exception.** Find **Land register / Grundbuch**. The field is marked **Conflict**; it contains two different source suggestions.

Fictional document	Land-register value
01_buyer_questionnaire.txt	München Blatt 812
02_land_register_conflict.txt	München Blatt 872

SAY TO THE AUDIENCE

“LexFlow turns incoming documents into structured suggestions and shows where sources disagree. The reviewer can inspect the evidence before making a decision.”

Optional intake extension: create a **Property purchase** matter, go to **Document intake** and upload **samples/07_synthetic_property_purchase.pdf** or **08_synthetic_property_purchase.docx**. Use **Paste document text → Insert synthetic example** for a quick fallback.

02 / HUMAN REVIEW

Resolve, verify, approve

In this fictional scenario, the presenter chooses Blatt 872 after inspecting the fictional land-register extract.



Actual source suggestions from the synthetic rehearsal. Neither source is preselected for the conflict.

1. **Resolve the disagreement.** Select **Review field** under Land register. Choose **München Blatt 872**, add a short review note and select **Confirm value**.
2. **Verify the remaining required fields.** Open each field, compare it with its source, then select **Confirm value**. A suggestion alone is not a confirmation.
3. **Approve the matter.** When the approval gate is satisfied, select **Approve matter** and accept the confirmation dialog.

Required field	Expected value in this example
Buyer / Käufer	Anna Schmidt
Seller / Verkäufer	Peter Müller
Purchase price / Kaufpreis	EUR 850,000.00 (display may be normalized)
Property address / Objektadresse	Sonnenallee 24, 80331 München
Land register / Grundbuch	München Blatt 872 — chosen by the reviewer

EXPECTED RESULT

All five required fields are confirmed and the matter becomes **Approved**. Every conflict must be resolved, including conflicts on optional fields. The review decision and note remain in the audit trail.

03 / CONTROLLED OUTPUT

Generate approved data

Inspect the reviewed values and their destination field names before export.

1. **Open the preview.** From the approved matter, select **Export approved data**.
2. **Select the output.** Choose **JSON — structured payload** and the **Approved export** profile. Read one mapped value in the preview.
3. **Generate and open the file.** Select **Generate export**. The browser downloads the file and the matter records the generated output.
4. **Show the alternative.** Repeat with **CSV — mapped key-value rows** if the audience wants a spreadsheet-friendly format. Find outputs again under **Transfers & exports**.

Example destination fields

Destination key	Reviewed value
Beteiligter.Kaeufer.Name	Anna Schmidt
Vorgang.KaufpreisEUR	850000.00
Immobilie.Anschrift	Sonnenallee 24, 80331 München
Grundbuch.Blatt	München Blatt 872

```
"connector": "approved_export",
"not_a_live_transmission": true
```

SAY TO THE AUDIENCE

“This is a real file generated from reviewed values. We can inspect the mapping and keep the output linked to its source matter. A downloadable export does not mean a vendor system received it.”

Show that approval stays meaningful


Reopening a matter, adding documents or changing destination mappings requires renewed approval. Earlier outputs become superseded and further downloads are blocked. Downloaded copies remain outside the application’s control.

Demonstrate re-review last; keep this approved matter available for the receiver demonstration.

04 / INTEGRATION EVIDENCE

Demonstrate a handoff

Use the Local demonstration receiver to show approval checks, a stored destination record and an acceptance receipt.



The isolated rehearsal produced a stored demo record and an accepted transfer receipt. Your matter reference will differ.

1. **Choose the approved matter.** Open **Integrations**. Under **Preview a transfer**, select the Sonnenallee matter you just approved or exported.
2. **Preview before sending.** Set Destination to **Local demonstration receiver** and select **Dry run**. Inspect the mapped payload.
3. **Send deliberately.** Select **Send approved data**. The local receiver stores the record and returns an **accepted** receipt.
4. **Inspect the evidence.** Open the matter under **Received demo records** and show the row in **Transfer receipts**. The destination is labelled as simulated.

SAY TO THE AUDIENCE


“The demonstration destination has accepted this approved payload and returned a receipt. This demonstrates the handoff controls. Connecting a real notary vendor requires its supported interface and a configured destination.”

Optional integrations: a signed HTTPS webhook adapter and a folder intake agent are included. The webhook requires operator configuration; the folder agent runs from **agents/folder_agent.py**. Native Outlook, Word and BNotK/XNP connectors are not connected.

05 / WORKFLOW LEARNING

Teach a reusable label

Demonstrate a small, understandable rule that changes future intake while preserving human review.



Workflow studio saves workspace-specific label rules with version history.

1. **Open the studio.** Select **Workflow studio → Teach a field**.
2. **Define the rule.** Choose **Property purchase**, set **Extract into** to **Buyer / Käufer** and use the label **Erwerbende Person**.
3. **Test the example.** Enter the text below in **Example text · preview only**, then select **Test rule**. The preview should identify Anna Beispiel as the buyer.

```
Erwerbende Person: Anna Beispiel
```

4. **Save and inspect.** Select **Save learned rule**. The table shows an enabled rule at **Version 1**. An administrator can pause it and inspect later versions.
5. **Prove future use.** Create a new **Property purchase** matter. Under **Document intake → Paste document text**, paste the same line and select **Extract structured fields**. Open the buyer field to see the learned suggestion; it still needs review.

SAY TO THE AUDIENCE


“We taught LexFlow how this office labels a buyer. We saved the label and field configuration, not the preview example as training data. Future matching documents receive suggestions for a person to verify.”

If this rule already exists after rehearsal, demonstrate its preview and version history instead of saving a duplicate. Reviewers can test rules; only administrators save or pause them. Stored intake documents remain ordinary case records.

06 / MEASURING VALUE

Present evidence honestly

The dashboard distinguishes missing measurements, reported work time and actual transfer outcomes.



The rehearsal has no baseline or reported work time. Local and HTTPS acceptance are shown separately.

1. **Choose the workflow.** Open **Pilot measurement** and select **Property purchase**.
2. **Explain the time comparison.** An administrator records an observed average and sample count under **Record your baseline**. Use **Record work time** or a matter's work timer for actual sessions.
3. **Show the evidence export.** Select **Export evidence** to download the CSV report. If measurements are absent, explain the empty state.

Metric	How to explain it
Extraction coverage	Required fields with a suggestion / required fields in matters with documents. This is coverage, not accuracy.
Manual correction rate	Current confirmations that differ from every candidate / current confirmations.
Low-confidence rate	Fields whose best candidate heuristic is below 0.90 / fields with candidates.
Time and acceptance	Work sessions are summed per matter, then averaged. Local and HTTPS acceptance rates are shown separately.

SAY TO THE AUDIENCE

"The software can collect pilot evidence. Client savings must come from observed baseline and work-session data. A successful local simulation is not evidence of a live vendor's reliability."

07 / TRUST AND ACCESS

Explain the active controls

Open Security and show the configuration that is actually active in this demonstration.

Control	What to show or say
Passwords and sessions	Argon2 password hashes, sign-in limits, idle expiry and the option to sign out other sessions.
Audit integrity	Security verifies the workspace HMAC chain. Select Audit checkpoint to download a checkpoint for separate storage.
Document and export files	Workspace file encryption is optional and needs configured keys. Show its actual status on screen.
HTTPS and database	The local HTTP demo does not use secure HTTPS cookies. SQLite and extracted text need encrypted-volume protection in deployment.

1. **Inspect the chain.** In **Security**, point out **Audit integrity** and select **Audit checkpoint**. Keep checkpoints outside the database to detect coordinated truncation.
2. **Inspect a decision.** Open **Audit trail**, find a field confirmation or approval and select **View decision details**.
3. **Optionally show isolation.** Sign out and sign in as **admin@weber.demo**. Keller matters should not appear. Return to the Keller administrator afterwards.

Role	Review and output permissions
Admin	Confirms, approves, exports; manages rules, mappings and baselines.
Reviewer	Confirms, approves and exports; previews rules.
Analyst	Reads matters and suggestions; cannot confirm, approve or export.

SAY TO THE AUDIENCE

“The prototype makes its controls visible. A dedicated HTTPS deployment profile, provisioning and backup tools are included. Hosting validation, SSO/MFA and independent certification remain outside this demonstration.”

08 / CLOSE AND RECOVER

Finish with a clear result

Close on the approved case, generated file, receipt and reviewer decision.

CLOSING SCRIPT

“You have seen two source documents become reviewed structured data, a person resolve a conflict, an approved export and a recorded local handoff. The next pilot step is one supported vendor connection and observed office measurements.”

Presenter recovery notes

If this happens	Use this recovery
The page does not open	Run the launcher from page 2. Use port 8001 for that command; Docker and the default launchers use 8000.
Approve is disabled	Confirm every required field and resolve every conflict, including optional fields. Analysts cannot approve.
Export is superseded	Complete the required re-review, approve again and generate a new output.
A learned label does not match	Check the matter type, chosen field, exact label and a colon or equals sign before the value. Keep the rule enabled.
A scan has no useful text	Use the supplied digital PDF, DOCX or pasted synthetic text. Image recognition requires local OCR setup.
There is no pilot saving yet	Explain that baseline or work-time evidence is missing. Enter measured observations when available.

Optional account-recovery demonstration

At sign-in, select **Forgot password?** and request a link for a seeded account. The local demo shows **Create a new password** on screen; no email is sent. Links expire after 30 minutes. A completed reset changes the password and closes that account’s sessions, so rehearse with a secondary demo account.

Verification and supporting material

23 October 2026: 81 backend tests and 12 interface tests passed. The PDF rehearsal verified the five required confirmations, conflict selection, approval, JSON export, local acceptance receipt and learned-rule use on future intake in an isolated synthetic workspace.

Actual screenshots; matter references and counts vary. See **README.md**, **docs/DEPLOYMENT.md** and **docs/SECURITY_AND_LIMITATIONS.md**. Repository: BernardAli/Lexflow-B.