```
import tensorflow as tf
from tensorflow import keras

from keras.applications.vgg19 import VGG19
from keras.optimizers import RMSprop
from keras.utils import image_dataset_from_directory
from tensorflow.keras.preprocessing.image import ImageDataGenerator
```

# **Data Augmentation**

 Esta função de data augmentation não tem muitas tranformações pois, como vimos num dos modelos desenvolvidos, muitas tranformações podes destorcer por completo a imagem

```
def augment(image, label):
    image = tf.image.random_rotation(image, 40) #rodar a imagem
ligeiramente pus no máximo 30%
    image = tf.image.random_brightness(image, max_delta=0.1)
#aplicamos um bocado de brilho
    image = tf.image.random_flip_left_right(image) #flip horizontal
aleatório
    return image, label
```

#### **Batch Size**

A decisão de um batch size a 32 foi devido às experiências e treinos anteriores

```
IMG SIZE = 150
num classes = 10
BATCH SIZE = 32
# Carregar e preparar os dados
train dir = '../Imagens/train/train5'
validation dir = '../Imagens/validation'
test dir = '../Imagens/test'
train_dataset = tf.keras.preprocessing.image dataset from directory(
    train dir,
    image size=(IMG SIZE, IMG SIZE),
    batch size=BATCH SIZE,
    label mode='categorical'
)
validation dataset =
tf.keras.preprocessing.image dataset from directory(
    validation dir,
    image size=(IMG SIZE, IMG SIZE),
    batch size=BATCH SIZE,
    label mode='categorical'
```

```
test_dataset = tf.keras.preprocessing.image_dataset_from_directory(
    test_dir,
    image_size=(IMG_SIZE, IMG_SIZE),
    batch_size=BATCH_SIZE,
    label_mode='categorical'
)

Found 40000 files belonging to 10 classes.
Found 10000 files belonging to 10 classes.
Found 10000 files belonging to 10 classes.
```

#### Carregar a classificador do outro modelo

• Agui estamos a reutilizar a camada classificadora do modelo T sem fine tunning

```
from tensorflow import keras
from keras import layers
from keras import layers, regularizers
from keras.callbacks import ReduceLROnPlateau, EarlyStopping,
ModelCheckpoint

#Reaproveitamos a classificadora do modelo T, mas sem fine Tunning
model = keras.models.load_model('TL_dataAugmentation.h5')
```

### Carregar o modelo Pré-Treinado

- O modelo que escolhemos foi a VGG19, por razões já justificadas anteriormente
- Embora nos testes tenhamos testado descongelar mais do que uma layer, o melhor resultado que obtivemos foi apenas quando descongelamos a primeira, o que explicamos com mais detalhe no relatório

## **Descongelar Camadas**

 Após 3 treinos decidimos que a melhor opção era descongelar no máximo estas duas camadas

```
convbase = model.get_layer("vgg19")

for layer in convbase.layers:
    if layer.name in ['block5_conv3','block5_conv4']:
        layer.trainable = True
    else:
        layer.trainable = False

# Callbacks
reduce_lr = ReduceLROnPlateau(monitor='val_loss', factor=0.1, patience=5, min_lr=1e-7)
early_stopping = EarlyStopping(monitor='val_loss', patience=10,
```

```
restore_best_weights=True)
checkpoint = ModelCheckpoint('best_model.h5', monitor='val_loss',
save_best_only=True)
```

## **Learning Rate**

• Após os 3 treinos o melhor learing rate a que chegamos foi de 0.00001

```
from keras.utils import to categorical
from tensorflow import keras
from keras import optimizers
from keras.optimizers import Adam
#model.load weights('best model.h5')
# Specify the learning rate
learning rate = 0.00001
# Define the optimizer with the specified learning rate
optimizer = keras.optimizers.RMSprop(learning rate=learning rate)
# Compilar o modelo com o otimizador e taxa de aprendizado
model.compile(optimizer=optimizer,
              loss='categorical crossentropy',
              metrics=['accuracy'])
# Treinamento do modelo
history = model.fit(train dataset, epochs=15,
validation data=validation dataset, callbacks=[reduce lr,
early stopping, checkpoint])
model.save('Com dataAugmentation.h5')
Epoch 1/15
WARNING: tensorflow: Using a while loop for converting RngReadAndSkip
cause there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting Bitcast cause
there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting Bitcast cause
there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting
StatelessRandomUniformV2 cause there is no registered converter for
this op.
WARNING: tensorflow: Using a while loop for converting
ImageProjectiveTransformV3 cause there is no registered converter for
this op.
WARNING: tensorflow: Using a while loop for converting RngReadAndSkip
cause there is no registered converter for this op.
WARNING: tensorflow: Using a while loop for converting Bitcast cause
there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting Bitcast cause
there is no registered converter for this op.
```

```
WARNING: tensorflow: Using a while loop for converting
StatelessRandomUniformV2 cause there is no registered converter for
this op.
WARNING: tensorflow: Using a while loop for converting
ImageProjectiveTransformV3 cause there is no registered converter for
WARNING: tensorflow: Using a while loop for converting RngReadAndSkip
cause there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting Bitcast cause
there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting Bitcast cause
there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting
StatelessRandomUniformV2 cause there is no registered converter for
this op.
WARNING:tensorflow:Using a while loop for converting
ImageProjectiveTransformV3 cause there is no registered converter for
this op.
WARNING: tensorflow: Using a while loop for converting RngReadAndSkip
cause there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting Bitcast cause
there is no registered converter for this op.
WARNING:tensorflow:Using a while loop for converting Bitcast cause
there is no registered converter for this op.
WARNING:tensorflow:Using a while_loop for converting
StatelessRandomUniformV2 cause there is no registered converter for
WARNING: tensorflow: Using a while loop for converting
ImageProjectiveTransformV3 cause there is no registered converter for
this op.
0.2251 - accuracy: 0.9334 - val loss: 0.2722 - val accuracy: 0.9221 -
lr: 1.0000e-05
Epoch 2/15
0.2123 - accuracy: 0.9395 - val loss: 0.2681 - val accuracy: 0.9244 -
lr: 1.0000e-05
Epoch 3/15
0.2059 - accuracy: 0.9410 - val loss: 0.2631 - val accuracy: 0.9257 -
lr: 1.0000e-05
Epoch 4/15
0.2049 - accuracy: 0.9420 - val loss: 0.2669 - val_accuracy: 0.9255 -
lr: 1.0000e-05
Epoch 5/15
0.1999 - accuracy: 0.9418 - val loss: 0.2744 - val accuracy: 0.9239 -
lr: 1.0000e-05
```

```
Epoch 6/15
0.1923 - accuracy: 0.9455 - val loss: 0.2748 - val accuracy: 0.9235 -
lr: 1.0000e-05
Epoch 7/15
0.1932 - accuracy: 0.9445 - val loss: 0.2695 - val accuracy: 0.9258 -
lr: 1.0000e-05
Epoch 8/15
0.1878 - accuracy: 0.9487 - val loss: 0.2742 - val accuracy: 0.9246 -
lr: 1.0000e-05
Epoch 9/15
0.1854 - accuracy: 0.9483 - val loss: 0.2709 - val accuracy: 0.9262 -
lr: 1.0000e-06
Epoch 10/15
0.1832 - accuracy: 0.9488 - val loss: 0.2708 - val accuracy: 0.9258 -
lr: 1.0000e-06
Epoch 11/15
0.1787 - accuracy: 0.9500 - val_loss: 0.2704 - val_accuracy: 0.9259 -
lr: 1.0000e-06
Epoch 12/15
0.1777 - accuracy: 0.9495 - val_loss: 0.2710 - val_accuracy: 0.9257 -
lr: 1.0000e-06
Epoch 13/15
0.1784 - accuracy: 0.9501 - val loss: 0.2698 - val accuracy: 0.9263 -
lr: 1.0000e-06
```

#### Desempenho do modelo

• Na nossa opinião o desempenho do modelo no geral é bom, embora com algum overfitting, podemos considerar um modelo robusto e capaz de classificar corretamente as imagens com 92% de certeza.

# Análise do gráfico

- No meu entender, ao olhar para o gráfico vejo que a accuracy do treino está a aumentar significativamente, o que indica que a rede está a conseguir modelar os dados de treino cada vez melhor ao longo do tempo
- A validação a meu ver, embora esteja a melhorar mostra algumas variações se obsevarmos não segue uma tendência ascendente suave como a linha de treino.
- Para concluir, podemos reparar que com os dados apresentados pelo gráfico a rede tem um overfitting significativo

```
import matplotlib.pyplot as plt
# Avaliar o modelo
acc = history.history['accuracy']
val acc = history.history['val accuracy']
loss = history.history['loss']
val_loss = history.history['val loss']
epochs = range(1, len(acc) + 1)
plt.figure(figsize=(14, 5))
plt.subplot(1, 2, 1)
plt.plot(epochs, acc, 'bo-', label='Training accuracy')
plt.plot(epochs, val_acc, 'b-', label='Validation accuracy')
plt.title('Training and validation accuracy')
plt.xlabel('Epochs')
plt.ylabel('Accuracy')
plt.legend()
plt.subplot(1, 2, 2)
plt.plot(epochs, loss, 'ro-', label='Training loss')
plt.plot(epochs, val loss, 'r-', label='Validation loss')
plt.title('Training and validation loss')
plt.xlabel('Epochs')
plt.ylabel('Loss')
plt.legend()
plt.show()
```



