

```
MINGW64/c/Users/X4MPS/aula-git-github

X4MPS@DESKTOP-H019SCG MINGW64 ~
$ git clone https://github.com/BernardoNunes0/aula-git-github.git
Cloning into 'aula-git-github'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

X4MPS@DESKTOP-H019SCG MINGW64 ~
$ cd aula-git-github

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ |
```

```
MINGW64/c/Users/X4MPS/aula-git-github

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        teste.java

no changes added to commit (use "git add" and/or "git commit -a")

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ git add
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'teste.gitignore', LF will be replaced by CRLF the next time Git touches it

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   .gitignore
        new file:   teste.classpath
        new file:   teste.gitignore
        new file:   teste.project
        new file:   teste.settings/org.eclipse.core.resources.prefs
        new file:   teste.settings/org.eclipse.jdt.core.prefs
        new file:   teste/src/teste/Teste.java


X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ git commit -m "Primeiro commit do projeto: classe Java Teste criada."
[aula-git-github] Primeiro commit do projeto: classe Java Teste criada.
7 files changed, 12 insertions(+), 0 deletions(-)
create mode 100644 teste.classpath
create mode 100644 teste.gitignore
create mode 100644 teste.project
create mode 100644 teste.settings/org.eclipse.core.resources.prefs
create mode 100644 teste.settings/org.eclipse.jdt.core.prefs
create mode 100644 teste/src/teste/Teste.java

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ git push
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 12 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (15/15), 3.13 KiB | 392.00 KiB/s, done.
Total 15 (delta 13), reused 9 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (13/13), completed with 1 local object.
To https://github.com/BernardoNunes0/aula-git-github.git
   b0b1e4e..a30b0bc  main -> main

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

X4MPS@DESKTOP-H019SCG MINGW64 ~/aula-git-github (main)
$ |
```



The screenshot shows the Eclipse IDE interface. The Package Explorer on the left displays the project structure: 'aula-git-github' containing 'src' (with 'aula-git-github/main' and 'aula-git-github/src' subfolders) and 'src' (with 'aula-git-github/main' and 'aula-git-github/src' subfolders). The main editor shows the 'Teste.java' file with the following code:

```
1 package teste;
2
3 public class Teste {
4     public static void main(String[] args) {
5         // TODO Auto-generated method stub
6     }
7 }
8
9
10
11
```

The Problems view at the bottom shows no errors or warnings.

