

Video Dating App API

Overview

REST API for the Video Dating App MVP. Real-time features (messages, video calls, matches) use WebSockets and are excluded here.

Security

Type	Name	Scopes
apiKey	bearerAuth	

Paths

POST /auth/register Register a new account

Responses

Code	Description	Links
201	Registered <i>Content</i> application/json	No Links
400	Invalid input	No Links

POST /auth/login Login and receive a JWT

Responses

Code	Description	Links
200	Login successful <i>Content</i> application/json	No Links
401	Invalid credentials	No Links

POST /auth/logout Logout

Responses

Code	Description	Links
200	Logged out	No Links

Code	Description	Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

POST /auth/send-verification Send verification email to authenticated user

Responses

Code	Description	Links
200	Verification email sent <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /auth/verify-email Verify email using a token

Parameters

Type	Name	Description	Schema
query	token <i>required</i>		string

Responses

Code	Description	Links
200	Email verified	No Links
400	Invalid or expired token	No Links

GET /me Get authenticated user's profile

Responses

Code	Description	Links
200	Profile returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

PATCH /me Update authenticated user's profile

Responses

Code	Description	Links
200	Profile updated <i>Content</i> application/json	No Links
400	Invalid input	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /settings Get account-level settings

Responses

Code	Description	Links
200	Account settings returned <i>Content</i> application/json	No Links

Code	Description	Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

PATCH /settings Update email or password

Responses

Code	Description	Links
200	Settings updated	No Links
400	Invalid input	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /languages List all languages

Responses

Code	Description	Links
200	Languages returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /religions List all religions

Responses

Code	Description	Links
200	Religions returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

GET /mod/users List all users (Account + Profile)

Responses

Code	Description	Links
200	Users returned <i>Content</i> application/json	No Links
401	Unauthorized <i>Content</i> application/json	No Links
403	Forbidden <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

POST /mod/users/{id}/ban Permanently ban a user

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	User banned	No Links
401	Unauthorized <i>Content</i> application/json	No Links
403	Forbidden <i>Content</i> application/json	No Links
404	Not found <i>Content</i> application/json	No Links

Type	Name	Scopes
apiKey	bearerAuth	

Components

Schemas

UserAccount

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
email <i>optional</i>		string (email)
email_verified <i>optional</i>		boolean
is_enabled <i>optional</i>		boolean
role <i>optional</i>		string
created_at <i>optional</i>		string (date-time)
last_login_at <i>optional</i>		string (date-time)

Language

Properties

Name	Description	Schema
id <i>optional</i>		integer
code <i>optional</i>		string
name <i>optional</i>		string

Religion

Properties

Name	Description	Schema
id <i>optional</i>		integer
name <i>optional</i>		string

UserProfile

Properties

Name	Description	Schema
user_id <i>optional</i>		string (uuid)
first_name <i>optional</i>		string
middle_name <i>optional</i>	<i>nullable</i>	string
last_name <i>optional</i>		string
birthdate <i>optional</i>		string (date)
gender <i>optional</i>		string
avatar_url <i>optional</i>		string (uri)
is_smoker <i>optional</i>		boolean
wants_children <i>optional</i>		boolean
language <i>optional</i>		Language

Name	Description	Schema
religion <i>optional</i>		Religion

ProfileUpdateRequest

Properties

Name	Description	Schema
first_name <i>optional</i>		string
middle_name <i>optional</i>	<i>nullable</i>	string
last_name <i>optional</i>		string
birthdate <i>optional</i>		string (date)
gender <i>optional</i>		string
avatar_url <i>optional</i>		string (uri)
is_smoker <i>optional</i>		boolean
wants_children <i>optional</i>		boolean
language_id <i>optional</i>		integer
religion_id <i>optional</i>		integer

SettingsUpdateRequest

Properties

Name	Description	Schema
email <i>optional</i>		string (email)
password <i>optional</i>		string (password)

RegisterRequest

Properties

Name	Description	Schema
email <i>required</i>		string (email)
password <i>required</i>		string (password)

LoginRequest

Properties

Name	Description	Schema
email <i>required</i>		string (email)
password <i>required</i>		string (password)
stay_logged_in <i>optional</i>	If true, the server issues a long-lived JWT. If false or omitted, a short-lived JWT is issued.	boolean

LoginResponse

Properties

Name	Description	Schema
access_token <i>optional</i>		string
token_type <i>optional</i>		string
expires_in <i>optional</i>	Lifetime of token in seconds	integer

EmailVerificationResponse

Properties

Name	Description	Schema
message <i>optional</i>		string

ErrorResponse

Properties

Name	Description	Schema
error <i>optional</i>		string

Responses

Responses

Code	Description	Links
Unautho rized	Unauthorized <i>Content</i> application/json	No Links
Forbidd en	Forbidden <i>Content</i> application/json	No Links
NotFoun d	Not found <i>Content</i> application/json	No Links